

			answers on the basis of this young person's behavior over the last six months or this school year							
	3117	[ <a href="#">sdq_12wording</a> ]	Substitute wording for item 12	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([visit_age]<18 and [visit_age]>=11, "youth", if([visit_age]<11 and [visit_age]>=4, "children", "peers"))))						
	3118	[ <a href="#">sdq_12wording_es</a> ]	Substitute wording for item 12 Spanish	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([visit_age]< 18 and [visit_age]>=11, "jovenes", if([visit_age]< 11 and [visit_age]>=4, "niños", "colegas"))))						
	3119	[ <a href="#">sdq_restless</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Restless, overactive, cannot stay still for long	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3120	[ <a href="#">sdq_temper</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Often loses temper	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3121	[ <a href="#">sdq_behaved</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Generally well behaved, usually does what adults request	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3122	[ <a href="#">sdq_fidget</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Constantly fidgeting or squirming	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3123	[ <a href="#">sdq_fights</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Often fights with other [sdq_12wording] or bullies them	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3124	[ <a href="#">sdq_distract</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Easily distracted, concentration wanders	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3125	[ <a href="#">sdq_lie</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Often lies or cheats	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3126	[ <a href="#">sdq_thinks</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Thinks things out before acting	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3127	[ <a href="#">sdq_steals</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Steals from home, school or elsewhere	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3128	[ <a href="#">sdq_attention</a> ]  Show the field ONLY if: [visit_age]>=4 and [visit_age]<18	Good attention span, sees work through to the end	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table>	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3129	[ <a href="#">sdq_conduct</a> ]	SDQ 11-17 Conduct score:	calc Calculation: if([visit_age]>=11 and [visit_age]<18, sum([sdq_temper], [sdq_fights], [sdq_lie], [sdq_steals], (2 - [sdq_behaved])), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3130	[ <a href="#">sdq_adhd</a> ]	SDQ 11-17 Inattention/Hyperactivity score:	calc Calculation: if([visit_age]>=11 and [visit_age]<18, sum([sdq_restless], [sdq_fidget], [sdq_distract], (2 -						

				[sdq_thinks]), (2 - [sdq_attention])), """) Field Annotation: @HIDDEN @HIDDEN-PDF								
	3131	[sdq_total]	SDQ Total behavior problems score:	calc Calculation: if([visit_age]>=4 and [visit_age]<18, sum([sdq_temper], [sdq_fights], [sdq_lie], [sdq_steals], (2 - [sdq_behaved])), [sdq_restless], [sdq_fidget], [sdq_distract], (2 - [sdq_thinks]), (2 - [sdq_attention])), """) Field Annotation: @HIDDEN @HIDDEN-PDF								
	3132	[child_wellbeing_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete		
0	Incomplete											
1	Unverified											
2	Complete											
Instrument: <b>Adolescent Wellbeing</b> (adolescent_wellbeing)												
Active languages: None												
	3133	[awb_fversion]	Adolescent wellbeing form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)								
	3134	[awb_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY								
	3135	[awb_colllang]	_form collection language	text Field Annotation: @LANGUAGE-CURRENT-SURVEY @HIDDEN								
	3136	[awb_coord]	Check this box if the coordinator is entering data:	checkbox <table><tr><td>1</td><td>awb_coord__1</td><td>Coordinator data entry</td></tr></table> Field Annotation: @HIDDEN-SURVEY	1	awb_coord__1	Coordinator data entry					
1	awb_coord__1	Coordinator data entry										
	3137	[awb_agemwarning] Show the field ONLY if: [visit_age]<12 or [visit_age]>=18	Error! This participant is not in the range of 12-17 years old, and thus does not need to complete this form	descriptive Field Annotation: @HIDDEN-SURVEY								
	3138	[awb_brokenwarning]	Error! This form cannot be properly reviewed at this time; you should not give it participants.	descriptive Field Annotation: @HIDDEN-SURVEY								
	3139	[awb_surveyurldisplay] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [visit_age]<18	The survey link for this survey is: [survey-url:adolescent_wellbeing]	descriptive								
	3140	[rcadsado_instr] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [visit_age]<18	Section Header: Please choose how often each of these things happens for you. There are no right or wrong answers.	descriptive								
	3141	[rcadsado_sad] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [visit_age]<18	I feel sad or empty	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3142	[rcadsado_poorly] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [visit_age]<18	I worry when I think I have done poorly at something	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3143	[rcadsado_alone] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [visit_age]<18	I would feel afraid of being on my own at home	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3144	[rcadsado_notfun] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [visit_age]<18	Nothing is much fun anymore	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3145	[rcadsado_awful] Show the field ONLY if:	I worry that something awful will happen to someone in my family	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr></table>	0	Never						
0	Never											



		"1"="0" and [visit_age]>=12 and [v isit_age]<18		<table><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	1	Sometimes	2	Often	3	Always		
1	Sometimes											
2	Often											
3	Always											
	3146	[rcadsado_crowds]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I am afraid of being in crowded places (like shopping centers, the movies, buses, busy playgrounds)	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3147	[rcadsado_reputation]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I worry what other people think of me	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3148	[rcadsado_sleep]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I have trouble sleeping	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3149	[rcadsado_sleepalone]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I feel scared if I have to sleep on my own	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3150	[rcadsado_appetite]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I have problems with my appetite	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3151	[rcadsado_dizzy]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I suddenly become dizzy or faint when there is no reason for this	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3152	[rcadsado_repeat]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I have to do some things over and over again (like washing my hands, cleaning or putting things in a certain order)	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3153	[rcadsado_energy]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I have no energy for things	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3154	[rcadsado_shake]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I suddenly start to tremble or shake when there is no reason for this	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											
	3155	[rcadsado_thinkclear]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I cannot think clearly	radio (Matrix) <table><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Sometimes</td></tr><tr><td>2</td><td>Often</td></tr><tr><td>3</td><td>Always</td></tr></table>	0	Never	1	Sometimes	2	Often	3	Always
0	Never											
1	Sometimes											
2	Often											
3	Always											

3156	[rcadsado_worthless] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I feel worthless	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3157	[rcadsado_thoughts] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I have to think of special thoughts (like numbers or words) to stop bad things from happening	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3158	[rcadsado_death] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I think about death	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3159	[rcadsado_notmove] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I feel like I don't want to move	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3160	[rcadsado_scared] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I worry that I will suddenly get a scared feeling when there is nothing to be afraid of	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3161	[rcadsado_tired] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I am tired a lot	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3162	[rcadsado_foolish] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I feel afraid that I will make a fool of myself in front of people	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3163	[rcadsado_justright] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I have to do some things in just the right way to stop bad things from happening	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3164	[rcadsado_restless] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I feel restless	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3165	[rcadsado_somethingbad] Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I worry that something bad will happen to me	radio (Matrix) 0 Never 1 Sometimes 2 Often 3 Always
3166	[rcadsado_internalraw]	RCADS 25 Total Internalizing subscale	calc Calculation: if([awb_fversion]<>"") and [visit_age]>=12 and [visit_age]<18, sum([rcadsado_sad], [rcadsado_poorly], [rcadsado_alone], [rcadsado_notfun], [rcadsado_awful], [rcadsado_crowds], [rcadsado_reputation], [rcadsado_sleep],

				[rcadsado_sleepalone], [rcadsado_appetite], [rcadsado_dizzy], [rcadsado_repeat], [rcadsado_energy], [rcadsado_shake], [rcadsado_thinkclear], [rcadsado_worthless], [rcadsado_thoughts], [rcadsado_death], [rcadsado_notmove], [rcadsado_scared], [rcadsado_tired], [rcadsado_foolish], [rcadsado_justright], [rcadsado_restless], [rcadsado_somethingbad]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3167	[rcadsado_anxietyraw]	RCADS 25 Total Anxiety subscale	calc Calculation: if([awb_fversion]<>"" and [visit_age]>=12 and [visit_age]<18, sum([rcadsado_poorly], [rcadsado_alone], [rcadsado_crowds], [rcadsado_reputation], [rcadsado_sleepalone], [rcadsado_dizzy], [rcadsado_repeat], [rcadsado_shake], [rcadsado_thoughts], [rcadsado_death], [rcadsado_scared], [rcadsado_foolish], [rcadsado_justright], [rcadsado_somethingbad]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3168	[rcadsado_depressraw]	RCADS 25 Total Depression subscale raw:	calc Calculation: if([awb_fversion]<>"" and [visit_age]>=12 and [visit_age]<18, sum([rcadsado_sad], [rcadsado_notfun], [rcadsado_sleep], [rcadsado_appetite], [rcadsado_energy], [rcadsado_thinkclear], [rcadsado_worthless], [rcadsado_notmove], [rcadsado_tired], [rcadsado_restless]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3169	[sdqado_instr]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	Section Header:  For each item, please mark the box for Not True, Somewhat True or Certainly True. It would help us if you answered all items as best you can even if you are not absolutely certain. Please give your answers on the basis of how things have been for you over the last six months.	descriptive						
	3170	[sdqado_restless]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I am restless, I cannot stay still for long	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #2	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3171	[sdqado_temper]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I get very angry and often lose my temper	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #5	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3172	[sdqado_behaved]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I usually do as I am told	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #7	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3173	[sdqado_fidget]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I am constantly fidgeting or squirming	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #10	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3174	[sdqado_fights]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I fight a lot. I can make other people do what I want	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #12	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									
	3175	[sdqado_distract]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I am easily distracted, I find it difficult to concentrate	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #15	0	Not true	1	Somewhat true	2	Certainly true
0	Not true									
1	Somewhat true									
2	Certainly true									

3176	[ sdqado_lie ]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I am often accused of lying or cheating	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #18	0	Not true	1	Somewhat true	2	Certainly true
0	Not true								
1	Somewhat true								
2	Certainly true								
3177	[ sdqado_thinks ]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I think before I do things	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #21	0	Not true	1	Somewhat true	2	Certainly true
0	Not true								
1	Somewhat true								
2	Certainly true								
3178	[ sdqado_steals ]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I take things that are not mine from home, school or elsewhere	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #22	0	Not true	1	Somewhat true	2	Certainly true
0	Not true								
1	Somewhat true								
2	Certainly true								
3179	[ sdqado_attention ]  Show the field ONLY if: "1"="0" and [visit_age]>=12 and [v isit_age]<18	I finish the work I'm doing. My attention is good	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat true</td></tr><tr><td>2</td><td>Certainly true</td></tr></table> Field Annotation: SDQ #25	0	Not true	1	Somewhat true	2	Certainly true
0	Not true								
1	Somewhat true								
2	Certainly true								
3180	[ sdqado_conduct ]	SDQ 11-17 Conduct score:	calc Calculation: if([awb_fversion]<>"" and [visit_age]>=12 and [visit_age]<18, sum([sdqado_temper], [sdqado_fights], [sdqado_lie], [sdqado_steals], (2 - [sdqado_behaved])), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3181	[ sdqado_adhd ]	SDQ 11-17 Inattention/Hyperactivity score:	calc Calculation: if([awb_fversion]<>"" and [visit_age]>=12 and [visit_age]<18, sum([sdqado_restless], [sdqado_fidget], [sdqado_distract], (2 - [sdqado_thinks]), (2 - [sdqado_attention])), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3182	[ adolescent_wellbeing_comple te ]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								
Instrument: <b>Asq (asq)</b>  Active languages: None									
3183	[ asq_fversion ]	ASQ form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
3184	[ asq_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
3185	[ asq_colltdt ]	What is the date that this survey is being done? <i>MM-DD-YYYY</i>	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY						
3186	[ asq2_seccomm_colllang ]	_form collection language	text Field Annotation: @LANGUAGE-CURRENT-SURVEY @HIDDEN nb this is misnamed it should be asq_colllang						
3187	[ asq_coord ]	Check this box if the coordinator is entering data:	checkbox <table><tr><td>1</td><td>asq_coord__1</td><td>Coordinator data entry</td></tr></table> Field Annotation: @HIDDEN-SURVEY	1	asq_coord__1	Coordinator data entry			
1	asq_coord__1	Coordinator data entry							
3188	[ asq_logo ]	Ages & Stages Questionnaires®, Third Edition (ASQ®-3), Squires and Bricker; © 2009 Paul H. Brookes Publishing Co., Inc. All rights reserved. With permission of the publisher.	descriptive						
3189	[ asq2_intro ]  Show the field ONLY if: [visit_asqver]="2"	2 Month Questionnaire1 months 0 days through 2 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your	descriptive						

			baby before marking a response. Make completing this questionnaire a game that is fun for you and your baby. Make sure your baby is rested and fed.						
3190	[ asq2_comm1 ]  Show the field ONLY if: [visit_asqver]="2"	Section Header: <i>Communication</i>  1. Does your baby sometimes make throaty or gurgling sounds?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3191	[ asq2_comm2 ]  Show the field ONLY if: [visit_asqver]="2"	2. Does your baby make cooing sounds such as "ooo," "gah," and "aah"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3192	[ asq2_comm3 ]  Show the field ONLY if: [visit_asqver]="2"	3. When you speak to your baby, does she make sounds back to you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3193	[ asq2_comm4 ]  Show the field ONLY if: [visit_asqver]="2"	4. Does your baby smile when you talk to him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3194	[ asq2_comm5 ]  Show the field ONLY if: [visit_asqver]="2"	5. Does your baby chuckle softly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3195	[ asq2_comm6 ]  Show the field ONLY if: [visit_asqver]="2"	6. After you have been out of sight, does your baby smile or get excited when she sees you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3196	[ asq2_comm_sum ]  Show the field ONLY if: [visit_asqver]="2"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum([asq2_comm1], [asq2_comm2], [asq2_comm3], [asq2_comm4], [asq2_comm5], [asq2_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3197	[ asq2_comm_count ]  Show the field ONLY if: [visit_asqver]="2"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum(if([asq2_comm1]<>"" , 1, 0), if([asq2_comm2]<>"" , 1, 0), if([asq2_comm3]<>"" , 1, 0), if([asq2_comm4]<>"" , 1, 0), if([asq2_comm5]<>"" , 1, 0), if([asq2_comm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3198	[ asq2_comm_score ]  Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_comm_count]<>"" , if([asq2_comm_count]="6", ([asq2_comm_sum]), if([asq2_comm_count]="5", ([asq2_comm_sum] + ([asq2_comm_sum]/[asq2_comm_count])), if([asq2_comm_count]="4", ([asq2_comm_sum] + (2* ([asq2_comm_sum]/[asq2_comm_count]))), if([asq2_comm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
3199	[ asq2_comm_concern ]  Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category communication below cutoff (23)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_comm_score]<>"" , if([asq2_comm_score]<23, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3200	[ asq2_comm_concernwarning ]  Show the field ONLY if:	Warning: Adjusted score in category communication below cutoff (23). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						

		[asq2_comm_concern]="1"								
3201	[ asq2_gm1 ]	Show the field ONLY if: [visit_asqver]="2"	Section Header: <i>Gross motor</i>  1. While your baby is on his back, does he wave his arms and legs, wiggle, and squirm?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3202	[ asq2_gm2 ]	Show the field ONLY if: [visit_asqver]="2"	2. When your baby is on her tummy, does she turn her head to the side?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3203	[ asq2_gm3 ]	Show the field ONLY if: [visit_asqver]="2"	3. When your baby is on his tummy, does he hold his head up longer than a few seconds?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3204	[ asq2_gm4 ]	Show the field ONLY if: [visit_asqver]="2"	4. When your baby is on her back, does she kick her legs?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3205	[ asq2_gm5 ]	Show the field ONLY if: [visit_asqver]="2"	5. While your baby is on his back, does he move his head from side to side?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3206	[ asq2_gm6 ]	Show the field ONLY if: [visit_asqver]="2"	6. After holding her head up while on her tummy, does your baby lay her head back down on the floor, rather than let it drop or fall forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3207	[ asq2_gm_sum ]	Show the field ONLY if: [visit_asqver]="2"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum([asq2_gm1], [asq2_gm2], [asq2_gm3], [asq2_gm4], [asq2_gm5], [asq2_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3208	[ asq2_gm_count ]	Show the field ONLY if: [visit_asqver]="2"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum(if([asq2_gm1]<>"" , 1, 0), if([asq2_gm2]<>"" , 1, 0), if([asq2_gm3]<>"" , 1, 0), if([asq2_gm4]<>"" , 1, 0), if([asq2_gm5]<>"" , 1, 0), if([asq2_gm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3209	[ asq2_gm_score ]	Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_gm_count]<>"" , if([asq2_gm_count]="6", ([asq2_gm_sum]), if([asq2_gm_count]="5", ([asq2_gm_sum] + ([asq2_gm_sum]/[asq2_gm_count])), if([asq2_gm_count]="4", ([asq2_gm_sum] + (2*([asq2_gm_sum]/[asq2_gm_count]))), if([asq2_gm_count]<4, "" , ""))), "") Field Annotation: @HIDDEN-SURVEY						
3210	[ asq2_gm_concern ]	Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category gross motor below cutoff (42)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_gm_score]<>"" , if([asq2_gm_score]<42, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3211	[ asq2_gm_concernwarning ]	Show the field ONLY if: [asq2_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (42). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3212	[ asq2_fm1 ]	Show the field ONLY if:	Section Header: <i>Fine motor</i>	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes									

		[visit_asqver]="2"	1. Is your baby's hand usually tightly closed when he is awake? (If your baby used to do this but no longer does, mark "yes.")	<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet		
5	Sometimes									
0	Not yet									
3213	[ asq2_fm2 ]	Show the field ONLY if: [visit_asqver]="2"	2. Does your baby grasp your finger if you touch the palm of her hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3214	[ asq2_fm3 ]	Show the field ONLY if: [visit_asqver]="2"	3. When you put a toy in his hand, does your baby hold it in his hand briefly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3215	[ asq2_fm4 ]	Show the field ONLY if: [visit_asqver]="2"	4. Does your baby touch her face with her hands?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3216	[ asq2_fm5 ]	Show the field ONLY if: [visit_asqver]="2"	5. Does your baby hold his hands open or partly open when he is awake (rather than in fists, as they were when he was a newborn)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3217	[ asq2_fm6 ]	Show the field ONLY if: [visit_asqver]="2"	6. Does your baby grab or scratch at her clothes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3218	[ asq2_fm_sum ]	Show the field ONLY if: [visit_asqver]="2"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum([asq2_fm1], [asq2_fm2], [asq2_fm3], [asq2_fm4], [asq2_fm5], [asq2_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3219	[ asq2_fm_count ]	Show the field ONLY if: [visit_asqver]="2"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum(if([asq2_fm1]<>"" , 1, 0), if([asq2_fm2]<>"" , 1, 0), if([asq2_fm3]<>"" , 1, 0), if([asq2_fm4]<>"" , 1, 0), if([asq2_fm5]<>"" , 1, 0), if([asq2_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3220	[ asq2_fm_score ]	Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_fm_count]<>"" , if([asq2_fm_count]="6", ([asq2_fm_sum]), if([asq2_fm_count]="5", ([asq2_fm_sum] + ([asq2_fm_sum]/[asq2_fm_count])), if([asq2_fm_count]="4", ([asq2_fm_sum] + (2*([asq2_fm_sum]/[asq2_fm_count]))), if([asq2_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
3221	[ asq2_fm_concern ]	Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category fine motor below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_fm_score]<>"" , if([asq2_fm_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3222	[ asq2_fm_concernwarning ]	Show the field ONLY if: [asq2_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3223	[ asq2_ps1 ]	Show the field ONLY if: [visit_asqver]="2"	Section Header: <i>Problem solving</i> 1. Does your baby look at objects that are 8-10 inches away?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV						
3224	[ asq2_ps2 ]  Show the field ONLY if: [visit_asqver]="2"	2. When you move around, does your baby follow you with his eyes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3225	[ asq2_ps3 ]  Show the field ONLY if: [visit_asqver]="2"	3. When you move a toy slowly from side to side in front of your baby's face (about 10 inches away), does your baby follow the toy with her eyes, sometimes turning her head?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3226	[ asq2_ps4 ]  Show the field ONLY if: [visit_asqver]="2"	4. When you move a small toy up and down slowly in front of your baby's face (about 10 inches away), does your baby follow the toy with his eyes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3227	[ asq2_ps5 ]  Show the field ONLY if: [visit_asqver]="2"	5. When you hold your baby in a sitting position, does she look at a toy (about the size of a cup or rattle) that you place on the table or floor in front of her?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3228	[ asq2_ps6 ]  Show the field ONLY if: [visit_asqver]="2"	6. When you dangle a toy above your baby while he is lying on his back, does he wave his arms toward the toy?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3229	[ asq2_ps_sum ]  Show the field ONLY if: [visit_asqver]="2"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum([asq2_ps1], [asq2_ps2], [asq2_ps3], [asq2_ps4], [asq2_ps5], [asq2_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3230	[ asq2_ps_count ]  Show the field ONLY if: [visit_asqver]="2"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum(if([asq2_ps1]<>"" , 1, 0), if([asq2_ps2]<>"" , 1, 0), if([asq2_ps3]<>"" , 1, 0), if([asq2_ps4]<>"" , 1, 0), if([asq2_ps5]<>"" , 1, 0), if([asq2_ps6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3231	[ asq2_ps_score ]  Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_ps_count]<>"" , if([asq2_ps_count]="6", ([asq2_ps_sum]), if([asq2_ps_count]="5", ([asq2_ps_sum] + ([asq2_ps_sum]/[asq2_ps_count])), if([asq2_ps_count]="4", ([asq2_ps_sum] + (2*([asq2_ps_sum]/[asq2_ps_count]))), if([asq2_ps_count]<4, "" , "")))) , "") Field Annotation: @HIDDEN-SURVEY							
3232	[ asq2_ps_concern ]  Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category problem solving below cutoff (25)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_ps_score]<>"" , if([asq2_ps_score]<25, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3233	[ asq2_ps_concernwarning ]  Show the field ONLY if: [asq2_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (25). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
3234	[ asq2_persoc1 ]  Show the field ONLY if: [visit_asqver]="2"	Section Header: <i>Personal - social</i>  1. Does your baby sometimes try to suck, even when she's not feeding?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									



3235	[ asq2_persoc2 ]  Show the field ONLY if: [visit_asqver]="2"	2. Does your baby cry when he is hungry, wet, tired, or wants to be held?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3236	[ asq2_persoc3 ]  Show the field ONLY if: [visit_asqver]="2"	3. Does your baby smile at you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3237	[ asq2_persoc4 ]  Show the field ONLY if: [visit_asqver]="2"	4. When you smile at your baby, does she smile back?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3238	[ asq2_persoc5 ]  Show the field ONLY if: [visit_asqver]="2"	5. Does your baby watch his hands?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3239	[ asq2_persoc6 ]  Show the field ONLY if: [visit_asqver]="2"	6. When your baby sees the breast or bottle, does she seem to know she is about to be fed?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3240	[ asq2_persoc_sum ]  Show the field ONLY if: [visit_asqver]="2"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum([asq2_persoc1], [asq2_persoc2], [asq2_persoc3], [asq2_persoc4], [asq2_persoc5], [asq2_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3241	[ asq2_persoc_count ]  Show the field ONLY if: [visit_asqver]="2"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", sum(if([asq2_persoc1]<>"" , 1, 0), if([asq2_persoc2]<>"" , 1, 0), if([asq2_persoc3]<>"" , 1, 0), if([asq2_persoc4]<>"" , 1, 0), if([asq2_persoc5]<>"" , 1, 0), if([asq2_persoc6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3242	[ asq2_persoc_score ]  Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_persoc_count]<>"" , if([asq2_persoc_count]="6" , ([asq2_persoc_sum]), if([asq2_persoc_count]="5" , ([asq2_persoc_sum] + ([asq2_persoc_sum]/[asq2_persoc_count])), if([asq2_persoc_count]="4" , ([asq2_persoc_sum] + (2* ([asq2_persoc_sum]/[asq2_persoc_count]))), if([asq2_persoc_count]<4 , "" , "")))) , "" ) Field Annotation: @HIDDEN-SURVEY						
3243	[ asq2_persoc_concern ]  Show the field ONLY if: [visit_asqver]="2"	Adjusted score in category personal/social below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2" and [asq2_persoc_score]<>"" , if([asq2_persoc_score]<34 , 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
3244	[ asq2_persoc_concernwarning ]  Show the field ONLY if: [asq2_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3245	[ asq2_o1 ]  Show the field ONLY if: [visit_asqver]="2"	Section Header: <i>Overall</i>  1. Did your baby pass the newborn hearing screening test?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								

3246	[ asq2_o1spec ] Show the field ONLY if: [asq2_o1]="0"	If no, explain:	notes Custom alignment: LV						
3247	[ asq2_o2 ] Show the field ONLY if: [visit_asqver]="2"	2. Does your baby move both hands and both legs equally well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3248	[ asq2_o2spec ] Show the field ONLY if: [asq2_o2]="0"	If no, explain:	notes Custom alignment: LV						
3249	[ asq2_o3 ] Show the field ONLY if: [visit_asqver]="2"	3. Does either parent have a family history of childhood deafness, hearing impairment, or vision problems?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3250	[ asq2_o3spec ] Show the field ONLY if: [asq2_o3]="1"	If yes, explain:	notes Custom alignment: LV						
3251	[ asq2_o4 ] Show the field ONLY if: [visit_asqver]="2"	4. Has your baby had any medical problems?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3252	[ asq2_o4spec ] Show the field ONLY if: [asq2_o4]="1"	If yes, explain:	notes Custom alignment: LV						
3253	[ asq2_o5 ] Show the field ONLY if: [visit_asqver]="2"	5. Do you have concerns about your baby's behavior (for example, eating, sleeping)?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3254	[ asq2_o5spec ] Show the field ONLY if: [asq2_o5]="1"	If yes, explain:	notes Custom alignment: LV						
3255	[ asq2_o6 ] Show the field ONLY if: [visit_asqver]="2"	6. Does anything about your baby worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3256	[ asq2_o6spec ] Show the field ONLY if: [asq2_o6]="1"	If yes, explain:	notes Custom alignment: LV						
3257	[ asq2_all_concern ] Show the field ONLY if: [visit_asqver]="2"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="2", if(((asq2_comm_concern]="1" or [asq2_gm_concern]="1" or [asq2_fm_concern]="1" or [asq2_ps_concern]="1" or [asq2_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
3258	[ asq4_intro ] Show the field ONLY if: [visit_asqver]="4"	4 Month Questionnaire3 months 0 days through 4 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	descriptive						
3259	[ asq4_comm1 ] Show the field ONLY if: [visit_asqver]="4"	Section Header: <i>Communication</i> 1. Does your baby chuckle softly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

				Custom alignment: LV						
3260	[ asq4_comm2 ]  Show the field ONLY if: [visit_asqver]="4"	2. After you have been out of sight, does your baby smile or get excited when he sees you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3261	[ asq4_comm3 ]  Show the field ONLY if: [visit_asqver]="4"	3. Does your baby stop crying when she hears a voice other than yours?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3262	[ asq4_comm4 ]  Show the field ONLY if: [visit_asqver]="4"	4. Does your baby make high-pitched squeals?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3263	[ asq4_comm5 ]  Show the field ONLY if: [visit_asqver]="4"	5. Does your baby laugh?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3264	[ asq4_comm6 ]  Show the field ONLY if: [visit_asqver]="4"	6. Does your baby make sounds when looking at toys or people?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3265	[ asq4_comm_sum ]  Show the field ONLY if: [visit_asqver]="4"	Sum of scores of completed items in category communication	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4", sum([asq4_comm1], [asq4_comm2], [asq4_comm3], [asq4_comm4], [asq4_comm5], [asq4_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3266	[ asq4_comm_count ]  Show the field ONLY if: [visit_asqver]="4"	Number of completed items in category communication	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4", sum(if([asq4_comm1]<>"", 1, 0), if([asq4_comm2]<>"", 1, 0), if([asq4_comm3]<>"", 1, 0), if([asq4_comm4]<>"", 1, 0), if([asq4_comm5]<>"", 1, 0), if([asq4_comm6]<>"", 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
3267	[ asq4_comm_score ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category communication	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4" and [asq4_comm_count]<>"", if([asq4_comm_count]="6", ([asq4_comm_sum]), if([asq4_comm_count]="5", ([asq4_comm_sum] + ([asq4_comm_sum]/[asq4_comm_count])), if([asq4_comm_count]="4", ([asq4_comm_sum] + (2*([asq4_comm_sum]/[asq4_comm_count]))), if([asq4_comm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY							
3268	[ asq4_comm_concern ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category communication below cutoff (35)	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4" and [asq4_comm_score]<>"", if([asq4_comm_score]<35, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3269	[ asq4_comm_concernwarning ]  Show the field ONLY if: [asq4_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (35). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
3270	[ asq4_gm1 ]  Show the field ONLY if: [visit_asqver]="4"	Section Header: <i>Gross motor</i>  1. While your baby is on his back, does he move his head from side to side?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									

3271	[ asq4_gm2 ]  Show the field ONLY if: [visit_asqver]="4"	2. After holding her head up while on her tummy, does your baby lay her head back down on the floor, rather than let it drop or fall forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3272	[ asq4_gm3 ]  Show the field ONLY if: [visit_asqver]="4"	3. When your baby is on his tummy, does he hold his head up so that his chin is about 3 inches from the floor for at least 15 seconds?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3273	[ asq4_gm4 ]  Show the field ONLY if: [visit_asqver]="4"	4. When your baby is on her tummy, does she hold her head straight up, looking around? (She can rest on her arms while doing this.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3274	[ asq4_gm5 ]  Show the field ONLY if: [visit_asqver]="4"	5. When you hold him in a sitting position, does your baby hold his head steady?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3275	[ asq4_gm6 ]  Show the field ONLY if: [visit_asqver]="4"	6. While your baby is on her back, does your baby bring her hands together over her chest, touching her fingers?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3276	[ asq4_gm_sum ]  Show the field ONLY if: [visit_asqver]="4"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", sum([asq4_gm1], [asq4_gm2], [asq4_gm3], [asq4_gm4], [asq4_gm5], [asq4_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3277	[ asq4_gm_count ]  Show the field ONLY if: [visit_asqver]="4"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", sum(if([asq4_gm1]<>"" , 1, 0), if([asq4_gm2]<>"" , 1, 0), if([asq4_gm3]<>"" , 1, 0), if([asq4_gm4]<>"" , 1, 0), if([asq4_gm5]<>"" , 1, 0), if([asq4_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3278	[ asq4_gm_score ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4" and [asq4_gm_count]<>"" , if([asq4_gm_count]="6", ([asq4_gm_sum]), if([asq4_gm_count]="5", ([asq4_gm_sum] + ([asq4_gm_sum]/[asq4_gm_count])), if([asq4_gm_count]="4", ([asq4_gm_sum] + (2*([asq4_gm_sum]/[asq4_gm_count]))), if([asq4_gm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
3279	[ asq4_gm_concern ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category gross motor below cutoff (39)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4" and [asq4_gm_score]<>"" , if([asq4_gm_score]<39, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3280	[ asq4_gm_concernwarning ]  Show the field ONLY if: [asq4_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (39). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3281	[ asq4_fm1 ]  Show the field ONLY if: [visit_asqver]="4"	Section Header: <i>Fine motor</i> 1. Does your baby hold his hands open or partly open (rather than in fists, as they were when he was a newborn)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3282	[ asq4_fm2 ]  Show the field ONLY if: [visit_asqver]="4"	2. When you put a toy in her hand, does your baby wave it about, at least briefly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes		
10	Yes								
5	Sometimes								

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet					
0	Not yet										
3283	[ asq4_fm3 ]  Show the field ONLY if: [visit_asqver]="4"	3. Does your baby grab or scratch at his clothes?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3284	[ asq4_fm4 ]  Show the field ONLY if: [visit_asqver]="4"	4. When you put a toy in her hand, does your baby hold onto it for about 1 minute while looking at it, waving it about, or trying to chew it?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3285	[ asq4_fm5 ]  Show the field ONLY if: [visit_asqver]="4"	5. Does your baby grab or scratch his fingers on a surface in front of him, either while being held in a sitting position or when he is on his tummy?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3286	[ asq4_fm6 ]  Show the field ONLY if: [visit_asqver]="4"	6. When you hold your baby in a sitting position, does she reach for a toy on a table close by, even though her hand may not touch it?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3287	[ asq4_fm_sum ]  Show the field ONLY if: [visit_asqver]="4"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4", sum([asq4_fm1], [asq4_fm2], [asq4_fm3], [asq4_fm4], [asq4_fm5], [asq4_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3288	[ asq4_fm_count ]  Show the field ONLY if: [visit_asqver]="4"	Number of completed items in category fine motor	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4", sum(if([asq4_fm1]<>"" , 1, 0), if([asq4_fm2]<>"" , 1, 0), if([asq4_fm3]<>"" , 1, 0), if([asq4_fm4]<>"" , 1, 0), if([asq4_fm5]<>"" , 1, 0), if([asq4_fm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3289	[ asq4_fm_score ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category fine motor	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4" and [asq4_fm_count]<>"" , if([asq4_fm_count]="6", ([asq4_fm_sum]), if([asq4_fm_count]="5", ([asq4_fm_sum] + ([asq4_fm_sum]/[asq4_fm_count])), if([asq4_fm_count]="4", ([asq4_fm_sum] + (2*([asq4_fm_sum]/[asq4_fm_count]))), if([asq4_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY								
3290	[ asq4_fm_concern ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category fine motor below cutoff (30)	calc Calculation: if([asq4_fversion]<>"" and [visit_asqver]="4" and [asq4_fm_score]<>"" , if([asq4_fm_score]<30, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3291	[ asq4_fm_concernwarning ]  Show the field ONLY if: [asq4_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY								
3292	[ asq4_ps1 ]  Show the field ONLY if: [visit_asqver]="4"	Section Header: <i>Problem solving</i>  1. When you move a toy slowly from side to side in front of your baby's face (about 10 inches away), does your baby follow the toy with his eyes, sometimes turning his head?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3293	[ asq4_ps2 ]  Show the field ONLY if: [visit_asqver]="4"	2. When you move a small toy up and down slowly in front of your baby's face (about 10 inches away), does your baby follow the toy with her eyes?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										

3294	[ asq4_ps3 ]  Show the field ONLY if: [visit_asqver]="4"	3. When you hold your baby in a sitting position, does he look at a toy (about the size of a cup or rattle) that you place on the table or floor in front of him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3295	[ asq4_ps4 ]  Show the field ONLY if: [visit_asqver]="4"	4. When you put a toy in her hand, does your baby look at it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3296	[ asq4_ps5 ]  Show the field ONLY if: [visit_asqver]="4"	5. When you put a toy in his hand, does your baby put the toy in his mouth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3297	[ asq4_ps6 ]  Show the field ONLY if: [visit_asqver]="4"	6. When you dangle a toy above your baby while she is lying on her back, does your baby wave her arms toward the toy?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3298	[ asq4_ps_sum ]  Show the field ONLY if: [visit_asqver]="4"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", sum([asq4_ps1], [asq4_ps2], [asq4_ps3], [asq4_ps4], [asq4_ps5], [asq4_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3299	[ asq4_ps_count ]  Show the field ONLY if: [visit_asqver]="4"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", sum(if([asq4_ps1]<>"" , 1, 0), if([asq4_ps2]<>"" , 1, 0), if([asq4_ps3]<>"" , 1, 0), if([asq4_ps4]<>"" , 1, 0), if([asq4_ps5]<>"" , 1, 0), if([asq4_ps6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3300	[ asq4_ps_score ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4" and [asq4_ps_count]<>"" , if([asq4_ps_count]="6", ([asq4_ps_sum]), if([asq4_ps_count]="5", ([asq4_ps_sum] + ([asq4_ps_sum]/[asq4_ps_count])), if([asq4_ps_count]="4", ([asq4_ps_sum] + (2*([asq4_ps_sum]/[asq4_ps_count]))), if([asq4_ps_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
3301	[ asq4_ps_concern ]  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category problem solving below cutoff (35)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4" and [asq4_ps_score]<>"" , if([asq4_ps_score]<35, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3302	[ asq4_ps_concernwarning ]  Show the field ONLY if: [asq4_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (35). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3303	[ asq4_persoc1 ]  Show the field ONLY if: [visit_asqver]="4"	Section Header: <i>Personal - social</i> 1. Does your baby watch his hands?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3304	[ asq4_persoc2 ]  Show the field ONLY if: [visit_asqver]="4"	2. When your baby has her hands together, does she play with her fingers?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3305	[ asq4_persoc3 ]  Show the field ONLY if: [visit_asqver]="4"	3. When your baby sees the breast or bottle, does he seem to know he is about to be fed?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes		
10	Yes								
5	Sometimes								

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet					
0	Not yet										
3306	<a href="#">[ asq4_persoc4 ]</a>  Show the field ONLY if: [visit_asqver]="4"	4. Does your baby help hold the bottle with both hands at once, or when nursing, does she hold the breast with her free hand?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
radio											
<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet					
10	Yes										
5	Sometimes										
0	Not yet										
3307	<a href="#">[ asq4_persoc5 ]</a>  Show the field ONLY if: [visit_asqver]="4"	5. Before you smile or talk to your baby, does he smile when he sees you nearby?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
radio											
<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet					
10	Yes										
5	Sometimes										
0	Not yet										
3308	<a href="#">[ asq4_persoc6 ]</a>  Show the field ONLY if: [visit_asqver]="4"	6. When in front of a large mirror, does your baby smile or coo at herself?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
radio											
<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet					
10	Yes										
5	Sometimes										
0	Not yet										
3309	<a href="#">[ asq4_persoc_sum ]</a>  Show the field ONLY if: [visit_asqver]="4"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", sum([asq4_persoc1], [asq4_persoc2], [asq4_persoc3], [asq4_persoc4], [asq4_persoc5], [asq4_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3310	<a href="#">[ asq4_persoc_count ]</a>  Show the field ONLY if: [visit_asqver]="4"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", sum(if([asq4_persoc1]<>"" , 1, 0), if([asq4_persoc2]<>"" , 1, 0), if([asq4_persoc3]<>"" , 1, 0), if([asq4_persoc4]<>"" , 1, 0), if([asq4_persoc5]<>"" , 1, 0), if([asq4_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3311	<a href="#">[ asq4_persoc_score ]</a>  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4" and [asq4_persoc_count]<>"" , if([asq4_persoc_count]="6", ([asq4_persoc_sum]), if([asq4_persoc_count]="5", ([asq4_persoc_sum] + ([asq4_persoc_sum]/[asq4_persoc_count])), if([asq4_persoc_count]="4", ([asq4_persoc_sum] + (2* ([asq4_persoc_sum]/[asq4_persoc_count]))), if([asq4_persoc_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY								
3312	<a href="#">[ asq4_persoc_concern ]</a>  Show the field ONLY if: [visit_asqver]="4"	Adjusted score in category personal/social below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4" and [asq4_persoc_score]<>"" , if([asq4_persoc_score]<34, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3313	<a href="#">[ asq4_persoc_concernwarning ]</a>  Show the field ONLY if: [asq4_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY								
3314	<a href="#">[ asq4_o1 ]</a>  Show the field ONLY if: [visit_asqver]="4"	Section Header: <i>Overall</i>  1. Does your baby use both hands and both legs equally well?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No		
radio											
<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No							
1	Yes										
0	No										
3315	<a href="#">[ asq4_o1spec ]</a>  Show the field ONLY if: [asq4_o1]="0"	If no, explain:	notes Custom alignment: LV								
3316	<a href="#">[ asq4_o2 ]</a>  Show the field ONLY if: [visit_asqver]="4"	2. When you help your baby stand, are his feet flat on the surface most of the time?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No		
radio											
<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No							
1	Yes										
0	No										
3317	<a href="#">[ asq4_o2spec ]</a>  Show the field ONLY if: [asq4_o2]="0"	If no, explain:	notes Custom alignment: LV								

3318	[ asq4_o3 ] Show the field ONLY if: [visit_asqver]="4"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3319	[ asq4_o3spec ] Show the field ONLY if: [asq4_o3]="1"	If yes, explain:	notes Custom alignment: LV				
3320	[ asq4_o4 ] Show the field ONLY if: [visit_asqver]="4"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3321	[ asq4_o4spec ] Show the field ONLY if: [asq4_o4]="1"	If yes, explain:	notes Custom alignment: LV				
3322	[ asq4_o5 ] Show the field ONLY if: [visit_asqver]="4"	5. Do you have concerns about your baby's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3323	[ asq4_o5spec ] Show the field ONLY if: [asq4_o5]="1"	If yes, explain:	notes Custom alignment: LV				
3324	[ asq4_o6 ] Show the field ONLY if: [visit_asqver]="4"	6. Has your baby had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3325	[ asq4_o6spec ] Show the field ONLY if: [asq4_o6]="1"	If yes, explain:	notes Custom alignment: LV				
3326	[ asq4_o7 ] Show the field ONLY if: [visit_asqver]="4"	7. Do you have any concerns about your baby's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3327	[ asq4_o7spec ] Show the field ONLY if: [asq4_o7]="1"	If yes, explain:	notes Custom alignment: LV				
3328	[ asq4_o8 ] Show the field ONLY if: [visit_asqver]="4"	8. Does anything about your baby worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3329	[ asq4_o8spec ] Show the field ONLY if: [asq4_o8]="1"	If yes, explain:	notes Custom alignment: LV				
3330	[ asq4_all_concern ] Show the field ONLY if: [visit_asqver]="4"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="4", if(((asq4_comm_concern]="1" or [asq4_gm_concern]="1" or [asq4_fm_concern]="1" or [asq4_ps_concern]="1" or [asq4_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY				
3331	[ asq6_intro ] Show the field ONLY if: [visit_asqver]="6"	6 Month Questionnaire 5 months 0 days through 6 months 30 days On the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your baby before marking a response. Make completing this questionnaire a game that is fun for you and your baby. Make sure your baby is rested and fed.	descriptive				



3332	[ asq6_comm1 ]  Show the field ONLY if: [visit_asqver]="6"	Section Header: <i>Communication</i> 1. Does your baby make high-pitched squeals?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3333	[ asq6_comm2 ]  Show the field ONLY if: [visit_asqver]="6"	2. When playing with sounds, does your baby make grunting, growling, or other deep-toned sounds?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3334	[ asq6_comm3 ]  Show the field ONLY if: [visit_asqver]="6"	3. If you call your baby when you are out of sight, does she look in the direction of your voice?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3335	[ asq6_comm4 ]  Show the field ONLY if: [visit_asqver]="6"	4. When a loud noise occurs, does your baby turn to see where the sound came from?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3336	[ asq6_comm5 ]  Show the field ONLY if: [visit_asqver]="6"	5. Does your baby make sounds like "da," "ga," "ka," and "ba"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3337	[ asq6_comm6 ]  Show the field ONLY if: [visit_asqver]="6"	6. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3338	[ asq6_comm_sum ]  Show the field ONLY if: [visit_asqver]="6"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum([asq6_comm1], [asq6_comm2], [asq6_comm3], [asq6_comm4], [asq6_comm5], [asq6_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3339	[ asq6_comm_count ]  Show the field ONLY if: [visit_asqver]="6"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum(if([asq6_comm1]<>"" , 1, 0), if([asq6_comm2]<>"" , 1, 0), if([asq6_comm3]<>"" , 1, 0), if([asq6_comm4]<>"" , 1, 0), if([asq6_comm5]<>"" , 1, 0), if([asq6_comm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3340	[ asq6_comm_score ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_comm_count]<>"" , if([asq6_comm_count]="6", ([asq6_comm_sum]), if([asq6_comm_count]="5", ([asq6_comm_sum] + ([asq6_comm_sum]/[asq6_comm_count])), if([asq6_comm_count]="4", ([asq6_comm_sum] + (2* ([asq6_comm_sum]/[asq6_comm_count]))), if([asq6_comm_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
3341	[ asq6_comm_concern ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category communication below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_comm_score]<>"" , if([asq6_comm_score]<30, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3342	[ asq6_comm_concernwarning ]  Show the field ONLY if: [asq6_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3343	[ asq6_gm1 ]	Section Header: <i>Gross motor</i>	radio						

		Show the field ONLY if: [visit_asqver]="6"	1. While your baby is on his back, does your baby lift his legs high enough to see his feet?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3344	[ asq6_gm2 ]	Show the field ONLY if: [visit_asqver]="6"	2. When your baby is on her tummy, does she straighten both arms and push her whole chest off the bed or floor?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3345	[ asq6_gm3 ]	Show the field ONLY if: [visit_asqver]="6"	3. Does your baby roll from his back to his tummy, getting both arms out from under him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3346	[ asq6_gm4 ]	Show the field ONLY if: [visit_asqver]="6"	4. When you put your baby on the floor, does she lean on her hands while sitting? (If she already sits up straight without leaning on her hands, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3347	[ asq6_gm5 ]	Show the field ONLY if: [visit_asqver]="6"	5. If you hold both hands just to balance your baby, does he support his own weight while standing?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3348	[ asq6_gm6 ]	Show the field ONLY if: [visit_asqver]="6"	6. Does your baby get into a crawling position by getting up on her hands and knees?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3349	[ asq6_gm_sum ]	Show the field ONLY if: [visit_asqver]="6"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum([asq6_gm1], [asq6_gm2], [asq6_gm3], [asq6_gm4], [asq6_gm5], [asq6_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3350	[ asq6_gm_count ]	Show the field ONLY if: [visit_asqver]="6"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum(if([asq6_gm1]<>"" , 1, 0), if([asq6_gm2]<>"" , 1, 0), if([asq6_gm3]<>"" , 1, 0), if([asq6_gm4]<>"" , 1, 0), if([asq6_gm5]<>"" , 1, 0), if([asq6_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3351	[ asq6_gm_score ]	Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_gm_count]<>"" , if([asq6_gm_count]="6", ([asq6_gm_sum]), if([asq6_gm_count]="5", ([asq6_gm_sum] + ([asq6_gm_sum]/[asq6_gm_count])), if([asq6_gm_count]="4", ([asq6_gm_sum] + (2*([asq6_gm_sum]/[asq6_gm_count]))), if([asq6_gm_count]<4, "" , ""))), "")) Field Annotation: @HIDDEN-SURVEY						
3352	[ asq6_gm_concern ]	Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category gross motor below cutoff (23)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_gm_score]<>"" , if([asq6_gm_score]<23, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3353	[ asq6_gm_concernwarning ]	Show the field ONLY if: [asq6_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (23). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3354	[ asq6_fm1 ]	Show the field ONLY if: [visit_asqver]="6"	Section Header: <i>Fine motor</i> 1. Does your baby grab a toy you offer and look at it, wave it about, or chew on it for about 1 minute?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes		
10	Yes									
5	Sometimes									

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet					
0	Not yet										
3355	[ asq6_fm2 ]  Show the field ONLY if: [visit_asqver]="6"	2. Does your baby reach for or grasp a toy using both hands at once?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3356	[ asq6_fm3 ]  Show the field ONLY if: [visit_asqver]="6"	3. Does your baby reach for a crumb or Cheerio and touch it with his finger or hand? (If he already picks up a small object the size of a pea, mark "yes" for this item.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3357	[ asq6_fm4 ]  Show the field ONLY if: [visit_asqver]="6"	4. Does your baby pick up a small toy, holding it in the center of her hand with her fingers around it?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3358	[ asq6_fm5 ]  Show the field ONLY if: [visit_asqver]="6"	5. Does your baby try to pick up a crumb or Cheerio by using his thumb and all of his fingers in a raking motion, even if he isn't able to pick it up? (If he already picks up the crumb or Cheerio, mark "yes" for this item.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3359	[ asq6_fm6 ]  Show the field ONLY if: [visit_asqver]="6"	6. Does your baby pick up a small toy with only one hand?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
3360	[ asq6_fm_sum ]  Show the field ONLY if: [visit_asqver]="6"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum([asq6_fm1], [asq6_fm2], [asq6_fm3], [asq6_fm4], [asq6_fm5], [asq6_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3361	[ asq6_fm_count ]  Show the field ONLY if: [visit_asqver]="6"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum(if([asq6_fm1]<>"", 1, 0), if([asq6_fm2]<>"", 1, 0), if([asq6_fm3]<>"", 1, 0), if([asq6_fm4]<>"", 1, 0), if([asq6_fm5]<>"", 1, 0), if([asq6_fm6]<>"", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3362	[ asq6_fm_score ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_fm_count]<>"", if([asq6_fm_count]="6", ([asq6_fm_sum]), if([asq6_fm_count]="5", ([asq6_fm_sum] + ([asq6_fm_sum]/[asq6_fm_count])), if([asq6_fm_count]="4", ([asq6_fm_sum] + (2*([asq6_fm_sum]/[asq6_fm_count]))), if([asq6_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY								
3363	[ asq6_fm_concern ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category fine motor below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_fm_score]<>"", if([asq6_fm_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
3364	[ asq6_fm_concernwarning ]  Show the field ONLY if: [asq6_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY								
3365	[ asq6_ps1 ]  Show the field ONLY if: [visit_asqver]="6"	Section Header: <i>Problem solving</i>  1. When a toy is in front of your baby, does she reach for it with both hands?	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										

3366	[ asq6_ps2 ]  Show the field ONLY if: [visit_asqver]="6"	2. When your baby is on his back, does he turn his head to look for a toy when he drops it? (If he already picks it up, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3367	[ asq6_ps3 ]  Show the field ONLY if: [visit_asqver]="6"	3. When your baby is on her back, does she try to get a toy she has dropped if she can see it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3368	[ asq6_ps4 ]  Show the field ONLY if: [visit_asqver]="6"	4. Does your baby pick up a toy and put it in his mouth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3369	[ asq6_ps5 ]  Show the field ONLY if: [visit_asqver]="6"	5. Does your baby pass a toy back and forth from one hand to the other?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3370	[ asq6_ps6 ]  Show the field ONLY if: [visit_asqver]="6"	6. Does your baby play by banging a toy up and down on the floor or table?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3371	[ asq6_ps_sum ]  Show the field ONLY if: [visit_asqver]="6"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum([asq6_ps1], [asq6_ps2], [asq6_ps3], [asq6_ps4], [asq6_ps5], [asq6_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3372	[ asq6_ps_count ]  Show the field ONLY if: [visit_asqver]="6"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum(if([asq6_ps1]<>"" , 1, 0), if([asq6_ps2]<>"" , 1, 0), if([asq6_ps3]<>"" , 1, 0), if([asq6_ps4]<>"" , 1, 0), if([asq6_ps5]<>"" , 1, 0), if([asq6_ps6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3373	[ asq6_ps_score ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_ps_count]<>"" , if([asq6_ps_count]="6", ([asq6_ps_sum]), if([asq6_ps_count]="5", ([asq6_ps_sum] + ([asq6_ps_sum]/[asq6_ps_count])), if([asq6_ps_count]="4", ([asq6_ps_sum] + (2*([asq6_ps_sum]/[asq6_ps_count]))), if([asq6_ps_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
3374	[ asq6_ps_concern ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category problem solving below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_ps_score]<>"" , if([asq6_ps_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3375	[ asq6_ps_concernwarning ]  Show the field ONLY if: [asq6_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3376	[ asq6_persoc1 ]  Show the field ONLY if: [visit_asqver]="6"	Section Header: <i>Personal - social</i>  1. When in front of a large mirror, does your baby smile or coo at herself?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3377	[ asq6_persoc2 ]  Show the field ONLY if: [visit_asqver]="6"	2. Does your baby act differently toward strangers than he does with you and other familiar people? (Reactions to strangers may include staring,frowning, withdrawing, or crying.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes		
10	Yes								
5	Sometimes								

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet								
0	Not yet													
3378	[ asq6_persoc3 ]  Show the field ONLY if: [visit_asqver]="6"	3. While lying on her back, does your baby play by grabbing her foot?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet	
radio														
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes												
10	Yes													
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes												
5	Sometimes													
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet												
0	Not yet													
3379	[ asq6_persoc4 ]  Show the field ONLY if: [visit_asqver]="6"	4. When in front of a large mirror, does your baby reach out to pat the mirror?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet	
radio														
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes												
10	Yes													
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes												
5	Sometimes													
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet												
0	Not yet													
3380	[ asq6_persoc5 ]  Show the field ONLY if: [visit_asqver]="6"	5. While your baby is on his back, does he put his foot in his mouth?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet	
radio														
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes												
10	Yes													
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes												
5	Sometimes													
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet												
0	Not yet													
3381	[ asq6_persoc6 ]  Show the field ONLY if: [visit_asqver]="6"	6. Does your baby try to get a toy that is out of reach? (She may roll, pivot on her tummy, or crawl to get it.)	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet	
radio														
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes												
10	Yes													
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes												
5	Sometimes													
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet												
0	Not yet													
3382	[ asq6_persoc_sum ]  Show the field ONLY if: [visit_asqver]="6"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum([asq6_persoc1], [asq6_persoc2], [asq6_persoc3], [asq6_persoc4], [asq6_persoc5], [asq6_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF											
3383	[ asq6_persoc_count ]  Show the field ONLY if: [visit_asqver]="6"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6", sum(if([asq6_persoc1]<>"" , 1, 0), if([asq6_persoc2]<>"" , 1, 0), if([asq6_persoc3]<>"" , 1, 0), if([asq6_persoc4]<>"" , 1, 0), if([asq6_persoc5]<>"" , 1, 0), if([asq6_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF											
3384	[ asq6_persoc_score ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_persoc_count]<>"" , if([asq6_persoc_count]="6", ([asq6_persoc_sum]), if([asq6_persoc_count]="5", ([asq6_persoc_sum] + ([asq6_persoc_sum]/[asq6_persoc_count])), if([asq6_persoc_count]="4", ([asq6_persoc_sum] + (2* ([asq6_persoc_sum]/[asq6_persoc_count]))), if([asq6_persoc_count]<4, "" , ""))), "") Field Annotation: @HIDDEN-SURVEY											
3385	[ asq6_persoc_concern ]  Show the field ONLY if: [visit_asqver]="6"	Adjusted score in category personal/social below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="6" and [asq6_persoc_score]<>"" , if([asq6_persoc_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF											
3386	[ asq6_persoc_concernwarning ]  Show the field ONLY if: [asq6_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY											
3387	[ asq6_o1 ]  Show the field ONLY if: [visit_asqver]="6"	Section Header: <i>Overall</i>  1. Does your baby use both hands and both legs equally well?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>1</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>No</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes	<table><tr><td>0</td><td>No</td></tr></table>	0	No				
radio														
<table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes												
1	Yes													
<table><tr><td>0</td><td>No</td></tr></table>	0	No												
0	No													
3388	[ asq6_o1spec ]  Show the field ONLY if: [asq6_o1]="0"	If no, explain:	notes Custom alignment: LV											
3389	[ asq6_o2 ]  Show the field ONLY if: [visit_asqver]="6"	2. When you help your baby stand, are his feet flat on the surface most of the time?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>1</td><td>Yes</td></tr></table></td></tr></table>	radio	<table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes							
radio														
<table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes												
1	Yes													

				<div>0 No</div> Custom alignment: LV
3390	[ asq6_o2spec ] Show the field ONLY if: [asq6_o2]="0"	If no, explain:	notes Custom alignment: LV	
3391	[ asq6_o3 ] Show the field ONLY if: [visit_asqver]="6"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3392	[ asq6_o3spec ] Show the field ONLY if: [asq6_o3]="1"	If yes, explain:	notes Custom alignment: LV	
3393	[ asq6_o4 ] Show the field ONLY if: [visit_asqver]="6"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3394	[ asq6_o4spec ] Show the field ONLY if: [asq6_o4]="1"	If yes, explain:	notes Custom alignment: LV	
3395	[ asq6_o5 ] Show the field ONLY if: [visit_asqver]="6"	5. Do you have concerns about your baby's vision?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3396	[ asq6_o5spec ] Show the field ONLY if: [asq6_o5]="1"	If yes, explain:	notes Custom alignment: LV	
3397	[ asq6_o6 ] Show the field ONLY if: [visit_asqver]="6"	6. Has your baby had any medical problems in the last several months?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3398	[ asq6_o6spec ] Show the field ONLY if: [asq6_o6]="1"	If yes, explain:	notes Custom alignment: LV	
3399	[ asq6_o7 ] Show the field ONLY if: [visit_asqver]="6"	7. Do you have any concerns about your baby's behavior?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3400	[ asq6_o7spec ] Show the field ONLY if: [asq6_o7]="1"	If yes, explain:	notes Custom alignment: LV	
3401	[ asq6_o8 ] Show the field ONLY if: [visit_asqver]="6"	8. Does anything about your baby worry you?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3402	[ asq6_o8spec ] Show the field ONLY if: [asq6_o8]="1"	If yes, explain:	notes Custom alignment: LV	
3403	[ asq6_all_concern ] Show the field ONLY if: [visit_asqver]="6"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"") and [visit_asqver]="6", if((([asq6_comm_concern]="1" or [asq6_gm_concern]="1" or [asq6_fm_concern]="1" or [asq6_ps_concern]="1" or [asq6_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY	
3404	[ asq8_intro ] Show the field ONLY if:	8 Month Questionnaire7 months 0 days through 8 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities	descriptive	

		[visit_asqver]="8"	described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.							
	3405	[ asq8_comm1 ]  Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Communication</i>  1. If you call to your baby when you are out of sight, does she look in the direction of your voice?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3406	[ asq8_comm2 ]  Show the field ONLY if: [visit_asqver]="8"	2. When a loud noise occurs, does your baby turn to see where the sound came from?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3407	[ asq8_comm3 ]  Show the field ONLY if: [visit_asqver]="8"	3. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3408	[ asq8_comm4 ]  Show the field ONLY if: [visit_asqver]="8"	4. Does your baby make sounds like "da," "ga," "ka," and "ba"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3409	[ asq8_comm5 ]  Show the field ONLY if: [visit_asqver]="8"	5. Does your baby respond to the tone of your voice and stop his activity at least briefly when you say "no-no" to him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3410	[ asq8_comm6 ]  Show the field ONLY if: [visit_asqver]="8"	6. Does your baby make two similar sounds like "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3411	[ asq8_comm_sum ]  Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_comm1], [asq8_comm2], [asq8_comm3], [asq8_comm4], [asq8_comm5], [asq8_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3412	[ asq8_comm_count ]  Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_comm1]<>"" , 1, 0), if([asq8_comm2]<>"" , 1, 0), if([asq8_comm3]<>"" , 1, 0), if([asq8_comm4]<>"" , 1, 0), if([asq8_comm5]<>"" , 1, 0), if([asq8_comm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3413	[ asq8_comm_score ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_comm_count]<>"" , if([asq8_comm_count]="6", ([asq8_comm_sum]), if([asq8_comm_count]="5", ([asq8_comm_sum] + ([asq8_comm_sum]/[asq8_comm_count])), if([asq8_comm_count]="4", ([asq8_comm_sum] + (2* ([asq8_comm_sum]/[asq8_comm_count]))), if([asq8_comm_count]<4, "", ""))))), "") Field Annotation: @HIDDEN-SURVEY						
	3414	[ asq8_comm_concern ]  Show the field ONLY if:	Adjusted score in category communication below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and						

		[visit_asqver]="8"		[asq8_comm_score]<>""; if([asq8_comm_score]<34, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3415	[ asq8_comm_concernwarning ]  Show the field ONLY if: [asq8_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3416	[ asq8_gm1 ]  Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Gross motor</i>  1. When you put your baby on the floor, does she lean on her hands while sitting? (If she already sits up straight without leaning on her hands, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3417	[ asq8_gm2 ]  Show the field ONLY if: [visit_asqver]="8"	2. Does your baby roll from his back to his tummy, getting both arms out from under him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3418	[ asq8_gm3 ]  Show the field ONLY if: [visit_asqver]="8"	3. Does your baby get into a crawling position by getting up on her hands and knees?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3419	[ asq8_gm4 ]  Show the field ONLY if: [visit_asqver]="8"	4. If you hold both hands just to balance your baby, does he support his own weight while standing?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3420	[ asq8_gm5 ]  Show the field ONLY if: [visit_asqver]="8"	5. When sitting on the floor, does your baby sit up straight for several minutes without using her hands for support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3421	[ asq8_gm6 ]  Show the field ONLY if: [visit_asqver]="8"	6. When you stand your baby next to furniture or the crib rail, does he hold on without leaning his chest against the furniture for support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3422	[ asq8_gm_sum ]  Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_gm1], [asq8_gm2], [asq8_gm3], [asq8_gm4], [asq8_gm5], [asq8_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3423	[ asq8_gm_count ]  Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_gm1]<>""; 1, 0), if([asq8_gm2]<>""; 1, 0), if([asq8_gm3]<>""; 1, 0), if([asq8_gm4]<>""; 1, 0), if([asq8_gm5]<>""; 1, 0), if([asq8_gm6]<>""; 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3424	[ asq8_gm_score ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_gm_count]<>""; if([asq8_gm_count]="6"; ([asq8_gm_sum]), if([asq8_gm_count]="5"; ([asq8_gm_sum] + ([asq8_gm_sum]/[asq8_gm_count])), if([asq8_gm_count]="4"; ([asq8_gm_sum] + (2*([asq8_gm_sum]/[asq8_gm_count]))), if([asq8_gm_count]<4; ""; ""))))); "" Field Annotation: @HIDDEN-SURVEY						
	3425	[ asq8_gm_concern ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category gross motor below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_gm_score]<>""; if([asq8_gm_score]<31; 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						



3426	[ asq8_gm_concernwarning ] Show the field ONLY if: [asq8_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3427	[ asq8_fm1 ] Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Fine motor</i> 1. Does your baby reach for a crumb or Cheerio and touch it with her finger or hand? (If she already picks up a small object, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3428	[ asq8_fm2 ] Show the field ONLY if: [visit_asqver]="8"	2. Does your baby pick up a small toy, holding it in the center of his hand with his fingers around it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3429	[ asq8_fm3 ] Show the field ONLY if: [visit_asqver]="8"	3. Does your baby try to pick up a crumb or Cheerio by using her thumb and all of her fingers in a raking motion, even if she isn't able to pick it up? (If she already picks up a crumb or Cheerio, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3430	[ asq8_fm4 ] Show the field ONLY if: [visit_asqver]="8"	4. Does your baby pick up a small toy with only one hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3431	[ asq8_fm5 ] Show the field ONLY if: [visit_asqver]="8"	5. Does your baby successfully pick up a crumb or Cheerio by using his thumb and all of his fingers in a raking motion? (If he already picks up a crumb or Cheerio, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3432	[ asq8_fm6 ] Show the field ONLY if: [visit_asqver]="8"	6. Does your baby pick up a small toy with the tips of her thumb and fingers? (You should see a space between the toy and her palm.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3433	[ asq8_fm_sum ] Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_fm1], [asq8_fm2], [asq8_fm3], [asq8_fm4], [asq8_fm5], [asq8_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3434	[ asq8_fm_count ] Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_fm1]<>"" , 1, 0), if([asq8_fm2]<>"" , 1, 0), if([asq8_fm3]<>"" , 1, 0), if([asq8_fm4]<>"" , 1, 0), if([asq8_fm5]<>"" , 1, 0), if([asq8_fm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3435	[ asq8_fm_score ] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_fm_count]<>"" , if([asq8_fm_count]="6", ([asq8_fm_sum]), if([asq8_fm_count]="5", ([asq8_fm_sum] + ([asq8_fm_sum]/[asq8_fm_count])), if([asq8_fm_count]="4", ([asq8_fm_sum] + (2*([asq8_fm_sum]/[asq8_fm_count]))), if([asq8_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
3436	[ asq8_fm_concern ] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category fine motor below cutoff (41)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_fm_score]<>"" , if([asq8_fm_score]<41, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3437	[ asq8_fm_concernwarning ] Show the field ONLY if: [asq8_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (41). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						

	3438	[ asq8_ps1 ]  Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Problem solving</i>  1. Does your baby pick up a toy and put it in his mouth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3439	[ asq8_ps2 ]  Show the field ONLY if: [visit_asqver]="8"	2. When your baby is on her back, does she try to get a toy she has dropped if she can see it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3440	[ asq8_ps3 ]  Show the field ONLY if: [visit_asqver]="8"	3. Does your baby play by banging a toy up and down on the floor or table?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3441	[ asq8_ps4 ]  Show the field ONLY if: [visit_asqver]="8"	4. Does your baby pass a toy back and forth from one hand to the other?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3442	[ asq8_ps5 ]  Show the field ONLY if: [visit_asqver]="8"	5. Does your baby pick up two small toys, one in each hand, and hold onto them for about 1 minute?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3443	[ asq8_ps6 ]  Show the field ONLY if: [visit_asqver]="8"	6. When holding a toy in his hand, does your baby bang it against another toy on the table?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3444	[ asq8_ps_sum ]  Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_ps1], [asq8_ps2], [asq8_ps3], [asq8_ps4], [asq8_ps5], [asq8_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3445	[ asq8_ps_count ]  Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_ps1]<>"" , 1, 0), if([asq8_ps2]<>"" , 1, 0), if([asq8_ps3]<>"" , 1, 0), if([asq8_ps4]<>"" , 1, 0), if([asq8_ps5]<>"" , 1, 0), if([asq8_ps6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
	3446	[ asq8_ps_score ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_ps_count]<>"" , if([asq8_ps_count]="6", ([asq8_ps_sum]), if([asq8_ps_count]="5", ([asq8_ps_sum] + ([asq8_ps_sum]/[asq8_ps_count])), if([asq8_ps_count]="4", ([asq8_ps_sum] + (2*([asq8_ps_sum]/[asq8_ps_count]))), if([asq8_ps_count]<4, "", ""))))), "")) Field Annotation: @HIDDEN-SURVEY						
	3447	[ asq8_ps_concern ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category problem solving below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_ps_score]<>"" , if([asq8_ps_score]<37, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
	3448	[ asq8_ps_concernwarning ]  Show the field ONLY if: [asq8_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3449	[ asq8_persoc1 ]  Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Personal - social</i>  1. When lying on her back, does your baby play by grabbing her foot?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes		
10	Yes									
5	Sometimes									

			<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet				
0	Not yet								
3450	[ asq8_persoc2 ]  Show the field ONLY if: [visit_asqver]="8"	2. When in front of a large mirror, does your baby reach out to pat the mirror?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3451	[ asq8_persoc3 ]  Show the field ONLY if: [visit_asqver]="8"	3. Does your baby try to get a toy that is out of reach? (He may roll, pivot on his tummy, or crawl to get it.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3452	[ asq8_persoc4 ]  Show the field ONLY if: [visit_asqver]="8"	4. While your baby is on her back, does she put her foot in her mouth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3453	[ asq8_persoc5 ]  Show the field ONLY if: [visit_asqver]="8"	5. Does your baby drink water, juice, or formula from a cup while you hold it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3454	[ asq8_persoc6 ]  Show the field ONLY if: [visit_asqver]="8"	6. Does your baby feed himself a cracker or a cookie?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3455	[ asq8_persoc_sum ]  Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_persoc1], [asq8_persoc2], [asq8_persoc3], [asq8_persoc4], [asq8_persoc5], [asq8_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3456	[ asq8_persoc_count ]  Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_persoc1]<>"" , 1, 0), if([asq8_persoc2]<>"" , 1, 0), if([asq8_persoc3]<>"" , 1, 0), if([asq8_persoc4]<>"" , 1, 0), if([asq8_persoc5]<>"" , 1, 0), if([asq8_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3457	[ asq8_persoc_score ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_persoc_count]<>"" , if([asq8_persoc_count]="6", ([asq8_persoc_sum]), if([asq8_persoc_count]="5", ([asq8_persoc_sum] + ([asq8_persoc_sum]/[asq8_persoc_count])), if([asq8_persoc_count]="4", ([asq8_persoc_sum] + (2*([asq8_persoc_sum]/[asq8_persoc_count]))), if([asq8_persoc_count]<4, "", ""))))), "") Field Annotation: @HIDDEN-SURVEY						
3458	[ asq8_persoc_concern ]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category personal/social below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_persoc_score]<>"" , if([asq8_persoc_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3459	[ asq8_persoc_concernwarning ]  Show the field ONLY if: [asq8_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3460	[ asq8_o1 ]  Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Overall</i>  1. Does your baby use both hands and both legs equally well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								

3461	[ asq8_o1spec ] Show the field ONLY if: [asq8_o1]="0"	If no, explain:	notes Custom alignment: LV				
3462	[ asq8_o2 ] Show the field ONLY if: [visit_asqver]="8"	2. When you help your baby stand, are his feet flat on the surface most of the time?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3463	[ asq8_o2spec ] Show the field ONLY if: [asq8_o2]="0"	If no, explain:	notes Custom alignment: LV				
3464	[ asq8_o3 ] Show the field ONLY if: [visit_asqver]="8"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3465	[ asq8_o3spec ] Show the field ONLY if: [asq8_o3]="1"	If yes, explain:	notes Custom alignment: LV				
3466	[ asq8_o4 ] Show the field ONLY if: [visit_asqver]="8"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3467	[ asq8_o4spec ] Show the field ONLY if: [asq8_o4]="1"	If yes, explain:	notes Custom alignment: LV				
3468	[ asq8_o5 ] Show the field ONLY if: [visit_asqver]="8"	5. Do you have concerns about your baby's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3469	[ asq8_o5spec ] Show the field ONLY if: [asq8_o5]="1"	If yes, explain:	notes Custom alignment: LV				
3470	[ asq8_o6 ] Show the field ONLY if: [visit_asqver]="8"	6. Has your baby had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3471	[ asq8_o6spec ] Show the field ONLY if: [asq8_o6]="1"	If yes, explain:	notes Custom alignment: LV				
3472	[ asq8_o7 ] Show the field ONLY if: [visit_asqver]="8"	7. Do you have any concerns about your baby's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3473	[ asq8_o7spec ] Show the field ONLY if: [asq8_o7]="1"	If yes, explain:	notes Custom alignment: LV				
3474	[ asq8_o8 ] Show the field ONLY if: [visit_asqver]="8"	8. Does anything about your baby worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3475	[ asq8_o8spec ] Show the field ONLY if: [asq8_o8]="1"	If yes, explain:	notes Custom alignment: LV				
3476	[ asq8_all_concern ] Show the field ONLY if:	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", if(((asq8_comm_concern)="1" or [asq8_gm_concern]="1" or				

		[visit_asqver]="8"		[asq8_fm_concern]="1" or [asq8_ps_concern]="1" or [asq8_persoc_concern]="1", 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
	3477	[ asq9_intro ]  Show the field ONLY if: [visit_asqver]="9"	9 Month Questionnaire9 months 0 days through 9 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	descriptive						
	3478	[ asq9_comm1 ]  Show the field ONLY if: [visit_asqver]="9"	Section Header: <i>Communication</i> 1. Does your baby make sounds like "da," "ga," "ka," and "ba"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3479	[ asq9_comm2 ]  Show the field ONLY if: [visit_asqver]="9"	2. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3480	[ asq9_comm3 ]  Show the field ONLY if: [visit_asqver]="9"	3. Does your baby make two similar sounds like "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3481	[ asq9_comm4 ]  Show the field ONLY if: [visit_asqver]="9"	4. If you ask your baby to, does he play at least one nursery game even if you don't show him the activity yourself (such as "bye-bye," "Peeka-boo," "clap your hands," "So Big")?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3482	[ asq9_comm5 ]  Show the field ONLY if: [visit_asqver]="9"	5. Does your baby follow one simple command, such as "Come here," "Give it to me," or "Put it back," without your using gestures?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3483	[ asq9_comm6 ]  Show the field ONLY if: [visit_asqver]="9"	6. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3484	[ asq9_comm_sum ]  Show the field ONLY if: [visit_asqver]="9"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_comm1], [asq9_comm2], [asq9_comm3], [asq9_comm4], [asq9_comm5], [asq9_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3485	[ asq9_comm_count ]  Show the field ONLY if: [visit_asqver]="9"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_comm1]<>"" , 1, 0), if([asq9_comm2]<>"" , 1, 0), if([asq9_comm3]<>"" , 1, 0), if([asq9_comm4]<>"" , 1, 0), if([asq9_comm5]<>"" , 1, 0), if([asq9_comm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3486	[ asq9_comm_score ]  Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_comm_count]<>"" , if([asq9_comm_count]="6", ([asq9_comm_sum]), if([asq9_comm_count]="5", ([asq9_comm_sum] + ([asq9_comm_sum]/[asq9_comm_count])), if([asq9_comm_count]="4", ([asq9_comm_sum] + (2*						

				$\frac{([asq9\_comm\_sum]/[asq9\_comm\_count]))}{if([asq9\_comm\_count]<4, "", ""))}, ""))$ Field Annotation: @HIDDEN-SURVEY						
	3487	<div>[ asq9_comm_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category communication below cutoff (14)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_comm_score]<>"", if([asq9_comm_score]<14, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3488	<div>[ asq9_comm_concernwarning ]</div> <div>Show the field ONLY if: [asq9_comm_concern]="1"</div>	Warning: Adjusted score in category communication below cutoff (14). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3489	<div>[ asq9_gm1 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Section Header: <i>Gross motor</i> 1. If you hold both hands just to balance your baby, does she support her own weight while standing?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3490	<div>[ asq9_gm2 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	2. When sitting on the floor, does your baby sit up straight for several minutes without using his hands for support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3491	<div>[ asq9_gm3 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	3. When you stand your baby next to furniture or the crib rail, does she hold on without leaning her chest against the furniture for support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3492	<div>[ asq9_gm4 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	4. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3493	<div>[ asq9_gm5 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	5. While holding onto furniture, does your baby lower himself with control (without falling or flopping down)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3494	<div>[ asq9_gm6 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	6. Does your baby walk beside furniture while holding on with only one hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3495	<div>[ asq9_gm_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_gm1], [asq9_gm2], [asq9_gm3], [asq9_gm4], [asq9_gm5], [asq9_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3496	<div>[ asq9_gm_count ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_gm1]<>"", 1, 0), if([asq9_gm2]<>"", 1, 0), if([asq9_gm3]<>"", 1, 0), if([asq9_gm4]<>"", 1, 0), if([asq9_gm5]<>"", 1, 0), if([asq9_gm6]<>"", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3497	<div>[ asq9_gm_score ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_gm_count]<>"", if([asq9_gm_count]="6", ([asq9_gm_sum]), if([asq9_gm_count]="5", ([asq9_gm_sum] + ([asq9_gm_sum]/[asq9_gm_count])), if([asq9_gm_count]="4", ([asq9_gm_sum] + (2*([asq9_gm_sum]/[asq9_gm_count]))), if([asq9_gm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						

	3498	<div>[ asq9_gm_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category gross motor below cutoff (18)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_gm_score]<>"", if([asq9_gm_score]<18, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3499	<div>[ asq9_gm_concernwarning ]</div> <div>Show the field ONLY if: [asq9_gm_concern]="1"</div>	Warning: Adjusted score in category gross motor below cutoff (18). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3500	<div>[ asq9_fm1 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	<div>Section Header: <i>Fine motor</i></div> <div>1. Does your baby pick up a small toy with only one hand?</div>	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3501	<div>[ asq9_fm2 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	2. Does your baby successfully pick up a crumb or Cheerio by using her thumb and all of her fingers in a raking motion? (If she already picks up a crumb or Cheerio, mark "yes" for this item.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3502	<div>[ asq9_fm3 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	3. Does your baby pick up a small toy with the tips of his thumb and fingers? (You should see a space between the toy and his palm.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3503	<div>[ asq9_fm4 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	4. After one or two tries, does your baby pick up a piece of string with her first finger and thumb? (The string may be attached to a toy.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3504	<div>[ asq9_fm5 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	5. Does your baby pick up a crumb or Cheerio with the tips of his thumb and a finger? He may rest his arm or hand on the table while doing it.	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3505	<div>[ asq9_fm6 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	6. Does your baby put a small toy down, without dropping it, and then take her hand off the toy?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3506	<div>[ asq9_fm_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_fm1], [asq9_fm2], [asq9_fm3], [asq9_fm4], [asq9_fm5], [asq9_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3507	<div>[ asq9_fm_count ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_fm1]<>"", 1, 0), if([asq9_fm2]<>"", 1, 0), if([asq9_fm3]<>"", 1, 0), if([asq9_fm4]<>"", 1, 0), if([asq9_fm5]<>"", 1, 0), if([asq9_fm6]<>"", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3508	<div>[ asq9_fm_score ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_fm_count]<>"", if([asq9_fm_count]="6", ([asq9_fm_sum]), if([asq9_fm_count]="5", ([asq9_fm_sum] + ([asq9_fm_sum]/[asq9_fm_count])), if([asq9_fm_count]="4", ([asq9_fm_sum] + (2*([asq9_fm_sum]/[asq9_fm_count]))), if([asq9_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						

	3509	<div>[ asq9_fm_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category fine motor below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_fm_score]<>"" , if([asq9_fm_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3510	<div>[ asq9_fm_concernwarning ]</div> <div>Show the field ONLY if: [asq9_fm_concern]="1"</div>	Warning: Adjusted score in category fine motor below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3511	<div>[ asq9_ps1 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Section Header: <i>Problem solving</i> 1. Does your baby pass a toy back and forth from one hand to the other?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3512	<div>[ asq9_ps2 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	2. Does your baby pick up two small toys, one in each hand, and hold onto them for about 1 minute?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3513	<div>[ asq9_ps3 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	3. When holding a toy in his hand, does your baby bang it against another toy on the table?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3514	<div>[ asq9_ps4 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	4. While holding a small toy in each hand, does your baby clap the toys together (like "Pat-a-cake")?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3515	<div>[ asq9_ps5 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	5. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3516	<div>[ asq9_ps6 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	6. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3517	<div>[ asq9_ps_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_ps1], [asq9_ps2], [asq9_ps3], [asq9_ps4], [asq9_ps5], [asq9_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3518	<div>[ asq9_ps_count ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_ps1]<>"" , 1, 0), if([asq9_ps2]<>"" , 1, 0), if([asq9_ps3]<>"" , 1, 0), if([asq9_ps4]<>"" , 1, 0), if([asq9_ps5]<>"" , 1, 0), if([asq9_ps6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3519	<div>[ asq9_ps_score ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_ps_count]<>"" , if([asq9_ps_count]="6", ([asq9_ps_sum]), if([asq9_ps_count]="5", ([asq9_ps_sum] + ([asq9_ps_sum]/[asq9_ps_count])), if([asq9_ps_count]="4", ([asq9_ps_sum] + (2*([asq9_ps_sum]/[asq9_ps_count]))), if([asq9_ps_count]<4, "" , ""))))) , "") Field Annotation: @HIDDEN-SURVEY						



	3520	<div>[ asq9_ps_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_ps_score]<>"" , if([asq9_ps_score]<29, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3521	<div>[ asq9_ps_concernwarning ]</div> <div>Show the field ONLY if: [asq9_ps_concern]="1"</div>	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3522	<div>[ asq9_persoc1 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Section Header: <i>Personal - social</i> 1. While your baby is on her back, does she put her foot in her mouth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3523	<div>[ asq9_persoc2 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	2. Does your baby drink water, juice, or formula from a cup while you hold it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3524	<div>[ asq9_persoc3 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	3. Does your baby feed himself a cracker or a cookie?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3525	<div>[ asq9_persoc4 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	4. When you hold out your hand and ask for her toy, does your baby offer it to you even if she doesn't let go of it? (If she already lets go of the toy into your hand, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3526	<div>[ asq9_persoc5 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	5. When you dress your baby, does he push his arm through a sleeve once his arm is started in the hole of the sleeve?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3527	<div>[ asq9_persoc6 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	6. When you hold out your hand and ask for her toy, does your baby let go of it into your hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3528	<div>[ asq9_persoc_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_persoc1], [asq9_persoc2], [asq9_persoc3], [asq9_persoc4], [asq9_persoc5], [asq9_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3529	<div>[ asq9_persoc_count ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_persoc1]<>"" , 1, 0), if([asq9_persoc2]<>"" , 1, 0), if([asq9_persoc3]<>"" , 1, 0), if([asq9_persoc4]<>"" , 1, 0), if([asq9_persoc5]<>"" , 1, 0), if([asq9_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3530	<div>[ asq9_persoc_score ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_persoc_count]<>"" , if([asq9_persoc_count]="6", ([asq9_persoc_sum]), if([asq9_persoc_count]="5", ([asq9_persoc_sum] + ([asq9_persoc_sum]/[asq9_persoc_count])), if([asq9_persoc_count]="4", ([asq9_persoc_sum] + (2* ([asq9_persoc_sum]/[asq9_persoc_count]))), if([asq9_persoc_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
	3531	<div>[ asq9_persoc_concern ]</div>	Adjusted score in category personal/social below cutoff (19)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and						

		Show the field ONLY if: [visit_asqver]="9"		[asq9_persoc_score]<>"", if([asq9_persoc_score]<19, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
	3532	[ asq9_persoc_concernwarning ]  Show the field ONLY if: [asq9_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (19). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
	3533	[ asq9_o1 ]  Show the field ONLY if: [visit_asqver]="9"	Section Header: <i>Overall</i>  1. Does your baby use both hands and both legs equally well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3534	[ asq9_o1spec ]  Show the field ONLY if: [asq9_o1]="0"	If no, explain:	notes Custom alignment: LV				
	3535	[ asq9_o2 ]  Show the field ONLY if: [visit_asqver]="9"	2. When you help your baby stand, are his feet flat on the surface most of the time?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3536	[ asq9_o2spec ]  Show the field ONLY if: [asq9_o2]="0"	If no, explain:	notes Custom alignment: LV				
	3537	[ asq9_o3 ]  Show the field ONLY if: [visit_asqver]="9"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3538	[ asq9_o3spec ]  Show the field ONLY if: [asq9_o3]="1"	If yes, explain:	notes Custom alignment: LV				
	3539	[ asq9_o4 ]  Show the field ONLY if: [visit_asqver]="9"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3540	[ asq9_o4spec ]  Show the field ONLY if: [asq9_o4]="1"	If yes, explain:	notes Custom alignment: LV				
	3541	[ asq9_o5 ]  Show the field ONLY if: [visit_asqver]="9"	5. Do you have concerns about your baby's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3542	[ asq9_o5spec ]  Show the field ONLY if: [asq9_o5]="1"	If yes, explain:	notes Custom alignment: LV				
	3543	[ asq9_o6 ]  Show the field ONLY if: [visit_asqver]="9"	6. Has your baby had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3544	[ asq9_o6spec ]  Show the field ONLY if: [asq9_o6]="1"	If yes, explain:	notes Custom alignment: LV				
	3545	[ asq9_o7 ]  Show the field ONLY if: [visit_asqver]="9"	7. Do you have any concerns about your baby's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	3546	[ asq9_o7spec ]  Show the field ONLY if: [asq9_o7]="1"	If yes, explain:	notes Custom alignment: LV				

3547	<div>[ asq9_o8 ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	8. Does anything about your baby worry you?	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No		
1	Yes								
0	No								
3548	<div>[ asq9_o8spec ]</div> <div>Show the field ONLY if: [asq9_o8]="1"</div>	If yes, explain:	<div>notes</div> <div>Custom alignment: LV</div>						
3549	<div>[ asq9_all_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="9"</div>	Is there a concerning section on this form	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="9", if(((asq9_comm_concern]="1" or [asq9_gm_concern]="1" or [asq9_fm_concern]="1" or [asq9_ps_concern]="1" or [asq9_persoc_concern]="1"), 1, 0), "")</div> <div>Field Annotation: @HIDDEN-SURVEY</div>						
3550	<div>[ asq10_intro ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	10 Month Questionnaire9 months 0 days through 10 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	<div>descriptive</div>						
3551	<div>[ asq10_comm1 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	<div>Section Header: <i>Communication</i></div> <div>1. Does your baby make sounds like "da," "ga," "ka," and "ba"?</div>	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3552	<div>[ asq10_comm2 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	2. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3553	<div>[ asq10_comm3 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	3. Does your baby make two similar sounds like "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3554	<div>[ asq10_comm4 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	4. If you ask your baby to, does he play at least one nursery game even if you don't show him the activity yourself (such as "bye-bye," "Peeka-boo," "clap your hands," "So Big")?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3555	<div>[ asq10_comm5 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	5. Does your baby follow one simple command, such as "Come here," "Give it to me," or "Put it back," without your using gestures?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3556	<div>[ asq10_comm6 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	6. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3557	<div>[ asq10_comm_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	Sum of scores of completed items in category communication	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10", sum([asq10_comm1], [asq10_comm2], [asq10_comm3], [asq10_comm4], [asq10_comm5], [asq10_comm6]), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						

3558	[ asq10_comm_count ] Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_comm1]<>"" , 1, 0), if([asq10_comm2]<>"" , 1, 0), if([asq10_comm3]<>"" , 1, 0), if([asq10_comm4]<>"" , 1, 0), if([asq10_comm5]<>"" , 1, 0), if([asq10_comm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3559	[ asq10_comm_score ] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_comm_count]<>"" , if([asq10_comm_count]="6", ([asq10_comm_sum]), if([asq10_comm_count]="5", ([asq10_comm_sum] + ([asq10_comm_sum]/[asq10_comm_count])), if([asq10_comm_count]="4", ([asq10_comm_sum] + (2* ([asq10_comm_sum]/[asq10_comm_count]))), if([asq10_comm_count]<4, "" , ""))), "") Field Annotation: @HIDDEN-SURVEY						
3560	[ asq10_comm_concern ] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category communication below cutoff (23)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_comm_score]<>"" , if([asq10_comm_score]<23, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3561	[ asq10_comm_concernwarning ] Show the field ONLY if: [asq10_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (23). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3562	[ asq10_gm1 ] Show the field ONLY if: [visit_asqver]="10"	Section Header: <i>Gross motor</i> 1. If you hold both hands just to balance your baby, does she support her own weight while standing?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3563	[ asq10_gm2 ] Show the field ONLY if: [visit_asqver]="10"	2. When sitting on the floor, does your baby sit up straight for several minutes without using his hands for support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3564	[ asq10_gm3 ] Show the field ONLY if: [visit_asqver]="10"	3. When you stand your baby next to furniture or the crib rail, does she hold on without leaning her chest against the furniture for support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3565	[ asq10_gm4 ] Show the field ONLY if: [visit_asqver]="10"	4. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3566	[ asq10_gm5 ] Show the field ONLY if: [visit_asqver]="10"	5. While holding onto furniture, does your baby lower himself with control (without falling or flopping down)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3567	[ asq10_gm6 ] Show the field ONLY if: [visit_asqver]="10"	6. Does your baby walk beside furniture while holding on with only one hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3568	[ asq10_gm_sum ] Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_gm1], [asq10_gm2], [asq10_gm3], [asq10_gm4], [asq10_gm5], [asq10_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

3569	[ asq10_gm_count ]  Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_gm1]<>"" , 1, 0), if([asq10_gm2]<>"" , 1, 0), if([asq10_gm3]<>"" , 1, 0), if([asq10_gm4]<>"" , 1, 0), if([asq10_gm5]<>"" , 1, 0), if([asq10_gm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3570	[ asq10_gm_score ]  Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_gm_count]<>"" , if([asq10_gm_count]="6", ([asq10_gm_sum]), if([asq10_gm_count]="5", ([asq10_gm_sum] + ([asq10_gm_sum]/[asq10_gm_count])), if([asq10_gm_count]="4", ([asq10_gm_sum] + (2* ([asq10_gm_sum]/[asq10_gm_count])), if([asq10_gm_count] <4, "" , ""))))), "") Field Annotation: @HIDDEN-SURVEY						
3571	[ asq10_gm_concern ]  Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category gross motor below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_gm_score]<>"" , if([asq10_gm_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3572	[ asq10_gm_concernwarning ]  Show the field ONLY if: [asq10_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3573	[ asq10_fm1 ]  Show the field ONLY if: [visit_asqver]="10"	Section Header: <i>Fine motor</i>  1. Does your baby pick up a small toy with only one hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3574	[ asq10_fm2 ]  Show the field ONLY if: [visit_asqver]="10"	2. Does your baby successfully pick up a crumb or Cheerio by using her thumb and all of her fingers in a raking motion? (If she already picks up a crumb or Cheerio, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3575	[ asq10_fm3 ]  Show the field ONLY if: [visit_asqver]="10"	3. Does your baby pick up a small toy with the tips of his thumb and fingers? (You should see a space between the toy and his palm.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3576	[ asq10_fm4 ]  Show the field ONLY if: [visit_asqver]="10"	4. After one or two tries, does your baby pick up a piece of string with her first finger and thumb? (The string may be attached to a toy.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3577	[ asq10_fm5 ]  Show the field ONLY if: [visit_asqver]="10"	5. Does your baby pick up a crumb or Cheerio with the tips of his thumb and a finger? He may rest his arm or hand on the table while doing it.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3578	[ asq10_fm6 ]  Show the field ONLY if: [visit_asqver]="10"	6. Does your baby put a small toy down, without dropping it, and then take her hand off the toy?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3579	[ asq10_fm_sum ]  Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_fm1], [asq10_fm2], [asq10_fm3], [asq10_fm4], [asq10_fm5], [asq10_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3580	[ asq10_fm_count ]  Show the field ONLY if:	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_fm1]<>"" , 1, 0), if([asq10_fm2]<>"" , 1, 0), if([asq10_fm3]<>"" , 1, 0), if([asq10_fm4]<>"" , 1, 0), if([asq10_fm5]<>"" , 1, 0), if([asq10_fm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

		[visit_asqver]="10"		if([asq10_fm3]<>"" , 1, 0), if([asq10_fm4]<>"" , 1, 0), if([asq10_fm5]<>"" , 1, 0), if([asq10_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3581	[asq10_fm_score]  Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_fm_count]<>"" , if([asq10_fm_count]="6", ([asq10_fm_sum]), if([asq10_fm_count]="5", ([asq10_fm_sum] + ([asq10_fm_sum]/[asq10_fm_count])), if([asq10_fm_count]="4", ([asq10_fm_sum] + (2* ([asq10_fm_sum]/[asq10_fm_count]))), if([asq10_fm_count] <4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
	3582	[asq10_fm_concern]  Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category fine motor below cutoff (38)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_fm_score]<>"" , if([asq10_fm_score]<38, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3583	[asq10_fm_concernwarning]  Show the field ONLY if: [asq10_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (38). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3584	[asq10_ps1]  Show the field ONLY if: [visit_asqver]="10"	Section Header: <i>Problem solving</i>  1. Does your baby pass a toy back and forth from one hand to the other?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3585	[asq10_ps2]  Show the field ONLY if: [visit_asqver]="10"	2. Does your baby pick up two small toys, one in each hand, and hold onto them for about 1 minute?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3586	[asq10_ps3]  Show the field ONLY if: [visit_asqver]="10"	3. When holding a toy in his hand, does your baby bang it against another toy on the table?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3587	[asq10_ps4]  Show the field ONLY if: [visit_asqver]="10"	4. While holding a small toy in each hand, does your baby clap the toys together (like "Pat-a-cake")?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3588	[asq10_ps5]  Show the field ONLY if: [visit_asqver]="10"	5. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3589	[asq10_ps6]  Show the field ONLY if: [visit_asqver]="10"	6. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3590	[asq10_ps_sum]  Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_ps1], [asq10_ps2], [asq10_ps3], [asq10_ps4], [asq10_ps5], [asq10_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3591	[asq10_ps_count]  Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_ps1]<>"" , 1, 0), if([asq10_ps2]<>"" , 1, 0), if([asq10_ps3]<>"" , 1, 0), if([asq10_ps4]<>"" , 1, 0), if([asq10_ps5]<>"" , 1, 0), if([asq10_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

3592	<div>[ asq10_ps_score ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	Adjusted score in category problem solving	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10" and [asq10_ps_count]&lt;&gt;"" , if([asq10_ps_count]="6", ([asq10_ps_sum]), if([asq10_ps_count]="5", ([asq10_ps_sum] + ([asq10_ps_sum]/[asq10_ps_count])), if([asq10_ps_count]="4", ([asq10_ps_sum] + (2*([asq10_ps_sum]/[asq10_ps_count]))), if([asq10_ps_count]&lt;4, "", ""))))) , "" )</div> <div>Field Annotation: @HIDDEN-SURVEY</div>						
3593	<div>[ asq10_ps_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	Adjusted score in category problem solving below cutoff (33)	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10" and [asq10_ps_score]&lt;&gt;"" , if([asq10_ps_score]&lt;33, 1, 0), "" )</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						
3594	<div>[ asq10_ps_concernwarning ]</div> <div>Show the field ONLY if: [asq10_ps_concern]="1"</div>	Warning: Adjusted score in category problem solving below cutoff (33). Please discuss this with the caregiver.	<div>descriptive</div> <div>Field Annotation: @HIDDEN-SURVEY</div>						
3595	<div>[ asq10_persoc1 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	<div>Section Header: <i>Personal - social</i></div> <div>1. While your baby is on her back, does she put her foot in her mouth?</div>	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3596	<div>[ asq10_persoc2 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	2. Does your baby drink water, juice, or formula from a cup while you hold it?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3597	<div>[ asq10_persoc3 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	3. Does your baby feed himself a cracker or a cookie?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3598	<div>[ asq10_persoc4 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	4. When you hold out your hand and ask for her toy, does your baby offer it to you even if she doesn't let go of it? (If she already lets go of the toy into your hand, mark "yes" for this item.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3599	<div>[ asq10_persoc5 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	5. When you dress your baby, does he push his arm through a sleeve once his arm is started in the hole of the sleeve?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3600	<div>[ asq10_persoc6 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	6. When you hold out your hand and ask for her toy, does your baby let go of it into your hand?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3601	<div>[ asq10_persoc_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	Sum of scores of completed items in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10", sum([asq10_persoc1], [asq10_persoc2], [asq10_persoc3], [asq10_persoc4], [asq10_persoc5], [asq10_persoc6]), "" )</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						
3602	<div>[ asq10_persoc_count ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	Number of completed items in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10", sum(if([asq10_persoc1]&lt;&gt;"" , 1, 0), if([asq10_persoc2]&lt;&gt;"" , 1, 0), if([asq10_persoc3]&lt;&gt;"" , 1, 0), if([asq10_persoc4]&lt;&gt;"" , 1, 0), if([asq10_persoc5]&lt;&gt;"" , 1, 0), if([asq10_persoc6]&lt;&gt;"" , 1, 0))), "" )</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						
3603	<div>[ asq10_persoc_score ]</div> <div>Show the field ONLY if:</div>	Adjusted score in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10" and [asq10_persoc_count]&lt;&gt;"" , if([asq10_persoc_count]="6",</div>						

		[visit_asqver]="10"		<div>([asq10_persoc_sum]), if([asq10_persoc_count]="5", ([asq10_persoc_sum] + ([asq10_persoc_sum]/[asq10_persoc_count])), if([asq10_persoc_count]="4", ([asq10_persoc_sum] + (2* ([asq10_persoc_sum]/[asq10_persoc_count]))), if([asq10_persoc_count]&lt;4, "", "")))))</div> <div>Field Annotation: @HIDDEN-SURVEY</div>
3604	<div>[ asq10_persoc_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	Adjusted score in category personal/social below cutoff (28)	calc	<div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="10" and [asq10_persoc_score]&lt;&gt;"" , if([asq10_persoc_score]&lt;28, 1, 0), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>
3605	<div>[ asq10_persoc_concernwarning ]</div> <div>Show the field ONLY if: [asq10_persoc_concern]="1"</div>	Warning: Adjusted score in category personal/social below cutoff (28). Please discuss this with the caregiver.	descriptive	<div>Field Annotation: @HIDDEN-SURVEY</div>
3606	<div>[ asq10_o1 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	<div>Section Header: Overall</div> <div>1. Does your baby use both hands and both legs equally well?</div>	<div>radio</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>	
3607	<div>[ asq10_o1spec ]</div> <div>Show the field ONLY if: [asq10_o1]="0"</div>	If no, explain:	notes	<div>Custom alignment: LV</div>
3608	<div>[ asq10_o2 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	2. When you help your baby stand, are his feet flat on the surface most of the time?	<div>radio</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>	
3609	<div>[ asq10_o2spec ]</div> <div>Show the field ONLY if: [asq10_o2]="0"</div>	If no, explain:	notes	<div>Custom alignment: LV</div>
3610	<div>[ asq10_o3 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	<div>radio</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>	
3611	<div>[ asq10_o3spec ]</div> <div>Show the field ONLY if: [asq10_o3]="1"</div>	If yes, explain:	notes	<div>Custom alignment: LV</div>
3612	<div>[ asq10_o4 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	4. Does either parent have a family history of childhood deafness or hearing impairment?	<div>radio</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>	
3613	<div>[ asq10_o4spec ]</div> <div>Show the field ONLY if: [asq10_o4]="1"</div>	If yes, explain:	notes	<div>Custom alignment: LV</div>
3614	<div>[ asq10_o5 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	5. Do you have concerns about your baby's vision?	<div>radio</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>	
3615	<div>[ asq10_o5spec ]</div> <div>Show the field ONLY if: [asq10_o5]="1"</div>	If yes, explain:	notes	<div>Custom alignment: LV</div>
3616	<div>[ asq10_o6 ]</div> <div>Show the field ONLY if: [visit_asqver]="10"</div>	6. Has your baby had any medical problems in the last several months?	<div>radio</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>	
3617	<div>[ asq10_o6spec ]</div> <div>Show the field ONLY if: [asq10_o6]="1"</div>	If yes, explain:	notes	<div>Custom alignment: LV</div>



3618	[ asq10_o7 ] Show the field ONLY if: [visit_asqver]="10"	7. Do you have any concerns about your baby's behavior?	radio <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> </table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3619	[ asq10_o7spec ] Show the field ONLY if: [asq10_o7]="1"	If yes, explain:	notes Custom alignment: LV						
3620	[ asq10_o8 ] Show the field ONLY if: [visit_asqver]="10"	8. Does anything about your baby worry you?	radio <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> </table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3621	[ asq10_o8spec ] Show the field ONLY if: [asq10_o8]="1"	If yes, explain:	notes Custom alignment: LV						
3622	[ asq10_all_concern ] Show the field ONLY if: [visit_asqver]="10"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"") and [visit_asqver]="10", if((([asq10_comm_concern]="1" or [asq10_gm_concern]="1" or [asq10_fm_concern]="1" or [asq10_ps_concern]="1" or [asq10_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
3623	[ asq12_intro ] Show the field ONLY if: [visit_asqver]="12"	12 Month Questionnaire 11 months 0 days through 12 months 30 days On the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your baby before marking a response. Make completing this questionnaire a game that is fun for you and your baby. Make sure your baby is rested and fed.	descriptive						
3624	[ asq12_comm1 ] Show the field ONLY if: [visit_asqver]="12"	Section Header: <i>Communication</i> 1. Does your baby make two similar sounds, such as "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio <table border="1"> <tr> <td>10</td> <td>Yes</td> </tr> <tr> <td>5</td> <td>Sometimes</td> </tr> <tr> <td>0</td> <td>Not yet</td> </tr> </table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3625	[ asq12_comm2 ] Show the field ONLY if: [visit_asqver]="12"	2. If you ask your baby to, does he play at least one nursery game even if you don't show him the activity yourself (such as "bye-bye," "Peeka-boo," "clap your hands," "So Big")?	radio <table border="1"> <tr> <td>10</td> <td>Yes</td> </tr> <tr> <td>5</td> <td>Sometimes</td> </tr> <tr> <td>0</td> <td>Not yet</td> </tr> </table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3626	[ asq12_comm3 ] Show the field ONLY if: [visit_asqver]="12"	3. Does your baby follow one simple command, such as "Come here," "Give it to me," or "Put it back," without your using gestures?	radio <table border="1"> <tr> <td>10</td> <td>Yes</td> </tr> <tr> <td>5</td> <td>Sometimes</td> </tr> <tr> <td>0</td> <td>Not yet</td> </tr> </table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3627	[ asq12_comm4 ] Show the field ONLY if: [visit_asqver]="12"	4. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	radio <table border="1"> <tr> <td>10</td> <td>Yes</td> </tr> <tr> <td>5</td> <td>Sometimes</td> </tr> <tr> <td>0</td> <td>Not yet</td> </tr> </table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3628	[ asq12_comm5 ] Show the field ONLY if: [visit_asqver]="12"	5. When you ask, "Where is the ball (hat, shoe, etc.)?" does your baby look at the object? (Make sure the object is present. Mark "yes" if she knows one object.)	radio <table border="1"> <tr> <td>10</td> <td>Yes</td> </tr> <tr> <td>5</td> <td>Sometimes</td> </tr> <tr> <td>0</td> <td>Not yet</td> </tr> </table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3629	[ asq12_comm6 ] Show the field ONLY if:	6. When your baby wants something, does he tell you by pointing to it?	radio <table border="1"> <tr> <td>10</td> <td>Yes</td> </tr> </table>	10	Yes				
10	Yes								

		[visit_asqver]="12"		<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet		
5	Sometimes									
0	Not yet									
3630	[ asq12_comm_sum ]	Sum of scores of completed items in category communication Show the field ONLY if: [visit_asqver]="12"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_comm1], [asq12_comm2], [asq12_comm3], [asq12_comm4], [asq12_comm5], [asq12_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3631	[ asq12_comm_count ]	Number of completed items in category communication Show the field ONLY if: [visit_asqver]="12"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_comm1]<>"" , 1, 0), if([asq12_comm2]<>"" , 1, 0), if([asq12_comm3]<>"" , 1, 0), if([asq12_comm4]<>"" , 1, 0), if([asq12_comm5]<>"" , 1, 0), if([asq12_comm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3632	[ asq12_comm_score ]	Adjusted score in category communication Show the field ONLY if: [visit_asqver]="12"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_comm_count]<>"" , if([asq12_comm_count]="6", ([asq12_comm_sum]), if([asq12_comm_count]="5", ([asq12_comm_sum] + ([asq12_comm_sum]/[asq12_comm_count])), if([asq12_comm_count]="4", ([asq12_comm_sum] + (2*([asq12_comm_sum]/[asq12_comm_count]))), if([asq12_comm_count]<4, "" , ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
3633	[ asq12_comm_concern ]	Adjusted score in category communication below cutoff (16) Show the field ONLY if: [visit_asqver]="12"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_comm_score]<>"" , if([asq12_comm_score]<16, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3634	[ asq12_comm_concernwarning ]	Warning: Adjusted score in category communication below cutoff (16). Please discuss this with the caregiver. Show the field ONLY if: [asq12_comm_concern]="1"		descriptive Field Annotation: @HIDDEN-SURVEY						
3635	[ asq12_gm1 ]	Section Header: <i>Gross motor</i> 1. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position? Show the field ONLY if: [visit_asqver]="12"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3636	[ asq12_gm2 ]	2. While holding onto furniture, does your baby lower herself with control (without falling or flopping down)? Show the field ONLY if: [visit_asqver]="12"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3637	[ asq12_gm3 ]	3. Does your baby walk beside furniture while holding on with only one hand? Show the field ONLY if: [visit_asqver]="12"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3638	[ asq12_gm4 ]	4. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark "yes" for this item.) Show the field ONLY if: [visit_asqver]="12"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3639	[ asq12_gm5 ]	5. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark "yes" for this item.) Show the field ONLY if: [visit_asqver]="12"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3640	[ asq12_gm6 ]	6. Does your baby stand up in the middle of the floor by himself and take several steps forward? Show the field ONLY if: [visit_asqver]="12"		radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes									

5	Sometimes
0	Not yet

Custom alignment: LV

calc  
Calculation: if([asq\_fversion]<>"" and [visit\_asqver]="12", sum([asq12\_gm1], [asq12\_gm2], [asq12\_gm3], [asq12\_gm4], [asq12\_gm5], [asq12\_gm6]), "")  
Field Annotation: @HIDDEN @HIDDEN-PDF

calc  
Calculation: if([asq\_fversion]<>"" and [visit\_asqver]="12", sum(if([asq12\_gm1]<>"", 1, 0), if([asq12\_gm2]<>"", 1, 0), if([asq12\_gm3]<>"", 1, 0), if([asq12\_gm4]<>"", 1, 0), if([asq12\_gm5]<>"", 1, 0), if([asq12\_gm6]<>"", 1, 0)), ""))  
Field Annotation: @HIDDEN @HIDDEN-PDF

calc  
Calculation: if([asq\_fversion]<>"" and [visit\_asqver]="12" and [asq12\_gm\_count]<>"", if([asq12\_gm\_count]="6", ([asq12\_gm\_sum]), if([asq12\_gm\_count]="5", ([asq12\_gm\_sum] + ([asq12\_gm\_sum]/[asq12\_gm\_count])), if([asq12\_gm\_count]="4", ([asq12\_gm\_sum] + (2\*([asq12\_gm\_sum]/[asq12\_gm\_count]))), if([asq12\_gm\_count]<4, "", "")))))  
Field Annotation: @HIDDEN-SURVEY

calc  
Calculation: if([asq\_fversion]<>"" and [visit\_asqver]="12" and [asq12\_gm\_score]<>"", if([asq12\_gm\_score]<22, 1, 0), "")  
Field Annotation: @HIDDEN @HIDDEN-PDF

descriptive  
Field Annotation: @HIDDEN-SURVEY

radio
10 Yes
5 Sometimes
0 Not yet

Custom alignment: LV

radio
10 Yes
5 Sometimes
0 Not yet

Custom alignment: LV

radio
10 Yes
5 Sometimes
0 Not yet

Custom alignment: LV

radio
10 Yes
5 Sometimes
0 Not yet

Custom alignment: LV

radio
10 Yes
5 Sometimes
0 Not yet

Custom alignment: LV

radio
10 Yes
5 Sometimes
0 Not yet

				Custom alignment: LV						
3652	[ asq12_fm_sum ]  Show the field ONLY if: [visit_asqver]="12"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_fm1], [asq12_fm2], [asq12_fm3], [asq12_fm4], [asq12_fm5], [asq12_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3653	[ asq12_fm_count ]  Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_fm1]<>"" , 1, 0), if([asq12_fm2]<>"" , 1, 0), if([asq12_fm3]<>"" , 1, 0), if([asq12_fm4]<>"" , 1, 0), if([asq12_fm5]<>"" , 1, 0), if([asq12_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3654	[ asq12_fm_score ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_fm_count]<>"" , if([asq12_fm_count]="6", ([asq12_fm_sum]), if([asq12_fm_count]="5", ([asq12_fm_sum] + ([asq12_fm_sum]/[asq12_fm_count])), if([asq12_fm_count]="4", ([asq12_fm_sum] + (2* ([asq12_fm_sum]/[asq12_fm_count]))), if([asq12_fm_count] <4, "" , ""))))), "") Field Annotation: @HIDDEN-SURVEY							
3655	[ asq12_fm_concern ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category fine motor below cutoff (35)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_fm_score]<>"" , if([asq12_fm_score]<35, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3656	[ asq12_fm_concernwarning ]  Show the field ONLY if: [asq12_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (35). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
3657	[ asq12_ps1 ]  Show the field ONLY if: [visit_asqver]="12"	Section Header: <i>Problem solving</i>  1. When holding a small toy in each hand, does your baby clap the toys together (like "Pat-a-cake")?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3658	[ asq12_ps2 ]  Show the field ONLY if: [visit_asqver]="12"	2. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3659	[ asq12_ps3 ]  Show the field ONLY if: [visit_asqver]="12"	3. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3660	[ asq12_ps4 ]  Show the field ONLY if: [visit_asqver]="12"	4. If you put a small toy into a bowl or box, does your baby copy you by putting in a toy, although she may not let go of it? (If she already lets go of the toy into a bowl or box, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3661	[ asq12_ps5 ]  Show the field ONLY if: [visit_asqver]="12"	5. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show him how to do it.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3662	[ asq12_ps6 ]  Show the field ONLY if: [visit_asqver]="12"	6. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If she already scribbles on her own, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									

3663	[ asq12_ps_sum ]  Show the field ONLY if: [visit_asqver]="12"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_ps1], [asq12_ps2], [asq12_ps3], [asq12_ps4], [asq12_ps5], [asq12_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3664	[ asq12_ps_count ]  Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_ps1]<>"" , 1, 0), if([asq12_ps2]<>"" , 1, 0), if([asq12_ps3]<>"" , 1, 0), if([asq12_ps4]<>"" , 1, 0), if([asq12_ps5]<>"" , 1, 0), if([asq12_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3665	[ asq12_ps_score ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_ps_count]<>"" , if([asq12_ps_count]="6", ([asq12_ps_sum]), if([asq12_ps_count]="5", ([asq12_ps_sum] + ([asq12_ps_sum]/[asq12_ps_count])), if([asq12_ps_count]="4", ([asq12_ps_sum] + (2* ([asq12_ps_sum]/[asq12_ps_count]))), if([asq12_ps_count]<4, "" , "")))) , "" ) Field Annotation: @HIDDEN-SURVEY						
3666	[ asq12_ps_concern ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category problem solving below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_ps_score]<>"" , if([asq12_ps_score]<28, 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
3667	[ asq12_ps_concernwarning ]  Show the field ONLY if: [asq12_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3668	[ asq12_persoc1 ]  Show the field ONLY if: [visit_asqver]="12"	Section Header: <i>Personal - social</i>  1. When you hold out your hand and ask for his toy, does your baby offer it to you even if he doesn't let go of it? (If he already lets go of the toy into your hand, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3669	[ asq12_persoc2 ]  Show the field ONLY if: [visit_asqver]="12"	2. When you dress your baby, does she push her arm through a sleeve once her arm is started in the hole of the sleeve?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3670	[ asq12_persoc3 ]  Show the field ONLY if: [visit_asqver]="12"	3. When you hold out your hand and ask for his toy, does your baby let go of it into your hand?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3671	[ asq12_persoc4 ]  Show the field ONLY if: [visit_asqver]="12"	4. When you dress your baby, does she lift her foot for her shoe, sock, or pant leg?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3672	[ asq12_persoc5 ]  Show the field ONLY if: [visit_asqver]="12"	5. Does your baby roll or throw a ball back to you so that you can return it to him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3673	[ asq12_persoc6 ]  Show the field ONLY if: [visit_asqver]="12"	6. Does your baby play with a doll or stuffed animal by hugging it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3674	[ asq12_persoc_sum ]  Show the field ONLY if:	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_persoc1],[asq12_persoc2],[asq12_persoc3],						

		[visit_asqver]="12"		[asq12_persoc4], [asq12_persoc5], [asq12_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF			
3675	[ asq12_persoc_count ]  Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_persoc1]<>"" , 1, 0), if([asq12_persoc2]<>"" , 1, 0), if([asq12_persoc3]<>"" , 1, 0), if([asq12_persoc4]<>"" , 1, 0), if([asq12_persoc5]<>"" , 1, 0), if([asq12_persoc6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
3676	[ asq12_persoc_score ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_persoc_count]<>"" , if([asq12_persoc_count]="6", ([asq12_persoc_sum]), if([asq12_persoc_count]="5", ([asq12_persoc_sum] + ([asq12_persoc_sum]/[asq12_persoc_count])), if([asq12_persoc_count]="4", ([asq12_persoc_sum] + (2* ([asq12_persoc_sum]/[asq12_persoc_count]))), if([asq12_persoc_count]<4, "" , "")))) , "") Field Annotation: @HIDDEN-SURVEY				
3677	[ asq12_persoc_concern ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category personal/social below cutoff (22)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_persoc_score]<>"" , if([asq12_persoc_score]<22, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
3678	[ asq12_persoc_concernwarning ]  Show the field ONLY if: [asq12_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (22). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
3679	[ asq12_o1 ]  Show the field ONLY if: [visit_asqver]="12"	Section Header: <i>Overall</i> 1. Does your baby use both hands and both legs equally well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3680	[ asq12_o1spec ]  Show the field ONLY if: [asq12_o1]="0"	If no, explain:	notes Custom alignment: LV				
3681	[ asq12_o2 ]  Show the field ONLY if: [visit_asqver]="12"	2. Does your baby play with sounds or seem to make words?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3682	[ asq12_o2spec ]  Show the field ONLY if: [asq12_o2]="0"	If no, explain:	notes Custom alignment: LV				
3683	[ asq12_o3 ]  Show the field ONLY if: [visit_asqver]="12"	3. When your baby is standing, are her feet flat on the surface most of the time?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3684	[ asq12_o3spec ]  Show the field ONLY if: [asq12_o3]="0"	If no, explain:	notes Custom alignment: LV				
3685	[ asq12_o4 ]  Show the field ONLY if: [visit_asqver]="12"	4. Do you have concerns that your baby is too quiet or does not make sounds like other babies do?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3686	[ asq12_o4spec ]  Show the field ONLY if: [asq12_o4]="1"	If yes, explain:	notes Custom alignment: LV				
3687	[ asq12_o5 ]  Show the field ONLY if: [visit_asqver]="12"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						

	3688	[ asq12_o5spec ] Show the field ONLY if: [asq12_o5]="1"	If yes, explain:	notes Custom alignment: LV						
	3689	[ asq12_o6 ] Show the field ONLY if: [visit_asqver]="12"	6. Do you have concerns about your baby's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3690	[ asq12_o6spec ] Show the field ONLY if: [asq12_o6]="1"	If yes, explain:	notes Custom alignment: LV						
	3691	[ asq12_o7 ] Show the field ONLY if: [visit_asqver]="12"	7. Has your baby had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3692	[ asq12_o7spec ] Show the field ONLY if: [asq12_o7]="1"	If yes, explain:	notes Custom alignment: LV						
	3693	[ asq12_o8 ] Show the field ONLY if: [visit_asqver]="12"	8. Do you have any concerns about your baby's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3694	[ asq12_o8spec ] Show the field ONLY if: [asq12_o8]="1"	If yes, explain:	notes Custom alignment: LV						
	3695	[ asq12_o9 ] Show the field ONLY if: [visit_asqver]="12"	9. Does anything about your baby worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3696	[ asq12_o9spec ] Show the field ONLY if: [asq12_o9]="1"	If yes, explain:	notes Custom alignment: LV						
	3697	[ asq12_all_concern ] Show the field ONLY if: [visit_asqver]="12"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", if(((asq12_comm_concern)="1" or [asq12_gm_concern]="1" or [asq12_fm_concern]="1" or [asq12_ps_concern]="1" or [asq12_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
	3698	[ asq14_intro ] Show the field ONLY if: [visit_asqver]="14"	14 Month Questionnaire 13 months 0 days through 14 months 30 days On the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your baby before marking a response. Make completing this questionnaire a game that is fun for you and your baby. Make sure your baby is rested and fed.	descriptive						
	3699	[ asq14_comm1 ] Show the field ONLY if: [visit_asqver]="14"	Section Header: <i>Communication</i> 1. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3700	[ asq14_comm2 ] Show the field ONLY if: [visit_asqver]="14"	2. When your baby wants something, does she tell you by pointing to it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3701	[ asq14_comm3 ]	3. Does your baby shake his head when he means "no" or "yes"?	radio						

		Show the field ONLY if: [visit_asqver]="14"		<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3702	[ asq14_comm4 ]	Show the field ONLY if: [visit_asqver]="14"	4. Does your baby point to, pat, or try to pick up pictures in a book?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3703	[ asq14_comm5 ]	Show the field ONLY if: [visit_asqver]="14"	5. Does your baby say four or more words in addition to "Mama" and "Dada"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3704	[ asq14_comm6 ]	Show the field ONLY if: [visit_asqver]="14"	6. When you ask her to, does your baby go into another room to find a familiar toy or object? (You might ask, "Where is your ball?" or say "Bring me your coat," or "Go get your blanket.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3705	[ asq14_comm_sum ]	Show the field ONLY if: [visit_asqver]="14"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum([asq14_comm1], [asq14_comm2], [asq14_comm3], [asq14_comm4], [asq14_comm5], [asq14_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3706	[ asq14_comm_count ]	Show the field ONLY if: [visit_asqver]="14"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum(if([asq14_comm1]<>"" and [visit_asqver]="14", 1, 0), if([asq14_comm2]<>"" and [visit_asqver]="14", 1, 0), if([asq14_comm3]<>"" and [visit_asqver]="14", 1, 0), if([asq14_comm4]<>"" and [visit_asqver]="14", 1, 0), if([asq14_comm5]<>"" and [visit_asqver]="14", 1, 0), if([asq14_comm6]<>"" and [visit_asqver]="14", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3707	[ asq14_comm_score ]	Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_comm_count]<>"" and [visit_asqver]="14", if([asq14_comm_count]="6", ([asq14_comm_sum]), if([asq14_comm_count]="5", ([asq14_comm_sum] + ([asq14_comm_sum]/[asq14_comm_count])), if([asq14_comm_count]="4", ([asq14_comm_sum] + (2* ([asq14_comm_sum]/[asq14_comm_count]))), if([asq14_comm_count]<4, "", ""))), "") Field Annotation: @HIDDEN-SURVEY						
3708	[ asq14_comm_concern ]	Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category communication below cutoff (18)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_comm_score]<>"" and [visit_asqver]="14", if([asq14_comm_score]<18, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3709	[ asq14_comm_concernwarning ]	Show the field ONLY if: [asq14_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (18). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3710	[ asq14_gm1 ]	Show the field ONLY if: [visit_asqver]="14"	Section Header: <i>Gross motor</i> 1. If you hold both hands just to balance your baby, does he take several steps without tripping or falling? (If your baby already walks alone, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3711	[ asq14_gm2 ]	Show the field ONLY if: [visit_asqver]="14"	2. When you hold one hand just to balance your baby, does she take several steps forward? (If your baby already walks alone, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3712	[ asq14_gm3 ]		3. Does your baby stand up in the middle of the floor by himself and take several steps forward?	radio						



		Show the field ONLY if: [visit_asqver]="14"		<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3713	[ asq14_gm4 ]  Show the field ONLY if: [visit_asqver]="14"	4. Does your baby climb onto furniture or other large objects, such as large climbing blocks?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3714	[ asq14_gm5 ]  Show the field ONLY if: [visit_asqver]="14"	5. Does your baby bend over or squat to pick up an object from the floor and then stand up again without any support?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3715	[ asq14_gm6 ]  Show the field ONLY if: [visit_asqver]="14"	6. Does your baby move around by walking, rather than by crawling on his hands and knees?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3716	[ asq14_gm_sum ]  Show the field ONLY if: [visit_asqver]="14"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum([asq14_gm1], [asq14_gm2], [asq14_gm3], [asq14_gm4], [asq14_gm5], [asq14_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3717	[ asq14_gm_count ]  Show the field ONLY if: [visit_asqver]="14"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum(if([asq14_gm1]<>"" , 1, 0), if([asq14_gm2]<>"" , 1, 0), if([asq14_gm3]<>"" , 1, 0), if([asq14_gm4]<>"" , 1, 0), if([asq14_gm5]<>"" , 1, 0), if([asq14_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
3718	[ asq14_gm_score ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_gm_count]<>"" , if([asq14_gm_count]="6", ([asq14_gm_sum]), if([asq14_gm_count]="5", ([asq14_gm_sum] + ([asq14_gm_sum]/[asq14_gm_count])), if([asq14_gm_count]="4", ([asq14_gm_sum] + (2* ([asq14_gm_sum]/[asq14_gm_count]))), if([asq14_gm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY							
3719	[ asq14_gm_concern ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category gross motor below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_gm_score]<>"" , if([asq14_gm_score]<26, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
3720	[ asq14_gm_concernwarning ]  Show the field ONLY if: [asq14_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
3721	[ asq14_fm1 ]  Show the field ONLY if: [visit_asqver]="14"	Section Header: <i>Fine motor</i>  1. Without resting her arm or hand on the table, does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3722	[ asq14_fm2 ]  Show the field ONLY if: [visit_asqver]="14"	2. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark "not yet" for this item.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
3723	[ asq14_fm3 ]  Show the field ONLY if: [visit_asqver]="14"	3. Does your baby help turn the pages of a book? (You may lift a page for her to grasp.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes			
10	Yes									
5	Sometimes									

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet							
0	Not yet												
3724	[ asq14_fm4 ]  Show the field ONLY if: [visit_asqver]="14"	4. Does your baby stack a small block or toy on top of another one? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet
radio													
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes											
10	Yes												
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes											
5	Sometimes												
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet											
0	Not yet												
3725	[ asq14_fm5 ]  Show the field ONLY if: [visit_asqver]="14"	5. Does your baby make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet
radio													
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes											
10	Yes												
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes											
5	Sometimes												
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet											
0	Not yet												
3726	[ asq14_fm6 ]  Show the field ONLY if: [visit_asqver]="14"	6. Does your baby stack three small blocks or toys on top of each other by herself?	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet
radio													
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes											
10	Yes												
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes											
5	Sometimes												
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet											
0	Not yet												
3727	[ asq14_fm_sum ]  Show the field ONLY if: [visit_asqver]="14"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum([asq14_fm1], [asq14_fm2], [asq14_fm3], [asq14_fm4], [asq14_fm5], [asq14_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF										
3728	[ asq14_fm_count ]  Show the field ONLY if: [visit_asqver]="14"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum(if([asq14_fm1]<>"", 1, 0), if([asq14_fm2]<>"", 1, 0), if([asq14_fm3]<>"", 1, 0), if([asq14_fm4]<>"", 1, 0), if([asq14_fm5]<>"", 1, 0), if([asq14_fm6]<>"", 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF										
3729	[ asq14_fm_score ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_fm_count]<>"", if([asq14_fm_count]="6", ([asq14_fm_sum]), if([asq14_fm_count]="5", ([asq14_fm_sum] + ([asq14_fm_sum]/[asq14_fm_count])), if([asq14_fm_count]="4", ([asq14_fm_sum] + (2* ([asq14_fm_sum]/[asq14_fm_count]))), if([asq14_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY										
3730	[ asq14_fm_concern ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category fine motor below cutoff (24)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_fm_score]<>"", if([asq14_fm_score]<24, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF										
3731	[ asq14_fm_concernwarning ]  Show the field ONLY if: [asq14_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (24). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY										
3732	[ asq14_ps1 ]  Show the field ONLY if: [visit_asqver]="14"	Section Header: <i>Problem solving</i> 1. If you put a small toy into a bowl or box, does your baby copy you by putting in a toy, although he may not let go of it? (If he already lets go of the toy into a bowl or box, mark "yes" for this item.)	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet
radio													
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes											
10	Yes												
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes											
5	Sometimes												
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet											
0	Not yet												
3733	[ asq14_ps2 ]  Show the field ONLY if: [visit_asqver]="14"	2. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show her how to do it.)	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table> Custom alignment: LV	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet
radio													
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes											
10	Yes												
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes											
5	Sometimes												
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet											
0	Not yet												
3734	[ asq14_ps3 ]  Show the field ONLY if: [visit_asqver]="14"	3. After you scribble back and forth on paper with a crayon (or a pencil or pen), does your baby copy you by scribbling? (If he already scribbles on his own, mark "yes" for this item.)	<table><tr><td>radio</td></tr><tr><td><table><tr><td>10</td><td>Yes</td></tr></table></td></tr><tr><td><table><tr><td>5</td><td>Sometimes</td></tr></table></td></tr><tr><td><table><tr><td>0</td><td>Not yet</td></tr></table></td></tr></table>	radio	<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes	<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes	<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet
radio													
<table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes											
10	Yes												
<table><tr><td>5</td><td>Sometimes</td></tr></table>	5	Sometimes											
5	Sometimes												
<table><tr><td>0</td><td>Not yet</td></tr></table>	0	Not yet											
0	Not yet												

				Custom alignment: LV						
3735	[ asq14_ps4 ]  Show the field ONLY if: [visit_asqver]="14"	4. Can your baby drop a crumb or Cheerio into a small, clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3736	[ asq14_ps5 ]  Show the field ONLY if: [visit_asqver]="14"	5. Does your baby drop several small toys, one after another, into a container like a bowl or box? (You may show her how to do it.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3737	[ asq14_ps6 ]  Show the field ONLY if: [visit_asqver]="14"	6. After you have shown your baby how, does he try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3738	[ asq14_ps_sum ]  Show the field ONLY if: [visit_asqver]="14"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum([asq14_ps1], [asq14_ps2], [asq14_ps3], [asq14_ps4], [asq14_ps5], [asq14_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
3739	[ asq14_ps_count ]  Show the field ONLY if: [visit_asqver]="14"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum(if([asq14_ps1]<>"" , 1, 0), if([asq14_ps2]<>"" , 1, 0), if([asq14_ps3]<>"" , 1, 0), if([asq14_ps4]<>"" , 1, 0), if([asq14_ps5]<>"" , 1, 0), if([asq14_ps6]<>"" , 1, 0)), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF							
3740	[ asq14_ps_score ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_ps_count]<>"" , if([asq14_ps_count]="6", ([asq14_ps_sum]), if([asq14_ps_count]="5", ([asq14_ps_sum] + ([asq14_ps_sum]/[asq14_ps_count])), if([asq14_ps_count]="4", ([asq14_ps_sum] + (2*([asq14_ps_sum]/[asq14_ps_count]))), if([asq14_ps_count]<4, "" , "")))) , "" ) Field Annotation: @HIDDEN-SURVEY							
3741	[ asq14_ps_concern ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category problem solving below cutoff (23)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_ps_score]<>"" , if([asq14_ps_score]<23, 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF							
3742	[ asq14_ps_concernwarning ]  Show the field ONLY if: [asq14_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (23). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
3743	[ asq14_persoc1 ]  Show the field ONLY if: [visit_asqver]="14"	Section Header: <i>Personal - social</i>  1. When you dress your baby, does she lift her foot for her shoe, sock, or pant leg?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3744	[ asq14_persoc2 ]  Show the field ONLY if: [visit_asqver]="14"	2. Does your baby roll or throw a ball back to you so that you can return it to him?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
3745	[ asq14_persoc3 ]  Show the field ONLY if: [visit_asqver]="14"	3. Does your baby play with a doll or stuffed animal by hugging it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									

3746	[ asq14_persoc4 ]  Show the field ONLY if: [visit_asqver]="14"	4. Does your baby feed herself with a spoon, even though she may spill some food?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3747	[ asq14_persoc5 ]  Show the field ONLY if: [visit_asqver]="14"	5. Does your baby help undress himself by taking off clothes like socks, hat, shoes, or mittens?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3748	[ asq14_persoc6 ]  Show the field ONLY if: [visit_asqver]="14"	6. Does your baby get your attention or try to show you something by pulling on your hand or clothes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3749	[ asq14_persoc_sum ]  Show the field ONLY if: [visit_asqver]="14"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum([asq14_persoc1], [asq14_persoc2], [asq14_persoc3], [asq14_persoc4], [asq14_persoc5], [asq14_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3750	[ asq14_persoc_count ]  Show the field ONLY if: [visit_asqver]="14"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14", sum(if([asq14_persoc1]<>"" , 1, 0), if([asq14_persoc2]<>"" , 1, 0), if([asq14_persoc3]<>"" , 1, 0), if([asq14_persoc4]<>"" , 1, 0), if([asq14_persoc5]<>"" , 1, 0), if([asq14_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3751	[ asq14_persoc_score ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_persoc_count]<>"" , if([asq14_persoc_count]="6", ([asq14_persoc_sum]), if([asq14_persoc_count]="5", ([asq14_persoc_sum] + ([asq14_persoc_sum]/[asq14_persoc_count])), if([asq14_persoc_count]="4", ([asq14_persoc_sum] + (2* ([asq14_persoc_sum]/[asq14_persoc_count]))), if([asq14_persoc_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
3752	[ asq14_persoc_concern ]  Show the field ONLY if: [visit_asqver]="14"	Adjusted score in category personal/social below cutoff (24)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="14" and [asq14_persoc_score]<>"" , if([asq14_persoc_score]<24, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3753	[ asq14_persoc_concernwarning ]  Show the field ONLY if: [asq14_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (24). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3754	[ asq14_o1 ]  Show the field ONLY if: [visit_asqver]="14"	Section Header: <i>Overall</i> 1. Does your baby use both hands and both legs equally well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3755	[ asq14_o1spec ]  Show the field ONLY if: [asq14_o1]="0"	If no, explain:	notes Custom alignment: LV						
3756	[ asq14_o2 ]  Show the field ONLY if: [visit_asqver]="14"	2. Does your baby play with sounds or seem to make words?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
3757	[ asq14_o2spec ]  Show the field ONLY if: [asq14_o2]="0"	If no, explain:	notes Custom alignment: LV						
3758	[ asq14_o3 ]  Show the field ONLY if: [visit_asqver]="14"	3. When your baby is standing, are her feet flat on the surface most of the time?	radio <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes				
1	Yes								

				<div>0 No</div> Custom alignment: LV
3759	[ asq14_o3spec ] Show the field ONLY if: [asq14_o3]="0"	If no, explain:	notes Custom alignment: LV	
3760	[ asq14_o4 ] Show the field ONLY if: [visit_asqver]="14"	4. Do you have concerns that your baby is too quiet or does not make sounds like other babies do?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3761	[ asq14_o4spec ] Show the field ONLY if: [asq14_o4]="1"	If yes, explain:	notes Custom alignment: LV	
3762	[ asq14_o5 ] Show the field ONLY if: [visit_asqver]="14"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3763	[ asq14_o5spec ] Show the field ONLY if: [asq14_o5]="1"	If yes, explain:	notes Custom alignment: LV	
3764	[ asq14_o6 ] Show the field ONLY if: [visit_asqver]="14"	6. Do you have concerns about your baby's vision?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3765	[ asq14_o6spec ] Show the field ONLY if: [asq14_o6]="1"	If yes, explain:	notes Custom alignment: LV	
3766	[ asq14_o7 ] Show the field ONLY if: [visit_asqver]="14"	7. Has your baby had any medical problems in the last several months?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3767	[ asq14_o7spec ] Show the field ONLY if: [asq14_o7]="1"	If yes, explain:	notes Custom alignment: LV	
3768	[ asq14_o8 ] Show the field ONLY if: [visit_asqver]="14"	8. Do you have any concerns about your baby's behavior?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3769	[ asq14_o8spec ] Show the field ONLY if: [asq14_o8]="1"	If yes, explain:	notes Custom alignment: LV	
3770	[ asq14_o9 ] Show the field ONLY if: [visit_asqver]="14"	9. Does anything about your baby worry you?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
3771	[ asq14_o9spec ] Show the field ONLY if: [asq14_o9]="1"	If yes, explain:	notes Custom alignment: LV	
3772	[ asq14_all_concern ] Show the field ONLY if: [visit_asqver]="14"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"") and [visit_asqver]="14", if((([asq14_comm_concern]="1" or [asq14_gm_concern]="1" or [asq14_fm_concern]="1" or [asq14_ps_concern]="1" or [asq14_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY	
3773	[ asq16_intro ] Show the field ONLY if:	16 Month Questionnaire 15 months 0 days through 16 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities	descriptive	

		[visit_asqver]="16"	described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.							
3774	[ asq16_comm1 ]	Show the field ONLY if: [visit_asqver]="16"	Section Header: <i>Communication</i> 1. Does your child point to, pat, or try to pick up pictures in a book?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3775	[ asq16_comm2 ]	Show the field ONLY if: [visit_asqver]="16"	2. Does your child say four or more words in addition to "Mama" and "Dada"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3776	[ asq16_comm3 ]	Show the field ONLY if: [visit_asqver]="16"	3. When your child wants something, does she tell you by pointing to it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3777	[ asq16_comm4 ]	Show the field ONLY if: [visit_asqver]="16"	4. When you ask your child to, does he go into another room to find a familiar toy or object? (You might ask, "Where is your ball?" or say, "Bring me your coat," or "Go get your blanket.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3778	[ asq16_comm5 ]	Show the field ONLY if: [visit_asqver]="16"	5. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as "Mama eat," "Daddy play," "Go home," or "What's this?" does your child say both words back to you? (Mark "yes" even if her words are difficult to understand.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3779	[ asq16_comm6 ]	Show the field ONLY if: [visit_asqver]="16"	6. Does your child say eight or more words in addition to "Mama" and "Dada"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3780	[ asq16_comm_sum ]	Show the field ONLY if: [visit_asqver]="16"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum([asq16_comm1], [asq16_comm2], [asq16_comm3], [asq16_comm4], [asq16_comm5], [asq16_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3781	[ asq16_comm_count ]	Show the field ONLY if: [visit_asqver]="16"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum(if([asq16_comm1]<>"", 1, 0), if([asq16_comm2]<>"", 1, 0), if([asq16_comm3]<>"", 1, 0), if([asq16_comm4]<>"", 1, 0), if([asq16_comm5]<>"", 1, 0), if([asq16_comm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3782	[ asq16_comm_score ]	Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_comm_count]<>"", if([asq16_comm_count]="6", ([asq16_comm_sum]), if([asq16_comm_count]="5", ([asq16_comm_sum] + ([asq16_comm_sum]/[asq16_comm_count])), if([asq16_comm_count]="4", ([asq16_comm_sum] + (2* ([asq16_comm_sum]/[asq16_comm_count]))),						

				if([asq16_comm_count]<4, "", "")), "") Field Annotation: @HIDDEN-SURVEY					
3783	[ asq16_comm_concern ]  Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category communication below cutoff (17)		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_comm_score]<>"" , if([asq16_comm_score]<17, 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF					
3784	[ asq16_comm_concernwarning ]  Show the field ONLY if: [asq16_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (17). Please discuss this with the caregiver.		descriptive Field Annotation: @HIDDEN-SURVEY					
3785	[ asq16_gm1 ]  Show the field ONLY if: [visit_asqver]="16"	Section Header: <i>Gross motor</i>  1. Does your child stand up in the middle of the floor by himself and take several steps forward?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3786	[ asq16_gm2 ]  Show the field ONLY if: [visit_asqver]="16"	2. Does your child climb onto furniture or other large objects, such as large climbing blocks?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3787	[ asq16_gm3 ]  Show the field ONLY if: [visit_asqver]="16"	3. Does your child bend over or squat to pick up an object from the floor and then stand up again without any support?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3788	[ asq16_gm4 ]  Show the field ONLY if: [visit_asqver]="16"	4. Does your child move around by walking, rather than crawling on her hands and knees?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3789	[ asq16_gm5 ]  Show the field ONLY if: [visit_asqver]="16"	5. Does your child walk well and seldom fall?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3790	[ asq16_gm6 ]  Show the field ONLY if: [visit_asqver]="16"	6. Does your child climb on an object such as a chair to reach something he wants (for example, to get a toy on a counter or to "help" you in the kitchen)?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3791	[ asq16_gm_sum ]  Show the field ONLY if: [visit_asqver]="16"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum([asq16_gm1], [asq16_gm2], [asq16_gm3], [asq16_gm4], [asq16_gm5], [asq16_gm6]), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
3792	[ asq16_gm_count ]  Show the field ONLY if: [visit_asqver]="16"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum(if([asq16_gm1]<>"" , 1, 0), if([asq16_gm2]<>"" , 1, 0), if([asq16_gm3]<>"" , 1, 0), if([asq16_gm4]<>"" , 1, 0), if([asq16_gm5]<>"" , 1, 0), if([asq16_gm6]<>"" , 1, 0)), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
3793	[ asq16_gm_score ]  Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_gm_count]<>"" , if([asq16_gm_count]="6", ([asq16_gm_sum]), if([asq16_gm_count]="5", ([asq16_gm_sum] + ([asq16_gm_sum]/[asq16_gm_count])), if([asq16_gm_count]="4", ([asq16_gm_sum] + (2* ([asq16_gm_sum]/[asq16_gm_count]))), if([asq16_gm_count]<4, "", "" , ""))), "" ) Field Annotation: @HIDDEN-SURVEY						

	3794	<div>[ asq16_gm_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	Adjusted score in category gross motor below cutoff (38)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_gm_score]<>"", if([asq16_gm_score]<38, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3795	<div>[ asq16_gm_concernwarning ]</div> <div>Show the field ONLY if: [asq16_gm_concern]="1"</div>	Warning: Adjusted score in category gross motor below cutoff (38). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3796	<div>[ asq16_fm1 ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	Section Header: <i>Fine motor</i> 1. Does your child help turn the pages of a book? (You may lift a page for her to grasp.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3797	<div>[ asq16_fm2 ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	2. Does your child throw a small ball with a forward arm motion? (If he simply drops the ball, mark "not yet" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3798	<div>[ asq16_fm3 ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	3. Does your child stack a small block or toy on top of another one? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3799	<div>[ asq16_fm4 ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	4. Does your child stack three small blocks or toys on top of each other by herself?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3800	<div>[ asq16_fm5 ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	5. Does your child make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3801	<div>[ asq16_fm6 ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	6. Does your child turn the pages of a book by himself? (He may turn more than one page at a time.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3802	<div>[ asq16_fm_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum([asq16_fm1], [asq16_fm2], [asq16_fm3], [asq16_fm4], [asq16_fm5], [asq16_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3803	<div>[ asq16_fm_count ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum(if([asq16_fm1]<>"", 1, 0), if([asq16_fm2]<>"", 1, 0), if([asq16_fm3]<>"", 1, 0), if([asq16_fm4]<>"", 1, 0), if([asq16_fm5]<>"", 1, 0), if([asq16_fm6]<>"", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3804	<div>[ asq16_fm_score ]</div> <div>Show the field ONLY if: [visit_asqver]="16"</div>	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_fm_count]<>"", if([asq16_fm_count]="6", ([asq16_fm_sum]), if([asq16_fm_count]="5", ([asq16_fm_sum] + ([asq16_fm_sum]/[asq16_fm_count])), if([asq16_fm_count]="4", ([asq16_fm_sum] + (2*([asq16_fm_sum]/[asq16_fm_count]))), if([asq16_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
	3805	<div>[ asq16_fm_concern ]</div> <div>Show the field ONLY if:</div>	Adjusted score in category fine motor below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and						



		[visit_asqver]="16"		[asq16_fm_score]<>""', if([asq16_fm_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3806	[ asq16_fm_concernwarning ]  Show the field ONLY if: [asq16_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	3807	[ asq16_ps1 ]  Show the field ONLY if: [visit_asqver]="16"	Section Header: <i>Problem solving</i>  1. After you scribble back and forth on paper with a crayon (or pencil or pen), does your child copy you by scribbling? (If she already scribbles on her own, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3808	[ asq16_ps2 ]  Show the field ONLY if: [visit_asqver]="16"	2. Can your child drop a crumb or Cheerio into a small, clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3809	[ asq16_ps3 ]  Show the field ONLY if: [visit_asqver]="16"	3. Does your child drop several small toys, one after another, into a container like a bowl or box? (You may show him how to do it.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3810	[ asq16_ps4 ]  Show the field ONLY if: [visit_asqver]="16"	4. After you have shown your child how, does she try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3811	[ asq16_ps5 ]  Show the field ONLY if: [visit_asqver]="16"	5. Without your showing him how, does your child scribble back and forth when you give him a crayon (or pencil or pen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3812	[ asq16_ps6 ]  Show the field ONLY if: [visit_asqver]="16"	6. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump it out? (You may show her how.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3813	[ asq16_ps_sum ]  Show the field ONLY if: [visit_asqver]="16"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum([asq16_ps1], [asq16_ps2], [asq16_ps3], [asq16_ps4], [asq16_ps5], [asq16_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3814	[ asq16_ps_count ]  Show the field ONLY if: [visit_asqver]="16"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum(if([asq16_ps1]<>""', 1, 0), if([asq16_ps2]<>""', 1, 0), if([asq16_ps3]<>""', 1, 0), if([asq16_ps4]<>""', 1, 0), if([asq16_ps5]<>""', 1, 0), if([asq16_ps6]<>""', 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	3815	[ asq16_ps_score ]  Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_ps_count]<>""', if([asq16_ps_count]="6", ([asq16_ps_sum]), if([asq16_ps_count]="5", ([asq16_ps_sum] + ([asq16_ps_sum]/[asq16_ps_count])), if([asq16_ps_count]="4", ([asq16_ps_sum] + (2*([asq16_ps_sum]/[asq16_ps_count]))), if([asq16_ps_count]<4, ""', ""'))), ""') Field Annotation: @HIDDEN-SURVEY						
	3816	[ asq16_ps_concern ]  Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category problem solving below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_ps_score]<>""', if([asq16_ps_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

3817	[asq16_ps_concernwarning]  Show the field ONLY if: [asq16_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3818	[asq16_persoc1]  Show the field ONLY if: [visit_asqver]="16"	Section Header: <i>Personal-social</i>  1. Does your child feed himself with a spoon, even though he may spill some food?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3819	[asq16_persoc2]  Show the field ONLY if: [visit_asqver]="16"	2. Does your child help undress herself by taking off clothes like socks, hat, shoes, or mittens?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3820	[asq16_persoc3]  Show the field ONLY if: [visit_asqver]="16"	3. Does your child play with a doll or stuffed animal by hugging it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3821	[asq16_persoc4]  Show the field ONLY if: [visit_asqver]="16"	4. While looking at himself in the mirror, does your child offer a toy to his own image?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3822	[asq16_persoc5]  Show the field ONLY if: [visit_asqver]="16"	5. Does your child get your attention or try to show you something by pulling on your hand or clothes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3823	[asq16_persoc6]  Show the field ONLY if: [visit_asqver]="16"	6. Does your child come to you when she needs help, such as with winding up a toy or unscrewing a lid from a jar?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3824	[asq16_persoc_sum]  Show the field ONLY if: [visit_asqver]="16"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum([asq16_persoc1], [asq16_persoc2], [asq16_persoc3], [asq16_persoc4], [asq16_persoc5], [asq16_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3825	[asq16_persoc_count]  Show the field ONLY if: [visit_asqver]="16"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", sum(if([asq16_persoc1]<>"" , 1, 0), if([asq16_persoc2]<>"" , 1, 0), if([asq16_persoc3]<>"" , 1, 0), if([asq16_persoc4]<>"" , 1, 0), if([asq16_persoc5]<>"" , 1, 0), if([asq16_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3826	[asq16_persoc_score]  Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_persoc_count]<>"" , if([asq16_persoc_count]="6", ([asq16_persoc_sum]), if([asq16_persoc_count]="5", ([asq16_persoc_sum] + ([asq16_persoc_sum]/[asq16_persoc_count])), if([asq16_persoc_count]="4", ([asq16_persoc_sum] + (2* ([asq16_persoc_sum]/[asq16_persoc_count]))), if([asq16_persoc_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
3827	[asq16_persoc_concern]  Show the field ONLY if: [visit_asqver]="16"	Adjusted score in category personal/social below cutoff (27)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16" and [asq16_persoc_score]<>"" , if([asq16_persoc_score]<27, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

3828	[ asq16_persoc_concernwarning ] Show the field ONLY if: [asq16_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (27). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
3829	[ asq16_o1 ] Show the field ONLY if: [visit_asqver]="16"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3830	[ asq16_o1spec ] Show the field ONLY if: [asq16_o1]="0"	If no, explain:	notes Custom alignment: LV				
3831	[ asq16_o2 ] Show the field ONLY if: [visit_asqver]="16"	2. Do you think your child talks like other toddlers his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3832	[ asq16_o2spec ] Show the field ONLY if: [asq16_o2]="0"	If no, explain:	notes Custom alignment: LV				
3833	[ asq16_o3 ] Show the field ONLY if: [visit_asqver]="16"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3834	[ asq16_o3spec ] Show the field ONLY if: [asq16_o3]="0"	If no, explain:	notes Custom alignment: LV				
3835	[ asq16_o4 ] Show the field ONLY if: [visit_asqver]="16"	4. Do you think your child walks, runs, and climbs like other toddlers her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3836	[ asq16_o4spec ] Show the field ONLY if: [asq16_o4]="0"	If no, explain:	notes Custom alignment: LV				
3837	[ asq16_o5 ] Show the field ONLY if: [visit_asqver]="16"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3838	[ asq16_o5spec ] Show the field ONLY if: [asq16_o5]="1"	If yes, explain:	notes Custom alignment: LV				
3839	[ asq16_o6 ] Show the field ONLY if: [visit_asqver]="16"	6. Do you have concerns about your child	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3840	[ asq16_o6spec ] Show the field ONLY if: [asq16_o6]="1"	If yes, explain:	notes Custom alignment: LV				
3841	[ asq16_o7 ] Show the field ONLY if: [visit_asqver]="16"	7. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3842	[ asq16_o7spec ] Show the field ONLY if: [asq16_o7]="1"	If yes, explain:	notes Custom alignment: LV				
3843	[ asq16_o8 ] Show the field ONLY if:	8. Do you have any concerns about your child	radio <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes		
1	Yes						

		[visit_asqver]="16"		<div>0 No</div> Custom alignment: LV
3844	[ asq16_o8spec ]	Show the field ONLY if: [asq16_o8]="1"	If yes, explain:	notes Custom alignment: LV
3845	[ asq16_o9 ]	Show the field ONLY if: [visit_asqver]="16"	9. Does anything about your child worry you?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV
3846	[ asq16_o9spec ]	Show the field ONLY if: [asq16_o9]="1"	If yes, explain:	notes Custom alignment: LV
3847	[ asq16_all_concern ]	Show the field ONLY if: [visit_asqver]="16"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="16", if(((asq16_comm_concern]="1" or [asq16_gm_concern]="1" or [asq16_fm_concern]="1" or [asq16_ps_concern]="1" or [asq16_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
3848	[ asq18_intro ]	Show the field ONLY if: [visit_asqver]="18"	18 Month Questionnaire 17 months 0 days through 18 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed. At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive
3849	[ asq18_comm1 ]	Show the field ONLY if: [visit_asqver]="18"	Section Header: <i>Communication</i> 1. When your child wants something, does she tell you by pointing to it?	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
3850	[ asq18_comm2 ]	Show the field ONLY if: [visit_asqver]="18"	2. When you ask your child to, does he go into another room to find a familiar toy or object? (You might ask, "Where is your ball?" or say, "Bring me your coat," or "Go get your blanket.")	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
3851	[ asq18_comm3 ]	Show the field ONLY if: [visit_asqver]="18"	3. Does your child say eight or more words in addition to "Mama" and "Dada"?	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
3852	[ asq18_comm4 ]	Show the field ONLY if: [visit_asqver]="18"	4. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as "Mama eat," "Daddy play," "Go home," or "What's this?" does your child say both words back to you? (Mark "yes" even if her words are difficult to understand.)	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
3853	[ asq18_comm5 ]	Show the field ONLY if: [visit_asqver]="18"	5. Without your showing him, does your child point to the correct picture when you say, "Show me the kitty," or ask, "Where is the dog?" (He needs to identify only one picture correctly.)	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV

3854	[ asq18_comm6 ]  Show the field ONLY if: [visit_asqver]="18"	6. Does your child say two or three words that represent different ideas together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't count word combinations that express one idea, such as "bye-bye," "all gone," "all right," and "What's that?") Please give an example of your child's word combinations:	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3855	[ asq18_comm_sum ]  Show the field ONLY if: [visit_asqver]="18"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum([asq18_comm1], [asq18_comm2], [asq18_comm3], [asq18_comm4], [asq18_comm5], [asq18_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3856	[ asq18_comm_count ]  Show the field ONLY if: [visit_asqver]="18"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum(if([asq18_comm1]<>"" , 1, 0), if([asq18_comm2]<>"" , 1, 0), if([asq18_comm3]<>"" , 1, 0), if([asq18_comm4]<>"" , 1, 0), if([asq18_comm5]<>"" , 1, 0), if([asq18_comm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3857	[ asq18_comm_score ]  Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_comm_count]<>"" , if([asq18_comm_count]="6", ([asq18_comm_sum]), if([asq18_comm_count]="5", ([asq18_comm_sum] + ([asq18_comm_sum]/[asq18_comm_count])), if([asq18_comm_count]="4", ([asq18_comm_sum] + (2* ([asq18_comm_sum]/[asq18_comm_count]))), if([asq18_comm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
3858	[ asq18_comm_concern ]  Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category communication below cutoff (14)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_comm_score]<>"" , if([asq18_comm_score]<14, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3859	[ asq18_comm_concernwarning ]  Show the field ONLY if: [asq18_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (14). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3860	[ asq18_gm1 ]  Show the field ONLY if: [visit_asqver]="18"	Section Header: <i>Gross motor</i>  1. Does your child bend over or squat to pick up an object from the floor and then stand up again without any support?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3861	[ asq18_gm2 ]  Show the field ONLY if: [visit_asqver]="18"	2. Does your child move around by walking, rather than by crawling on her hands and knees?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3862	[ asq18_gm3 ]  Show the field ONLY if: [visit_asqver]="18"	3. Does your child walk well and seldom fall?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3863	[ asq18_gm4 ]  Show the field ONLY if: [visit_asqver]="18"	4. Does your child climb on an object such as a chair to reach something he wants (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3864	[ asq18_gm5 ]  Show the field ONLY if: [visit_asqver]="18"	5. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at astore, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

3865	[ asq18_gm6 ] Show the field ONLY if: [visit_asqver]="18"	6. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3866	[ asq18_gm_sum ] Show the field ONLY if: [visit_asqver]="18"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum([asq18_gm1], [asq18_gm2], [asq18_gm3], [asq18_gm4], [asq18_gm5], [asq18_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3867	[ asq18_gm_count ] Show the field ONLY if: [visit_asqver]="18"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum(if([asq18_gm1]<>"" , 1, 0), if([asq18_gm2]<>"" , 1, 0), if([asq18_gm3]<>"" , 1, 0), if([asq18_gm4]<>"" , 1, 0), if([asq18_gm5]<>"" , 1, 0), if([asq18_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3868	[ asq18_gm_score ] Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_gm_count]<>"" , if([asq18_gm_count]="6", ([asq18_gm_sum]), if([asq18_gm_count]="5", ([asq18_gm_sum] + ([asq18_gm_sum]/[asq18_gm_count])), if([asq18_gm_count]="4", ([asq18_gm_sum] + (2*([asq18_gm_sum]/[asq18_gm_count]))), if([asq18_gm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
3869	[ asq18_gm_concern ] Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category gross motor below cutoff (38)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_gm_score]<>"" , if([asq18_gm_score]<38, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3870	[ asq18_gm_concernwarning ] Show the field ONLY if: [asq18_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (38). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3871	[ asq18_fm1 ] Show the field ONLY if: [visit_asqver]="18"	Section Header: <i>Fine motor</i> 1. Does your child throw a small ball with a forward arm motion? (If he simply drops the ball, mark "not yet" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3872	[ asq18_fm2 ] Show the field ONLY if: [visit_asqver]="18"	2. Does your child stack a small block or toy on top of another one? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3873	[ asq18_fm3 ] Show the field ONLY if: [visit_asqver]="18"	3. Does your child make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3874	[ asq18_fm4 ] Show the field ONLY if: [visit_asqver]="18"	4. Does your child stack three small blocks or toys on top of each other by himself?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3875	[ asq18_fm5 ] Show the field ONLY if: [visit_asqver]="18"	5. Does your child turn the pages of a book by himself? (He may turn more than one page at a time.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3876	[ asq18_fm6 ] Show the field ONLY if:	6. Does your child get a spoon into her mouth right side up so that the food usually doesn't spill?	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes								

		[visit_asqver]="18"		<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet		
5	Sometimes									
0	Not yet									
3877	[ asq18_fm_sum ]	Sum of scores of completed items in category fine motor  Show the field ONLY if: [visit_asqver]="18"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum([asq18_fm1], [asq18_fm2], [asq18_fm3], [asq18_fm4], [asq18_fm5], [asq18_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3878	[ asq18_fm_count ]	Number of completed items in category fine motor  Show the field ONLY if: [visit_asqver]="18"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum(if([asq18_fm1]<>"" , 1, 0), if([asq18_fm2]<>"" , 1, 0), if([asq18_fm3]<>"" , 1, 0), if([asq18_fm4]<>"" , 1, 0), if([asq18_fm5]<>"" , 1, 0), if([asq18_fm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3879	[ asq18_fm_score ]	Adjusted score in category fine motor  Show the field ONLY if: [visit_asqver]="18"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_fm_count]<>"" , if([asq18_fm_count]="6", ([asq18_fm_sum]), if([asq18_fm_count]="5", ([asq18_fm_sum] + ([asq18_fm_sum]/[asq18_fm_count])), if([asq18_fm_count]="4", ([asq18_fm_sum] + (2* ([asq18_fm_sum]/[asq18_fm_count]))), if([asq18_fm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
3880	[ asq18_fm_concern ]	Adjusted score in category fine motor below cutoff (35)  Show the field ONLY if: [visit_asqver]="18"		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_fm_score]<>"" , if([asq18_fm_score]<35, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3881	[ asq18_fm_concernwarning ]	Warning: Adjusted score in category fine motor below cutoff (35). Please discuss this with the caregiver.  Show the field ONLY if: [asq18_fm_concern]="1"		descriptive Field Annotation: @HIDDEN-SURVEY						
3882	[ asq18_ps1 ]	Section Header: <i>Problem solving</i>  Show the field ONLY if: [visit_asqver]="18"	1. Does your child drop several small toys, one after another, into a container like a bowl or box? (You may show him how to do it.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3883	[ asq18_ps2 ]	2. After you have shown your child how, does she try to get a small toy that is slightly out of reach by using a spoon, stick, or similar tool?  Show the field ONLY if: [visit_asqver]="18"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3884	[ asq18_ps3 ]	3. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle over to dump it out? (You may show him how.) (You can use a soda-pop bottle or a baby bottle.)  Show the field ONLY if: [visit_asqver]="18"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3885	[ asq18_ps4 ]	4. Without your showing her how, does your child scribble back and forth when you give her a crayon (or pencil or pen)?  Show the field ONLY if: [visit_asqver]="18"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3886	[ asq18_ps5 ]	Count as "yes":Count as "not yet":5. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)  Show the field ONLY if: [visit_asqver]="18"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
3887	[ asq18_ps6 ]	6. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show him how.)  Show the field ONLY if: [visit_asqver]="18"		radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV					
3888	[ asq18_ps_sum ]  Show the field ONLY if: [visit_asqver]="18"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum([asq18_ps1], [asq18_ps2], [asq18_ps3], [asq18_ps4], [asq18_ps5], [asq18_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3889	[ asq18_ps_count ]  Show the field ONLY if: [visit_asqver]="18"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum(if([asq18_ps1]<>"" , 1, 0), if([asq18_ps2]<>"" , 1, 0), if([asq18_ps3]<>"" , 1, 0), if([asq18_ps4]<>"" , 1, 0), if([asq18_ps5]<>"" , 1, 0), if([asq18_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3890	[ asq18_ps_score ]  Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_ps_count]<>"" , if([asq18_ps_count]="6", ([asq18_ps_sum]), if([asq18_ps_count]="5", ([asq18_ps_sum] + ([asq18_ps_sum]/[asq18_ps_count])), if([asq18_ps_count]="4", ([asq18_ps_sum] + (2* ([asq18_ps_sum]/[asq18_ps_count])), if([asq18_ps_count]<4, "" , ""))))), "") Field Annotation: @HIDDEN-SURVEY						
3891	[ asq18_ps_concern ]  Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category problem solving below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_ps_score]<>"" , if([asq18_ps_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3892	[ asq18_ps_concernwarning ]  Show the field ONLY if: [asq18_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3893	[ asq18_persoc1 ]  Show the field ONLY if: [visit_asqver]="18"	Section Header: <i>Personal-social</i>  1. While looking at herself in the mirror, does your child offer a toy to her own image?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3894	[ asq18_persoc2 ]  Show the field ONLY if: [visit_asqver]="18"	2. Does your child play with a doll or stuffed animal by hugging it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3895	[ asq18_persoc3 ]  Show the field ONLY if: [visit_asqver]="18"	3. Does your child get your attention or try to show you something by pulling on your hand or clothes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3896	[ asq18_persoc4 ]  Show the field ONLY if: [visit_asqver]="18"	4. Does your child come to you when he needs help, such as with winding up a toy or unscrewing a lid from a jar?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3897	[ asq18_persoc5 ]  Show the field ONLY if: [visit_asqver]="18"	5. Does your child drink from a cup or glass, putting it down again with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3898	[ asq18_persoc6 ]  Show the field ONLY if: [visit_asqver]="18"	6. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								



3899	[ asq18_persoc_sum ] Show the field ONLY if: [visit_asqver]="18"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum([asq18_persoc1], [asq18_persoc2], [asq18_persoc3], [asq18_persoc4], [asq18_persoc5], [asq18_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
3900	[ asq18_persoc_count ] Show the field ONLY if: [visit_asqver]="18"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", sum(if([asq18_persoc1]<>"" , 1, 0), if([asq18_persoc2]<>"" , 1, 0), if([asq18_persoc3]<>"" , 1, 0), if([asq18_persoc4]<>"" , 1, 0), if([asq18_persoc5]<>"" , 1, 0), if([asq18_persoc6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
3901	[ asq18_persoc_score ] Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_persoc_count]<>"" , if([asq18_persoc_count]="6", ([asq18_persoc_sum]), if([asq18_persoc_count]="5", ([asq18_persoc_sum] + ([asq18_persoc_sum]/[asq18_persoc_count])), if([asq18_persoc_count]="4", ([asq18_persoc_sum] + (2* ([asq18_persoc_sum]/[asq18_persoc_count]))), if([asq18_persoc_count]<4, "", ""))), "") Field Annotation: @HIDDEN-SURVEY				
3902	[ asq18_persoc_concern ] Show the field ONLY if: [visit_asqver]="18"	Adjusted score in category personal/social below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18" and [asq18_persoc_score]<>"" , if([asq18_persoc_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
3903	[ asq18_persoc_concernwarning ] Show the field ONLY if: [asq18_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
3904	[ asq18_o1 ] Show the field ONLY if: [visit_asqver]="18"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3905	[ asq18_o1spec ] Show the field ONLY if: [asq18_o1]="0"	If no, explain:	notes Custom alignment: LV				
3906	[ asq18_o2 ] Show the field ONLY if: [visit_asqver]="18"	2. Do you think your child talks like other toddlers his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3907	[ asq18_o2spec ] Show the field ONLY if: [asq18_o2]="0"	If no, explain:	notes Custom alignment: LV				
3908	[ asq18_o3 ] Show the field ONLY if: [visit_asqver]="18"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3909	[ asq18_o3spec ] Show the field ONLY if: [asq18_o3]="0"	If no, explain:	notes Custom alignment: LV				
3910	[ asq18_o4 ] Show the field ONLY if: [visit_asqver]="18"	4. Do you think your child walks, runs, and climbs like other toddlers her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3911	[ asq18_o4spec ] Show the field ONLY if: [asq18_o4]="0"	If no, explain:	notes Custom alignment: LV				
3912	[ asq18_o5 ] Show the field ONLY if: [visit_asqver]="18"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						

	3913	[ asq18_o5spec ]  Show the field ONLY if: [asq18_o5]="1"	If yes, explain:	notes Custom alignment: LV						
	3914	[ asq18_o6 ]  Show the field ONLY if: [visit_asqver]="18"	6. Do you have concerns about your child	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3915	[ asq18_o6spec ]  Show the field ONLY if: [asq18_o6]="1"	If yes, explain:	notes Custom alignment: LV						
	3916	[ asq18_o7 ]  Show the field ONLY if: [visit_asqver]="18"	7. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3917	[ asq18_o7spec ]  Show the field ONLY if: [asq18_o7]="1"	If yes, explain:	notes Custom alignment: LV						
	3918	[ asq18_o8 ]  Show the field ONLY if: [visit_asqver]="18"	8. Do you have any concerns about your child	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3919	[ asq18_o8spec ]  Show the field ONLY if: [asq18_o8]="1"	If yes, explain:	notes Custom alignment: LV						
	3920	[ asq18_o9 ]  Show the field ONLY if: [visit_asqver]="18"	9. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	3921	[ asq18_o9spec ]  Show the field ONLY if: [asq18_o9]="1"	If yes, explain:	notes Custom alignment: LV						
	3922	[ asq18_all_concern ]  Show the field ONLY if: [visit_asqver]="18"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="18", if(((asq18_comm_concern)="1" or [asq18_gm_concern]="1" or [asq18_fm_concern]="1" or [asq18_ps_concern]="1" or [asq18_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
	3923	[ asq20_intro ]  Show the field ONLY if: [visit_asqver]="20"	20 Month Questionnaire 19 months 0 days through 20 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed. At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive						
	3924	[ asq20_comm1 ]  Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Communication</i>  1. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as "Mama eat," "Daddy play," "Go home," or "What's this?" does your child say both words back to you? (Mark "yes" even if her words are difficult to understand.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3925	[ asq20_comm2 ]  Show the field ONLY if: [visit_asqver]="20"	2. Does your child say eight or more words in addition to "Mama" and "Dada"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV																		
3926	[ asq20_comm3 ]  Show the field ONLY if: [visit_asqver]="20"	3. Without your showing him, does your child point to the correct picture when you say, "Show me the kitty," or ask, "Where is the dog?" (He needs to identify only one picture correctly.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV												
10	Yes																					
5	Sometimes																					
0	Not yet																					
3927	[ asq20_comm4 ]  Show the field ONLY if: [visit_asqver]="20"	4. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV												
10	Yes																					
5	Sometimes																					
0	Not yet																					
3928	[ asq20_comm5 ]  Show the field ONLY if: [visit_asqver]="20"	5. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq20_comm5spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV												
10	Yes																					
5	Sometimes																					
0	Not yet																					
3929	[ asq20_comm5spec ]  Show the field ONLY if: [visit_asqver]="20"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq20_comm5spec__a</td><td>"Put the toy on the table."</td></tr><tr><td>b</td><td>asq20_comm5spec__b</td><td>"Close the door."</td></tr><tr><td>c</td><td>asq20_comm5spec__c</td><td>"Bring me a towel."</td></tr><tr><td>d</td><td>asq20_comm5spec__d</td><td>"Find your coat."</td></tr><tr><td>e</td><td>asq20_comm5spec__e</td><td>"Take my hand."</td></tr><tr><td>f</td><td>asq20_comm5spec__f</td><td>"Get your book."</td></tr></table>	a	asq20_comm5spec__a	"Put the toy on the table."	b	asq20_comm5spec__b	"Close the door."	c	asq20_comm5spec__c	"Bring me a towel."	d	asq20_comm5spec__d	"Find your coat."	e	asq20_comm5spec__e	"Take my hand."	f	asq20_comm5spec__f	"Get your book."	Custom alignment: LV
a	asq20_comm5spec__a	"Put the toy on the table."																				
b	asq20_comm5spec__b	"Close the door."																				
c	asq20_comm5spec__c	"Bring me a towel."																				
d	asq20_comm5spec__d	"Find your coat."																				
e	asq20_comm5spec__e	"Take my hand."																				
f	asq20_comm5spec__f	"Get your book."																				
3930	[ asq20_comm6 ]  Show the field ONLY if: [visit_asqver]="20"	6. Does your child say two or three words that represent different ideas together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't count word combinations that express one idea, such as "bye-bye," "all gone," "all right," and "What's that?")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV												
10	Yes																					
5	Sometimes																					
0	Not yet																					
3931	[ asq20_comm6spec ]  Show the field ONLY if: [visit_asqver]="20"	Please give an example of your child's word combinations:	text Custom alignment: LV																			
3932	[ asq20_comm_sum ]  Show the field ONLY if: [visit_asqver]="20"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_comm1], [asq20_comm2], [asq20_comm3], [asq20_comm4], [asq20_comm5], [asq20_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF																			
3933	[ asq20_comm_count ]  Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_comm1]<>"", 1, 0), if([asq20_comm2]<>"", 1, 0), if([asq20_comm3]<>"", 1, 0), if([asq20_comm4]<>"", 1, 0), if([asq20_comm5]<>"", 1, 0), if([asq20_comm6]<>"", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF																			
3934	[ asq20_comm_score ]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_comm_count]<>"", if([asq20_comm_count]="6", ([asq20_comm_sum]), if([asq20_comm_count]="5", ([asq20_comm_sum] + ([asq20_comm_sum]/[asq20_comm_count])), if([asq20_comm_count]="4", ([asq20_comm_sum] + (2* ([asq20_comm_sum]/[asq20_comm_count]))), if([asq20_comm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY																			
3935	[ asq20_comm_concern ]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category communication below cutoff (21)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_comm_score]<>"", if([asq20_comm_score]<21, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF																			
3936	[ asq20_comm_concernwarning ]	Warning: Adjusted score in category communication below cutoff (21). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY																			

		Show the field ONLY if: [asq20_comm_concern]="1"							
3937	[ asq20_gm1 ]  Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Gross motor</i>  1. Does your child climb on an object such as a chair to reach something he wants (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3938	[ asq20_gm2 ]  Show the field ONLY if: [visit_asqver]="20"	2. Does your child walk well and seldom fall?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3939	[ asq20_gm3 ]  Show the field ONLY if: [visit_asqver]="20"	3. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3940	[ asq20_gm4 ]  Show the field ONLY if: [visit_asqver]="20"	4. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3941	[ asq20_gm5 ]  Show the field ONLY if: [visit_asqver]="20"	5. Does your child run fairly well, stopping herself without bumping into things or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3942	[ asq20_gm6 ]  Show the field ONLY if: [visit_asqver]="20"	6. Does your child walk either up or down at least two steps by himself? He may also hold onto the railing or wall.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3943	[ asq20_gm_sum ]  Show the field ONLY if: [visit_asqver]="20"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_gm1], [asq20_gm2], [asq20_gm3], [asq20_gm4], [asq20_gm5], [asq20_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3944	[ asq20_gm_count ]  Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_gm1]<>"" , 1, 0), if([asq20_gm2]<>"" , 1, 0), if([asq20_gm3]<>"" , 1, 0), if([asq20_gm4]<>"" , 1, 0), if([asq20_gm5]<>"" , 1, 0), if([asq20_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3945	[ asq20_gm_score ]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_gm_count]<>"" , if([asq20_gm_count]="6", ([asq20_gm_sum]), if([asq20_gm_count]="5", ([asq20_gm_sum] + ([asq20_gm_sum]/[asq20_gm_count])), if([asq20_gm_count]="4", ([asq20_gm_sum] + (2* ([asq20_gm_sum]/[asq20_gm_count]))), if([asq20_gm_count]<4, "" , ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
3946	[ asq20_gm_concern ]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category gross motor below cutoff (40)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_gm_score]<>"" , if([asq20_gm_score]<40, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
3947	[ asq20_gm_concernwarning ]  Show the field ONLY if: [asq20_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (40). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						

	3948	<div>[ asq20_fm1 ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	Section Header: <i>Fine motor</i> 1. Does your child make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3949	<div>[ asq20_fm2 ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	2. Does your child stack three small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3950	<div>[ asq20_fm3 ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	3. Does your child turn the pages of a book by himself? (He may turn more than one page at a time.)	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3951	<div>[ asq20_fm4 ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	4. Does your child get a spoon into her mouth right side up so that the food usually doesn't spill?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3952	<div>[ asq20_fm5 ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	5. Does your child stack six small blocks or toys on top of each other by himself?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3953	<div>[ asq20_fm6 ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	6. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <div>Custom alignment: LV</div>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	3954	<div>[ asq20_fm_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	Sum of scores of completed items in category fine motor	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="20", sum([asq20_fm1], [asq20_fm2], [asq20_fm3], [asq20_fm4], [asq20_fm5], [asq20_fm6]), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						
	3955	<div>[ asq20_fm_count ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	Number of completed items in category fine motor	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="20", sum(if([asq20_fm1]&lt;&gt;"" , 1, 0), if([asq20_fm2]&lt;&gt;"" , 1, 0), if([asq20_fm3]&lt;&gt;"" , 1, 0), if([asq20_fm4]&lt;&gt;"" , 1, 0), if([asq20_fm5]&lt;&gt;"" , 1, 0), if([asq20_fm6]&lt;&gt;"" , 1, 0)), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						
	3956	<div>[ asq20_fm_score ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	Adjusted score in category fine motor	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="20" and [asq20_fm_count]&lt;&gt;"" , if([asq20_fm_count]="6", ([asq20_fm_sum]), if([asq20_fm_count]="5", ([asq20_fm_sum] + ([asq20_fm_sum]/[asq20_fm_count])), if([asq20_fm_count]="4", ([asq20_fm_sum] + (2* ([asq20_fm_sum]/[asq20_fm_count]))), if([asq20_fm_count]&lt;4, "", ""))))) , "")</div> <div>Field Annotation: @HIDDEN-SURVEY</div>						
	3957	<div>[ asq20_fm_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="20"</div>	Adjusted score in category fine motor below cutoff (37)	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="20" and [asq20_fm_score]&lt;&gt;"" , if([asq20_fm_score]&lt;37, 1, 0), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>						
	3958	<div>[ asq20_fm_concernwarning ]</div> <div>Show the field ONLY if: [asq20_fm_concern]="1"</div>	Warning: Adjusted score in category fine motor below cutoff (37). Please discuss this with the caregiver.	<div>descriptive</div> <div>Field Annotation: @HIDDEN-SURVEY</div>						
	3959	<div>[ asq20_ps1 ]</div> <div>Show the field ONLY if:</div>	Section Header: <i>Problem solving</i>	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes									

		[visit_asqver]="20"	1. Without your showing him how, does your child scribble back and forth when you give him a crayon (or pencil or pen)?	<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet						
5	Sometimes													
0	Not yet													
3960	[ asq20_ps2 ]	Show the field ONLY if: [visit_asqver]="20"	Count as "yes":Count as "not yet":2. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet				
10	Yes													
5	Sometimes													
0	Not yet													
3961	[ asq20_ps3 ]	Show the field ONLY if: [visit_asqver]="20"	3. If you do any of the following gestures, does your child copy at least one of them?{asq20_ps3spec:icons}	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet				
10	Yes													
5	Sometimes													
0	Not yet													
3962	[ asq20_ps3spec ]	Show the field ONLY if: [visit_asqver]="20"	Select the gestures:	<table><tr><td colspan="2">checkbox</td></tr><tr><td>a</td><td>asq20_ps3spec__a Open and close your mouth.</td></tr><tr><td>b</td><td>asq20_ps3spec__b Blink your eyes.</td></tr><tr><td>c</td><td>asq20_ps3spec__c Pull on your earlobe.</td></tr><tr><td>d</td><td>asq20_ps3spec__d Pat your cheek.</td></tr></table> Custom alignment: LV	checkbox		a	asq20_ps3spec__a Open and close your mouth.	b	asq20_ps3spec__b Blink your eyes.	c	asq20_ps3spec__c Pull on your earlobe.	d	asq20_ps3spec__d Pat your cheek.
checkbox														
a	asq20_ps3spec__a Open and close your mouth.													
b	asq20_ps3spec__b Blink your eyes.													
c	asq20_ps3spec__c Pull on your earlobe.													
d	asq20_ps3spec__d Pat your cheek.													
3963	[ asq20_ps4 ]	Show the field ONLY if: [visit_asqver]="20"	4. If you give your child a bottle, spoon, or pencil upside down, does she turn it right side up so that she can use it properly?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet				
10	Yes													
5	Sometimes													
0	Not yet													
3964	[ asq20_ps5 ]	Show the field ONLY if: [visit_asqver]="20"	5. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up at least two blocks side by side? (You can also use spools of thread, small boxes, or other toys.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet				
10	Yes													
5	Sometimes													
0	Not yet													
3965	[ asq20_ps6 ]	Show the field ONLY if: [visit_asqver]="20"	6. If your child wants something he cannot reach, does he find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet				
10	Yes													
5	Sometimes													
0	Not yet													
3966	[ asq20_ps_sum ]	Show the field ONLY if: [visit_asqver]="20"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_ps1], [asq20_ps2], [asq20_ps3], [asq20_ps4], [asq20_ps5], [asq20_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF										
3967	[ asq20_ps_count ]	Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_ps1]<>"" , 1, 0), if([asq20_ps2]<>"" , 1, 0), if([asq20_ps3]<>"" , 1, 0), if([asq20_ps4]<>"" , 1, 0), if([asq20_ps5]<>"" , 1, 0), if([asq20_ps6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF										
3968	[ asq20_ps_score ]	Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_ps_count]<>"" , if([asq20_ps_count]="6", ([asq20_ps_sum]), if([asq20_ps_count]="5", ([asq20_ps_sum] + ([asq20_ps_sum]/[asq20_ps_count])), if([asq20_ps_count]="4", ([asq20_ps_sum] + (2* ([asq20_ps_sum]/[asq20_ps_count]))), if([asq20_ps_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY										
3969	[ asq20_ps_concern ]	Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_ps_score]<>"" , if([asq20_ps_score]<29, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF										

3970	[ asq20_ps_concernwarning ] Show the field ONLY if: [asq20_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
3971	[ asq20_persoc1 ] Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Personal-social</i> 1. Does your child feed herself with a spoon, even though she may spill some food?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3972	[ asq20_persoc2 ] Show the field ONLY if: [visit_asqver]="20"	2. Does your child get your attention or try to show you something by pulling on your hand or clothes?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3973	[ asq20_persoc3 ] Show the field ONLY if: [visit_asqver]="20"	3. Does your child drink from a cup or glass, putting it down again with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3974	[ asq20_persoc4 ] Show the field ONLY if: [visit_asqver]="20"	4. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3975	[ asq20_persoc5 ] Show the field ONLY if: [visit_asqver]="20"	5. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3976	[ asq20_persoc6 ] Show the field ONLY if: [visit_asqver]="20"	6. Does your child eat with a fork?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
3977	[ asq20_persoc_sum ] Show the field ONLY if: [visit_asqver]="20"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_persoc1], [asq20_persoc2], [asq20_persoc3], [asq20_persoc4], [asq20_persoc5], [asq20_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3978	[ asq20_persoc_count ] Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_persoc1]<>"" , 1, 0), if([asq20_persoc2]<>"" , 1, 0), if([asq20_persoc3]<>"" , 1, 0), if([asq20_persoc4]<>"" , 1, 0), if([asq20_persoc5]<>"" , 1, 0), if([asq20_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
3979	[ asq20_persoc_score ] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_persoc_count]<>"" , if([asq20_persoc_count]="6" , ([asq20_persoc_sum]), if([asq20_persoc_count]="5" , ([asq20_persoc_sum] + ([asq20_persoc_sum]/[asq20_persoc_count])), if([asq20_persoc_count]="4" , ([asq20_persoc_sum] + (2* ([asq20_persoc_sum]/[asq20_persoc_count]))), if([asq20_persoc_count]<4 , "" , ""))), "") Field Annotation: @HIDDEN-SURVEY						
3980	[ asq20_persoc_concern ] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category personal/social below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_persoc_score]<>"" , if([asq20_persoc_score]<34 , 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

3981	[ asq20_persoc_concernwarning ] Show the field ONLY if: [asq20_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
3982	[ asq20_o1 ] Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3983	[ asq20_o1spec ] Show the field ONLY if: [asq20_o1]="0"	If no, explain:	notes Custom alignment: LV				
3984	[ asq20_o2 ] Show the field ONLY if: [visit_asqver]="20"	2. Do you think your child talks like other toddlers her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3985	[ asq20_o2spec ] Show the field ONLY if: [asq20_o2]="0"	If no, explain:	notes Custom alignment: LV				
3986	[ asq20_o3 ] Show the field ONLY if: [visit_asqver]="20"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3987	[ asq20_o3spec ] Show the field ONLY if: [asq20_o3]="0"	If no, explain:	notes Custom alignment: LV				
3988	[ asq20_o4 ] Show the field ONLY if: [visit_asqver]="20"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3989	[ asq20_o4spec ] Show the field ONLY if: [asq20_o4]="0"	If no, explain:	notes Custom alignment: LV				
3990	[ asq20_o5 ] Show the field ONLY if: [visit_asqver]="20"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3991	[ asq20_o5spec ] Show the field ONLY if: [asq20_o5]="1"	If yes, explain:	notes Custom alignment: LV				
3992	[ asq20_o6 ] Show the field ONLY if: [visit_asqver]="20"	6. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3993	[ asq20_o6spec ] Show the field ONLY if: [asq20_o6]="1"	If yes, explain:	notes Custom alignment: LV				
3994	[ asq20_o7 ] Show the field ONLY if: [visit_asqver]="20"	7. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
3995	[ asq20_o7spec ] Show the field ONLY if: [asq20_o7]="1"	If yes, explain:	notes Custom alignment: LV				
3996	[ asq20_o8 ] Show the field ONLY if:	8. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes		
1	Yes						



		[visit_asqver]="20"		<div><div>0</div><div>No</div></div> <div>Custom alignment: LV</div>
3997	[ asq20_o8spec ]	Show the field ONLY if: [asq20_o8]="1"	If yes, explain:	notes Custom alignment: LV
3998	[ asq20_o9 ]	Show the field ONLY if: [visit_asqver]="20"	9. Does anything about your child worry you?	radio <div><div>1</div><div>Yes</div></div> <div><div>0</div><div>No</div></div> <div>Custom alignment: LV</div>
3999	[ asq20_o9spec ]	Show the field ONLY if: [asq20_o9]="1"	If yes, explain:	notes Custom alignment: LV
4000	[ asq20_a11_concern ]	Show the field ONLY if: [visit_asqver]="20"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", if(((asq20_comm_concern]="1" or [asq20_gm_concern]="1" or [asq20_fm_concern]="1" or [asq20_ps_concern]="1" or [asq20_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
4001	[ asq22_intro ]	Show the field ONLY if: [visit_asqver]="22"	22 Month Questionnaire 21 months 0 days through 22 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed. At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive
4002	[ asq22_comm1 ]	Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Communication</i> 1. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div> <div><div>0</div><div>Not yet</div></div> <div>Custom alignment: LV</div>
4003	[ asq22_comm2 ]	Show the field ONLY if: [visit_asqver]="22"	2. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq22_comm2spec:icons}	radio <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div> <div><div>0</div><div>Not yet</div></div> <div>Custom alignment: LV</div>
4004	[ asq22_comm2spec ]	Show the field ONLY if: [visit_asqver]="22"	Select the gestures:	checkbox <div><div>a</div><div>asq22_comm2spec__a</div><div>"Put the toy on the table."</div></div> <div><div>b</div><div>asq22_comm2spec__b</div><div>"Close the door."</div></div> <div><div>c</div><div>asq22_comm2spec__c</div><div>"Bring me a towel."</div></div> <div><div>d</div><div>asq22_comm2spec__d</div><div>"Find your coat."</div></div> <div><div>e</div><div>asq22_comm2spec__e</div><div>"Take my hand."</div></div> <div><div>f</div><div>asq22_comm2spec__f</div><div>"Get your book."</div></div> <div>Custom alignment: LV</div>
4005	[ asq22_comm3 ]	Show the field ONLY if: [visit_asqver]="22"	3. When you ask your child to point to her nose, eyes, hair, feet, ears, and so forth, does she correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)	radio <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div> <div><div>0</div><div>Not yet</div></div> <div>Custom alignment: LV</div>
4006	[ asq22_comm4 ]	Show the field ONLY if: [visit_asqver]="22"	4. Does your child say 15 or more words in addition to "Mama" and "Dada"?	radio <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div>

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet			
0	Not yet								
4007	[ asq22_comm5 ]  Show the field ONLY if: [visit_asqver]="22"	5. Does your child correctly use at least two words like "me," "I," "mine," and "you"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4008	[ asq22_comm6 ]  Show the field ONLY if: [visit_asqver]="22"	6. Does your child say two or three words that represent different ideas together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't count word combinations that express one idea, such as "bye-bye," "all gone," "all right," and "What's that?")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4009	[ asq22_comm6spec ]  Show the field ONLY if: [visit_asqver]="22"	Please give an example of your child's word combinations:	text Custom alignment: LV						
4010	[ asq22_comm_sum ]  Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_comm1], [asq22_comm2], [asq22_comm3], [asq22_comm4], [asq22_comm5], [asq22_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4011	[ asq22_comm_count ]  Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_comm1]<>"" , 1, 0), if([asq22_comm2]<>"" , 1, 0), if([asq22_comm3]<>"" , 1, 0), if([asq22_comm4]<>"" , 1, 0), if([asq22_comm5]<>"" , 1, 0), if([asq22_comm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4012	[ asq22_comm_score ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_comm_count]<>"" , if([asq22_comm_count]="6", ([asq22_comm_sum]), if([asq22_comm_count]="5", ([asq22_comm_sum] + ([asq22_comm_sum]/[asq22_comm_count])), if([asq22_comm_count]="4", ([asq22_comm_sum] + (2*([asq22_comm_sum]/[asq22_comm_count]))), if([asq22_comm_count]<4, "" , ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4013	[ asq22_comm_concern ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category communication below cutoff (14)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_comm_score]<>"" , if([asq22_comm_score]<14, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4014	[ asq22_comm_concernwarning ]  Show the field ONLY if: [asq22_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (14). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4015	[ asq22_gm1 ]  Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Gross motor</i>  1. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4016	[ asq22_gm2 ]  Show the field ONLY if: [visit_asqver]="22"	2. Does your child run fairly well, stopping herself without bumping into things or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4017	[ asq22_gm3 ]  Show the field ONLY if: [visit_asqver]="22"	3. Does your child walk down stairs if you hold onto one of his hands? He may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

4018	[ asq22_gm4 ]  Show the field ONLY if: [visit_asqver]="22"	4. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4019	[ asq22_gm5 ]  Show the field ONLY if: [visit_asqver]="22"	5. Does your child jump with both feet leaving the floor at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4020	[ asq22_gm6 ]  Show the field ONLY if: [visit_asqver]="22"	6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4021	[ asq22_gm_sum ]  Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_gm1], [asq22_gm2], [asq22_gm3], [asq22_gm4], [asq22_gm5], [asq22_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4022	[ asq22_gm_count ]  Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_gm1]<>"" , 1, 0), if([asq22_gm2]<>"" , 1, 0), if([asq22_gm3]<>"" , 1, 0), if([asq22_gm4]<>"" , 1, 0), if([asq22_gm5]<>"" , 1, 0), if([asq22_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4023	[ asq22_gm_score ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_gm_count]<>"" , if([asq22_gm_count]="6", ([asq22_gm_sum]), if([asq22_gm_count]="5", ([asq22_gm_sum] + ([asq22_gm_sum]/[asq22_gm_count])), if([asq22_gm_count]="4", ([asq22_gm_sum] + (2* ([asq22_gm_sum]/[asq22_gm_count]))), if([asq22_gm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4024	[ asq22_gm_concern ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category gross motor below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_gm_score]<>"" , if([asq22_gm_score]<28, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4025	[ asq22_gm_concernwarning ]  Show the field ONLY if: [asq22_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4026	[ asq22_fm1 ]  Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Fine motor</i>  1. Does your child get a spoon into her mouth right side up so that the food usually doesn't spill?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4027	[ asq22_fm2 ]  Show the field ONLY if: [visit_asqver]="22"	2. Does your child stack six small blocks or toys on top of each other by himself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4028	[ asq22_fm3 ]  Show the field ONLY if: [visit_asqver]="22"	3. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4029	[ asq22_fm4 ]  Show the field ONLY if:	4. Does your child turn the pages of a book by himself? (He may turn more than one page at a time.)	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes								

		[visit_asqver]="22"		<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	5	Sometimes	0	Not yet		
5	Sometimes									
0	Not yet									
4030	[ asq22_fm5 ]	Show the field ONLY if: [visit_asqver]="22"	5. Does your child flip switches off and on?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4031	[ asq22_fm6 ]	Show the field ONLY if: [visit_asqver]="22"	6. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4032	[ asq22_fm_sum ]	Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_fm1], [asq22_fm2], [asq22_fm3], [asq22_fm4], [asq22_fm5], [asq22_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4033	[ asq22_fm_count ]	Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_fm1]<>"" , 1, 0), if([asq22_fm2]<>"" , 1, 0), if([asq22_fm3]<>"" , 1, 0), if([asq22_fm4]<>"" , 1, 0), if([asq22_fm5]<>"" , 1, 0), if([asq22_fm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4034	[ asq22_fm_score ]	Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_fm_count]<>"" , if([asq22_fm_count]="6", ([asq22_fm_sum]), if([asq22_fm_count]="5", ([asq22_fm_sum] + ([asq22_fm_sum]/[asq22_fm_count])), if([asq22_fm_count]="4", ([asq22_fm_sum] + (2* ([asq22_fm_sum]/[asq22_fm_count]))), if([asq22_fm_count]<4, "" , ""))))), "")) Field Annotation: @HIDDEN-SURVEY						
4035	[ asq22_fm_concern ]	Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category fine motor below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_fm_score]<>"" , if([asq22_fm_score]<30, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4036	[ asq22_fm_concernwarning ]	Show the field ONLY if: [asq22_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4037	[ asq22_ps1 ]	Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Problem solving</i> 1. Without your showing her how, does your child scribble back and forth when you give her a crayon (or pencil or pen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4038	[ asq22_ps2 ]	Show the field ONLY if: [visit_asqver]="22"	2. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up at least two blocks side by side? (You can also use spools of thread, small boxes, or other toys.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4039	[ asq22_ps3 ]	Show the field ONLY if: [visit_asqver]="22"	3. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on his head, pretending it is a hat? Does he use a block or small toy to stir food?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4040	[ asq22_ps4 ]	Show the field ONLY if: [visit_asqver]="22"	Count as "yes":Count as "not yet":4. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV												
4041	[ asq22_ps5 ]  Show the field ONLY if: [visit_asqver]="22"	5. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show her how.) (You can use a soda-pop bottle or a baby bottle.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV						
10	Yes															
5	Sometimes															
0	Not yet															
4042	[ asq22_ps6 ]  Show the field ONLY if: [visit_asqver]="22"	6. If you give your child a bottle, spoon, or pencil upside down, does he turn it right side up so that he can use it properly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV						
10	Yes															
5	Sometimes															
0	Not yet															
4043	[ asq22_ps_sum ]  Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_ps1], [asq22_ps2], [asq22_ps3], [asq22_ps4], [asq22_ps5], [asq22_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF													
4044	[ asq22_ps_count ]  Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_ps1]<>"" , 1, 0), if([asq22_ps2]<>"" , 1, 0), if([asq22_ps3]<>"" , 1, 0), if([asq22_ps4]<>"" , 1, 0), if([asq22_ps5]<>"" , 1, 0), if([asq22_ps6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF													
4045	[ asq22_ps_score ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_ps_count]<>"" , if([asq22_ps_count]="6", ([asq22_ps_sum]), if([asq22_ps_count]="5", ([asq22_ps_sum] + ([asq22_ps_sum]/[asq22_ps_count])), if([asq22_ps_count]="4", ([asq22_ps_sum] + (2*([asq22_ps_sum]/[asq22_ps_count]))), if([asq22_ps_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY													
4046	[ asq22_ps_concern ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category problem solving below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_ps_score]<>"" , if([asq22_ps_score]<30, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF													
4047	[ asq22_ps_concernwarning ]  Show the field ONLY if: [asq22_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY													
4048	[ asq22_persoc1 ]  Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Personal-social</i>  1. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV						
10	Yes															
5	Sometimes															
0	Not yet															
4049	[ asq22_persoc2 ]  Show the field ONLY if: [visit_asqver]="22"	2. If you do any of the following gestures, does your child copy at least one of them? {asq22_persoc2spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV						
10	Yes															
5	Sometimes															
0	Not yet															
4050	[ asq22_persoc2spec ]  Show the field ONLY if: [visit_asqver]="22"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq22_persoc2spec__a</td><td>Open and close your mouth.</td></tr><tr><td>b</td><td>asq22_persoc2spec__b</td><td>Blink your eyes.</td></tr><tr><td>c</td><td>asq22_persoc2spec__c</td><td>Pull on your earlobe.</td></tr><tr><td>d</td><td>asq22_persoc2spec__d</td><td>Pat your cheek.</td></tr></table>	a	asq22_persoc2spec__a	Open and close your mouth.	b	asq22_persoc2spec__b	Blink your eyes.	c	asq22_persoc2spec__c	Pull on your earlobe.	d	asq22_persoc2spec__d	Pat your cheek.	Custom alignment: LV
a	asq22_persoc2spec__a	Open and close your mouth.														
b	asq22_persoc2spec__b	Blink your eyes.														
c	asq22_persoc2spec__c	Pull on your earlobe.														
d	asq22_persoc2spec__d	Pat your cheek.														
4051	[ asq22_persoc3 ]  Show the field ONLY if: [visit_asqver]="22"	3. Does your child eat with a fork?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet							
10	Yes															
5	Sometimes															
0	Not yet															

				Custom alignment: LV						
4052	[ asq22_persoc4 ]  Show the field ONLY if: [visit_asqver]="22"	4. Does your child drink from a cup or glass, putting it down again with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4053	[ asq22_persoc5 ]  Show the field ONLY if: [visit_asqver]="22"	5. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4054	[ asq22_persoc6 ]  Show the field ONLY if: [visit_asqver]="22"	6. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if she cannot turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4055	[ asq22_persoc_sum ]  Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_persoc1], [asq22_persoc2], [asq22_persoc3], [asq22_persoc4], [asq22_persoc5], [asq22_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4056	[ asq22_persoc_count ]  Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_persoc1]<>"" , 1, 0), if([asq22_persoc2]<>"" , 1, 0), if([asq22_persoc3]<>"" , 1, 0), if([asq22_persoc4]<>"" , 1, 0), if([asq22_persoc5]<>"" , 1, 0), if([asq22_persoc6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4057	[ asq22_persoc_score ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_persoc_count]<>"" , if([asq22_persoc_count]="6", ([asq22_persoc_sum]), if([asq22_persoc_count]="5", ([asq22_persoc_sum] + ([asq22_persoc_sum]/[asq22_persoc_count])), if([asq22_persoc_count]="4", ([asq22_persoc_sum] + (2* ([asq22_persoc_sum]/[asq22_persoc_count]))), if([asq22_persoc_count]<4, "" , ""))))) , "")) Field Annotation: @HIDDEN-SURVEY							
4058	[ asq22_persoc_concern ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category personal/social below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_persoc_score]<>"" , if([asq22_persoc_score]<31, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4059	[ asq22_persoc_concernwarning ]  Show the field ONLY if: [asq22_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4060	[ asq22_o1 ]  Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Overall</i>  1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>  Custom alignment: LV	1	Yes	0	No			
1	Yes									
0	No									
4061	[ asq22_o1spec ]  Show the field ONLY if: [asq22_o1]="0"	If no, explain:	notes Custom alignment: LV							
4062	[ asq22_o2 ]  Show the field ONLY if: [visit_asqver]="22"	2. Do you think your child talks like other toddlers her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>  Custom alignment: LV	1	Yes	0	No			
1	Yes									
0	No									
4063	[ asq22_o2spec ]  Show the field ONLY if: [asq22_o2]="0"	If no, explain:	notes Custom alignment: LV							
4064	[ asq22_o3 ]	3. Can you understand most of what your child says?	radio							

		Show the field ONLY if: [visit_asqver]="22"		<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4065	[ asq22_o3spec ]	Show the field ONLY if: [asq22_o3]="0"	If no, explain:	notes Custom alignment: LV				
4066	[ asq22_o4 ]	Show the field ONLY if: [visit_asqver]="22"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4067	[ asq22_o4spec ]	Show the field ONLY if: [asq22_o4]="0"	If no, explain:	notes Custom alignment: LV				
4068	[ asq22_o5 ]	Show the field ONLY if: [visit_asqver]="22"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4069	[ asq22_o5spec ]	Show the field ONLY if: [asq22_o5]="1"	If yes, explain:	notes Custom alignment: LV				
4070	[ asq22_o6 ]	Show the field ONLY if: [visit_asqver]="22"	6. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4071	[ asq22_o6spec ]	Show the field ONLY if: [asq22_o6]="1"	If yes, explain:	notes Custom alignment: LV				
4072	[ asq22_o7 ]	Show the field ONLY if: [visit_asqver]="22"	7. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4073	[ asq22_o7spec ]	Show the field ONLY if: [asq22_o7]="1"	If yes, explain:	notes Custom alignment: LV				
4074	[ asq22_o8 ]	Show the field ONLY if: [visit_asqver]="22"	8. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4075	[ asq22_o8spec ]	Show the field ONLY if: [asq22_o8]="1"	If yes, explain:	notes Custom alignment: LV				
4076	[ asq22_o9 ]	Show the field ONLY if: [visit_asqver]="22"	9. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4077	[ asq22_o9spec ]	Show the field ONLY if: [asq22_o9]="1"	If yes, explain:	notes Custom alignment: LV				
4078	[ asq22_a11_concern ]	Show the field ONLY if: [visit_asqver]="22"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", if(((asq22_comm_concern)="1" or [asq22_gm_concern]="1" or [asq22_fm_concern]="1" or [asq22_ps_concern]="1" or [asq22_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY				

4079	[ asq24_intro ]  Show the field ONLY if: [visit_asqver]="24"	24 Month Questionnaire23 months 0 days through 25 months 15 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive																		
4080	[ asq24_comm1 ]  Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Communication</i>  1. Without your showing him, does your child point to the correct picture when you say, "Show me the kitty," or ask, "Where is the dog?" (She needs to identify only one picture correctly.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4081	[ asq24_comm2 ]  Show the field ONLY if: [visit_asqver]="24"	2. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as "Mama eat," "Daddy play," "Go home," or "What's this?" does your child say both words back to you? (Mark "yes" even if her words are difficult to understand.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4082	[ asq24_comm3 ]  Show the field ONLY if: [visit_asqver]="24"	3. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq24_comm3spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4083	[ asq24_comm3spec ]  Show the field ONLY if: [visit_asqver]="24"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq24_comm3spec__a</td><td>"Put the toy on the table."</td></tr><tr><td>b</td><td>asq24_comm3spec__b</td><td>"Close the door."</td></tr><tr><td>c</td><td>asq24_comm3spec__c</td><td>"Bring me a towel."</td></tr><tr><td>d</td><td>asq24_comm3spec__d</td><td>"Find your coat."</td></tr><tr><td>e</td><td>asq24_comm3spec__e</td><td>"Take my hand."</td></tr><tr><td>f</td><td>asq24_comm3spec__f</td><td>"Get your book."</td></tr></table> Custom alignment: LV	a	asq24_comm3spec__a	"Put the toy on the table."	b	asq24_comm3spec__b	"Close the door."	c	asq24_comm3spec__c	"Bring me a towel."	d	asq24_comm3spec__d	"Find your coat."	e	asq24_comm3spec__e	"Take my hand."	f	asq24_comm3spec__f	"Get your book."
a	asq24_comm3spec__a	"Put the toy on the table."																			
b	asq24_comm3spec__b	"Close the door."																			
c	asq24_comm3spec__c	"Bring me a towel."																			
d	asq24_comm3spec__d	"Find your coat."																			
e	asq24_comm3spec__e	"Take my hand."																			
f	asq24_comm3spec__f	"Get your book."																			
4084	[ asq24_comm4 ]  Show the field ONLY if: [visit_asqver]="24"	4. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4085	[ asq24_comm5 ]  Show the field ONLY if: [visit_asqver]="24"	5. Does your child say two or three words that represent different ideas together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't count word combinations that express one idea, such as "bye-bye," "all gone," "all right," and "What's that?")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4086	[ asq24_comm5spec ]  Show the field ONLY if: [visit_asqver]="24"	Please give an example of your child's word combinations:	text Custom alignment: LV																		
4087	[ asq24_comm6 ]  Show the field ONLY if: [visit_asqver]="24"	6. Does your child correctly use at least two words like "me," "I," "mine," and "you"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4088	[ asq24_comm_sum ]	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24",																		



		Show the field ONLY if: [visit_asqver]="24"		sum([asq24_comm1], [asq24_comm2], [asq24_comm3], [asq24_comm4], [asq24_comm5], [asq24_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4089	[ asq24_comm_count ]  Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_comm1]<>"" , 1, 0), if([asq24_comm2]<>"" , 1, 0), if([asq24_comm3]<>"" , 1, 0), if([asq24_comm4]<>"" , 1, 0), if([asq24_comm5]<>"" , 1, 0), if([asq24_comm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4090	[ asq24_comm_score ]  Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_comm_count]<>"" , if([asq24_comm_count]="6", ([asq24_comm_sum]), if([asq24_comm_count]="5", ([asq24_comm_sum] + ([asq24_comm_sum]/[asq24_comm_count])), if([asq24_comm_count]="4", ([asq24_comm_sum] + (2*([asq24_comm_sum]/[asq24_comm_count]))), if([asq24_comm_count]<4, "", ""))), "") Field Annotation: @HIDDEN-SURVEY						
	4091	[ asq24_comm_concern ]  Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category communication below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_comm_score]<>"" , if([asq24_comm_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4092	[ asq24_comm_concernwarning ]  Show the field ONLY if: [asq24_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	4093	[ asq24_gm1 ]  Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Gross motor</i>  1. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4094	[ asq24_gm2 ]  Show the field ONLY if: [visit_asqver]="24"	2. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4095	[ asq24_gm3 ]  Show the field ONLY if: [visit_asqver]="24"	3. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4096	[ asq24_gm4 ]  Show the field ONLY if: [visit_asqver]="24"	4. Does your child run fairly well, stopping herself without bumping into things or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4097	[ asq24_gm5 ]  Show the field ONLY if: [visit_asqver]="24"	5. Does your child jump with both feet leaving the floor at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4098	[ asq24_gm6 ]  Show the field ONLY if: [visit_asqver]="24"	6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4099	[ asq24_gm_sum ]  Show the field ONLY if:	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_gm1], [asq24_gm2], [asq24_gm3], [asq24_gm4],						

		[visit_asqver]="24"		[asq24_gm5], [asq24_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4100	[ asq24_gm_count ]  Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_gm1]<>"" , 1, 0), if([asq24_gm2]<>"" , 1, 0), if([asq24_gm3]<>"" , 1, 0), if([asq24_gm4]<>"" , 1, 0), if([asq24_gm5]<>"" , 1, 0), if([asq24_gm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4101	[ asq24_gm_score ]  Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_gm_count]<>"" , if([asq24_gm_count]="6", ([asq24_gm_sum]), if([asq24_gm_count]="5", ([asq24_gm_sum] + ([asq24_gm_sum]/[asq24_gm_count])), if([asq24_gm_count]="4", ([asq24_gm_sum] + (2* ([asq24_gm_sum]/[asq24_gm_count])), if([asq24_gm_count] <4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
	4102	[ asq24_gm_concern ]  Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category gross motor below cutoff (39)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_gm_score]<>"" , if([asq24_gm_score]<39, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4103	[ asq24_gm_concernwarning ]  Show the field ONLY if: [asq24_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (39). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	4104	[ asq24_fm1 ]  Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Fine motor</i>  1. Does your child get a spoon into his mouth right side up so that the food usually doesn't spill?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4105	[ asq24_fm2 ]  Show the field ONLY if: [visit_asqver]="24"	2. Does your child turn the pages of a book by herself? (She may turn more than one page at a time.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4106	[ asq24_fm3 ]  Show the field ONLY if: [visit_asqver]="24"	3. Does your child use a turning motion with his hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4107	[ asq24_fm4 ]  Show the field ONLY if: [visit_asqver]="24"	4. Does your child flip switches off and on?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4108	[ asq24_fm5 ]  Show the field ONLY if: [visit_asqver]="24"	5. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4109	[ asq24_fm6 ]  Show the field ONLY if: [visit_asqver]="24"	6. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4110	[ asq24_fm_sum ]  Show the field ONLY if: [visit_asqver]="24"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_fm1], [asq24_fm2], [asq24_fm3], [asq24_fm4], [asq24_fm5], [asq24_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

4111	[ asq24_fm_count ] Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_fm1]<>"" , 1, 0), if([asq24_fm2]<>"" , 1, 0), if([asq24_fm3]<>"" , 1, 0), if([asq24_fm4]<>"" , 1, 0), if([asq24_fm5]<>"" , 1, 0), if([asq24_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4112	[ asq24_fm_score ] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_fm_count]<>"" , if([asq24_fm_count]="6", ([asq24_fm_sum]), if([asq24_fm_count]="5", ([asq24_fm_sum] + ([asq24_fm_sum]/[asq24_fm_count])), if([asq24_fm_count]="4", ([asq24_fm_sum] + (2* ([asq24_fm_sum]/[asq24_fm_count]))), if([asq24_fm_count] <4, "" , "")))) , "" ) Field Annotation: @HIDDEN-SURVEY						
4113	[ asq24_fm_concern ] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category fine motor below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_fm_score]<>"" , if([asq24_fm_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4114	[ asq24_fm_concernwarning ] Show the field ONLY if: [asq24_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4115	[ asq24_ps1 ] Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Problem solving</i> Count as "yes":Count as "not yet":1. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4116	[ asq24_ps2 ] Show the field ONLY if: [visit_asqver]="24"	2. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show him how.) (You can use a soda-pop bottle or baby bottle.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4117	[ asq24_ps3 ] Show the field ONLY if: [visit_asqver]="24"	3. Does your child pretend objects are something else? For example, does your child hold a cup to her ear, pretending it is a telephone? Does she put a box on her head, pretending it is a hat? Does she use a block or small toy to stir food?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4118	[ asq24_ps4 ] Show the field ONLY if: [visit_asqver]="24"	4. Does your child put things away where they belong? For example, does he know his toys belong on the toy shelf, his blanket goes on his bed, and dishes go in the kitchen?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4119	[ asq24_ps5 ] Show the field ONLY if: [visit_asqver]="24"	5. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4120	[ asq24_ps6 ] Show the field ONLY if: [visit_asqver]="24"	6. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4121	[ asq24_ps_sum ] Show the field ONLY if: [visit_asqver]="24"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_ps1], [asq24_ps2], [asq24_ps3], [asq24_ps4], [asq24_ps5], [asq24_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4122	[ asq24_ps_count ] Show the field ONLY if:	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_ps1]<>"" , 1, 0), if([asq24_ps2]<>"" , 1, 0),						

		[visit_asqver]="24"		if([asq24_ps3]<>"" , 1, 0), if([asq24_ps4]<>"" , 1, 0), if([asq24_ps5]<>"" , 1, 0), if([asq24_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4123	[ asq24_ps_score ]	Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_ps_count]<>"" , if([asq24_ps_count]="6", ([asq24_ps_sum]), if([asq24_ps_count]="5", ([asq24_ps_sum] + ([asq24_ps_sum]/[asq24_ps_count])), if([asq24_ps_count]="4", ([asq24_ps_sum] + (2* ([asq24_ps_sum]/[asq24_ps_count]))), if([asq24_ps_count]<4, "" , "")))) , "" ) Field Annotation: @HIDDEN-SURVEY						
4124	[ asq24_ps_concern ]	Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category problem solving below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_ps_score]<>"" , if([asq24_ps_score]<30, 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
4125	[ asq24_ps_concernwarning ]	Show the field ONLY if: [asq24_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4126	[ asq24_persoc1 ]	Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Personal-social</i> 1. Does your child drink from a cup or glass, putting it down again with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4127	[ asq24_persoc2 ]	Show the field ONLY if: [visit_asqver]="24"	2. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4128	[ asq24_persoc3 ]	Show the field ONLY if: [visit_asqver]="24"	3. Does your child eat with a fork?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4129	[ asq24_persoc4 ]	Show the field ONLY if: [visit_asqver]="24"	4. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4130	[ asq24_persoc5 ]	Show the field ONLY if: [visit_asqver]="24"	5. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4131	[ asq24_persoc6 ]	Show the field ONLY if: [visit_asqver]="24"	6. Does your child call herself "I" or "me" more often than her own name? For example, "I do it," more often than "Juanita do it."	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4132	[ asq24_persoc_sum ]	Show the field ONLY if: [visit_asqver]="24"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_persoc1], [asq24_persoc2], [asq24_persoc3], [asq24_persoc4], [asq24_persoc5], [asq24_persoc6]), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
4133	[ asq24_persoc_count ]	Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_persoc1]<>"" , 1, 0), if([asq24_persoc2]<>"" , 1, 0), if([asq24_persoc3]<>"" , 1, 0), if([asq24_persoc4]<>"" , 1, 0), if([asq24_persoc5]<>"" , 1, 0), if([asq24_persoc6]<>"" , 1, 0)), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						

4134	<div>[ asq24_persoc_score ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_persoc_count]<>"" , if([asq24_persoc_count]="6", ([asq24_persoc_sum]), if([asq24_persoc_count]="5", ([asq24_persoc_sum] + ([asq24_persoc_sum]/[asq24_persoc_count])), if([asq24_persoc_count]="4", ([asq24_persoc_sum] + (2* ([asq24_persoc_sum]/[asq24_persoc_count]))), if([asq24_persoc_count]<4, "", ""))))) , "" ) Field Annotation: @HIDDEN-SURVEY				
4135	<div>[ asq24_persoc_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	Adjusted score in category personal/social below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_persoc_score]<>"" , if([asq24_persoc_score]<32, 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF				
4136	<div>[ asq24_persoc_concernwarning ]</div> <div>Show the field ONLY if: [asq24_persoc_concern]="1"</div>	Warning: Adjusted score in category personal/social below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
4137	<div>[ asq24_o1 ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4138	<div>[ asq24_o1spec ]</div> <div>Show the field ONLY if: [asq24_o1]="0"</div>	If no, explain:	notes Custom alignment: LV				
4139	<div>[ asq24_o2 ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	2. Do you think your child talks like other toddlers her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4140	<div>[ asq24_o2spec ]</div> <div>Show the field ONLY if: [asq24_o2]="0"</div>	If no, explain:	notes Custom alignment: LV				
4141	<div>[ asq24_o3 ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4142	<div>[ asq24_o3spec ]</div> <div>Show the field ONLY if: [asq24_o3]="0"</div>	If no, explain:	notes Custom alignment: LV				
4143	<div>[ asq24_o4 ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4144	<div>[ asq24_o4spec ]</div> <div>Show the field ONLY if: [asq24_o4]="0"</div>	If no, explain:	notes Custom alignment: LV				
4145	<div>[ asq24_o5 ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4146	<div>[ asq24_o5spec ]</div> <div>Show the field ONLY if: [asq24_o5]="1"</div>	If yes, explain:	notes Custom alignment: LV				
4147	<div>[ asq24_o6 ]</div> <div>Show the field ONLY if: [visit_asqver]="24"</div>	6. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						

4148	[ asq24_o6spec ] Show the field ONLY if: [asq24_o6]="1"	If yes, explain:	notes Custom alignment: LV																		
4149	[ asq24_o7 ] Show the field ONLY if: [visit_asqver]="24"	7. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No														
1	Yes																				
0	No																				
4150	[ asq24_o7spec ] Show the field ONLY if: [asq24_o7]="1"	If yes, explain:	notes Custom alignment: LV																		
4151	[ asq24_o8 ] Show the field ONLY if: [visit_asqver]="24"	8. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No														
1	Yes																				
0	No																				
4152	[ asq24_o8spec ] Show the field ONLY if: [asq24_o8]="1"	If yes, explain:	notes Custom alignment: LV																		
4153	[ asq24_o9 ] Show the field ONLY if: [visit_asqver]="24"	9. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No														
1	Yes																				
0	No																				
4154	[ asq24_o9spec ] Show the field ONLY if: [asq24_o9]="1"	If yes, explain:	notes Custom alignment: LV																		
4155	[ asq24_all_concern ] Show the field ONLY if: [visit_asqver]="24"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", if(((asq24_comm_concern)="1" or [asq24_gm_concern]="1" or [asq24_fm_concern]="1" or [asq24_ps_concern]="1" or [asq24_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY																		
4156	[ asq27_intro ] Show the field ONLY if: [visit_asqver]="27"	27 Month Questionnaire 25 months 16 days through 28 months 15 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed. At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive																		
4157	[ asq27_comm1 ] Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Communication</i> 1. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq27_comm1spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4158	[ asq27_comm1spec ] Show the field ONLY if: [visit_asqver]="27"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq27_comm1spec__a</td><td>"Put the toy on the table."</td></tr><tr><td>b</td><td>asq27_comm1spec__b</td><td>"Close the door."</td></tr><tr><td>c</td><td>asq27_comm1spec__c</td><td>"Bring me a towel."</td></tr><tr><td>d</td><td>asq27_comm1spec__d</td><td>"Find your coat."</td></tr><tr><td>e</td><td>asq27_comm1spec__e</td><td>"Take my hand."</td></tr><tr><td>f</td><td>asq27_comm1spec__f</td><td>"Get your book."</td></tr></table> Custom alignment: LV	a	asq27_comm1spec__a	"Put the toy on the table."	b	asq27_comm1spec__b	"Close the door."	c	asq27_comm1spec__c	"Bring me a towel."	d	asq27_comm1spec__d	"Find your coat."	e	asq27_comm1spec__e	"Take my hand."	f	asq27_comm1spec__f	"Get your book."
a	asq27_comm1spec__a	"Put the toy on the table."																			
b	asq27_comm1spec__b	"Close the door."																			
c	asq27_comm1spec__c	"Bring me a towel."																			
d	asq27_comm1spec__d	"Find your coat."																			
e	asq27_comm1spec__e	"Take my hand."																			
f	asq27_comm1spec__f	"Get your book."																			
4159	[ asq27_comm2 ] Show the field ONLY if: [visit_asqver]="27"	2. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes																
10	Yes																				

				<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet	
5	Sometimes								
0	Not yet								
4160	[ asq27_comm3 ]  Show the field ONLY if: [visit_asqver]="27"	3. When you ask her to point to her nose, eyes, hair, feet, ears, and so forth, does your child correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4161	[ asq27_comm4 ]  Show the field ONLY if: [visit_asqver]="27"	4. Does your child correctly use at least two words like "me," "I," "mine," and "you"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4162	[ asq27_comm5 ]  Show the field ONLY if: [visit_asqver]="27"	5. Does your child make sentences that are three or four words long?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4163	[ asq27_comm5spec ]  Show the field ONLY if: [visit_asqver]="27"	Please give an example:	text Custom alignment: LV						
4164	[ asq27_comm6 ]  Show the field ONLY if: [visit_asqver]="27"	6. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4165	[ asq27_comm_sum ]  Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_comm1], [asq27_comm2], [asq27_comm3], [asq27_comm4], [asq27_comm5], [asq27_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4166	[ asq27_comm_count ]  Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_comm1]<>"" , 1, 0), if([asq27_comm2]<>"" , 1, 0), if([asq27_comm3]<>"" , 1, 0), if([asq27_comm4]<>"" , 1, 0), if([asq27_comm5]<>"" , 1, 0), if([asq27_comm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4167	[ asq27_comm_score ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_comm_count]<>"" , if([asq27_comm_count]="6", ([asq27_comm_sum]), if([asq27_comm_count]="5", ([asq27_comm_sum] + ([asq27_comm_sum]/[asq27_comm_count])), if([asq27_comm_count]="4", ([asq27_comm_sum] + (2*([asq27_comm_sum]/[asq27_comm_count])), if([asq27_comm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4168	[ asq27_comm_concern ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category communication below cutoff (25)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_comm_score]<>"" , if([asq27_comm_score]<25, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4169	[ asq27_comm_concernwarning ]  Show the field ONLY if: [asq27_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (25). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4170	[ asq27_gm1 ]  Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Gross motor</i>  1. Does your child walk either up or down at least two steps by himself? He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

4171	[ asq27_gm2 ]  Show the field ONLY if: [visit_asqver]="27"	2. Does your child run fairly well, stopping herself without bumping into things or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4172	[ asq27_gm3 ]  Show the field ONLY if: [visit_asqver]="27"	3. Does your child jump with both feet leaving the floor at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4173	[ asq27_gm4 ]  Show the field ONLY if: [visit_asqver]="27"	4. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4174	[ asq27_gm5 ]  Show the field ONLY if: [visit_asqver]="27"	5. Does your child jump forward at least 3 inches with both feet leaving the ground at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4175	[ asq27_gm6 ]  Show the field ONLY if: [visit_asqver]="27"	6. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4176	[ asq27_gm_sum ]  Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_gm1], [asq27_gm2], [asq27_gm3], [asq27_gm4], [asq27_gm5], [asq27_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4177	[ asq27_gm_count ]  Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_gm1]<>"" , 1, 0), if([asq27_gm2]<>"" , 1, 0), if([asq27_gm3]<>"" , 1, 0), if([asq27_gm4]<>"" , 1, 0), if([asq27_gm5]<>"" , 1, 0), if([asq27_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4178	[ asq27_gm_score ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_gm_count]<>"" , if([asq27_gm_count]="6", ([asq27_gm_sum]), if([asq27_gm_count]="5", ([asq27_gm_sum] + ([asq27_gm_sum]/[asq27_gm_count])), if([asq27_gm_count]="4", ([asq27_gm_sum] + (2* ([asq27_gm_sum]/[asq27_gm_count]))), if([asq27_gm_count] <4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4179	[ asq27_gm_concern ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category gross motor below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_gm_score]<>"" , if([asq27_gm_score]<29, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4180	[ asq27_gm_concernwarning ]  Show the field ONLY if: [asq27_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4181	[ asq27_fm1 ]  Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Fine motor</i>  1. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4182	[ asq27_fm2 ]  Show the field ONLY if:	2. Does your child flip switches off and on?	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes								



		[visit_asqver]="27"		<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	5	Sometimes	0	Not yet		
5	Sometimes									
0	Not yet									
4183	[ asq27_fm3 ]	Show the field ONLY if: [visit_asqver]="27"	Count as "yes"Count as "not yet"3. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask him to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a vertical direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4184	[ asq27_fm4 ]	Show the field ONLY if: [visit_asqver]="27"	4. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4185	[ asq27_fm5 ]	Show the field ONLY if: [visit_asqver]="27"	5. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4186	[ asq27_fm6 ]	Show the field ONLY if: [visit_asqver]="27"	Count as "yes";Count as "not yet";6. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4187	[ asq27_fm_sum ]	Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_fm1], [asq27_fm2], [asq27_fm3], [asq27_fm4], [asq27_fm5], [asq27_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4188	[ asq27_fm_count ]	Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_fm1]<>"" , 1, 0), if([asq27_fm2]<>"" , 1, 0), if([asq27_fm3]<>"" , 1, 0), if([asq27_fm4]<>"" , 1, 0), if([asq27_fm5]<>"" , 1, 0), if([asq27_fm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4189	[ asq27_fm_score ]	Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_fm_count]<>"" , if([asq27_fm_count]="6", ([asq27_fm_sum]), if([asq27_fm_count]="5", ([asq27_fm_sum] + ([asq27_fm_sum]/[asq27_fm_count])), if([asq27_fm_count]="4", ([asq27_fm_sum] + (2* ([asq27_fm_sum]/[asq27_fm_count]))), if([asq27_fm_count]<4, "" , ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4190	[ asq27_fm_concern ]	Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category fine motor below cutoff (19)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_fm_score]<>"" , if([asq27_fm_score]<19, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4191	[ asq27_fm_concernwarning ]	Show the field ONLY if: [asq27_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (19). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4192	[ asq27_ps1 ]	Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Problem solving</i> 1. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on her head, pretending it is a hat? Does he use a block or small toy to stir food?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> <p>Custom alignment: LV</p>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4193	[ asq27_ps2 ]	Show the field ONLY if: [visit_asqver]="27"	2. Does your child put things away where they belong? For example, does she know her toys belong on the toy shelf, her blanket goes on her bed, and dishes go in the kitchen?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV						
4194	[ asq27_ps3 ]  Show the field ONLY if: [visit_asqver]="27"	3. When looking in the mirror, ask "Where is _____?" (Use your child's name.) Does your child point to his image in the mirror?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4195	[ asq27_ps4 ]  Show the field ONLY if: [visit_asqver]="27"	4. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4196	[ asq27_ps5 ]  Show the field ONLY if: [visit_asqver]="27"	5. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4197	[ asq27_ps6 ]  Show the field ONLY if: [visit_asqver]="27"	6. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4198	[ asq27_ps7spec ]  Show the field ONLY if: [visit_asqver]="27"	Please write your child's response here:	text							
4199	[ asq27_ps_sum ]  Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_ps1], [asq27_ps2], [asq27_ps3], [asq27_ps4], [asq27_ps5], [asq27_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4200	[ asq27_ps_count ]  Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_ps1]<>"" , 1, 0), if([asq27_ps2]<>"" , 1, 0), if([asq27_ps3]<>"" , 1, 0), if([asq27_ps4]<>"" , 1, 0), if([asq27_ps5]<>"" , 1, 0), if([asq27_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4201	[ asq27_ps_score ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_ps_count]<>"" , if([asq27_ps_count]="6", ([asq27_ps_sum]), if([asq27_ps_count]="5", ([asq27_ps_sum] + ([asq27_ps_sum]/[asq27_ps_count])), if([asq27_ps_count]="4", ([asq27_ps_sum] + (2*([asq27_ps_sum]/[asq27_ps_count]))), if([asq27_ps_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY							
4202	[ asq27_ps_concern ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category problem solving below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_ps_score]<>"" , if([asq27_ps_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4203	[ asq27_ps_concernwarning ]  Show the field ONLY if: [asq27_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4204	[ asq27_persoc1 ]  Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Personal-social</i>  1. If you do any of the following gestures, does your child copy at least one of them?{asq27_persoc1spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4205	[ asq27_persoc1spec ]  Show the field ONLY if: [visit_asqver]="27"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq27_persoc1spec__a</td><td>Open and close your mouth.</td></tr><tr><td>b</td><td>asq27_persoc1spec__b</td><td>Blink your eyes.</td></tr></table>	a	asq27_persoc1spec__a	Open and close your mouth.	b	asq27_persoc1spec__b	Blink your eyes.	
a	asq27_persoc1spec__a	Open and close your mouth.								
b	asq27_persoc1spec__b	Blink your eyes.								

				<table><tr><td>c</td><td>asq27_persoc1spec__c</td><td>Pull on your earlobe.</td></tr><tr><td>d</td><td>asq27_persoc1spec__d</td><td>Pat your cheek.</td></tr></table>	c	asq27_persoc1spec__c	Pull on your earlobe.	d	asq27_persoc1spec__d	Pat your cheek.
c	asq27_persoc1spec__c	Pull on your earlobe.								
d	asq27_persoc1spec__d	Pat your cheek.								
				Custom alignment: LV						
4206	[ asq27_persoc2 ]  Show the field ONLY if: [visit_asqver]="27"	2. Does your child eat with a fork?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
				Custom alignment: LV						
4207	[ asq27_persoc3 ]  Show the field ONLY if: [visit_asqver]="27"	3. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
				Custom alignment: LV						
4208	[ asq27_persoc4 ]  Show the field ONLY if: [visit_asqver]="27"	4. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
				Custom alignment: LV						
4209	[ asq27_persoc5 ]  Show the field ONLY if: [visit_asqver]="27"	5. Does your child call herself "I" or "me" more often than her own name? For example, "I do it" more often than "Juanita do it."	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
				Custom alignment: LV						
4210	[ asq27_persoc6 ]  Show the field ONLY if: [visit_asqver]="27"	6. Does your child put on a coat, jacket, or shirt by himself?	<div>radio</div> <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4211	[ asq27_persoc_sum ]  Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="27", sum([asq27_persoc1], [asq27_persoc2], [asq27_persoc3], [asq27_persoc4], [asq27_persoc5], [asq27_persoc6]), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>							
4212	[ asq27_persoc_count ]  Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="27", sum(if([asq27_persoc1]&lt;&gt;"", 1, 0), if([asq27_persoc2]&lt;&gt;"", 1, 0), if([asq27_persoc3]&lt;&gt;"", 1, 0), if([asq27_persoc4]&lt;&gt;"", 1, 0), if([asq27_persoc5]&lt;&gt;"", 1, 0), if([asq27_persoc6]&lt;&gt;"", 1, 0))), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>							
4213	[ asq27_persoc_score ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="27" and [asq27_persoc_count]&lt;&gt;"", if([asq27_persoc_count]="6", ([asq27_persoc_sum]), if([asq27_persoc_count]="5", ([asq27_persoc_sum] + ([asq27_persoc_sum]/[asq27_persoc_count])), if([asq27_persoc_count]="4", ([asq27_persoc_sum] + (2*([asq27_persoc_sum]/[asq27_persoc_count]))), if([asq27_persoc_count]&lt;4, "", "")))))</div> <div>Field Annotation: @HIDDEN-SURVEY</div>							
4214	[ asq27_persoc_concern ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category personal/social below cutoff (26)	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="27" and [asq27_persoc_score]&lt;&gt;"", if([asq27_persoc_score]&lt;26, 1, 0), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>							
4215	[ asq27_persoc_concernwarning ]  Show the field ONLY if: [asq27_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (26). Please discuss this with the caregiver.	<div>descriptive</div> <div>Field Annotation: @HIDDEN-SURVEY</div>							
4216	[ asq27_o1 ]  Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Overall</i>  1. Do you think your child hears well?	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No			
1	Yes									
0	No									

				Custom alignment: LV				
4217	[ asq27_o1spec ] Show the field ONLY if: [asq27_o1]="0"	If no, explain:		notes Custom alignment: LV				
4218	[ asq27_o2 ] Show the field ONLY if: [visit_asqver]="27"	2. Do you think your child talks like other toddlers her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4219	[ asq27_o2spec ] Show the field ONLY if: [asq27_o2]="0"	If no, explain:		notes Custom alignment: LV				
4220	[ asq27_o3 ] Show the field ONLY if: [visit_asqver]="27"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4221	[ asq27_o3spec ] Show the field ONLY if: [asq27_o3]="0"	If no, explain:		notes Custom alignment: LV				
4222	[ asq27_o4 ] Show the field ONLY if: [visit_asqver]="27"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4223	[ asq27_o4spec ] Show the field ONLY if: [asq27_o4]="0"	If no, explain:		notes Custom alignment: LV				
4224	[ asq27_o5 ] Show the field ONLY if: [visit_asqver]="27"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4225	[ asq27_o5spec ] Show the field ONLY if: [asq27_o5]="1"	If yes, explain:		notes Custom alignment: LV				
4226	[ asq27_o6 ] Show the field ONLY if: [visit_asqver]="27"	6. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4227	[ asq27_o6spec ] Show the field ONLY if: [asq27_o6]="1"	If yes, explain:		notes Custom alignment: LV				
4228	[ asq27_o7 ] Show the field ONLY if: [visit_asqver]="27"	7. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4229	[ asq27_o7spec ] Show the field ONLY if: [asq27_o7]="1"	If yes, explain:		notes Custom alignment: LV				
4230	[ asq27_o8 ] Show the field ONLY if: [visit_asqver]="27"	8. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV
1	Yes							
0	No							
4231	[ asq27_o8spec ] Show the field ONLY if: [asq27_o8]="1"	If yes, explain:		notes Custom alignment: LV				

4232	[ asq27_o9 ]  Show the field ONLY if: [visit_asqver]="27"	9. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No														
1	Yes																				
0	No																				
4233	[ asq27_o9spec ]  Show the field ONLY if: [asq27_o9]="1"	If yes, explain:	notes Custom alignment: LV																		
4234	[ asq27_all_concern ]  Show the field ONLY if: [visit_asqver]="27"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", if(((asq27_comm_concern]="1" or [asq27_gm_concern]="1" or [asq27_fm_concern]="1" or [asq27_ps_concern]="1" or [asq27_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY																		
4235	[ asq30_intro ]  Show the field ONLY if: [visit_asqver]="30"	30 Month Questionnaire28 months 16 days through 31 months 15 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive																		
4236	[ asq30_comm1 ]  Show the field ONLY if: [visit_asqver]="30"	Section Header: <i>Communication</i>  1. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4237	[ asq30_comm2 ]  Show the field ONLY if: [visit_asqver]="30"	2. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq30_comm2spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4238	[ asq30_comm2spec ]  Show the field ONLY if: [visit_asqver]="30"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq30_comm2spec__a</td><td>"Put the toy on the table."</td></tr><tr><td>b</td><td>asq30_comm2spec__b</td><td>"Close the door."</td></tr><tr><td>c</td><td>asq30_comm2spec__c</td><td>"Bring me a towel."</td></tr><tr><td>d</td><td>asq30_comm2spec__d</td><td>"Find your coat."</td></tr><tr><td>e</td><td>asq30_comm2spec__e</td><td>"Take my hand."</td></tr><tr><td>f</td><td>asq30_comm2spec__f</td><td>"Get your book."</td></tr></table> Custom alignment: LV	a	asq30_comm2spec__a	"Put the toy on the table."	b	asq30_comm2spec__b	"Close the door."	c	asq30_comm2spec__c	"Bring me a towel."	d	asq30_comm2spec__d	"Find your coat."	e	asq30_comm2spec__e	"Take my hand."	f	asq30_comm2spec__f	"Get your book."
a	asq30_comm2spec__a	"Put the toy on the table."																			
b	asq30_comm2spec__b	"Close the door."																			
c	asq30_comm2spec__c	"Bring me a towel."																			
d	asq30_comm2spec__d	"Find your coat."																			
e	asq30_comm2spec__e	"Take my hand."																			
f	asq30_comm2spec__f	"Get your book."																			
4239	[ asq30_comm3 ]  Show the field ONLY if: [visit_asqver]="30"	3. When you ask your child to point to her nose, eyes, hair, feet, ears, and so forth, does she correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4240	[ asq30_comm4 ]  Show the field ONLY if: [visit_asqver]="30"	4. Does your child make sentences that are three or four words long?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4241	[ asq30_comm4spec ]  Show the field ONLY if: [visit_asqver]="30"	Please give an example:	text Custom alignment: LV																		

4242	[ asq30_comm5 ]  Show the field ONLY if: [visit_asqver]="30"	5. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4243	[ asq30_comm6 ]  Show the field ONLY if: [visit_asqver]="30"	6. When looking at a picture book, does your child tell you what is hapening or what action is taking place in the picture (for example, "barking," "running," "eating," or "crying")? You may ask, "What is the dog (or boy) doing?"	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4244	[ asq30_comm_sum ]  Show the field ONLY if: [visit_asqver]="30"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum([asq30_comm1], [asq30_comm2], [asq30_comm3], [asq30_comm4], [asq30_comm5], [asq30_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4245	[ asq30_comm_count ]  Show the field ONLY if: [visit_asqver]="30"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum(if([asq30_comm1]<>"" , 1, 0), if([asq30_comm2]<>"" , 1, 0), if([asq30_comm3]<>"" , 1, 0), if([asq30_comm4]<>"" , 1, 0), if([asq30_comm5]<>"" , 1, 0), if([asq30_comm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4246	[ asq30_comm_score ]  Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_comm_count]<>"" , if([asq30_comm_count]="6", ([asq30_comm_sum]), if([asq30_comm_count]="5", ([asq30_comm_sum] + ([asq30_comm_sum]/[asq30_comm_count])), if([asq30_comm_count]="4", ([asq30_comm_sum] + (2*([asq30_comm_sum]/[asq30_comm_count]))), if([asq30_comm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4247	[ asq30_comm_concern ]  Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category communication below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_comm_score]<>"" , if([asq30_comm_score]<34, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4248	[ asq30_comm_concernwarning ]  Show the field ONLY if: [asq30_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4249	[ asq30_gm1 ]  Show the field ONLY if: [visit_asqver]="30"	Section Header: <i>Gross motor</i>  1. Does your child run fairly well, stopping herself without bumping into things or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4250	[ asq30_gm2 ]  Show the field ONLY if: [visit_asqver]="30"	2. Does your child walk either up or down at least two steps by himself? He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4251	[ asq30_gm3 ]  Show the field ONLY if: [visit_asqver]="30"	3. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4252	[ asq30_gm4 ]  Show the field ONLY if: [visit_asqver]="30"	4. Does your child jump with both feet leaving the floor at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

4253	[ asq30_gm5 ]  Show the field ONLY if: [visit_asqver]="30"	5. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4254	[ asq30_gm6 ]  Show the field ONLY if: [visit_asqver]="30"	6. Does your child stand on one foot for about 1 second without holding onto anything?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4255	[ asq30_gm_sum ]  Show the field ONLY if: [visit_asqver]="30"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum([asq30_gm1], [asq30_gm2], [asq30_gm3], [asq30_gm4], [asq30_gm5], [asq30_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4256	[ asq30_gm_count ]  Show the field ONLY if: [visit_asqver]="30"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum(if([asq30_gm1]<>"" , 1, 0), if([asq30_gm2]<>"" , 1, 0), if([asq30_gm3]<>"" , 1, 0), if([asq30_gm4]<>"" , 1, 0), if([asq30_gm5]<>"" , 1, 0), if([asq30_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4257	[ asq30_gm_score ]  Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_gm_count]<>"" , if([asq30_gm_count]="6", ([asq30_gm_sum]), if([asq30_gm_count]="5", ([asq30_gm_sum] + ([asq30_gm_sum]/[asq30_gm_count])), if([asq30_gm_count]="4", ([asq30_gm_sum] + (2* ([asq30_gm_sum]/[asq30_gm_count]))), if([asq30_gm_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4258	[ asq30_gm_concern ]  Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category gross motor below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_gm_score]<>"" , if([asq30_gm_score]<37, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4259	[ asq30_gm_concernwarning ]  Show the field ONLY if: [asq30_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4260	[ asq30_fm1 ]  Show the field ONLY if: [visit_asqver]="30"	Section Header: <i>Fine motor</i>  1. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4261	[ asq30_fm2 ]  Show the field ONLY if: [visit_asqver]="30"	Count as "yes":Count as "not yet":2. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask him to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a vertical direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4262	[ asq30_fm3 ]  Show the field ONLY if: [visit_asqver]="30"	3. Can your child string small items such as beads, macaroni, or pasta	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4263	[ asq30_fm4 ]  Show the field ONLY if: [visit_asqver]="30"	Count as "yes":Count as "not yet":4. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

4264	[ asq30_fm5 ]  Show the field ONLY if: [visit_asqver]="30"	Count as "yes"Count as "not yet"5. After your child watches you draw a single circle, ask him to make a circle like yours. Do not let him trace your circle. Does your child copy you by drawing a circle?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4265	[ asq30_fm6 ]  Show the field ONLY if: [visit_asqver]="30"	6. Does your child turn pages in a book, one page at a time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4266	[ asq30_fm_sum ]  Show the field ONLY if: [visit_asqver]="30"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum([asq30_fm1], [asq30_fm2], [asq30_fm3], [asq30_fm4], [asq30_fm5], [asq30_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4267	[ asq30_fm_count ]  Show the field ONLY if: [visit_asqver]="30"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum(if([asq30_fm1]<>"" , 1, 0), if([asq30_fm2]<>"" , 1, 0), if([asq30_fm3]<>"" , 1, 0), if([asq30_fm4]<>"" , 1, 0), if([asq30_fm5]<>"" , 1, 0), if([asq30_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4268	[ asq30_fm_score ]  Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_fm_count]<>"" , if([asq30_fm_count]="6", ([asq30_fm_sum]), if([asq30_fm_count]="5", ([asq30_fm_sum] + ([asq30_fm_sum]/[asq30_fm_count])), if([asq30_fm_count]="4", ([asq30_fm_sum] + (2* ([asq30_fm_sum]/[asq30_fm_count]))), if([asq30_fm_count]<4, "" , ""))))) , "")) Field Annotation: @HIDDEN-SURVEY						
4269	[ asq30_fm_concern ]  Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category fine motor below cutoff (20)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_fm_score]<>"" , if([asq30_fm_score]<20, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4270	[ asq30_fm_concernwarning ]  Show the field ONLY if: [asq30_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (20). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4271	[ asq30_ps1 ]  Show the field ONLY if: [visit_asqver]="30"	Section Header: <i>Problem solving</i> 1. When looking in the mirror, ask, "Where is _____?" (Use your child's name.) Does your child point to her image in the mirror?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4272	[ asq30_ps2 ]  Show the field ONLY if: [visit_asqver]="30"	2. If your child wants something he cannot reach, does he find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4273	[ asq30_ps3 ]  Show the field ONLY if: [visit_asqver]="30"	3. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4274	[ asq30_ps4 ]  Show the field ONLY if: [visit_asqver]="30"	4. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4275	[ asq30_ps4spec ]  Show the field ONLY if:	Please write your child's response here:	text Custom alignment: LV						



		[visit_asqver]="30"														
4276	[ asq30_ps5 ]	Show the field ONLY if: [visit_asqver]="30"	5. When you say, "Say 'seven three,'" does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'eight two.'" Your child must repeat just one series of two numbers for you to answer "yes" to this question.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet						
10	Yes															
5	Sometimes															
0	Not yet															
4277	[ asq30_ps6 ]	Show the field ONLY if: [visit_asqver]="30"	6. After your child draws a "picture," even a simple scribble, does she tell you what she drew? (You may say, "Tell me about your picture," or ask, "What is this?" to prompt her.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet						
10	Yes															
5	Sometimes															
0	Not yet															
4278	[ asq30_ps_sum ]	Show the field ONLY if: [visit_asqver]="30"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum([asq30_ps1], [asq30_ps2], [asq30_ps3], [asq30_ps4], [asq30_ps5], [asq30_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF												
4279	[ asq30_ps_count ]	Show the field ONLY if: [visit_asqver]="30"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", sum(if([asq30_ps1]<>"" , 1, 0), if([asq30_ps2]<>"" , 1, 0), if([asq30_ps3]<>"" , 1, 0), if([asq30_ps4]<>"" , 1, 0), if([asq30_ps5]<>"" , 1, 0), if([asq30_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF												
4280	[ asq30_ps_score ]	Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_ps_count]<>"" , if([asq30_ps_count]="6", ([asq30_ps_sum]), if([asq30_ps_count]="5", ([asq30_ps_sum] + ([asq30_ps_sum]/[asq30_ps_count])), if([asq30_ps_count]="4", ([asq30_ps_sum] + (2*([asq30_ps_sum]/[asq30_ps_count]))), if([asq30_ps_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY												
4281	[ asq30_ps_concern ]	Show the field ONLY if: [visit_asqver]="30"	Adjusted score in category problem solving below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30" and [asq30_ps_score]<>"" , if([asq30_ps_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF												
4282	[ asq30_ps_concernwarning ]	Show the field ONLY if: [asq30_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY												
4283	[ asq30_persoc1 ]	Show the field ONLY if: [visit_asqver]="30"	Section Header: <i>Personal-social</i> 1. If you do any of the following gestures, does your child copy at least one of them? {asq30_persoc1spec:icons}	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet						
10	Yes															
5	Sometimes															
0	Not yet															
4284	[ asq30_persoc1spec ]	Show the field ONLY if: [visit_asqver]="30"	Select the gestures:	checkbox <table><tr><td>a</td><td>asq30_persoc1spec__a</td><td>Open and close your mouth.</td></tr><tr><td>b</td><td>asq30_persoc1spec__b</td><td>Blink your eyes.</td></tr><tr><td>c</td><td>asq30_persoc1spec__c</td><td>Pull on your earlobe.</td></tr><tr><td>d</td><td>asq30_persoc1spec__d</td><td>Pat your cheek.</td></tr></table> Custom alignment: LV	a	asq30_persoc1spec__a	Open and close your mouth.	b	asq30_persoc1spec__b	Blink your eyes.	c	asq30_persoc1spec__c	Pull on your earlobe.	d	asq30_persoc1spec__d	Pat your cheek.
a	asq30_persoc1spec__a	Open and close your mouth.														
b	asq30_persoc1spec__b	Blink your eyes.														
c	asq30_persoc1spec__c	Pull on your earlobe.														
d	asq30_persoc1spec__d	Pat your cheek.														
4285	[ asq30_persoc2 ]	Show the field ONLY if: [visit_asqver]="30"	2. Does your child use a spoon to feed himself with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet						
10	Yes															
5	Sometimes															
0	Not yet															
4286	[ asq30_persoc3 ]	Show the field ONLY if: [visit_asqver]="30"	3. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if she cannot turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet						
10	Yes															
5	Sometimes															
0	Not yet															

4287	<div>[ asq30_persoc4 ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	4. Does your child put on a coat, jacket, or shirt by himself?	<div>radio</div> <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div> <div><div>0</div><div>Not yet</div></div> <div>Custom alignment: LV</div>
4288	<div>[ asq30_persoc5 ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	5. After you put on loose-fitting pants around her feet, does your child pull them completely up to her waist?	<div>radio</div> <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div> <div><div>0</div><div>Not yet</div></div> <div>Custom alignment: LV</div>
4289	<div>[ asq30_persoc6 ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	6. When your child is looking in a mirror and you ask, "Who is in the mirror?" does he say either "me" or his own name?	<div>radio</div> <div><div>10</div><div>Yes</div></div> <div><div>5</div><div>Sometimes</div></div> <div><div>0</div><div>Not yet</div></div> <div>Custom alignment: LV</div>
4290	<div>[ asq30_persoc_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	Sum of scores of completed items in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="30", sum([asq30_persoc1], [asq30_persoc2], [asq30_persoc3], [asq30_persoc4], [asq30_persoc5], [asq30_persoc6]), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>
4291	<div>[ asq30_persoc_count ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	Number of completed items in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="30", sum(if([asq30_persoc1]&lt;&gt;"" , 1, 0), if([asq30_persoc2]&lt;&gt;"" , 1, 0), if([asq30_persoc3]&lt;&gt;"" , 1, 0), if([asq30_persoc4]&lt;&gt;"" , 1, 0), if([asq30_persoc5]&lt;&gt;"" , 1, 0), if([asq30_persoc6]&lt;&gt;"" , 1, 0))), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>
4292	<div>[ asq30_persoc_score ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	Adjusted score in category personal/social	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="30" and [asq30_persoc_count]&lt;&gt;"" , if([asq30_persoc_count]="6" , ([asq30_persoc_sum]), if([asq30_persoc_count]="5" , ([asq30_persoc_sum] + ([asq30_persoc_sum]/[asq30_persoc_count])), if([asq30_persoc_count]="4" , ([asq30_persoc_sum] + (2* ([asq30_persoc_sum]/[asq30_persoc_count]))), if([asq30_persoc_count]&lt;4 , "" , ""))))) , "")</div> <div>Field Annotation: @HIDDEN-SURVEY</div>
4293	<div>[ asq30_persoc_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	Adjusted score in category personal/social below cutoff (33)	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="30" and [asq30_persoc_score]&lt;&gt;"" , if([asq30_persoc_score]&lt;33 , 1, 0), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>
4294	<div>[ asq30_persoc_concernwarning ]</div> <div>Show the field ONLY if: [asq30_persoc_concern]="1"</div>	Warning: Adjusted score in category personal/social below cutoff (33). Please discuss this with the caregiver.	<div>descriptive</div> <div>Field Annotation: @HIDDEN-SURVEY</div>
4295	<div>[ asq30_o1 ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	<div>Section Header: <i>Overall</i></div> <div>1. Do you think your child hears well?</div>	<div>radio</div> <div><div>1</div><div>Yes</div></div> <div><div>0</div><div>No</div></div> <div>Custom alignment: LV</div>
4296	<div>[ asq30_o1spec ]</div> <div>Show the field ONLY if: [asq30_o1]="0"</div>	If no, explain:	<div>notes</div> <div>Custom alignment: LV</div>
4297	<div>[ asq30_o2 ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	2. Do you think your child talks like other toddlers her age?	<div>radio</div> <div><div>1</div><div>Yes</div></div> <div><div>0</div><div>No</div></div> <div>Custom alignment: LV</div>
4298	<div>[ asq30_o2spec ]</div> <div>Show the field ONLY if: [asq30_o2]="0"</div>	If no, explain:	<div>notes</div> <div>Custom alignment: LV</div>
4299	<div>[ asq30_o3 ]</div> <div>Show the field ONLY if: [visit_asqver]="30"</div>	3. Can you understand most of what your child says?	<div>radio</div> <div><div>1</div><div>Yes</div></div>

				<div>0 No</div> Custom alignment: LV
4300	[ asq30_o3spec ] Show the field ONLY if: [asq30_o3]="0"	If no, explain:	notes Custom alignment: LV	
4301	[ asq30_o4 ] Show the field ONLY if: [visit_asqver]="30"	4. Can other people understand most of what your child says?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4302	[ asq30_o4spec ] Show the field ONLY if: [asq30_o4]="0"	If no, explain:	notes Custom alignment: LV	
4303	[ asq30_o5 ] Show the field ONLY if: [visit_asqver]="30"	5. Do you think your child walks, runs, and climbs like other toddlers his age?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4304	[ asq30_o5spec ] Show the field ONLY if: [asq30_o5]="0"	If no, explain:	notes Custom alignment: LV	
4305	[ asq30_o6 ] Show the field ONLY if: [visit_asqver]="30"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4306	[ asq30_o6spec ] Show the field ONLY if: [asq30_o6]="1"	If yes, explain:	notes Custom alignment: LV	
4307	[ asq30_o7 ] Show the field ONLY if: [visit_asqver]="30"	7. Do you have any concerns about your child's vision?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4308	[ asq30_o7spec ] Show the field ONLY if: [asq30_o7]="1"	If yes, explain:	notes Custom alignment: LV	
4309	[ asq30_o8 ] Show the field ONLY if: [visit_asqver]="30"	8. Has your child had any medical problems in the last several months?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4310	[ asq30_o8spec ] Show the field ONLY if: [asq30_o8]="1"	If yes, explain:	notes Custom alignment: LV	
4311	[ asq30_o9 ] Show the field ONLY if: [visit_asqver]="30"	9. Do you have any concerns about your child's behavior?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4312	[ asq30_o9spec ] Show the field ONLY if: [asq30_o9]="1"	If yes, explain:	notes Custom alignment: LV	
4313	[ asq30_o10 ] Show the field ONLY if: [visit_asqver]="30"	10. Does anything about your child worry you?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV	
4314	[ asq30_o10spec ] Show the field ONLY if:	If yes, explain:	notes Custom alignment: LV	

	[asq30_o10]="1"								
4315	[ asq30_all_concern ]  Show the field ONLY if: [visit_asqver]="30"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="30", if(((asq30_comm_concern]="1" or [asq30_gm_concern]="1" or [asq30_fm_concern]="1" or [asq30_ps_concern]="1" or [asq30_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
4316	[ asq33_intro ]  Show the field ONLY if: [visit_asqver]="33"	33 Month Questionnaire31 months 16 days through 34 months 15 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	descriptive						
4317	[ asq33_comm1 ]  Show the field ONLY if: [visit_asqver]="33"	Section Header: <i>Communication</i>  1. When you ask your child to point to his nose, eyes, hair, feet, ears, and so forth, does he correctly point to at least seven body parts? (He can point to parts of himself, you, or a doll. Mark "sometimes" if he correctly points to at least three different body parts.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4318	[ asq33_comm2 ]  Show the field ONLY if: [visit_asqver]="33"	2. Does your child make sentences that are three or four words long?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4319	[ asq33_comm2spec ]  Show the field ONLY if: [visit_asqver]="33"	Please give an example:	text Custom alignment: LV						
4320	[ asq33_comm3 ]  Show the field ONLY if: [visit_asqver]="33"	3. Without giving your child help by pointing or using gestures, ask her to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4321	[ asq33_comm4 ]  Show the field ONLY if: [visit_asqver]="33"	4. When looking at a picture book, does your child tell you what is happening or what action is taking place in the picture (for example, "barking," "running," "eating," or "crying"). You may ask, "What is the dog (or boy) doing?"	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4322	[ asq33_comm5 ]  Show the field ONLY if: [visit_asqver]="33"	5. Show your child how a zipper on a coat moves up and down, and say, "See, this goes up and down." Put the zipper to the middle, and ask your child to move the zipper down. Return the zipper to the middle, and ask your child to move the zipper up. Do this several times, placing the zipper in the middle before asking your child to move it up or down. Does your child consistently move the zipper up when you say "up" and down when you say "down"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4323	[ asq33_comm6 ]  Show the field ONLY if: [visit_asqver]="33"	6. When you ask, "What is your name?" does your child say his first name or nickname?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4324	[ asq33_comm_sum ]  Show the field ONLY if: [visit_asqver]="33"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum([asq33_comm1], [asq33_comm2], [asq33_comm3], [asq33_comm4], [asq33_comm5], [asq33_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

4325	[ asq33_comm_count ]  Show the field ONLY if: [visit_asqver]="33"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum(if([asq33_comm1]<>"" , 1, 0), if([asq33_comm2]<>"" , 1, 0), if([asq33_comm3]<>"" , 1, 0), if([asq33_comm4]<>"" , 1, 0), if([asq33_comm5]<>"" , 1, 0), if([asq33_comm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4326	[ asq33_comm_score ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_comm_count]<>"" , if([asq33_comm_count]="6", ([asq33_comm_sum]), if([asq33_comm_count]="5", ([asq33_comm_sum] + ([asq33_comm_sum]/[asq33_comm_count])), if([asq33_comm_count]="4", ([asq33_comm_sum] + (2* ([asq33_comm_sum]/[asq33_comm_count])), if([asq33_comm_count]<4, "", ""))), "") Field Annotation: @HIDDEN-SURVEY						
4327	[ asq33_comm_concern ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category communication below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_comm_score]<>"" , if([asq33_comm_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4328	[ asq33_comm_concernwarning ]  Show the field ONLY if: [asq33_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4329	[ asq33_gm1 ]  Show the field ONLY if: [visit_asqver]="33"	Section Header: <i>Gross motor</i>  1. Does your child run fairly well, stopping herself without bumping into things or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4330	[ asq33_gm2 ]  Show the field ONLY if: [visit_asqver]="33"	2. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4331	[ asq33_gm3 ]  Show the field ONLY if: [visit_asqver]="33"	3. Does your child jump with both feet leaving the floor at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4332	[ asq33_gm4 ]  Show the field ONLY if: [visit_asqver]="33"	4. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4333	[ asq33_gm5 ]  Show the field ONLY if: [visit_asqver]="33"	5. Does your child stand on one foot for about 1 second without holding onto anything?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4334	[ asq33_gm6 ]  Show the field ONLY if: [visit_asqver]="33"	6. While standing, does your child throw a ball overhand by raising his arm to shoulder height and throwing the ball forward? (Dropping the ball or throwing the ball underhand should be scored as "not yet".)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4335	[ asq33_gm_sum ]  Show the field ONLY if: [visit_asqver]="33"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum([asq33_gm1], [asq33_gm2], [asq33_gm3], [asq33_gm4], [asq33_gm5], [asq33_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

4336	[ asq33_gm_count ] Show the field ONLY if: [visit_asqver]="33"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum(if([asq33_gm1]<>"" , 1, 0), if([asq33_gm2]<>"" , 1, 0), if([asq33_gm3]<>"" , 1, 0), if([asq33_gm4]<>"" , 1, 0), if([asq33_gm5]<>"" , 1, 0), if([asq33_gm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4337	[ asq33_gm_score ] Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_gm_count]<>"" , if([asq33_gm_count]="6", ([asq33_gm_sum]), if([asq33_gm_count]="5", ([asq33_gm_sum] + ([asq33_gm_sum]/[asq33_gm_count])), if([asq33_gm_count]="4", ([asq33_gm_sum] + (2* ([asq33_gm_sum]/[asq33_gm_count])), if([asq33_gm_count] <4, "" , ""))), "") Field Annotation: @HIDDEN-SURVEY						
4338	[ asq33_gm_concern ] Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category gross motor below cutoff (35)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_gm_score]<>"" , if([asq33_gm_score]<35, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4339	[ asq33_gm_concernwarning ] Show the field ONLY if: [asq33_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (35). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4340	[ asq33_fm1 ] Show the field ONLY if: [visit_asqver]="33"	Section Header: <i>Fine motor</i>  Count as "yes"Count as "not yet"1. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a vertical direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4341	[ asq33_fm2 ] Show the field ONLY if: [visit_asqver]="33"	2. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4342	[ asq33_fm3 ] Show the field ONLY if: [visit_asqver]="33"	Count as "yes":Count as "not yet":3. After your child watches you draw a line from one side of the paper to the other side, ask him to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4343	[ asq33_fm4 ] Show the field ONLY if: [visit_asqver]="33"	Count as "yes"Count as "not yet"4. After your child watches you draw a single circle, ask her to make a circle like yours. Do not let her trace your circle. Does your child copy you by drawing a circle?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4344	[ asq33_fm5 ] Show the field ONLY if: [visit_asqver]="33"	5. Does your child turn pages in a book, one page at a time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4345	[ asq33_fm6 ] Show the field ONLY if: [visit_asqver]="33"	6. Does your child try to cut paper with child-safe scissors? He does not need to cut the paper but must get the blades to open and close while holding the paper with the other hand. (You may show your child how to use scissors. Carefully watch your child's use of scissors for safety reasons.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4346	[ asq33_fm_sum ] Show the field ONLY if: [visit_asqver]="33"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum([asq33_fm1], [asq33_fm2], [asq33_fm3], [asq33_fm4], [asq33_fm5], [asq33_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4347	[ asq33_fm_count ] Show the field ONLY if:	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum(if([asq33_fm1]<>"" , 1, 0), if([asq33_fm2]<>"" , 1, 0), if([asq33_fm3]<>"" , 1, 0), if([asq33_fm4]<>"" , 1, 0), if([asq33_fm5]<>"" , 1, 0), if([asq33_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						

		[visit_asqver]="33"		if([asq33_fm3]<>"" , 1, 0), if([asq33_fm4]<>"" , 1, 0), if([asq33_fm5]<>"" , 1, 0), if([asq33_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4348	[ asq33_fm_score ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_fm_count]<>"" , if([asq33_fm_count]="6", ([asq33_fm_sum]), if([asq33_fm_count]="5", ([asq33_fm_sum] + ([asq33_fm_sum]/[asq33_fm_count])), if([asq33_fm_count]="4", ([asq33_fm_sum] + (2* ([asq33_fm_sum]/[asq33_fm_count]))), if([asq33_fm_count] <4, "", ""))))) , "" ) Field Annotation: @HIDDEN-SURVEY						
	4349	[ asq33_fm_concern ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category fine motor below cutoff (13)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_fm_score]<>"" , if([asq33_fm_score]<13, 1, 0), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
	4350	[ asq33_fm_concernwarning ]  Show the field ONLY if: [asq33_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (13). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	4351	[ asq33_ps1 ]  Show the field ONLY if: [visit_asqver]="33"	Section Header: <i>Problem solving</i>  1. When looking in the mirror, ask, "Where is ____?" (Use your child's name.) Does your child point to her image in the mirror?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4352	[ asq33_ps2 ]  Show the field ONLY if: [visit_asqver]="33"	2. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4353	[ asq33_ps3 ]  Show the field ONLY if: [visit_asqver]="33"	3. If your child wants something he cannot reach, does he find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4354	[ asq33_ps4 ]  Show the field ONLY if: [visit_asqver]="33"	4. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4355	[ asq33_ps4spec ]  Show the field ONLY if: [visit_asqver]="33"	Please write your child's response here:	text Custom alignment: LV						
	4356	[ asq33_ps5 ]  Show the field ONLY if: [visit_asqver]="33"	5. When you say, "Say 'seven three,'" does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'eight two.'" (Your child must repeat just one series of two numbers for you to answer "yes" to this question.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4357	[ asq33_ps6 ]  Show the field ONLY if: [visit_asqver]="33"	6. After your child draws a "picture," even a simple scribble, does she tell you what she drew? (You may say, "Tell me about your picture," or ask, "What is this?" to prompt her.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4358	[ asq33_ps_sum ]  Show the field ONLY if: [visit_asqver]="33"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum([asq33_ps1], [asq33_ps2], [asq33_ps3], [asq33_ps4], [asq33_ps5], [asq33_ps6]), "" ) Field Annotation: @HIDDEN @HIDDEN-PDF						
	4359	[ asq33_ps_count ]	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33",						



		Show the field ONLY if: [visit_asqver]="33"		sum(if([asq33_ps1]<>"" , 1, 0), if([asq33_ps2]<>"" , 1, 0), if([asq33_ps3]<>"" , 1, 0), if([asq33_ps4]<>"" , 1, 0), if([asq33_ps5]<>"" , 1, 0), if([asq33_ps6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4360	[ asq33_ps_score ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_ps_count]<>"" , if([asq33_ps_count]="6", ([asq33_ps_sum]), if([asq33_ps_count]="5", ([asq33_ps_sum] + ([asq33_ps_sum]/[asq33_ps_count])), if([asq33_ps_count]="4", ([asq33_ps_sum] + (2* ([asq33_ps_sum]/[asq33_ps_count]))), if([asq33_ps_count]<4, "" , ""))), "" Field Annotation: @HIDDEN-SURVEY						
	4361	[ asq33_ps_concern ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category problem solving below cutoff (27)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_ps_score]<>"" , if([asq33_ps_score]<27, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4362	[ asq33_ps_concernwarning ]  Show the field ONLY if: [asq33_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (27). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	4363	[ asq33_persoc1 ]  Show the field ONLY if: [visit_asqver]="33"	Section Header: <i>Personal-social</i>  1. Does your child use a spoon to feed herself with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4364	[ asq33_persoc2 ]  Show the field ONLY if: [visit_asqver]="33"	2. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4365	[ asq33_persoc3 ]  Show the field ONLY if: [visit_asqver]="33"	3. Does your child put on a coat, jacket, or shirt by herself?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4366	[ asq33_persoc4 ]  Show the field ONLY if: [visit_asqver]="33"	4. After you put on loose-fitting pants around his feet, does your child pull them completely up to his waist?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4367	[ asq33_persoc5 ]  Show the field ONLY if: [visit_asqver]="33"	5. When your child is looking in a mirror and you ask, "Who is in the mirror?" does she say either "me" or her own name?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4368	[ asq33_persoc6 ]  Show the field ONLY if: [visit_asqver]="33"	6. Using these exact words, ask your child, "Are you a girl or a boy?" Does your child answer correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4369	[ asq33_persoc_sum ]  Show the field ONLY if: [visit_asqver]="33"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum([asq33_persoc1], [asq33_persoc2], [asq33_persoc3], [asq33_persoc4], [asq33_persoc5], [asq33_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4370	[ asq33_persoc_count ]  Show the field ONLY if: [visit_asqver]="33"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", sum(if([asq33_persoc1]<>"" , 1, 0), if([asq33_persoc2]<>"" , 1, 0), if([asq33_persoc3]<>"" , 1, 0), if([asq33_persoc4]<>"" , 1, 0),						



				if([asq33_persoc5]<>"" , 1, 0), if([asq33_persoc6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
4371	[ asq33_persoc_score ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category personal/social		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_persoc_count]<>"" , if([asq33_persoc_count]="6", ([asq33_persoc_sum]), if([asq33_persoc_count]="5", ([asq33_persoc_sum] + ([asq33_persoc_sum]/[asq33_persoc_count])), if([asq33_persoc_count]="4", ([asq33_persoc_sum] + (2*([asq33_persoc_sum]/[asq33_persoc_count]))), if([asq33_persoc_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY				
4372	[ asq33_persoc_concern ]  Show the field ONLY if: [visit_asqver]="33"	Adjusted score in category personal/social below cutoff (29)		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33" and [asq33_persoc_score]<>"" , if([asq33_persoc_score]<29, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF				
4373	[ asq33_persoc_concernwarning ]  Show the field ONLY if: [asq33_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (29). Please discuss this with the caregiver.		descriptive Field Annotation: @HIDDEN-SURVEY				
4374	[ asq33_o1 ]  Show the field ONLY if: [visit_asqver]="33"	Section Header: <i>Overall</i>  1. Do you think your child hears well?		radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4375	[ asq33_o1spec ]  Show the field ONLY if: [asq33_o1]="0"	If no, explain:		notes Custom alignment: LV				
4376	[ asq33_o2 ]  Show the field ONLY if: [visit_asqver]="33"	2. Do you think your child talks like other toddlers her age?		radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4377	[ asq33_o2spec ]  Show the field ONLY if: [asq33_o2]="0"	If no, explain:		notes Custom alignment: LV				
4378	[ asq33_o3 ]  Show the field ONLY if: [visit_asqver]="33"	3. Can you understand most of what your child says?		radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4379	[ asq33_o3spec ]  Show the field ONLY if: [asq33_o3]="0"	If no, explain:		notes Custom alignment: LV				
4380	[ asq33_o4 ]  Show the field ONLY if: [visit_asqver]="33"	4. Can other people understand most of what your child says? If no, explain:		radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4381	[ asq33_o4spec ]  Show the field ONLY if: [asq33_o4]="0"	If no, explain:		notes Custom alignment: LV				
4382	[ asq33_o5 ]  Show the field ONLY if: [visit_asqver]="33"	5. Do you think your child walks, runs, and climbs like other toddlers his age?		radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4383	[ asq33_o5spec ]  Show the field ONLY if: [asq33_o5]="0"	If no, explain:		notes Custom alignment: LV				

4384	[ asq33_o6 ] Show the field ONLY if: [visit_asqver]="33"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
4385	[ asq33_o6spec ] Show the field ONLY if: [asq33_o6]="1"	If yes, explain:	notes Custom alignment: LV						
4386	[ asq33_o7 ] Show the field ONLY if: [visit_asqver]="33"	7. Do you have any concerns about your child's vision? If yes, explain:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
4387	[ asq33_o7spec ] Show the field ONLY if: [asq33_o7]="1"	If yes, explain:	notes Custom alignment: LV						
4388	[ asq33_o8 ] Show the field ONLY if: [visit_asqver]="33"	8. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
4389	[ asq33_o8spec ] Show the field ONLY if: [asq33_o8]="1"	If yes, explain:	notes Custom alignment: LV						
4390	[ asq33_o9 ] Show the field ONLY if: [visit_asqver]="33"	9. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
4391	[ asq33_o9spec ] Show the field ONLY if: [asq33_o9]="1"	If yes, explain:	notes Custom alignment: LV						
4392	[ asq33_o10 ] Show the field ONLY if: [visit_asqver]="33"	10. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
4393	[ asq33_o10spec ] Show the field ONLY if: [asq33_o10]="1"	If yes, explain:	notes Custom alignment: LV						
4394	[ asq33_all_concern ] Show the field ONLY if: [visit_asqver]="33"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="33", if(((asq33_comm_concern)="1" or [asq33_gm_concern]="1" or [asq33_fm_concern]="1" or [asq33_ps_concern]="1" or [asq33_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
4395	[ asq36_intro ] Show the field ONLY if: [visit_asqver]="36"	36 Month Questionnaire 34 months 16 days through 38 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed.	descriptive						
4396	[ asq36_comm1 ] Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Communication</i> 1. When you ask your child to point to her nose, eyes, hair, feet, ears, and so forth, does she correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4397	[ asq36_comm2 ] Show the field ONLY if:	2. Does your child make sentences that are three or four words long?	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes								

		[visit_asqver]="36"		<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet		
5	Sometimes									
0	Not yet									
4398	[ asq36_comm2spec ]	Show the field ONLY if: [asq36_comm2]="5" or [asq36_comm2]="10"	Please give an example:	notes Custom alignment: LV						
4399	[ asq36_comm3 ]	Show the field ONLY if: [visit_asqver]="36"	3. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4400	[ asq36_comm4 ]	Show the field ONLY if: [visit_asqver]="36"	4. When looking at a picture book, does your child tell you what is happening or what action is taking place in the picture (for example, "barking," "running," "eating," or "crying")? You may ask, "What is the dog (or boy) doing?"	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4401	[ asq36_comm5 ]	Show the field ONLY if: [visit_asqver]="36"	5. Show your child how a zipper on a coat moves up and down, and say, "See, this goes up and down." Put the zipper to the middle and ask your child to move the zipper down. Return the zipper to the middle and ask your child to move the zipper up. Do this several times, placing the zipper in the middle before asking your child to move it up or down. Does your child consistently move the zipper up when you say "up" and down when you say "down"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4402	[ asq36_comm6 ]	Show the field ONLY if: [visit_asqver]="36"	6. When you ask, "What is your name?" does your child say both her first and last names?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4403	[ asq36_comm_sum ]	Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_comm1], [asq36_comm2], [asq36_comm3], [asq36_comm4], [asq36_comm5], [asq36_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4404	[ asq36_comm_count ]	Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_comm1]<>"" , 1, 0), if([asq36_comm2]<>"" , 1, 0), if([asq36_comm3]<>"" , 1, 0), if([asq36_comm4]<>"" , 1, 0), if([asq36_comm5]<>"" , 1, 0), if([asq36_comm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4405	[ asq36_comm_score ]	Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_comm_count]<>"" , if([asq36_comm_count]="6", ([asq36_comm_sum]), if([asq36_comm_count]="5", ([asq36_comm_sum] + ([asq36_comm_sum]/[asq36_comm_count])), if([asq36_comm_count]="4", ([asq36_comm_sum] + (2*([asq36_comm_sum]/[asq36_comm_count]))), if([asq36_comm_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
4406	[ asq36_comm_concern ]	Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category communication below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_comm_score]<>"" , if([asq36_comm_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4407	[ asq36_comm_concernwarning ]	Show the field ONLY if: [asq36_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4408	[ asq36_gm1 ]	Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Gross motor</i>  1. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV						
	4409	[ asq36_gm2 ]  Show the field ONLY if: [visit_asqver]="36"	2. Does your child jump with both feet leaving the floor at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4410	[ asq36_gm3 ]  Show the field ONLY if: [visit_asqver]="36"	3. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4411	[ asq36_gm4 ]  Show the field ONLY if: [visit_asqver]="36"	4. Does your child stand on one foot for about 1 second without holding onto anything?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4412	[ asq36_gm5 ]  Show the field ONLY if: [visit_asqver]="36"	5. While standing, does your child throw a ball overhand by raising his arm to shoulder height and throwing the ball forward? (Dropping the ball or throwing the ball underhand should be scored as "not yet.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4413	[ asq36_gm6 ]  Show the field ONLY if: [visit_asqver]="36"	6. Does your child jump forward at least 6 inches with both feet leaving the ground at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
	4414	[ asq36_gm_sum ]  Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_gm1], [asq36_gm2], [asq36_gm3], [asq36_gm4], [asq36_gm5], [asq36_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4415	[ asq36_gm_count ]  Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_gm1]<>"" , 1, 0), if([asq36_gm2]<>"" , 1, 0), if([asq36_gm3]<>"" , 1, 0), if([asq36_gm4]<>"" , 1, 0), if([asq36_gm5]<>"" , 1, 0), if([asq36_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
	4416	[ asq36_gm_score ]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_gm_count]<>"" , if([asq36_gm_count]="6", ([asq36_gm_sum]), if([asq36_gm_count]="5", ([asq36_gm_sum] + ([asq36_gm_sum]/[asq36_gm_count])), if([asq36_gm_count]="4", ([asq36_gm_sum] + (2* ([asq36_gm_sum]/[asq36_gm_count]))), if([asq36_gm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
	4417	[ asq36_gm_concern ]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category gross motor below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_gm_score]<>"" , if([asq36_gm_score]<37, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
	4418	[ asq36_gm_concernwarning ]  Show the field ONLY if: [asq36_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
	4419	[ asq36_fm1 ]  Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Fine motor</i>  Count as "yes" Count as "not yet"1. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a vertical direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									

4420	[ asq36_fm2 ]  Show the field ONLY if: [visit_asqver]="36"	2. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4421	[ asq36_fm3 ]  Show the field ONLY if: [visit_asqver]="36"	Count as "yes"Count as "not yet"3. After your child watches you draw a single circle, ask him to make a circle like yours. Do not let him trace your circle. Does your child copy you by drawing a circle?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4422	[ asq36_fm4 ]  Show the field ONLY if: [visit_asqver]="36"	Count as "yes"Count as "not yet"4. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4423	[ asq36_fm5 ]  Show the field ONLY if: [visit_asqver]="36"	5. Does your child try to cut paper with child-safe scissors? He does not need to cut the paper but must get the blades to open and close while holding the paper with the other hand. (You may show your child how to use scissors. Carefully watch your child's use of scissors for safety reasons.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4424	[ asq36_fm6 ]  Show the field ONLY if: [visit_asqver]="36"	6. When drawing, does your child hold a pencil, crayon, or pen between her fingers and thumb like an adult does?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4425	[ asq36_fm_sum ]  Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_fm1], [asq36_fm2], [asq36_fm3], [asq36_fm4], [asq36_fm5], [asq36_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4426	[ asq36_fm_count ]  Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_fm1]<>"" , 1, 0), if([asq36_fm2]<>"" , 1, 0), if([asq36_fm3]<>"" , 1, 0), if([asq36_fm4]<>"" , 1, 0), if([asq36_fm5]<>"" , 1, 0), if([asq36_fm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4427	[ asq36_fm_score ]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_fm_count]<>"" , if([asq36_fm_count]="6", ([asq36_fm_sum]), if([asq36_fm_count]="5", ([asq36_fm_sum] + ([asq36_fm_sum]/[asq36_fm_count])), if([asq36_fm_count]="4", ([asq36_fm_sum] + (2* ([asq36_fm_sum]/[asq36_fm_count]))), if([asq36_fm_count]<4, "" , ""))))), "")) Field Annotation: @HIDDEN-SURVEY						
4428	[ asq36_fm_concern ]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category fine motor below cutoff (19)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_fm_score]<>"" , if([asq36_fm_score]<19, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4429	[ asq36_fm_concernwarning ]  Show the field ONLY if: [asq36_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (19). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4430	[ asq36_ps1 ]  Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Problem solving</i>  1. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

4431	[ asq36_ps2 ] Show the field ONLY if: [visit_asqver]="36"	2. If your child wants something he cannot reach, does he find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4432	[ asq36_ps3 ] Show the field ONLY if: [visit_asqver]="36"	3. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4433	[ asq36_ps3spec ] Show the field ONLY if: [visit_asqver]="36"	3a. Please write your child's response here:	notes Custom alignment: LV						
4434	[ asq36_ps4 ] Show the field ONLY if: [visit_asqver]="36"	4. When you say, "Say 'seven three,'" does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'eight two.'" (Your child must repeat just one series of two numbers for you to answer "yes" to this question.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4435	[ asq36_ps5 ] Show the field ONLY if: [visit_asqver]="36"	5. Show your child how to make a bridge with blocks, boxes, or cans, like the example. Does your child copy you by making one like it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4436	[ asq36_ps6 ] Show the field ONLY if: [visit_asqver]="36"	6. When you say, "Say 'five eight three,'" does your child repeat just the three numbers in the same order? Do not repeat the numbers. If necessary, try another series of numbers and say, "Say 'six nine two.'" (Your child must repeat just one series of three numbers for you to answer "yes" to this question.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4437	[ asq36_ps_sum ] Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_ps1], [asq36_ps2], [asq36_ps3], [asq36_ps4], [asq36_ps5], [asq36_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4438	[ asq36_ps_count ] Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_ps1]<>"", 1, 0), if([asq36_ps2]<>"", 1, 0), if([asq36_ps3]<>"", 1, 0), if([asq36_ps4]<>"", 1, 0), if([asq36_ps5]<>"", 1, 0), if([asq36_ps6]<>"", 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4439	[ asq36_ps_score ] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_ps_count]<>"", if([asq36_ps_count]="6", ([asq36_ps_sum]), if([asq36_ps_count]="5", ([asq36_ps_sum] + ([asq36_ps_sum]/[asq36_ps_count])), if([asq36_ps_count]="4", ([asq36_ps_sum] + (2*([asq36_ps_sum]/[asq36_ps_count]))), if([asq36_ps_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
4440	[ asq36_ps_concern ] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category problem solving below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_ps_score]<>"", if([asq36_ps_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4441	[ asq36_ps_concernwarning ] Show the field ONLY if: [asq36_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4442	[ asq36_persoc1 ] Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Personal-social</i> 1. Does your child use a spoon to feed herself with little spilling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

				Custom alignment: LV						
4443	[ asq36_persoc2 ]  Show the field ONLY if: [visit_asqver]="36"	2. Does your child push a little wagon, stroller, or toy on wheels, steering it around objects and backing out of corners if he cannot turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4444	[ asq36_persoc3 ]  Show the field ONLY if: [visit_asqver]="36"	3. When your child is looking in a mirror and you ask, "Who is in the mirror?" does she say either "me" or her own name?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4445	[ asq36_persoc4 ]  Show the field ONLY if: [visit_asqver]="36"	4. Does your child put on a coat, jacket, or shirt by himself?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4446	[ asq36_persoc5 ]  Show the field ONLY if: [visit_asqver]="36"	5. Using these exact words, ask your child, "Are you a girl or a boy?" Does your child answer correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4447	[ asq36_persoc6 ]  Show the field ONLY if: [visit_asqver]="36"	6. Does your child take turns by waiting while another child or adult takes a turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4448	[ asq36_persoc_sum ]  Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_persoc1], [asq36_persoc2], [asq36_persoc3], [asq36_persoc4], [asq36_persoc5], [asq36_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4449	[ asq36_persoc_count ]  Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_persoc1]<>"" , 1, 0), if([asq36_persoc2]<>"" , 1, 0), if([asq36_persoc3]<>"" , 1, 0), if([asq36_persoc4]<>"" , 1, 0), if([asq36_persoc5]<>"" , 1, 0), if([asq36_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4450	[ asq36_persoc_score ]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_persoc_count]<>"" , if([asq36_persoc_count]="6", ([asq36_persoc_sum]), if([asq36_persoc_count]="5", ([asq36_persoc_sum] + ([asq36_persoc_sum]/[asq36_persoc_count])), if([asq36_persoc_count]="4", ([asq36_persoc_sum] + (2* ([asq36_persoc_sum]/[asq36_persoc_count]))), if([asq36_persoc_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY							
4451	[ asq36_persoc_concern ]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category personal/social below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_persoc_score]<>"" , if([asq36_persoc_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4452	[ asq36_persoc_concernwarning ]  Show the field ONLY if: [asq36_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4453	[ asq36_o1 ]  Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Overall</i>  1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV		
1	Yes									
0	No									

4454	[ asq36_o1spec ] Show the field ONLY if: [asq36_o1]="0"	If no, explain:	notes Custom alignment: LV				
4455	[ asq36_o2 ] Show the field ONLY if: [visit_asqver]="36"	2. Do you think your child talks like other children her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4456	[ asq36_o2spec ] Show the field ONLY if: [asq36_o2]="0"	If no, explain:	notes Custom alignment: LV				
4457	[ asq36_o3 ] Show the field ONLY if: [visit_asqver]="36"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4458	[ asq36_o3spec ] Show the field ONLY if: [asq36_o3]="0"	If no, explain:	notes Custom alignment: LV				
4459	[ asq36_o4 ] Show the field ONLY if: [visit_asqver]="36"	4. Can other people understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4460	[ asq36_o4spec ] Show the field ONLY if: [asq36_o4]="0"	If no, explain:	notes Custom alignment: LV				
4461	[ asq36_o5 ] Show the field ONLY if: [visit_asqver]="36"	5. Do you think your child walks, runs, and climbs like other children his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4462	[ asq36_o5spec ] Show the field ONLY if: [asq36_o5]="0"	If no, explain:	notes Custom alignment: LV				
4463	[ asq36_o6 ] Show the field ONLY if: [visit_asqver]="36"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4464	[ asq36_o6spec ] Show the field ONLY if: [asq36_o6]="1"	If yes, explain:	notes Custom alignment: LV				
4465	[ asq36_o7 ] Show the field ONLY if: [visit_asqver]="36"	7. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4466	[ asq36_o7spec ] Show the field ONLY if: [asq36_o7]="1"	If yes, explain:	notes Custom alignment: LV				
4467	[ asq36_o8 ] Show the field ONLY if: [visit_asqver]="36"	8. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4468	[ asq36_o8spec ] Show the field ONLY if: [asq36_o8]="1"	If yes, explain:	notes Custom alignment: LV				
4469	[ asq36_o9 ] Show the field ONLY if:	9. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes		
1	Yes						



		[visit_asqver]="36"		<div>0 No</div> Custom alignment: LV
4470	[ asq36_o9spec ]	Show the field ONLY if: [asq36_o9]="1"	If yes, explain:	notes Custom alignment: LV
4471	[ asq36_o10 ]	Show the field ONLY if: [visit_asqver]="36"	10. Does anything about your child worry you?	radio <div>1 Yes</div> <div>0 No</div> Custom alignment: LV
4472	[ asq36_o10spec ]	Show the field ONLY if: [asq36_o10]="1"	If yes, explain:	notes Custom alignment: LV
4473	[ asq36_all_concern ]	Show the field ONLY if: [visit_asqver]="36"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", if(((asq36_comm_concern]="1" or [asq36_gm_concern]="1" or [asq36_fm_concern]="1" or [asq36_ps_concern]="1" or [asq36_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
4474	[ asq42_intro ]	Show the field ONLY if: [visit_asqver]="42"	42 Month Questionnaire39 months 16 days through 44 months 30 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.	descriptive
4475	[ asq42_comm1 ]	Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Communication</i> 1. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4476	[ asq42_comm2 ]	Show the field ONLY if: [visit_asqver]="42"	2. When looking at a picture book, does your child tell you what is happening or what action is taking place in the picture (for example, "barking," "running," "eating," or "crying")? You may ask, "What is the dog (or boy) doing?"	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4477	[ asq42_comm3 ]	Show the field ONLY if: [visit_asqver]="42"	3. Show your child how a zipper on a coat moves up and down, and say, "See, this goes up and down." Put the zipper to the middle, and ask your child to move the zipper down. Return the zipper to the middle, and ask your child to move the zipper up. Do this several times, placing the zipper in the middle before asking your child to move it up or down. Does your child consistently move the zipper up when you say "up" and down when you say "down"?	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4478	[ asq42_comm4 ]	Show the field ONLY if: [visit_asqver]="42"	4. When you ask, "What is your name?" does your child say both her first and last names?	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4479	[ asq42_comm5 ]	Show the field ONLY if: [visit_asqver]="42"	5. Without your giving help by pointing or repeating directions, does your child follow three directions that are unrelated to one another? Give all three directions before your child starts. For example, you may ask your child, "Clap your hands, walk to the door, and sit down," or "Give me the pen, open the book, and stand up."	radio <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4480	[ asq42_comm6 ]	Show the field ONLY if: [visit_asqver]="42"	6. Does your child use all of the words in a sentence (for example, "a," "the," "am," "is," and "are") to make complete sentences, such as "I am going to the park," or "Is there a toy to play with?" or "Are you coming, too?"	radio <div>10 Yes</div> <div>5 Sometimes</div>

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet				
0	Not yet									
4481	[ asq42_comm_sum ]  Show the field ONLY if: [visit_asqver]="42"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_comm1], [asq42_comm2], [asq42_comm3], [asq42_comm4], [asq42_comm5], [asq42_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4482	[ asq42_comm_count ]  Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_comm1]<>"" , 1, 0), if([asq42_comm2]<>"" , 1, 0), if([asq42_comm3]<>"" , 1, 0), if([asq42_comm4]<>"" , 1, 0), if([asq42_comm5]<>"" , 1, 0), if([asq42_comm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4483	[ asq42_comm_score ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_comm_count]<>"" , if([asq42_comm_count]="6", ([asq42_comm_sum]), if([asq42_comm_count]="5", ([asq42_comm_sum] + ([asq42_comm_sum]/[asq42_comm_count])), if([asq42_comm_count]="4", ([asq42_comm_sum] + (2*([asq42_comm_sum]/[asq42_comm_count]))), if([asq42_comm_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY							
4484	[ asq42_comm_concern ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category communication below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_comm_score]<>"" , if([asq42_comm_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4485	[ asq42_comm_concernwarning ]  Show the field ONLY if: [asq42_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4486	[ asq42_gm1 ]  Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Gross motor</i>  1. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4487	[ asq42_gm2 ]  Show the field ONLY if: [visit_asqver]="42"	2. Does your child stand on one foot for about 1 second without holding onto anything?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4488	[ asq42_gm3 ]  Show the field ONLY if: [visit_asqver]="42"	3. While standing, does your child throw a ball overhand by raising his arm to shoulder height and throwing the ball forward? (Dropping the ball or throwing the ball underhand should be scored as "not yet.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4489	[ asq42_gm4 ]  Show the field ONLY if: [visit_asqver]="42"	4. Does your child jump forward at least 6 inches with both feet leaving the ground at the same time?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4490	[ asq42_gm5 ]  Show the field ONLY if: [visit_asqver]="42"	5. Does your child catch a large ball with both hands? (You should stand about 5 feet away and give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4491	[ asq42_gm6 ]  Show the field ONLY if: [visit_asqver]="42"	6. Does your child climb the rungs of a ladder of a playground slide and slide down without help?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes			
10	Yes									
5	Sometimes									

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet				
0	Not yet									
4492	[ asq42_gm_sum ]  Show the field ONLY if: [visit_asqver]="42"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_gm1], [asq42_gm2], [asq42_gm3], [asq42_gm4], [asq42_gm5], [asq42_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4493	[ asq42_gm_count ]  Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_gm1]<>"" , 1, 0), if([asq42_gm2]<>"" , 1, 0), if([asq42_gm3]<>"" , 1, 0), if([asq42_gm4]<>"" , 1, 0), if([asq42_gm5]<>"" , 1, 0), if([asq42_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4494	[ asq42_gm_score ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_gm_count]<>"" , if([asq42_gm_count]="6", ([asq42_gm_sum]), if([asq42_gm_count]="5", ([asq42_gm_sum] + ([asq42_gm_sum]/[asq42_gm_count])), if([asq42_gm_count]="4", ([asq42_gm_sum] + (2* ([asq42_gm_sum]/[asq42_gm_count]))), if([asq42_gm_count]<4, "" , ""))))), "")) Field Annotation: @HIDDEN-SURVEY							
4495	[ asq42_gm_concern ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category gross motor below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_gm_score]<>"" , if([asq42_gm_score]<37, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4496	[ asq42_gm_concernwarning ]  Show the field ONLY if: [asq42_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4497	[ asq42_fm1 ]  Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Fine motor</i>  Count as "yes"Count as "not yet" 1. After your child watches you draw a single circle with a pencil, crayon, or pen, ask him to make a circle like yours. Do not let him trace your circle. Does your child copy you by drawing a circle?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4498	[ asq42_fm2 ]  Show the field ONLY if: [visit_asqver]="42"	Count as "yes"Count as "not yet" 2. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4499	[ asq42_fm3 ]  Show the field ONLY if: [visit_asqver]="42"	3. Does your child try to cut paper with child-safe scissors? He does not need to cut the paper but must get the blades to open and close while holding the paper with the other hand. (You may show your child how to use scissors. Carefully watch your child's use of scissors for safety reasons.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4500	[ asq42_fm4 ]  Show the field ONLY if: [visit_asqver]="42"	4. When drawing, does your child hold a pencil, crayon, or pen between her fingers and thumb like an adult does?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4501	[ asq42_fm5 ]  Show the field ONLY if: [visit_asqver]="42"	5. Does your child put together a five- to seven-piece interlocking puzzle? (If one is not available, take a full-page picture from a magazine or catalog and cut it into six pieces. Does your child put it back together correctly?)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4502	[ asq42_fm6 ]  Show the field ONLY if: [visit_asqver]="42"	6. Using the shape at right to look at, does your child copy it onto a large piece of paper using a pencil, crayon, or pen, without tracing? (Your child's drawing should look like the design of the shape, except it may be different in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									

				Custom alignment: LV						
4503	<div>[ asq42_fm_sum ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_fm1], [asq42_fm2], [asq42_fm3], [asq42_fm4], [asq42_fm5], [asq42_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4504	<div>[ asq42_fm_count ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_fm1]<>"" , 1, 0), if([asq42_fm2]<>"" , 1, 0), if([asq42_fm3]<>"" , 1, 0), if([asq42_fm4]<>"" , 1, 0), if([asq42_fm5]<>"" , 1, 0), if([asq42_fm6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4505	<div>[ asq42_fm_score ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_fm_count]<>"" , if([asq42_fm_count]="6", ([asq42_fm_sum]), if([asq42_fm_count]="5", ([asq42_fm_sum] + ([asq42_fm_sum]/[asq42_fm_count])), if([asq42_fm_count]="4", ([asq42_fm_sum] + (2* ([asq42_fm_sum]/[asq42_fm_count]))), if([asq42_fm_count] <4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY							
4506	<div>[ asq42_fm_concern ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	Adjusted score in category fine motor below cutoff (20)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_fm_score]<>"" , if([asq42_fm_score]<20, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4507	<div>[ asq42_fm_concernwarning ]</div> <div>Show the field ONLY if: [asq42_fm_concern]="1"</div>	Warning: Adjusted score in category fine motor below cutoff (20). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4508	<div>[ asq42_ps1 ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	Section Header: <i>Problem solving</i>  1. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4509	<div>[ asq42_ps1spec ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	1a. Please write your child's response here:	notes Custom alignment: LV							
4510	<div>[ asq42_ps2 ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	2. When you say, "Say 'seven three,'" does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'eight two.'" (Your child must repeat just one series of two numbers for you to answer "yes" to this question.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4511	<div>[ asq42_ps3 ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	3. Show your child how to make a bridge with blocks, boxes, or cans, like the example. Does your child copy you by making one like it?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4512	<div>[ asq42_ps4 ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	4. When you say, "Say 'five eight three,'" does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'six nine two.'" (Your child must repeat just one series of three numbers for you to answer "yes" to this question.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4513	<div>[ asq42_ps5 ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	5. When asked, "Which circle is the smallest?" does your child point to the smallest circle? (Ask this question without providing help by pointing, gesturing, or looking at the smallest circle.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>  Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4514	<div>[ asq42_ps6 ]</div> <div>Show the field ONLY if: [visit_asqver]="42"</div>	6. Does your child dress up and "play-act," pretending to be someone or something else? For example, your child may dress up in different clothes and pretend to be a mommy, daddy, brother or sister, or an imaginary animal or figure.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes			
10	Yes									
5	Sometimes									

				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet			
0	Not yet								
4515	[ asq42_ps_sum ]  Show the field ONLY if: [visit_asqver]="42"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_ps1], [asq42_ps2], [asq42_ps3], [asq42_ps4], [asq42_ps5], [asq42_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4516	[ asq42_ps_count ]  Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_ps1]<>"" , 1, 0), if([asq42_ps2]<>"" , 1, 0), if([asq42_ps3]<>"" , 1, 0), if([asq42_ps4]<>"" , 1, 0), if([asq42_ps5]<>"" , 1, 0), if([asq42_ps6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4517	[ asq42_ps_score ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_ps_count]<>"" , if([asq42_ps_count]="6", ([asq42_ps_sum]), if([asq42_ps_count]="5", ([asq42_ps_sum] + ([asq42_ps_sum]/[asq42_ps_count])), if([asq42_ps_count]="4", ([asq42_ps_sum] + (2* ([asq42_ps_sum]/[asq42_ps_count]))), if([asq42_ps_count]<4, "", ""))))) , "") Field Annotation: @HIDDEN-SURVEY						
4518	[ asq42_ps_concern ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_ps_score]<>"" , if([asq42_ps_score]<29, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4519	[ asq42_ps_concernwarning ]  Show the field ONLY if: [asq42_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4520	[ asq42_persoc1 ]  Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Personal-social</i>  1. When he is looking in a mirror and you ask, "Who is in the mirror?" does your child say either 'me' or his own name?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4521	[ asq42_persoc2 ]  Show the field ONLY if: [visit_asqver]="42"	2. Does your child put on a coat, jacket, or shirt by herself?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4522	[ asq42_persoc3 ]  Show the field ONLY if: [visit_asqver]="42"	3. Using these exact words, ask your child, "Are you a girl or a boy?" Does your child answer correctly?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4523	[ asq42_persoc4 ]  Show the field ONLY if: [visit_asqver]="42"	4. Does your child take turns by waiting while another child or adult takes a turn?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4524	[ asq42_persoc5 ]  Show the field ONLY if: [visit_asqver]="42"	5. Does your child serve himself, taking food from one container to another using utensils? For example, does your child use a large spoon to scoop applesauce from a jar into a bowl?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4525	[ asq42_persoc6 ]  Show the field ONLY if: [visit_asqver]="42"	6. Does your child wash his hands using soap and water and dry off with a towel without help?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								

				Custom alignment: LV				
4526	[ asq42_persoc_sum ]  Show the field ONLY if: [visit_asqver]="42"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_persoc1], [asq42_persoc2], [asq42_persoc3], [asq42_persoc4], [asq42_persoc5], [asq42_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF					
4527	[ asq42_persoc_count ]  Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_persoc1]<>"" , 1, 0), if([asq42_persoc2]<>"" , 1, 0), if([asq42_persoc3]<>"" , 1, 0), if([asq42_persoc4]<>"" , 1, 0), if([asq42_persoc5]<>"" , 1, 0), if([asq42_persoc6]<>"" , 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF					
4528	[ asq42_persoc_score ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_persoc_count]<>"" , if([asq42_persoc_count]="6", ([asq42_persoc_sum]), if([asq42_persoc_count]="5", ([asq42_persoc_sum] + ([asq42_persoc_sum]/[asq42_persoc_count])), if([asq42_persoc_count]="4", ([asq42_persoc_sum] + (2* ([asq42_persoc_sum]/[asq42_persoc_count]))), if([asq42_persoc_count]<4, "" , ""))))) , "") Field Annotation: @HIDDEN-SURVEY					
4529	[ asq42_persoc_concern ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category personal/social below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_persoc_score]<>"" , if([asq42_persoc_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF					
4530	[ asq42_persoc_concernwarning ]  Show the field ONLY if: [asq42_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY					
4531	[ asq42_o1 ]  Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Overall</i>  1. Do you think your child hears well?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4532	[ asq42_o1spec ]  Show the field ONLY if: [asq42_o1]="0"	If no, explain:	notes Custom alignment: LV					
4533	[ asq42_o2 ]  Show the field ONLY if: [visit_asqver]="42"	2. Do you think your child talks like other children her age?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4534	[ asq42_o2spec ]  Show the field ONLY if: [asq42_o2]="0"	If no, explain:	notes Custom alignment: LV					
4535	[ asq42_o3 ]  Show the field ONLY if: [visit_asqver]="42"	3. Can you understand most of what your child says?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4536	[ asq42_o3spec ]  Show the field ONLY if: [asq42_o3]="0"	If no, explain:	notes Custom alignment: LV					
4537	[ asq42_o4 ]  Show the field ONLY if: [visit_asqver]="42"	4. Can other people understand most of what your child says?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4538	[ asq42_o4spec ]  Show the field ONLY if: [asq42_o4]="0"	If no, explain:	notes Custom alignment: LV					
4539	[ asq42_o5 ]  Show the field ONLY if: [visit_asqver]="42"	5. Do you think your child walks, runs, and climbs like other children his age?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	
1	Yes							
0	No							

				Custom alignment: LV				
4540	[ asq42_o5spec ]  Show the field ONLY if: [asq42_o5]="0"	If no, explain:	notes Custom alignment: LV					
4541	[ asq42_o6 ]  Show the field ONLY if: [visit_asqver]="42"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4542	[ asq42_o6spec ]  Show the field ONLY if: [asq42_o6]="1"	If yes, explain:	notes Custom alignment: LV					
4543	[ asq42_o7 ]  Show the field ONLY if: [visit_asqver]="42"	7. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4544	[ asq42_o7spec ]  Show the field ONLY if: [asq42_o7]="1"	If yes, explain:	notes Custom alignment: LV					
4545	[ asq42_o8 ]  Show the field ONLY if: [visit_asqver]="42"	8. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4546	[ asq42_o8spec ]  Show the field ONLY if: [asq42_o8]="1"	If yes, explain:	notes Custom alignment: LV					
4547	[ asq42_o9 ]  Show the field ONLY if: [visit_asqver]="42"	9. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4548	[ asq42_o9spec ]  Show the field ONLY if: [asq42_o9]="1"	If yes, explain:	notes Custom alignment: LV					
4549	[ asq42_o10 ]  Show the field ONLY if: [visit_asqver]="42"	10. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No	
1	Yes							
0	No							
4550	[ asq42_o10spec ]  Show the field ONLY if: [asq42_o10]="1"	If yes, explain:	notes Custom alignment: LV					
4551	[ asq42_all_concern ]  Show the field ONLY if: [visit_asqver]="42"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", if([asq42_comm_concern]="1" or [asq42_gm_concern]="1" or [asq42_fm_concern]="1" or [asq42_ps_concern]="1" or [asq42_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY					
4552	[ asq48_intro ]  Show the field ONLY if: [visit_asqver]="48"	48 Month Questionnaire 45 months 0 days through 50 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed.	descriptive					
4553	[ asq48_comm1 ]  Show the field ONLY if: [visit_asqver]="48"	Section Header: <i>Communication</i>  1. Does your child name at least three items from a common category? For example, if you say to your child, "Tell me some things that you can eat," does your child answer with something	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes	
10	Yes							
5	Sometimes							



		like "cookies, eggs, and cereal"? Or if you say, "Tell me the names of some animals," does your child answer with something like "cow, dog, and elephant"?	<div>0 Not yet</div> Custom alignment: LV
4554	[ asq48_comm2 ] Show the field ONLY if: [visit_asqver]="48"	2. Does your child answer the following questions? (Mark "sometimes" if your child answers only one question.)	<div>radio</div> <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4555	[ asq48_comm2spec1 ] Show the field ONLY if: [visit_asqver]="48"	2a. "What do you do when you are hungry?" (Acceptable answers include "get food," "eat," "ask for something to eat," and "have a snack.") Please write your child's response:	<div>notes</div> Custom alignment: LV
4556	[ asq48_comm2spec2 ] Show the field ONLY if: [visit_asqver]="48"	2b. "What do you do when you are tired?" (Acceptable answers include "take a nap," "rest," "go to sleep," "go to bed," "lie down," and "sit down.") Please write your child's response:	<div>notes</div> Custom alignment: LV
4557	[ asq48_comm3 ] Show the field ONLY if: [visit_asqver]="48"	3. Does your child tell you at least two things about common objects? For example, if you say to your child, "Tell me about your ball," does she say something like, "It's round. I throw it. It's big"?	<div>radio</div> <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4558	[ asq48_comm4 ] Show the field ONLY if: [visit_asqver]="48"	4. Does your child use endings of words, such as "-s," "-ed," and "-ing"? For example, does your child say things like, "I see two cats," "I am playing," or "I kicked the ball"?	<div>radio</div> <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4559	[ asq48_comm5 ] Show the field ONLY if: [visit_asqver]="48"	5. Without your giving help by pointing or repeating, does your child follow three directions that are unrelated to one another? Give all three directions before your child starts. For example, you may ask your child, "Clap your hands, walk to the door, and sit down," or "Give me the pen, open the book, and stand up."	<div>radio</div> <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4560	[ asq48_comm6 ] Show the field ONLY if: [visit_asqver]="48"	6. Does your child use all of the words in a sentence (for example, "a," "the," "am," "is," and "are") to make complete sentences, such as "I am going to the park," or "Is there a toy to play with?" or "Are you coming, too?"	<div>radio</div> <div>10 Yes</div> <div>5 Sometimes</div> <div>0 Not yet</div> Custom alignment: LV
4561	[ asq48_comm_sum ] Show the field ONLY if: [visit_asqver]="48"	Sum of scores of completed items in category communication	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="48", sum([asq48_comm1], [asq48_comm2], [asq48_comm3], [asq48_comm4], [asq48_comm5], [asq48_comm6]), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>
4562	[ asq48_comm_count ] Show the field ONLY if: [visit_asqver]="48"	Number of completed items in category communication	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="48", sum(if([asq48_comm1]&lt;&gt;"", 1, 0), if([asq48_comm2]&lt;&gt;"", 1, 0), if([asq48_comm3]&lt;&gt;"", 1, 0), if([asq48_comm4]&lt;&gt;"", 1, 0), if([asq48_comm5]&lt;&gt;"", 1, 0), if([asq48_comm6]&lt;&gt;"", 1, 0))), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>
4563	[ asq48_comm_score ] Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category communication	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="48" and [asq48_comm_count]&lt;&gt;"", if([asq48_comm_count]="6", ([asq48_comm_sum]), if([asq48_comm_count]="5", ([asq48_comm_sum] + ([asq48_comm_sum]/[asq48_comm_count])), if([asq48_comm_count]="4", ([asq48_comm_sum] + (2* ([asq48_comm_sum]/[asq48_comm_count]))), if([asq48_comm_count]&lt;4, "", ""))), "")</div> <div>Field Annotation: @HIDDEN-SURVEY</div>
4564	[ asq48_comm_concern ] Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category communication below cutoff (31)	<div>calc</div> <div>Calculation: if([asq_fversion]&lt;&gt;"" and [visit_asqver]="48" and [asq48_comm_score]&lt;&gt;"", if([asq48_comm_score]&lt;31, 1, 0), "")</div> <div>Field Annotation: @HIDDEN @HIDDEN-PDF</div>



4565	[ asq48_comm_concernwarning ] Show the field ONLY if: [asq48_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4566	[ asq48_gm1 ] Show the field ONLY if: [visit_asqver]="48"	Section Header: <i>Gross motor</i> 1. Does your child catch a large ball with both hands? (You should stand about 5 feet away and give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4567	[ asq48_gm2 ] Show the field ONLY if: [visit_asqver]="48"	2. Does your child climb the rungs of a ladder of a playground slide and slide down without help?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4568	[ asq48_gm3 ] Show the field ONLY if: [visit_asqver]="48"	3. While standing, does your child throw a ball overhand in the direction of a person standing at least 6 feet away? To throw overhand, your child must raise his arm to shoulder height and throw the ball forward. (Dropping the ball or throwing the ball underhand should be scored as "not yet.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4569	[ asq48_gm4 ] Show the field ONLY if: [visit_asqver]="48"	4. Does your child hop up and down on either the right or left foot at least one time without losing her balance or falling?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4570	[ asq48_gm5 ] Show the field ONLY if: [visit_asqver]="48"	5. Does your child jump forward a distance of 20 inches from a standing position, starting with his feet together?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4571	[ asq48_gm6 ] Show the field ONLY if: [visit_asqver]="48"	6. Without holding onto anything, does your child stand on one foot for at least 5 seconds without losing her balance and putting her foot down? (You may give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4572	[ asq48_gm_sum ] Show the field ONLY if: [visit_asqver]="48"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum([asq48_gm1], [asq48_gm2], [asq48_gm3], [asq48_gm4], [asq48_gm5], [asq48_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4573	[ asq48_gm_count ] Show the field ONLY if: [visit_asqver]="48"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum(if([asq48_gm1]<>"" , 1, 0), if([asq48_gm2]<>"" , 1, 0), if([asq48_gm3]<>"" , 1, 0), if([asq48_gm4]<>"" , 1, 0), if([asq48_gm5]<>"" , 1, 0), if([asq48_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4574	[ asq48_gm_score ] Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_gm_count]<>"" , if([asq48_gm_count]="6", ([asq48_gm_sum]), if([asq48_gm_count]="5", ([asq48_gm_sum] + ([asq48_gm_sum]/[asq48_gm_count])), if([asq48_gm_count]="4", ([asq48_gm_sum] + (2* ([asq48_gm_sum]/[asq48_gm_count]))), if([asq48_gm_count]<4, "", ""))))), "")) Field Annotation: @HIDDEN-SURVEY						
4575	[ asq48_gm_concern ] Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category gross motor below cutoff (33)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_gm_score]<>"" , if([asq48_gm_score]<33, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4576	[ asq48_gm_concernwarning ] Show the field ONLY if:	Warning: Adjusted score in category gross motor below cutoff (33). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						

		[asq48_gm_concern]="1"							
4577	[ asq48_fm1 ]	Section Header: <i>Fine motor</i> 1. Does your child put together a five- to seven-piece interlocking puzzle? (If one is not available, take a full-page picture from a magazine or catalog and cut it into six pieces. Does your child put it back together correctly?)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4578	[ asq48_fm2 ]	2. Using child-safe scissors, does your child cut a paper in half on a more or less straight line, making the blades go up and down? (Carefully watch your child's use of scissors for safety reasons.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4579	[ asq48_fm3 ]	3. Using the shapes below to look at, does your child copy at least three shapes onto a large piece of paper using a pencil, crayon, or pen, without tracing? (Your child's drawings should look similar to the design of the shapes below, but they may be different in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4580	[ asq48_fm4 ]	4. Does your child unbutton one or more buttons? (Your child may use his own clothing or a doll's clothing.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4581	[ asq48_fm5 ]	5. Does your child draw pictures of people that have at least three of the following features: head, eyes, nose, mouth, neck, hair, trunk, arms, hands, legs, or feet?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4582	[ asq48_fm6 ]	6. Does your child color mostly within the lines in a coloring book or within the lines of a 2-inch circle that you draw? (Your child should not go more than 1/4 inch outside the lines on most of the picture.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4583	[ asq48_fm_sum ]	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum([asq48_fm1], [asq48_fm2], [asq48_fm3], [asq48_fm4], [asq48_fm5], [asq48_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4584	[ asq48_fm_count ]	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum(if([asq48_fm1]<>"" , 1, 0), if([asq48_fm2]<>"" , 1, 0), if([asq48_fm3]<>"" , 1, 0), if([asq48_fm4]<>"" , 1, 0), if([asq48_fm5]<>"" , 1, 0), if([asq48_fm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4585	[ asq48_fm_score ]	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_fm_count]<>"" , if([asq48_fm_count]="6", ([asq48_fm_sum]), if([asq48_fm_count]="5", ([asq48_fm_sum] + ([asq48_fm_sum]/[asq48_fm_count])), if([asq48_fm_count]="4", ([asq48_fm_sum] + (2* ([asq48_fm_sum]/[asq48_fm_count]))), if([asq48_fm_count]<4, "" , ""))))), "")) Field Annotation: @HIDDEN-SURVEY						
4586	[ asq48_fm_concern ]	Adjusted score in category fine motor below cutoff (16)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_fm_score]<>"" , if([asq48_fm_score]<16, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4587	[ asq48_fm_concernwarning ]	Warning: Adjusted score in category fine motor below cutoff (16). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4588	[ asq48_ps1 ]	Section Header: <i>Problem solving</i>	radio						

		Show the field ONLY if: [visit_asqver]="48"	1. When you say, 'five eight three,'" does your child repeat just the three numbers in the same order? Do not repeat the numbers. If necessary, try another series of numbers and say, "Say 'six nine two.'" (Your child must repeat just one series of three numbers to answer "yes" to this question.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet		
10	Yes											
5	Sometimes											
0	Not yet											
4589	[ asq48_ps2 ]	Show the field ONLY if: [visit_asqver]="48"	2. When asked, "Which circle is the smallest?" does your child point to the smallest circle? (Ask this question without providing help by pointing, gesturing, or looking at the smallest circle.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio												
10	Yes											
5	Sometimes											
0	Not yet											
4590	[ asq48_ps3 ]	Show the field ONLY if: [visit_asqver]="48"	3. Without your giving help by pointing, does your child follow three different directions using the words "under," "between," and "middle"? For example, ask your child to put the shoe "under the couch." Then ask her to put the ball "between the chairs" and the book "in the middle of the table."	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio												
10	Yes											
5	Sometimes											
0	Not yet											
4591	[ asq48_ps4 ]	Show the field ONLY if: [visit_asqver]="48"	4. When shown objects and asked, "What color is this?" does your child name five different colors, like red, blue, yellow, orange, black, white, or pink? (Mark "yes" only if your child answers the question correctly using five colors.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio												
10	Yes											
5	Sometimes											
0	Not yet											
4592	[ asq48_ps5 ]	Show the field ONLY if: [visit_asqver]="48"	5. Does your child dress up and "play-act," pretending to be someone or something else? For example, your child may dress up in different clothes and pretend to be a mommy, daddy, brother, or sister, or an imaginary animal or figure.	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio												
10	Yes											
5	Sometimes											
0	Not yet											
4593	[ asq48_ps6 ]	Show the field ONLY if: [visit_asqver]="48"	6. If you place five objects in front of your child, can he count them by saying, "one, two, three, four, five," in order? (Ask this question without providing help by pointing, gesturing, or naming.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio												
10	Yes											
5	Sometimes											
0	Not yet											
4594	[ asq48_ps_sum ]	Show the field ONLY if: [visit_asqver]="48"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum([asq48_ps1], [asq48_ps2], [asq48_ps3], [asq48_ps4], [asq48_ps5], [asq48_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
4595	[ asq48_ps_count ]	Show the field ONLY if: [visit_asqver]="48"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum(if([asq48_ps1]<>"" , 1, 0), if([asq48_ps2]<>"" , 1, 0), if([asq48_ps3]<>"" , 1, 0), if([asq48_ps4]<>"" , 1, 0), if([asq48_ps5]<>"" , 1, 0), if([asq48_ps6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF								
4596	[ asq48_ps_score ]	Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_ps_count]<>"" , if([asq48_ps_count]="6", ([asq48_ps_sum]), if([asq48_ps_count]="5", ([asq48_ps_sum] + ([asq48_ps_sum]/[asq48_ps_count])), if([asq48_ps_count]="4", ([asq48_ps_sum] + (2* ([asq48_ps_sum]/[asq48_ps_count]))), if([asq48_ps_count]<4, "", ""))))) , "")) Field Annotation: @HIDDEN-SURVEY								
4597	[ asq48_ps_concern ]	Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category problem solving below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_ps_score]<>"" , if([asq48_ps_score]<32, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF								
4598	[ asq48_ps_concernwarning ]	Show the field ONLY if: [asq48_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY								

4599	[ asq48_persoc1 ]  Show the field ONLY if: [visit_asqver]="48"	Section Header: <i>Personal-social</i>  1. Does your child serve herself, taking food from one container to another using utensils? For example, does your child use a large spoon to scoop applesauce from a jar into a bowl?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4600	[ asq48_persoc2 ]  Show the field ONLY if: [visit_asqver]="48"	2. Does your child tell you at least four of the following?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4601	[ asq48_persoc2spec ]  Show the field ONLY if: [visit_asqver]="48"	Please mark the items your child knows.	checkbox <table><tr><td>a</td><td>asq48_persoc2spec__a</td><td>First name</td></tr><tr><td>b</td><td>asq48_persoc2spec__b</td><td>Age</td></tr><tr><td>c</td><td>asq48_persoc2spec__c</td><td>City she lives in</td></tr><tr><td>d</td><td>asq48_persoc2spec__d</td><td>Last name</td></tr><tr><td>e</td><td>asq48_persoc2spec__e</td><td>Boy or girl</td></tr><tr><td>f</td><td>asq48_persoc2spec__f</td><td>Telephone number</td></tr></table> Custom alignment: LV	a	asq48_persoc2spec__a	First name	b	asq48_persoc2spec__b	Age	c	asq48_persoc2spec__c	City she lives in	d	asq48_persoc2spec__d	Last name	e	asq48_persoc2spec__e	Boy or girl	f	asq48_persoc2spec__f	Telephone number
a	asq48_persoc2spec__a	First name																			
b	asq48_persoc2spec__b	Age																			
c	asq48_persoc2spec__c	City she lives in																			
d	asq48_persoc2spec__d	Last name																			
e	asq48_persoc2spec__e	Boy or girl																			
f	asq48_persoc2spec__f	Telephone number																			
4602	[ asq48_persoc3 ]  Show the field ONLY if: [visit_asqver]="48"	3. Does your child wash his hands using soap and water and dry off with a towel without help?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4603	[ asq48_persoc4 ]  Show the field ONLY if: [visit_asqver]="48"	4. Does your child tell you the names of two or more playmates, not including brothers and sisters? (Ask this question without providing help by suggesting names of playmates or friends.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4604	[ asq48_persoc5 ]  Show the field ONLY if: [visit_asqver]="48"	5. Does your child brush her teeth by putting toothpaste on the toothbrush and brushing all of her teeth without help? (You may still need to check and rebrush your child's teeth.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4605	[ asq48_persoc6 ]  Show the field ONLY if: [visit_asqver]="48"	6. Does your child dress or undress himself without help (except for snaps, buttons, and zippers)?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4606	[ asq48_persoc_sum ]  Show the field ONLY if: [visit_asqver]="48"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum([asq48_persoc1], [asq48_persoc2], [asq48_persoc3], [asq48_persoc4], [asq48_persoc5], [asq48_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4607	[ asq48_persoc_count ]  Show the field ONLY if: [visit_asqver]="48"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", sum(if([asq48_persoc1]<>"" , 1, 0), if([asq48_persoc2]<>"" , 1, 0), if([asq48_persoc3]<>"" , 1, 0), if([asq48_persoc4]<>"" , 1, 0), if([asq48_persoc5]<>"" , 1, 0), if([asq48_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4608	[ asq48_persoc_score ]  Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_persoc_count]<>"" , if([asq48_persoc_count]="6", ([asq48_persoc_sum]), if([asq48_persoc_count]="5", ([asq48_persoc_sum] + ([asq48_persoc_sum]/[asq48_persoc_count])), if([asq48_persoc_count]="4", ([asq48_persoc_sum] + (2* ([asq48_persoc_sum]/[asq48_persoc_count]))),																		

				if([asq48_persoc_count]<4, "", "")))))", "") Field Annotation: @HIDDEN-SURVEY				
	4609	[ asq48_persoc_concern ]  Show the field ONLY if: [visit_asqver]="48"	Adjusted score in category personal/social below cutoff (27)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48" and [asq48_persoc_score]<>"" , if([asq48_persoc_score]<27, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF				
	4610	[ asq48_persoc_concernwarning ]  Show the field ONLY if: [asq48_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (27). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY				
	4611	[ asq48_o1 ]  Show the field ONLY if: [visit_asqver]="48"	Section Header: <i>Overall</i>  1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	4612	[ asq48_o1spec ]  Show the field ONLY if: [asq48_o1]="0"	If no, explain:	notes Custom alignment: LV				
	4613	[ asq48_o2 ]  Show the field ONLY if: [visit_asqver]="48"	2. Do you think your child talks like other children her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	4614	[ asq48_o2spec ]  Show the field ONLY if: [asq48_o2]="0"	If no, explain:	notes Custom alignment: LV				
	4615	[ asq48_o3 ]  Show the field ONLY if: [visit_asqver]="48"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	4616	[ asq48_o3spec ]  Show the field ONLY if: [asq48_o3]="0"	If no, explain:	notes Custom alignment: LV				
	4617	[ asq48_o4 ]  Show the field ONLY if: [visit_asqver]="48"	4. Can other people understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	4618	[ asq48_o4spec ]  Show the field ONLY if: [asq48_o4]="0"	If no, explain:	notes Custom alignment: LV				
	4619	[ asq48_o5 ]  Show the field ONLY if: [visit_asqver]="48"	5. Do you think your child walks, runs, and climbs like other children his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	4620	[ asq48_o5spec ]  Show the field ONLY if: [asq48_o5]="0"	If no, explain:	notes Custom alignment: LV				
	4621	[ asq48_o6 ]  Show the field ONLY if: [visit_asqver]="48"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	4622	[ asq48_o6spec ]  Show the field ONLY if: [asq48_o6]="1"	If yes, explain:	notes Custom alignment: LV				
	4623	[ asq48_o7 ]  Show the field ONLY if: [visit_asqver]="48"	7. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No
1	Yes							
0	No							

				Custom alignment: LV						
4624	[ asq48_o7spec ] Show the field ONLY if: [asq48_o7]="1"	If yes, explain:	notes Custom alignment: LV							
4625	[ asq48_o8 ] Show the field ONLY if: [visit_asqver]="48"	8. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No			
1	Yes									
0	No									
4626	[ asq48_o8spec ] Show the field ONLY if: [asq48_o8]="1"	If yes, explain:	notes Custom alignment: LV							
4627	[ asq48_o9 ] Show the field ONLY if: [visit_asqver]="48"	9. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No			
1	Yes									
0	No									
4628	[ asq48_o9spec ] Show the field ONLY if: [asq48_o9]="1"	If yes, explain:	notes Custom alignment: LV							
4629	[ asq48_o10 ] Show the field ONLY if: [visit_asqver]="48"	10. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No			
1	Yes									
0	No									
4630	[ asq48_o10spec ] Show the field ONLY if: [asq48_o10]="1"	If yes, explain:	notes Custom alignment: LV							
4631	[ asq48_all_concern ] Show the field ONLY if: [visit_asqver]="48"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="48", if([asq48_comm_concern]="1" or [asq48_gm_concern]="1" or [asq48_fm_concern]="1" or [asq48_ps_concern]="1" or [asq48_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY							
4632	[ asq54_intro ] Show the field ONLY if: [visit_asqver]="54"	54 Month Questionnaire 51 months 0 days through 56 months 30 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed.	descriptive							
4633	[ asq54_comm1 ] Show the field ONLY if: [visit_asqver]="54"	Section Header: <i>Communication</i> 1. Does your child tell you at least two things about common objects? For example, if you say to your child, "Tell me about your ball," does she say something like, "It's round. I throw it. It's big"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4634	[ asq54_comm2 ] Show the field ONLY if: [visit_asqver]="54"	2. Does your child use all of the words in a sentence (for example, "a," "the," "am," "is," and "are") to make complete sentences, such as "I am going to the park," "Is there a toy to play with?" or "Are you coming, too?"	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4635	[ asq54_comm3 ] Show the field ONLY if: [visit_asqver]="54"	3. Does your child use endings of words, such as "-s," "-ed," and "-ing"? For example, does your child say things like, "I see two cats," "I am playing," or "I kicked the ball"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4636	[ asq54_comm4 ]	4. Without giving your child help by pointing or repeating directions, does he follow three directions that are unrelated to	radio							

		Show the field ONLY if: [visit_asqver]="54"	one another? Give all three directions before your child starts. For example, you may ask your child, "Clap your hands, walk to the door, and sit down," or "Give me the pen, open the book, and stand up."	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4637	[ asq54_comm5 ]	Show the field ONLY if: [visit_asqver]="54"	5. Does your child use four- and five-word sentences? For example, does your child say, "I want the car"?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4638	[ asq54_comm5spec ]	Show the field ONLY if: [visit_asqver]="54"	5a. Please write an exaple:	notes Custom alignment: LV						
4639	[ asq54_comm6 ]	Show the field ONLY if: [visit_asqver]="54"	6. When talking about something that already happened, does your child use words that end in "-ed," such as "walked," "jumped," or "played"? Ask your child questions, such as "How did you get to the store?" ("We walked.") "What did you do at your friend's house?" ("We played.")	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4640	[ asq54_comm6spec ]	Show the field ONLY if: [visit_asqver]="54"	6a. Please write an exaple:	notes Custom alignment: LV						
4641	[ asq54_comm_sum ]	Show the field ONLY if: [visit_asqver]="54"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum([asq54_comm1], [asq54_comm2], [asq54_comm3], [asq54_comm4], [asq54_comm5], [asq54_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4642	[ asq54_comm_count ]	Show the field ONLY if: [visit_asqver]="54"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum(if([asq54_comm1]<>"", 1, 0), if([asq54_comm2]<>"", 1, 0), if([asq54_comm3]<>"", 1, 0), if([asq54_comm4]<>"", 1, 0), if([asq54_comm5]<>"", 1, 0), if([asq54_comm6]<>"", 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4643	[ asq54_comm_score ]	Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_comm_count]<>"", if([asq54_comm_count]="6", ([asq54_comm_sum]), if([asq54_comm_count]="5", ([asq54_comm_sum] + ([asq54_comm_sum]/[asq54_comm_count])), if([asq54_comm_count]="4", ([asq54_comm_sum] + (2* ([asq54_comm_sum]/[asq54_comm_count]))), if([asq54_comm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY						
4644	[ asq54_comm_concern ]	Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category communication below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_comm_score]<>"", if([asq54_comm_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4645	[ asq54_comm_concernwarning ]	Show the field ONLY if: [asq54_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4646	[ asq54_gm1 ]	Show the field ONLY if: [visit_asqver]="54"	Section Header: <i>Gross motor</i> 1. Does your child hop up and down on either the right foot or the left foot at least one time without losing her balance or falling?	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4647	[ asq54_gm2 ]	Show the field ONLY if: [visit_asqver]="54"	2. While standing, does your child throw a ball overhand in the direction of a person standing at least 6 feet away? To throw overhand, your child must raise his arm to shoulder height and throw the ball forward. (Dropping the ball or throwing the ball underhand should be scored as "not yet.")	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4648	[ asq54_gm3 ]		3. Does your child jump forward a distance of 20 inches from a standing position, starting with her feet together?	radio						



		Show the field ONLY if: [visit_asqver]="54"		<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4649	[ asq54_gm4 ]	Show the field ONLY if: [visit_asqver]="54"	4. Does your child catch a large ball with both hands? (You should stand about 5 feet away and give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4650	[ asq54_gm5 ]	Show the field ONLY if: [visit_asqver]="54"	5. Without holding onto anything, does your child stand on one foot for at least 5 seconds without losing her balance and putting her foot down? (You may give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4651	[ asq54_gm6 ]	Show the field ONLY if: [visit_asqver]="54"	6. Does your child walk on his tiptoes for 15 feet (about the length of a large car)? (You may show him how to do this.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4652	[ asq54_gm_sum ]	Show the field ONLY if: [visit_asqver]="54"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum([asq54_gm1], [asq54_gm2], [asq54_gm3], [asq54_gm4], [asq54_gm5], [asq54_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4653	[ asq54_gm_count ]	Show the field ONLY if: [visit_asqver]="54"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum(if([asq54_gm1]<>"" , 1, 0), if([asq54_gm2]<>"" , 1, 0), if([asq54_gm3]<>"" , 1, 0), if([asq54_gm4]<>"" , 1, 0), if([asq54_gm5]<>"" , 1, 0), if([asq54_gm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4654	[ asq54_gm_score ]	Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_gm_count]<>"" , if([asq54_gm_count]="6", ([asq54_gm_sum]), if([asq54_gm_count]="5", ([asq54_gm_sum] + ([asq54_gm_sum]/[asq54_gm_count])), if([asq54_gm_count]="4", ([asq54_gm_sum] + (2* ([asq54_gm_sum]/[asq54_gm_count]))), if([asq54_gm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY						
4655	[ asq54_gm_concern ]	Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category gross motor below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_gm_score]<>"" , if([asq54_gm_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4656	[ asq54_gm_concernwarning ]	Show the field ONLY if: [asq54_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4657	[ asq54_fm1 ]	Show the field ONLY if: [visit_asqver]="54"	Section Header: <i>Fine motor</i> 1. Using the shapes below to look at, does your child copy at least three shapes onto a large piece of paper using a pencil, crayon, or pen, without tracing? (Your child's drawings should look similar to the design of the shapes below, but they may be different in size.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4658	[ asq54_fm2 ]	Show the field ONLY if: [visit_asqver]="54"	2. Does your child unbutton one or more buttons? Your child may use his own clothing or a doll's clotng.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4659	[ asq54_fm3 ]	Show the field ONLY if: [visit_asqver]="54"	3. Does your child color mostly within the lines in a coloring book or within the lines of a 2-inch circle that you draw? (Your child should not go more than 1/4 inch outside the lines on most of the picture.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr></table>	10	Yes	5	Sometimes		
10	Yes									
5	Sometimes									



				<table><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	0	Not yet					
0	Not yet										
4660	[ asq54_fm4 ]  Show the field ONLY if: [visit_asqver]="54"	4. Ask your child to trace on the line below with a pencil. Does your child trace on the line without going off the line more than two times? (Mark "sometimes" if your child goes off the line three times.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
4661	[ asq54_fm5 ]  Show the field ONLY if: [visit_asqver]="54"	5. Ask your child to draw a picture of a person on a blank sheet of paper. You may ask your child, "Draw a picture of a girl or a boy." If your child draws a person with head, body, arms, and legs, mark "yes." If your child draws a person with only three parts (head, body, arms, or legs), mark "sometimes." If your child draws a person with two or fewer parts (head, body, arms, or legs), mark "not yet." Be sure to include the sheet of paper with your child's drawing with this questionnaire.	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
4662	[ asq54_fm6 ]  Show the field ONLY if: [visit_asqver]="54"	6. Draw a line across a piece of paper. Using child-safe scissors, does your child cut the paper in half on a more or less straight line, making the blades go up and down? (Carefully watch your child's use of scissors for safety reasons.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
4663	[ asq54_fm_sum ]  Show the field ONLY if: [visit_asqver]="54"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum([asq54_fm1], [asq54_fm2], [asq54_fm3], [asq54_fm4], [asq54_fm5], [asq54_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
4664	[ asq54_fm_count ]  Show the field ONLY if: [visit_asqver]="54"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum(if([asq54_fm1]<>"", 1, 0), if([asq54_fm2]<>"", 1, 0), if([asq54_fm3]<>"", 1, 0), if([asq54_fm4]<>"", 1, 0), if([asq54_fm5]<>"", 1, 0), if([asq54_fm6]<>"", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
4665	[ asq54_fm_score ]  Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_fm_count]<>"", if([asq54_fm_count]="6", ([asq54_fm_sum]), if([asq54_fm_count]="5", ([asq54_fm_sum] + ([asq54_fm_sum]/[asq54_fm_count])), if([asq54_fm_count]="4", ([asq54_fm_sum] + (2* ([asq54_fm_sum]/[asq54_fm_count]))), if([asq54_fm_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY								
4666	[ asq54_fm_concern ]  Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category fine motor below cutoff (18)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_fm_score]<>"", if([asq54_fm_score]<18, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF								
4667	[ asq54_fm_concernwarning ]  Show the field ONLY if: [asq54_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (18). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY								
4668	[ asq54_ps1 ]  Show the field ONLY if: [visit_asqver]="54"	Section Header: <i>Problem solving</i>  1. When shown objects and asked, "What color is this?" does your child name five different colors, like red, blue, yellow, orange, black, white, or pink? (Mark "yes" only if your child answers the question correctly using five colors.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
4669	[ asq54_ps2 ]  Show the field ONLY if: [visit_asqver]="54"	2. Does your child dress up and "play-act," pretending to be someone or something else? For example, your child may dress up in different clothes and pretend to be a mommy, daddy, brother, sister, or an imaginary animal or figure.	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										
4670	[ asq54_ps3 ]  Show the field ONLY if: [visit_asqver]="54"	3. If you place five objects in front of your child, can she count them by saying, "One, two, three, four, five" in order? (Ask this question without providing help by pointing, gesturing, or naming.)	<table><tr><td colspan="2">radio</td></tr><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	radio		10	Yes	5	Sometimes	0	Not yet
radio											
10	Yes										
5	Sometimes										
0	Not yet										

				Custom alignment: LV						
4671	[ asq54_ps4 ]  Show the field ONLY if: [visit_asqver]="54"	4. When asked, "Which circle is smallest?" does your child point to the smallest circle? (Ask this question without providing help by pointing, gesturing, or looking at the smallest circle.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4672	[ asq54_ps5 ]  Show the field ONLY if: [visit_asqver]="54"	5. Does your child count up to 15 without making mistakes? If so, mark "yes." If your child counts to 12 without making mistakes, mark "sometimes."	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4673	[ asq54_ps6 ]  Show the field ONLY if: [visit_asqver]="54"	6. Does your child know the names of numbers? (Mark "yes" if he identifies the three numbers below. Mark "sometimes" if he identifies two numbers.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4674	[ asq54_ps_sum ]  Show the field ONLY if: [visit_asqver]="54"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum([asq54_ps1], [asq54_ps2], [asq54_ps3], [asq54_ps4], [asq54_ps5], [asq54_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4675	[ asq54_ps_count ]  Show the field ONLY if: [visit_asqver]="54"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum(if([asq54_ps1]<>"" , 1, 0), if([asq54_ps2]<>"" , 1, 0), if([asq54_ps3]<>"" , 1, 0), if([asq54_ps4]<>"" , 1, 0), if([asq54_ps5]<>"" , 1, 0), if([asq54_ps6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4676	[ asq54_ps_score ]  Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_ps_count]<>"" , if([asq54_ps_count]="6", ([asq54_ps_sum]), if([asq54_ps_count]="5", ([asq54_ps_sum] + ([asq54_ps_sum]/[asq54_ps_count])), if([asq54_ps_count]="4", ([asq54_ps_sum] + (2*([asq54_ps_sum]/[asq54_ps_count]))), if([asq54_ps_count]<4, "" , ""))))) , "")) Field Annotation: @HIDDEN-SURVEY							
4677	[ asq54_ps_concern ]  Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_ps_score]<>"" , if([asq54_ps_score]<29, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4678	[ asq54_ps_concernwarning ]  Show the field ONLY if: [asq54_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4679	[ asq54_persoc1 ]  Show the field ONLY if: [visit_asqver]="54"	Section Header: <i>Personal-social</i>  1. Does your child wash her hands using soap and water and dry off with a towel without help?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4680	[ asq54_persoc2 ]  Show the field ONLY if: [visit_asqver]="54"	2. Does your child tell you the names of two or more playmates, not including brothers and sisters? (Ask this question without providing help by suggesting names of playmates or friends.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									
4681	[ asq54_persoc3 ]  Show the field ONLY if: [visit_asqver]="54"	3. Does your child brush his teeth by putting toothpaste on the toothbrush and brushing all of his teeth without help? (You may still need to check and rebrush your child's teeth.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet	Custom alignment: LV
10	Yes									
5	Sometimes									
0	Not yet									

4682	[ asq54_persoc4 ] Show the field ONLY if: [visit_asqver]="54"	4. Does your child serve herself, taking food from one container to another, using utensils? (For example, does your child use a large spoon to scoop applesauce from a jar into a bowl?)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4683	[ asq54_persoc5 ] Show the field ONLY if: [visit_asqver]="54"	5. Does your child tell you at least four of the following?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4684	[ asq54_persoc5spec ] Show the field ONLY if: [visit_asqver]="54"	Please mark the items your child knows.	checkbox <table><tr><td>a</td><td>asq54_persoc5spec__a</td><td>First name</td></tr><tr><td>b</td><td>asq54_persoc5spec__b</td><td>Age</td></tr><tr><td>c</td><td>asq54_persoc5spec__c</td><td>City he lives in</td></tr><tr><td>d</td><td>asq54_persoc5spec__d</td><td>Last name</td></tr><tr><td>e</td><td>asq54_persoc5spec__e</td><td>Boy or girl</td></tr><tr><td>f</td><td>asq54_persoc5spec__f</td><td>Telephone number</td></tr></table> Custom alignment: LV	a	asq54_persoc5spec__a	First name	b	asq54_persoc5spec__b	Age	c	asq54_persoc5spec__c	City he lives in	d	asq54_persoc5spec__d	Last name	e	asq54_persoc5spec__e	Boy or girl	f	asq54_persoc5spec__f	Telephone number
a	asq54_persoc5spec__a	First name																			
b	asq54_persoc5spec__b	Age																			
c	asq54_persoc5spec__c	City he lives in																			
d	asq54_persoc5spec__d	Last name																			
e	asq54_persoc5spec__e	Boy or girl																			
f	asq54_persoc5spec__f	Telephone number																			
4685	[ asq54_persoc6 ] Show the field ONLY if: [visit_asqver]="54"	6. Does your child dress and undress herself, including buttoning medium-size buttons and zipping front zippers?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4686	[ asq54_persoc_sum ] Show the field ONLY if: [visit_asqver]="54"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum([asq54_persoc1], [asq54_persoc2], [asq54_persoc3], [asq54_persoc4], [asq54_persoc5], [asq54_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4687	[ asq54_persoc_count ] Show the field ONLY if: [visit_asqver]="54"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", sum(if([asq54_persoc1]<>"" , 1, 0), if([asq54_persoc2]<>"" , 1, 0), if([asq54_persoc3]<>"" , 1, 0), if([asq54_persoc4]<>"" , 1, 0), if([asq54_persoc5]<>"" , 1, 0), if([asq54_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4688	[ asq54_persoc_score ] Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_persoc_count]<>"" , if([asq54_persoc_count]="6" , ([asq54_persoc_sum]) , if([asq54_persoc_count]="5" , ([asq54_persoc_sum] + ([asq54_persoc_sum]/[asq54_persoc_count])), if([asq54_persoc_count]="4" , ([asq54_persoc_sum] + (2* ([asq54_persoc_sum]/[asq54_persoc_count]))), if([asq54_persoc_count]<4 , "" , "")) , "")) Field Annotation: @HIDDEN-SURVEY																		
4689	[ asq54_persoc_concern ] Show the field ONLY if: [visit_asqver]="54"	Adjusted score in category personal/social below cutoff (33)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54" and [asq54_persoc_score]<>"" , if([asq54_persoc_score]<33 , 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF																		
4690	[ asq54_persoc_concernwarning ] Show the field ONLY if: [asq54_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (33). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY																		
4691	[ asq54_o1 ] Show the field ONLY if: [visit_asqver]="54"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No														
1	Yes																				
0	No																				
4692	[ asq54_o1spec ] Show the field ONLY if: [asq54_o1]="0"	If no, explain:	notes Custom alignment: LV																		
4693	[ asq54_o2 ]	2. Do you think your child talks like other children her age?	radio																		

		Show the field ONLY if: [visit_asqver]="54"		<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4694	[ asq54_o2spec ]	Show the field ONLY if: [asq54_o2]="0"	If no, explain:	notes Custom alignment: LV				
4695	[ asq54_o3 ]	Show the field ONLY if: [visit_asqver]="54"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4696	[ asq54_o3spec ]	Show the field ONLY if: [asq54_o3]="0"	If no, explain:	notes Custom alignment: LV				
4697	[ asq54_o4 ]	Show the field ONLY if: [visit_asqver]="54"	4. Can other people understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4698	[ asq54_o4spec ]	Show the field ONLY if: [asq54_o4]="0"	If no, explain:	notes Custom alignment: LV				
4699	[ asq54_o5 ]	Show the field ONLY if: [visit_asqver]="54"	5. Do you think your child walks, runs, and climbs like other children his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4700	[ asq54_o5spec ]	Show the field ONLY if: [asq54_o5]="0"	If no, explain:	notes Custom alignment: LV				
4701	[ asq54_o6 ]	Show the field ONLY if: [visit_asqver]="54"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4702	[ asq54_o6spec ]	Show the field ONLY if: [asq54_o6]="1"	If yes, explain:	notes Custom alignment: LV				
4703	[ asq54_o7 ]	Show the field ONLY if: [visit_asqver]="54"	7. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4704	[ asq54_o7spec ]	Show the field ONLY if: [asq54_o7]="1"	If yes, explain:	notes Custom alignment: LV				
4705	[ asq54_o8 ]	Show the field ONLY if: [visit_asqver]="54"	8. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
4706	[ asq54_o8spec ]	Show the field ONLY if: [asq54_o8]="1"	If yes, explain:	notes Custom alignment: LV				
4707	[ asq54_o9 ]	Show the field ONLY if: [visit_asqver]="54"	9. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							

4708	[ asq54_o9spec ] Show the field ONLY if: [asq54_o9]="1"	If yes, explain:	notes Custom alignment: LV						
4709	[ asq54_o10 ] Show the field ONLY if: [visit_asqver]="54"	10. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
4710	[ asq54_o10spec ] Show the field ONLY if: [asq54_o10]="1"	If yes, explain:	notes Custom alignment: LV						
4711	[ asq54_all_concern ] Show the field ONLY if: [visit_asqver]="54"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="54", if(((asq54_comm_concern]="1" or [asq54_gm_concern]="1" or [asq54_fm_concern]="1" or [asq54_ps_concern]="1" or [asq54_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
4712	[ asq60_intro ] Show the field ONLY if: [visit_asqver]="60"	60 Month Questionnaire 57 months 0 days through 66 months 0 days On the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet. Important Points to Remember: Try each activity with your child before marking a response. Make completing this questionnaire a game that is fun for you and your child. Make sure your child is rested and fed.	descriptive						
4713	[ asq60_comm1 ] Show the field ONLY if: [visit_asqver]="60"	Section Header: <i>Communication</i> 1. Without your giving help by pointing or repeating directions, does your child follow three directions that are unrelated to one another? Give all three directions before your child starts. For example, you may ask your child, "Clap your hands, walk to the door, and sit down," or "Give me the pen, open the book, and stand up."	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4714	[ asq60_comm2 ] Show the field ONLY if: [visit_asqver]="60"	2. Does your child use four- and five-word sentences? For example, does your child say, "I want the car"?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4715	[ asq60_comm2spec ] Show the field ONLY if: [visit_asqver]="60" and [asq60_comm2]<>"0"	Please write an example:	notes Custom alignment: LV						
4716	[ asq60_comm3 ] Show the field ONLY if: [visit_asqver]="60"	3. When talking about something that already happened, does your child use words that end in "-ed," such as "walked," "jumped," or "played"? Ask your child questions, such as "How did you get to the store?" ("We walked.") "What did you do at your friend's house?" ("We played.")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4717	[ asq60_comm3spec ] Show the field ONLY if: [visit_asqver]="60" and [asq60_comm3]<>"0"	3a. Please write an example:	notes Custom alignment: LV						
4718	[ asq60_comm4 ] Show the field ONLY if: [visit_asqver]="60"	4. Does your child use comparison words, such as "heavier," "stronger," or "shorter"? Ask your child questions, such as "A car is big, but a bus is ____" (bigger); "A cat is heavy, but a man is ____" (heavier); "A TV is small, but a book is ____" (smaller).	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4719	[ asq60_comm4spec ] Show the field ONLY if: [visit_asqver]="60" and [asq60_comm4]<>"0"	4a. Please write an example:	notes Custom alignment: LV						
4720	[ asq60_comm5 ]	5. Does your child answer the following questions? (Mark "sometimes" if your child answers only one question.)	radio						

		Show the field ONLY if: [visit_asqver]="60"		<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4721	[ asq60_comm5spec1 ]	Show the field ONLY if: [visit_asqver]="60"	5a. "What do you do when you are hungry?" (Acceptable answers include "get food," "eat," "ask for something to eat," and "have a snack.") Please write your child's response:	notes Custom alignment: LV						
4722	[ asq60_comm5spec2 ]	Show the field ONLY if: [visit_asqver]="60"	5b. "What do you do when you are tired?" (Acceptable answers include: "take a nap," "rest," "go to sleep," "go to bed," "lie down," and "sit down.") Please write your child's response:	notes Custom alignment: LV						
4723	[ asq60_comm6 ]	Show the field ONLY if: [visit_asqver]="60"	6. Does your child repeat the sentences shown below back to you, without any mistakes? (Read the sentences one at a time. You may repeat each sentence one time. Mark "yes" if your child repeats both sentences without mistakes or "sometimes" if your child repeats one sentence without mistakes.)Jane hides her shoes for Maria to find.AI read the blue book under his bed.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4724	[ asq60_comm_sum ]	Show the field ONLY if: [visit_asqver]="60"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum([asq60_comm1], [asq60_comm2], [asq60_comm3], [asq60_comm4], [asq60_comm5], [asq60_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4725	[ asq60_comm_count ]	Show the field ONLY if: [visit_asqver]="60"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum(if([asq60_comm1]<>"" , 1, 0), if([asq60_comm2]<>"" , 1, 0), if([asq60_comm3]<>"" , 1, 0), if([asq60_comm4]<>"" , 1, 0), if([asq60_comm5]<>"" , 1, 0), if([asq60_comm6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4726	[ asq60_comm_score ]	Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_comm_count]<>"" , if([asq60_comm_count]="6", ([asq60_comm_sum]), if([asq60_comm_count]="5", ([asq60_comm_sum] + ([asq60_comm_sum]/[asq60_comm_count])), if([asq60_comm_count]="4", ([asq60_comm_sum] + (2* ([asq60_comm_sum]/[asq60_comm_count]))), if([asq60_comm_count]<4, "" , ""))), "") Field Annotation: @HIDDEN-SURVEY						
4727	[ asq60_comm_concern ]	Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category communication below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_comm_score]<>"" , if([asq60_comm_score]<34, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4728	[ asq60_comm_concernwarning ]	Show the field ONLY if: [asq60_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4729	[ asq60_gm1 ]	Show the field ONLY if: [visit_asqver]="60"	Section Header: <i>Gross motor</i>  1. While standing, does your child throw a ball overhand in the direction of a person standing at least 6 feet away? To throw overhand, your child must raise his arm to shoulder height and throw the ball forward. (Dropping the ball or throwing the ball underhand should be scored as "not yet:")	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4730	[ asq60_gm2 ]	Show the field ONLY if: [visit_asqver]="60"	2. Does your child catch a large ball with both hands? (You should stand about 5 feet away and give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4731	[ asq60_gm3 ]	Show the field ONLY if: [visit_asqver]="60"	3. Without holding onto anything, does your child stand on one foot for at least 5 seconds without losing her balance and putting her foot down? (You may give your child two or three tries before you mark the answer.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4732	[ asq60_gm4 ]		4. Does your child walk on his tiptoes for 15 feet (about the length of a large car)? (You may show him how to do this.)	radio						

		Show the field ONLY if: [visit_asqver]="60"		<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4733	[ asq60_gm5 ]	Show the field ONLY if: [visit_asqver]="60"	5. Does your child hop forward on one foot for a distance of 4-6 feet without putting down the other foot? (You may give her two tries on each foot. Mark "sometimes" if she can hop on one foot only.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4734	[ asq60_gm6 ]	Show the field ONLY if: [visit_asqver]="60"	6. Does your child skip using alternating feet? (You may show him how to do this.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4735	[ asq60_gm_sum ]	Show the field ONLY if: [visit_asqver]="60"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum([asq60_gm1], [asq60_gm2], [asq60_gm3], [asq60_gm4], [asq60_gm5], [asq60_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4736	[ asq60_gm_count ]	Show the field ONLY if: [visit_asqver]="60"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum(if([asq60_gm1]<>"" and [visit_asqver]="60", 1, 0), if([asq60_gm2]<>"" and [visit_asqver]="60", 1, 0), if([asq60_gm3]<>"" and [visit_asqver]="60", 1, 0), if([asq60_gm4]<>"" and [visit_asqver]="60", 1, 0), if([asq60_gm5]<>"" and [visit_asqver]="60", 1, 0), if([asq60_gm6]<>"" and [visit_asqver]="60", 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4737	[ asq60_gm_score ]	Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_gm_count]<>"" and [visit_asqver]="60", if([asq60_gm_count]="6", ([asq60_gm_sum]), if([asq60_gm_count]="5", ([asq60_gm_sum] + ([asq60_gm_sum]/[asq60_gm_count])), if([asq60_gm_count]="4", ([asq60_gm_sum] + (2*([asq60_gm_sum]/[asq60_gm_count]))), if([asq60_gm_count]<4, "", ""))), "") Field Annotation: @HIDDEN-SURVEY						
4738	[ asq60_gm_concern ]	Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category gross motor below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_gm_score]<>"" and [visit_asqver]="60", if([asq60_gm_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4739	[ asq60_gm_concernwarning ]	Show the field ONLY if: [asq60_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4740	[ asq60_fm1 ]	Show the field ONLY if: [visit_asqver]="60"	Section Header: <i>Fine motor</i> 1. Ask your child to trace on the line below with a pencil. Does your child trace on the line without going off the line more than two times? (Mark "sometimes" if your child goes off the line three times.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4741	[ asq60_fm2 ]	Show the field ONLY if: [visit_asqver]="60"	2. Ask your child to draw a picture of a person on a blank sheet of paper. You may ask your child, "Draw a picture of a girl or a boy." If your child draws a person with head, body, arms, and legs, mark "yes." If your child draws a person with only three parts (head, body, arms, or legs), mark "sometimes." If your child draws a person with two or fewer parts (head, body, arms, or legs), mark "not yet." Be sure to include the sheet of paper with your child's drawing with this questionnaire.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4742	[ asq60_fm3 ]	Show the field ONLY if: [visit_asqver]="60"	3. Draw a line across a piece of paper. Using child-safe scissors, does your child cut the paper in half on a more or less straight line, making the blades go up and down? (Carefully watch your child's use of scissors for safety reasons.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes									
5	Sometimes									
0	Not yet									
4743	[ asq60_fm4 ]	Show the field ONLY if: [visit_asqver]="60"	4. Using the shapes below to look at, does your child copy the shapes in the space below without tracing? (Your child's drawings should look similar to the design of the shapes below, but they	radio <table><tr><td>10</td><td>Yes</td></tr></table>	10	Yes				
10	Yes									



			may be different in size. Mark "yes" if she copies all three shapes; mark "sometimes" if your child copies two shapes.)	<table><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	5	Sometimes	0	Not yet	
5	Sometimes								
0	Not yet								
4744	[ asq60_fm5 ]  Show the field ONLY if: [visit_asqver]="60"	5. Using the letters below to look at, does your child copy the letters without tracing? Cover up all of the letters except the letter being copied. (Mark "yes" if your child copies four of the letters and you can read them. Mark "sometimes" if your child copies two or three letters and you can read them.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4745	[ asq60_fm6 ]  Show the field ONLY if: [visit_asqver]="60"	6. Print your child's first name. Can your child copy the letters? The letters may be large, backward, or reversed. (Mark "sometimes" if your child copies about half of the letters.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4746	[ asq60_fm_sum ]  Show the field ONLY if: [visit_asqver]="60"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum([asq60_fm1], [asq60_fm2], [asq60_fm3], [asq60_fm4], [asq60_fm5], [asq60_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
4747	[ asq60_fm_count ]  Show the field ONLY if: [visit_asqver]="60"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum(if([asq60_fm1]<>"" , 1, 0), if([asq60_fm2]<>"" , 1, 0), if([asq60_fm3]<>"" , 1, 0), if([asq60_fm4]<>"" , 1, 0), if([asq60_fm5]<>"" , 1, 0), if([asq60_fm6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4748	[ asq60_fm_score ]  Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_fm_count]<>"" , if([asq60_fm_count]="6", ([asq60_fm_sum]), if([asq60_fm_count]="5", ([asq60_fm_sum] + ([asq60_fm_sum]/[asq60_fm_count])), if([asq60_fm_count]="4", ([asq60_fm_sum] + (2*([asq60_fm_sum]/[asq60_fm_count]))), if([asq60_fm_count]<4, "" , ""))))), "")) Field Annotation: @HIDDEN-SURVEY						
4749	[ asq60_fm_concern ]  Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category fine motor below cutoff (27)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_fm_score]<>"" , if([asq60_fm_score]<27, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF						
4750	[ asq60_fm_concernwarning ]  Show the field ONLY if: [asq60_fm_concern]="1"	Warning: Adjusted score in category fine motor below cutoff (27). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY						
4751	[ asq60_ps1 ]  Show the field ONLY if: [visit_asqver]="60"	Section Header: <i>Problem solving</i>  1. When asked, "Which circle is smallest?" does your child point to the smallest circle? (Ask this question without providing help by pointing, gesturing, or looking at the smallest circle.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4752	[ asq60_ps2 ]  Show the field ONLY if: [visit_asqver]="60"	2. When shown objects and asked, "What color is this?" does your child name five different colors like red, blue, yellow, orange, black, white, or pink? (Mark "yes" only if your child answers the question correctly using five colors.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4753	[ asq60_ps3 ]  Show the field ONLY if: [visit_asqver]="60"	3. Does your child count up to 15 without making mistakes? If so, mark "yes." If your child counts to 12 without making mistakes, mark "sometimes."	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								
4754	[ asq60_ps4 ]  Show the field ONLY if: [visit_asqver]="60"	4. Does your child finish the following sentences using a word that means the opposite of the word that is italicized? For example: "A rock is hard, and a pillow is soft." (Mark "yes" if he finishes three of four sentences correctly. Mark "sometimes" if he finishes two of four sentences correctly.)	<table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table>	10	Yes	5	Sometimes	0	Not yet
10	Yes								
5	Sometimes								
0	Not yet								



				Custom alignment: LV						
4755	[ asq60_ps4spec1 ]  Show the field ONLY if: [visit_asqver]="60"	4a. A cow is big, and a mouse is	text							
4756	[ asq60_ps4spec2 ]  Show the field ONLY if: [visit_asqver]="60"	4b. Ice is cold, and fire is	text							
4757	[ asq60_ps4spec3 ]  Show the field ONLY if: [visit_asqver]="60"	4c. We see stars at night, and we see the sun during the	text							
4758	[ asq60_ps4spec4 ]  Show the field ONLY if: [visit_asqver]="60"	4d. When I throw the ball up, it comes	text							
4759	[ asq60_ps5 ]  Show the field ONLY if: [visit_asqver]="60"	5. Does your child know the names of numbers? (Mark "yes" if she identifies the three numbers below. Mark "sometimes" if she identifies two numbers.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4760	[ asq60_ps6 ]  Show the field ONLY if: [visit_asqver]="60"	6. Does your child name at least four letters in her name? Point to the letters and ask, "What letter is this?" (Point to the letters out of order.)	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4761	[ asq60_ps_sum ]  Show the field ONLY if: [visit_asqver]="60"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum([asq60_ps1], [asq60_ps2], [asq60_ps3], [asq60_ps4], [asq60_ps5], [asq60_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF							
4762	[ asq60_ps_count ]  Show the field ONLY if: [visit_asqver]="60"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum(if([asq60_ps1]<>"" , 1, 0), if([asq60_ps2]<>"" , 1, 0), if([asq60_ps3]<>"" , 1, 0), if([asq60_ps4]<>"" , 1, 0), if([asq60_ps5]<>"" , 1, 0), if([asq60_ps6]<>"" , 1, 0)), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4763	[ asq60_ps_score ]  Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_ps_count]<>"" , if([asq60_ps_count]="6", ([asq60_ps_sum]), if([asq60_ps_count]="5", ([asq60_ps_sum] + ([asq60_ps_sum]/[asq60_ps_count])), if([asq60_ps_count]="4", ([asq60_ps_sum] + (2*([asq60_ps_sum]/[asq60_ps_count]))), if([asq60_ps_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY							
4764	[ asq60_ps_concern ]  Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category problem solving below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_ps_score]<>"" , if([asq60_ps_score]<30, 1, 0), "")) Field Annotation: @HIDDEN @HIDDEN-PDF							
4765	[ asq60_ps_concernwarning ]  Show the field ONLY if: [asq60_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY							
4766	[ asq60_persoc1 ]  Show the field ONLY if: [visit_asqver]="60"	Section Header: <i>Personal-social</i>  1. Can your child serve himself, taking food from one container to another, using utensils? For example, does your child use a large spoon to scoop applesauce from a jar into a bowl?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									
4767	[ asq60_persoc2 ]  Show the field ONLY if: [visit_asqver]="60"	2. Does your child wash her hands and face using soap and water and dry off with a towel without help?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet	
10	Yes									
5	Sometimes									
0	Not yet									

4768	[ asq60_persoc3 ]  Show the field ONLY if: [visit_asqver]="60"	3. Does your child tell you at least four of the following?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4769	[ asq60_persoc3spec ]  Show the field ONLY if: [visit_asqver]="60"	Please mark the items your child knows.	checkbox <table><tr><td>a</td><td>asq60_persoc3spec__a</td><td>First name</td></tr><tr><td>b</td><td>asq60_persoc3spec__b</td><td>Age</td></tr><tr><td>c</td><td>asq60_persoc3spec__c</td><td>City he lives in</td></tr><tr><td>d</td><td>asq60_persoc3spec__d</td><td>Last name</td></tr><tr><td>e</td><td>asq60_persoc3spec__e</td><td>Boy or girl</td></tr><tr><td>f</td><td>asq60_persoc3spec__f</td><td>Telephone number</td></tr></table> Custom alignment: LV	a	asq60_persoc3spec__a	First name	b	asq60_persoc3spec__b	Age	c	asq60_persoc3spec__c	City he lives in	d	asq60_persoc3spec__d	Last name	e	asq60_persoc3spec__e	Boy or girl	f	asq60_persoc3spec__f	Telephone number
a	asq60_persoc3spec__a	First name																			
b	asq60_persoc3spec__b	Age																			
c	asq60_persoc3spec__c	City he lives in																			
d	asq60_persoc3spec__d	Last name																			
e	asq60_persoc3spec__e	Boy or girl																			
f	asq60_persoc3spec__f	Telephone number																			
4770	[ asq60_persoc4 ]  Show the field ONLY if: [visit_asqver]="60"	4. Does your child dress and undress himself, including buttoning medium-size buttons and zipping front zippers?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4771	[ asq60_persoc5 ]  Show the field ONLY if: [visit_asqver]="60"	5. Does your child use the toilet by herself? (She goes to the bathroom, sits on the toilet, wipes, and flushes.) Mark "yes" even if she does this after you remind her.	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4772	[ asq60_persoc6 ]  Show the field ONLY if: [visit_asqver]="60"	6. Does your child usually take turns and share with other children?	radio <table><tr><td>10</td><td>Yes</td></tr><tr><td>5</td><td>Sometimes</td></tr><tr><td>0</td><td>Not yet</td></tr></table> Custom alignment: LV	10	Yes	5	Sometimes	0	Not yet												
10	Yes																				
5	Sometimes																				
0	Not yet																				
4773	[ asq60_persoc_sum ]  Show the field ONLY if: [visit_asqver]="60"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum([asq60_persoc1], [asq60_persoc2], [asq60_persoc3], [asq60_persoc4], [asq60_persoc5], [asq60_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4774	[ asq60_persoc_count ]  Show the field ONLY if: [visit_asqver]="60"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", sum(if([asq60_persoc1]<>"" , 1, 0), if([asq60_persoc2]<>"" , 1, 0), if([asq60_persoc3]<>"" , 1, 0), if([asq60_persoc4]<>"" , 1, 0), if([asq60_persoc5]<>"" , 1, 0), if([asq60_persoc6]<>"" , 1, 0))), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4775	[ asq60_persoc_score ]  Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_persoc_count]<>"" , if([asq60_persoc_count]="6", ([asq60_persoc_sum]), if([asq60_persoc_count]="5", ([asq60_persoc_sum] + ([asq60_persoc_sum]/[asq60_persoc_count])), if([asq60_persoc_count]="4", ([asq60_persoc_sum] + (2* ([asq60_persoc_sum]/[asq60_persoc_count]))), if([asq60_persoc_count]<4, "", ""))))) Field Annotation: @HIDDEN-SURVEY																		
4776	[ asq60_persoc_concern ]  Show the field ONLY if: [visit_asqver]="60"	Adjusted score in category personal/social below cutoff (40)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60" and [asq60_persoc_score]<>"" , if([asq60_persoc_score]<40, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF																		
4777	[ asq60_persoc_concernwarning ]  Show the field ONLY if: [asq60_persoc_concern]="1"	Warning: Adjusted score in category personal/social below cutoff (40). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY																		
4778	[ asq60_o1 ]  Show the field ONLY if: [visit_asqver]="60"	Section Header: <i>Overall</i>  1. Do you think your child hears well?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No														
1	Yes																				
0	No																				

				Custom alignment: LV			
4779	[ asq60_o1spec ] Show the field ONLY if: [asq60_o1]="0"	If no, explain:	notes Custom alignment: LV				
4780	[ asq60_o2 ] Show the field ONLY if: [visit_asqver]="60"	2. Do you think your child talks like other children her age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4781	[ asq60_o2spec ] Show the field ONLY if: [asq60_o2]="0"	If no, explain:	notes Custom alignment: LV				
4782	[ asq60_o3 ] Show the field ONLY if: [visit_asqver]="60"	3. Can you understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4783	[ asq60_o3spec ] Show the field ONLY if: [asq60_o3]="0"	If no, explain:	notes Custom alignment: LV				
4784	[ asq60_o4 ] Show the field ONLY if: [visit_asqver]="60"	4. Can other people understand most of what your child says?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4785	[ asq60_o4spec ] Show the field ONLY if: [asq60_o4]="0"	If no, explain:	notes Custom alignment: LV				
4786	[ asq60_o5 ] Show the field ONLY if: [visit_asqver]="60"	5. Do you think your child walks, runs, and climbs like other children his age?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4787	[ asq60_o5spec ] Show the field ONLY if: [asq60_o5]="0"	If no, explain:	notes Custom alignment: LV				
4788	[ asq60_o6 ] Show the field ONLY if: [visit_asqver]="60"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4789	[ asq60_o6spec ] Show the field ONLY if: [asq60_o6]="1"	If yes, explain:	notes Custom alignment: LV				
4790	[ asq60_o7 ] Show the field ONLY if: [visit_asqver]="60"	7. Do you have any concerns about your child's vision?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4791	[ asq60_o7spec ] Show the field ONLY if: [asq60_o7]="1"	If yes, explain:	notes Custom alignment: LV				
4792	[ asq60_o8 ] Show the field ONLY if: [visit_asqver]="60"	8. Has your child had any medical problems in the last several months?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
4793	[ asq60_o8spec ] Show the field ONLY if: [asq60_o8]="1"	If yes, explain:	notes Custom alignment: LV				

	4794	[ asq60_o9 ]  Show the field ONLY if: [visit_asqver]="60"	9. Do you have any concerns about your child's behavior?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	4795	[ asq60_o9spec ]  Show the field ONLY if: [asq60_o9]="1"	If yes, explain:	notes Custom alignment: LV						
	4796	[ asq60_o10 ]  Show the field ONLY if: [visit_asqver]="60"	10. Does anything about your child worry you?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	4797	[ asq60_o10spec ]  Show the field ONLY if: [asq60_o10]="1"	If yes, explain:	notes Custom alignment: LV						
	4798	[ asq60_all_concern ]  Show the field ONLY if: [visit_asqver]="60"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="60", if([asq60_comm_concern]="1" or [asq60_gm_concern]="1" or [asq60_fm_concern]="1" or [asq60_ps_concern]="1" or [asq60_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY						
	4799	[ asq_concern ]	Is there a concerning section on this form (all ages)	calc Calculation: if([asq_fversion]<>"" , if([asq2_all_concern]="1" or [asq4_all_concern]="1" or [asq6_all_concern]="1" or [asq8_all_concern]="1" or [asq9_all_concern]="1" or [asq10_all_concern]="1" or [asq12_all_concern]="1" or [asq14_all_concern]="1" or [asq16_all_concern]="1" or [asq18_all_concern]="1" or [asq20_all_concern]="1" or [asq22_all_concern]="1" or [asq24_all_concern]="1" or [asq27_all_concern]="1" or [asq30_all_concern]="1" or [asq33_all_concern]="1" or [asq36_all_concern]="1" or [asq42_all_concern]="1" or [asq48_all_concern]="1" or [asq54_all_concern]="1" or [asq60_all_concern]="1", 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF						
	4800	[ asq_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Behavior Checklist</b> (behavior_checklist)										
Active languages: None										
	4801	[ asrcbcl_fversion ]	CBCL form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
	4802	[ asrcbcl_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
	4803	[ asrcbcl_colllang ]	_form collection language	text Field Annotation: @LANGUAGE-CURRENT-SURVEY @HIDDEN						
	4804	[ asrcbcl_agewarning ]  Show the field ONLY if: [visit_agemo]<18 or ([visit_age]>=6 and [visit_age]<18)	Note: the participant is in the age range of 6 years to 18 years, or less that 18 months. This form is only to be completed for participants aged 18 months through 5 years old, or participants 18 years or or greater. Please click "cancel" and leave this form blank.	descriptive Field Annotation: @HIDDEN-SURVEY						
	4805	[ asrcbcl_coord ]	Check this box if the coordinator is entering data:	checkbox <table><tr><td>1</td><td>asrcbcl_coord__1</td><td>Coordinator data entry</td></tr></table> Field Annotation: @HIDDEN-SURVEY	1	asrcbcl_coord__1	Coordinator data entry			
1	asrcbcl_coord__1	Coordinator data entry								
	4806	[ cbc1_intro ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	Below is a list of items that describe children. For each item that describes the child now or within the past 2 months, please indicate if the item is very true or often true, somewhat or sometimes true of the child, or not true of the child. Please answer all items as well as you can, even if some do not seem to apply to the child.	descriptive						
	4807	[ cbc1_01 ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	1. Aches or pains (without medical cause, do not include stomach or headaches)	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true		
0	Not true (as far as you know)									
1	Somewhat or sometimes true									

				2	Very true or often true
4808	[ cbc1_02 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	2. Acts too young for age	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4809	[ cbc1_03 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	3. Afraid to try new things	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4810	[ cbc1_04 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	4. Avoids looking others in the eye	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4811	[ cbc1_05 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	5. Can't concentrate, can't pay attention for long	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4812	[ cbc1_06 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	6. Can't sit still, restless, or hyperactive	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4813	[ cbc1_07 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	7. Can't stand having things out of place	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4814	[ cbc1_08 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	8. Can't stand waiting; wants everything now	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4815	[ cbc1_09 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	9. Chews on things that aren't edible	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4816	[ cbc1_10 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	10. Clings to adults or too dependent	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4817	[ cbc1_11 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	11. Constantly seeks help	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4818	[ cbc1_12 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	12. Constipated, doesn't move bowels (when not sick)	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4819	[ cbc1_13 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	13. Cries a lot	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4820	[ cbc1_14 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	14. Cruel to animals	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true

4821	[cbc1_15] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	15. Defiant	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4822	[cbc1_16] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	16. Demands must be met immediately	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4823	[cbc1_17] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	17. Destroys his/her own things	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4824	[cbc1_18] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	18. Destroys things belonging to his/her family or other children	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4825	[cbc1_19] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	19. Diarrhea or loose bowels (when not sick)	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4826	[cbc1_20] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	20. Disobedient	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4827	[cbc1_21] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	21. Disturbed by any change in routine	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4828	[cbc1_22] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	22. Doesn't want to sleep alone	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4829	[cbc1_23] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	23. Doesn't answer when people talk to him/her	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4830	[cbc1_24] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	24. Doesn't eat well	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4831	[cbc1_25] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	25. Doesn't get along with other children	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4832	[cbc1_26] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	26. Doesn't know how to have fun; acts like a little adult	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4833	[cbc1_27] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	27. Doesn't seem to feel guilty after misbehaving	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4834	[cbc1_28] Show the field ONLY if:	28. Doesn't want to go out of home	radio (Matrix) 0 Not true (as far as you know)

		[visit_agemo]>=18 and [visit_age]<6		<table><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	1	Somewhat or sometimes true	2	Very true or often true		
1	Somewhat or sometimes true									
2	Very true or often true									
4835	[ cbc1_29 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	29. Easily frustrated	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4836	[ cbc1_30 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	30. Easily jealous	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4837	[ cbc1_31 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	31. Eats or drinks things that are not food - don't include sweets	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4838	[ cbc1_32 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	32. Fears certain animals, situations, or places	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4839	[ cbc1_33 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	33. Feelings are easily hurt	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4840	[ cbc1_34 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	34. Gets hurt a lot, accident-prone	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4841	[ cbc1_35 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	35. Gets into many fights	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4842	[ cbc1_36 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	36. Gets into everything	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4843	[ cbc1_37 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	37. Gets too upset when separated from parents	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4844	[ cbc1_38 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	38. Has trouble getting to sleep	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4845	[ cbc1_39 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	39. Headaches (without medical cause)	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4846	[ cbc1_40 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	40. Hits others	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)									
1	Somewhat or sometimes true									
2	Very true or often true									
4847	[ cbc1_41 ]	Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	41. Holds his/her breath	radio (Matrix) <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true		
0	Not true (as far as you know)									
1	Somewhat or sometimes true									

				<table><tr><td>2</td><td>Very true or often true</td></tr></table>	2	Very true or often true			
2	Very true or often true								
4848	<div>[ cbc1_42 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	42. Hurts animals or people without meaning to	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4849	<div>[ cbc1_43 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	43. Looks unhappy without good reason	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4850	<div>[ cbc1_44 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	44. Angry moods	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4851	<div>[ cbc1_45 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	45. Nausea, feels sick (without medical cause)	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4852	<div>[ cbc1_46 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	46. Nervous movements or twitching	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4853	<div>[ cbc1_47 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	47. Nervous, highstrung, or tense	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4854	<div>[ cbc1_48 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	48. Nightmares	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4855	<div>[ cbc1_49 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	49. Overeating	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4856	<div>[ cbc1_50 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	50. Overtired	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4857	<div>[ cbc1_51 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	51. Shows panic for no good reason	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4858	<div>[ cbc1_52 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	52. Painful bowel movements (without medical cause)	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4859	<div>[ cbc1_53 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	53. Physically attacks people	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								
4860	<div>[ cbc1_54 ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	54. Picks nose, skin, or other parts of body	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
0	Not true (as far as you know)								
1	Somewhat or sometimes true								
2	Very true or often true								



4861	[ cbc1_55 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	55. Plays with own sex parts too much	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4862	[ cbc1_56 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	56. Poorly coordinated or clumsy	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4863	[ cbc1_57 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	57. Problems with eyes (without medical cause)	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4864	[ cbc1_58 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	58. Punishment doesn't change his/her behavior	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4865	[ cbc1_59 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	59. Quickly shifts from one activity to another	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4866	[ cbc1_60 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	60. Rashes or other skin problems (without medical cause)	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4867	[ cbc1_61 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	61. Refuses to eat	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4868	[ cbc1_62 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	62. Refuses to play active games	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4869	[ cbc1_63 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	63. Repeatedly rocks head or body	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4870	[ cbc1_64 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	64. Resists going to bed at night	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4871	[ cbc1_65 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	65. Resists toilet training	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4872	[ cbc1_66 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	66. Screams a lot	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4873	[ cbc1_67 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	67. Seems unresponsive to affection	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4874	[ cbc1_68 ] Show the field ONLY if:	68. Self-conscious or easily embarrassed	radio (Matrix) 0 Not true (as far as you know)

		[visit_age] >= 18 and [visit_age] < 6		<table><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	1	Somewhat or sometimes true	2	Very true or often true				
1	Somewhat or sometimes true											
2	Very true or often true											
4875	[ cbc1_69 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	69. Selfish or won't share	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4876	[ cbc1_70 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	70. Shows little affection toward people	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4877	[ cbc1_71 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	71. Shows little interest in things around him/her	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4878	[ cbc1_72 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	72. Shows too little fear of getting hurt	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4879	[ cbc1_73 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	73. Too shy or timid	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4880	[ cbc1_74 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	74. Sleeps less than most kids during day and/or night	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4881	[ cbc1_75 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	75. Smears or plays with bowel movements	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4882	[ cbc1_76 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	76. Speech problem	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4883	[ cbc1_77 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	77. Stares into space or seems preoccupied	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4884	[ cbc1_78 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	78. Stomachaches or cramps (without medical cause)	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4885	[ cbc1_79 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	79. Rapid shifts between sadness and excitement	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4886	[ cbc1_80 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	80. Strange behavior	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											
2	Very true or often true											
4887	[ cbc1_81 ]	Show the field ONLY if: [visit_age] >= 18 and [visit_age] < 6	81. Stubborn, sullen, or irritable	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true (as far as you know)</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr></table>	radio (Matrix)		0	Not true (as far as you know)	1	Somewhat or sometimes true		
radio (Matrix)												
0	Not true (as far as you know)											
1	Somewhat or sometimes true											

				2	Very true or often true
4888	[cbc1_82] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	82. Sudden changes in mood or feelings	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4889	[cbc1_83] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	83. Sulks a lot	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4890	[cbc1_84] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	84. Talks or cries out in sleep	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4891	[cbc1_85] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	85. Temper tantrums or hot temper	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4892	[cbc1_86] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	86. Too concerned with neatness or cleanliness	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4893	[cbc1_87] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	87. Too fearful or anxious	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4894	[cbc1_88] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	88. Uncooperative	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4895	[cbc1_89] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	89. Underactive, slow moving, or lacks energy	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4896	[cbc1_90] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	90. Unhappy, sad, or depressed	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4897	[cbc1_91] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	91. Unusually loud	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4898	[cbc1_92] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	92. Upset by new people or situations	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4899	[cbc1_93] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	93. Vomiting, throwing up (without medical cause)	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true
4900	[cbc1_94] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	94. Wakes up often at night	radio (Matrix)	0	Not true (as far as you know)
				1	Somewhat or sometimes true
				2	Very true or often true

4901	[ cbc1_95 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	95. Wanders away	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4902	[ cbc1_96 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	96. Wants a lot of attention	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4903	[ cbc1_97 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	97. Whining	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4904	[ cbc1_98 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	98. Withdrawn, doesn't get involved with others	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4905	[ cbc1_99 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	99. Worries	radio (Matrix) 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4906	[ cbc1_100 ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100. Please write in any problems the child has that were not listed above:{cbc1_100at:icons}{cbc1_100ac:icons}{cbc1_100bt:icons}{cbc1_100bc:icons}{cbc1_100ct:icons}{cbc1_100cc:icons}	descriptive
4907	[ cbc1_100at ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100a. Problem (description)	text
4908	[ cbc1_100ac ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100a. Problem (severity)	radio 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4909	[ cbc1_100bt ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100b. Problem (description)	text
4910	[ cbc1_100bc ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100b. Problem (severity)	radio 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4911	[ cbc1_100ct ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100c. Problem (description)	text
4912	[ cbc1_100cc ] Show the field ONLY if: [visit_agemo]>=18 and [visit_age]<6	100c. Problem (severity)	radio 0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true
4913	[ cbc1_24spec ] Show the field ONLY if: [cbc1_24]="1" or [cbc1_24]="2"	You said that [sname] doesn't eat well; please describe what you mean:	text Custom alignment: LV
4914	[ cbc1_31spec ] Show the field ONLY if: [cbc1_31]="1" or [cbc1_31]="2"	You said that [sname] eats or drinks things that are not food; please describe what kinds of things:	text Custom alignment: LV
4915	[ cbc1_32spec ] Show the field ONLY if: [cbc1_32]="1" or [cbc1_32]="2"	You said that [sname] fears certain animals, situations, or places; please describe what animals, situations, or places [sname] fears:	text Custom alignment: LV

4916	<div>[ <b>cbcl_46spec</b> ]</div> <div>Show the field ONLY if: [cbcl_46]="1" or [cbcl_46]="2"</div>	You said that [sname] has nervous movements or twitches; please describe what you mean:	text Custom alignment: LV
4917	<div>[ <b>cbcl_54spec</b> ]</div> <div>Show the field ONLY if: [cbcl_54]="1" or [cbcl_54]="2"</div>	You said that [sname] picks their nose, skin, or other parts of their body; please describe what you mean:	text Custom alignment: LV
4918	<div>[ <b>cbcl_57spec</b> ]</div> <div>Show the field ONLY if: [cbcl_57]="1" or [cbcl_57]="2"</div>	You said that [sname] has problems with their eyes (without a medical cause); please describe what you mean:	text Custom alignment: LV
4919	<div>[ <b>cbcl_65spec</b> ]</div> <div>Show the field ONLY if: [cbcl_65]="1" or [cbcl_65]="2"</div>	You said that [sname] resists toilet training; please describe how:	text Custom alignment: LV
4920	<div>[ <b>cbcl_74spec</b> ]</div> <div>Show the field ONLY if: [cbcl_74]="1" or [cbcl_74]="2"</div>	You said that [sname] sleeps less than most kids during the day and/or night; please describe what you mean:	text Custom alignment: LV
4921	<div>[ <b>cbcl_76spec</b> ]</div> <div>Show the field ONLY if: [cbcl_76]="1" or [cbcl_76]="2"</div>	You said that [sname] has (a) speech problem(s); please describe the problem(s):	text Custom alignment: LV
4922	<div>[ <b>cbcl_80spec</b> ]</div> <div>Show the field ONLY if: [cbcl_80]="1" or [cbcl_80]="2"</div>	You said that [sname] displays strange behavior; please describe what you mean:	text Custom alignment: LV
4923	<div>[ <b>cbcl_92spec</b> ]</div> <div>Show the field ONLY if: [cbcl_92]="1" or [cbcl_92]="2"</div>	You said that [sname] gets upset by new people or situations; please describe what you mean:	text Custom alignment: LV
4924	<div>[ <b>cbcl_disability</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Does your child have any illness or disability (either physical or mental)?	radio <div><div><div>0</div>No</div><div><div>1</div>Yes</div></div> Custom alignment: LV
4925	<div>[ <b>cbcl_disabilityspec</b> ]</div> <div>Show the field ONLY if: [cbcl_disability]="1"</div>	Please describe the illness(es) or disability(ies)	notes Custom alignment: LV
4926	<div>[ <b>cbcl_concerns</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	What concerns you most about [sname]?	notes Custom alignment: LV
4927	<div>[ <b>cbcl_best</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Please describe the best things about [sname]:	notes Custom alignment: LV
4928	<div>[ <b>cbcl_anxcount</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Count of items in the anxiety score that were completed	calc Calculation: if([asrcbcd_fversion]=""" or [visit_agemo]<18 or [visit_age]>=6, "", sum(if([cbcl_10]<>""", 1, 0), if([cbcl_33]<>""", 1, 0), if([cbcl_37]<>""", 1, 0), if([cbcl_43]<>""", 1, 0), if([cbcl_47]<>""", 1, 0), if([cbcl_68]<>""", 1, 0), if([cbcl_87]<>""", 1, 0), if([cbcl_90]<>""", 1, 0))) Field Annotation: @HIDDEN-SURVEY
4929	<div>[ <b>cbcl_anxsum</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Sum of the items in the anxiety score	calc Calculation: if([asrcbcd_fversion]=""" or [visit_agemo]<18 or [visit_age]>=6, "", sum([cbcl_10], [cbcl_33], [cbcl_37], [cbcl_43], [cbcl_47], [cbcl_68], [cbcl_87], [cbcl_90])) Field Annotation: @HIDDEN-SURVEY
4930	<div>[ <b>cbcl_anxscore</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Anxiety score	calc Calculation: if([cbcl_anxcount]<>"" and [cbcl_anxcount]>5, ((([cbcl_anxsum]/[cbcl_anxcount])*8), "")) Field Annotation: @HIDDEN-SURVEY
4931	<div>[ <b>cbcl_anxwarn</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Is the calculated anxiety score concerning?	calc Calculation: if([cbcl_anxscore]<>""", if([cbcl_anxscore]>=9, 1, 0), "")) Field Annotation: @HIDDEN-SURVEY
4932	<div>[ <b>cbcl_withdcount</b> ]</div> <div>Show the field ONLY if: [visit_agemo]&gt;=18 and [visit_age]&lt;6</div>	Count of items in the withdrawn score that were completed	calc Calculation: if([asrcbcd_fversion]=""" or [visit_agemo]<18 or [visit_age]>=6, "", sum(if([cbcl_02]<>""", 1, 0), if([cbcl_04]<>""", 1, 0), if([cbcl_23]<>""", 1, 0), if([cbcl_62]<>""", 1, 0), if([cbcl_67]<>""", 1, 0), if([cbcl_70]<>""", 1, 0), if([cbcl_71]<>""", 1, 0),

				if([cbcl_98]<>"" , 1, 0))) Field Annotation: @HIDDEN-SURVEY
4933	[ cbcl_withdsum ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age] <6	Sum of the items in the withdrawn score		calc Calculation: if([asrcbcl_fversion]=""" or [visit_agemo]<18 or [visit_age]>=6, "", sum([cbcl_02], [cbcl_04], [cbcl_23], [cbcl_62], [cbcl_67], [cbcl_70], [cbcl_71], [cbcl_98])) Field Annotation: @HIDDEN-SURVEY
4934	[ cbcl_withdscore ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age] <6	Withdrawn score		calc Calculation: if([cbcl_withdcount]<>"" and [cbcl_withdcount]>5, (((cbcl_withdsum)/(cbcl_withdcount))*8), "") Field Annotation: @HIDDEN-SURVEY
4935	[ cbcl_withdrawn ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age] <6	Is the calculated withdrawn score concerning?		calc Calculation: if([cbcl_withdscore]<>"" , if([cbcl_withdscore]>=7, 1, 0), "") Field Annotation: @HIDDEN-SURVEY
4936	[ cbcl_totprobcount ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age] <6	Count of items in the total problems score that were completed		calc Calculation: if([asrcbcl_fversion]=""" or [visit_agemo]<18 or [visit_age]>=6, "", sum(if([cbcl_01]<>"" , 1, 0), if([cbcl_02]<>"" , 1, 0), if([cbcl_03]<>"" , 1, 0), if([cbcl_04]<>"" , 1, 0), if([cbcl_05]<>"" , 1, 0), if([cbcl_06]<>"" , 1, 0), if([cbcl_07]<>"" , 1, 0), if([cbcl_08]<>"" , 1, 0), if([cbcl_09]<>"" , 1, 0), if([cbcl_10]<>"" , 1, 0), if([cbcl_11]<>"" , 1, 0), if([cbcl_12]<>"" , 1, 0), if([cbcl_13]<>"" , 1, 0), if([cbcl_14]<>"" , 1, 0), if([cbcl_15]<>"" , 1, 0), if([cbcl_16]<>"" , 1, 0), if([cbcl_17]<>"" , 1, 0), if([cbcl_18]<>"" , 1, 0), if([cbcl_19]<>"" , 1, 0), if([cbcl_20]<>"" , 1, 0), if([cbcl_21]<>"" , 1, 0), if([cbcl_22]<>"" , 1, 0), if([cbcl_23]<>"" , 1, 0), if([cbcl_24]<>"" , 1, 0), if([cbcl_25]<>"" , 1, 0), if([cbcl_26]<>"" , 1, 0), if([cbcl_27]<>"" , 1, 0), if([cbcl_28]<>"" , 1, 0), if([cbcl_29]<>"" , 1, 0), if([cbcl_30]<>"" , 1, 0), if([cbcl_31]<>"" , 1, 0), if([cbcl_32]<>"" , 1, 0), if([cbcl_33]<>"" , 1, 0), if([cbcl_34]<>"" , 1, 0), if([cbcl_35]<>"" , 1, 0), if([cbcl_36]<>"" , 1, 0), if([cbcl_37]<>"" , 1, 0), if([cbcl_38]<>"" , 1, 0), if([cbcl_39]<>"" , 1, 0), if([cbcl_40]<>"" , 1, 0), if([cbcl_41]<>"" , 1, 0), if([cbcl_42]<>"" , 1, 0), if([cbcl_43]<>"" , 1, 0), if([cbcl_44]<>"" , 1, 0), if([cbcl_45]<>"" , 1, 0), if([cbcl_46]<>"" , 1, 0), if([cbcl_47]<>"" , 1, 0), if([cbcl_48]<>"" , 1, 0), if([cbcl_49]<>"" , 1, 0), if([cbcl_50]<>"" , 1, 0), if([cbcl_51]<>"" , 1, 0), if([cbcl_52]<>"" , 1, 0), if([cbcl_53]<>"" , 1, 0), if([cbcl_54]<>"" , 1, 0), if([cbcl_55]<>"" , 1, 0), if([cbcl_56]<>"" , 1, 0), if([cbcl_57]<>"" , 1, 0), if([cbcl_58]<>"" , 1, 0), if([cbcl_59]<>"" , 1, 0), if([cbcl_60]<>"" , 1, 0), if([cbcl_61]<>"" , 1, 0), if([cbcl_62]<>"" , 1, 0), if([cbcl_63]<>"" , 1, 0), if([cbcl_64]<>"" , 1, 0), if([cbcl_65]<>"" , 1, 0), if([cbcl_66]<>"" , 1, 0), if([cbcl_67]<>"" , 1, 0), if([cbcl_68]<>"" , 1, 0), if([cbcl_69]<>"" , 1, 0), if([cbcl_70]<>"" , 1, 0), if([cbcl_71]<>"" , 1, 0), if([cbcl_72]<>"" , 1, 0), if([cbcl_73]<>"" , 1, 0), if([cbcl_74]<>"" , 1, 0), if([cbcl_75]<>"" , 1, 0), if([cbcl_76]<>"" , 1, 0), if([cbcl_77]<>"" , 1, 0), if([cbcl_78]<>"" , 1, 0), if([cbcl_79]<>"" , 1, 0), if([cbcl_80]<>"" , 1, 0), if([cbcl_81]<>"" , 1, 0), if([cbcl_82]<>"" , 1, 0), if([cbcl_83]<>"" , 1, 0), if([cbcl_84]<>"" , 1, 0), if([cbcl_85]<>"" , 1, 0), if([cbcl_86]<>"" , 1, 0), if([cbcl_87]<>"" , 1, 0), if([cbcl_88]<>"" , 1, 0), if([cbcl_89]<>"" , 1, 0), if([cbcl_90]<>"" , 1, 0), if([cbcl_91]<>"" , 1, 0), if([cbcl_92]<>"" , 1, 0), if([cbcl_93]<>"" , 1, 0), if([cbcl_94]<>"" , 1, 0), if([cbcl_95]<>"" , 1, 0), if([cbcl_96]<>"" , 1, 0), if([cbcl_97]<>"" , 1, 0), if([cbcl_98]<>"" , 1, 0), if([cbcl_99]<>"" , 1, 0))) Field Annotation: @HIDDEN-SURVEY
4937	[ cbcl_totprobsum ]  Show the field ONLY if: [visit_agemo]>=18 and [visit_age] <6	Sum of the items in the total problems score		calc Calculation: if([asrcbcl_fversion]=""" or [visit_agemo]<18 or [visit_age]>=6, "", sum([cbcl_01], [cbcl_02], [cbcl_03], [cbcl_04], [cbcl_05], [cbcl_06], [cbcl_07], [cbcl_08], [cbcl_09], [cbcl_10], [cbcl_11], [cbcl_12], [cbcl_13], [cbcl_14], [cbcl_15], [cbcl_16], [cbcl_17], [cbcl_18], [cbcl_19], [cbcl_20], [cbcl_21], [cbcl_22], [cbcl_23], [cbcl_24], [cbcl_25], [cbcl_26], [cbcl_27], [cbcl_28], [cbcl_29], [cbcl_30], [cbcl_31], [cbcl_32], [cbcl_33], [cbcl_34], [cbcl_35], [cbcl_36], [cbcl_37], [cbcl_38], [cbcl_39], [cbcl_40], [cbcl_41], [cbcl_42], [cbcl_43], [cbcl_44], [cbcl_45], [cbcl_46], [cbcl_47], [cbcl_48], [cbcl_49], [cbcl_50], [cbcl_51], [cbcl_52], [cbcl_53], [cbcl_54], [cbcl_55], [cbcl_56], [cbcl_57], [cbcl_58], [cbcl_59], [cbcl_60], [cbcl_61], [cbcl_62], [cbcl_63], [cbcl_64], [cbcl_65], [cbcl_66], [cbcl_67], [cbcl_68], [cbcl_69], [cbcl_70], [cbcl_71], [cbcl_72], [cbcl_73], [cbcl_74], [cbcl_75], [cbcl_76], [cbcl_77], [cbcl_78], [cbcl_79], [cbcl_80], [cbcl_81], [cbcl_82], [cbcl_83], [cbcl_84], [cbcl_85], [cbcl_86], [cbcl_87], [cbcl_88], [cbcl_89], [cbcl_90], [cbcl_91], [cbcl_92], [cbcl_93], [cbcl_94], [cbcl_95], [cbcl_96], [cbcl_97], [cbcl_98], [cbcl_99])) Field Annotation: @HIDDEN-SURVEY

4938	[cbcl_totprobscore] Show the field ONLY if: [visit_age]>=18 and [visit_age]<6	Total problems score	calc Calculation: if([cbcl_totprobcount]<>"", and [cbcl_totprobcount]>96, ((([cbcl_totprobsum]/[cbcl_totprobcount])*100), "") Field Annotation: @HIDDEN-SURVEY
4939	[cbcl_totprobwarn] Show the field ONLY if: [visit_age]>=18 and [visit_age]<6	Is the calculated total problems score concerning?	calc Calculation: if([cbcl_totprobscore]<>"", if([cbcl_totprobscore]>=48, 1, 0), "") Field Annotation: @HIDDEN-SURVEY
4940	[cbcl_concernwarning] Show the field ONLY if: [cbcl_anxwarn]="1" or [cbcl_withd warn]="1" or [cbcl_totprobwarn] ="1"	Note: actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive Field Annotation: @HIDDEN-SURVEY
4941	[asr_intro] Show the field ONLY if: [visit_age]>=18	Below is a list of items that describe people. For each item, please indicate if the item is not true, somewhat or sometimes true, or very true or often true to describe yourself over the past 6 months. Please answer all items as well as you can, even if some do not seem to apply to you.	descriptive
4942	[asr_1] Show the field ONLY if: [visit_age]>=18	I am too forgetful	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4943	[asr_2] Show the field ONLY if: [visit_age]>=18	I make good use of my opportunities	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4944	[asr_3] Show the field ONLY if: [visit_age]>=18	I argue a lot	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4945	[asr_4] Show the field ONLY if: [visit_age]>=18	I work up to my ability	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4946	[asr_5] Show the field ONLY if: [visit_age]>=18	I blame others for my problems	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4947	[asr_6] Show the field ONLY if: [visit_age]>=18	I use drugs (other than alcohol or nicotine) for nonmedical purposes (describe): {asr_6desc:icons}	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4948	[asr_7] Show the field ONLY if: [visit_age]>=18	I brag	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4949	[asr_8] Show the field ONLY if: [visit_age]>=18	I have trouble concentrating or paying attention for long	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4950	[asr_9] Show the field ONLY if: [visit_age]>=18	I can't get my mind off certain thoughts (describe): {asr_9desc:icons}	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4951	[asr_10] Show the field ONLY if: [visit_age]>=18	I have trouble sitting still	radio (Matrix) 0 Not true 1 Somewhat or sometimes true

				2	Very true or often true
4952	[ asr_11 ] Show the field ONLY if: [visit_age]>=18	I am too dependent on others	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4953	[ asr_12 ] Show the field ONLY if: [visit_age]>=18	I feel lonely	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4954	[ asr_13 ] Show the field ONLY if: [visit_age]>=18	I feel confused or in a fog	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4955	[ asr_14 ] Show the field ONLY if: [visit_age]>=18	I cry a lot	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4956	[ asr_15 ] Show the field ONLY if: [visit_age]>=18	I am pretty honest	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4957	[ asr_16 ] Show the field ONLY if: [visit_age]>=18	I am mean to others	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4958	[ asr_17 ] Show the field ONLY if: [visit_age]>=18	I daydream a lot	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4959	[ asr_18 ] Show the field ONLY if: [visit_age]>=18	I deliberately try to hurt or kill myself	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4960	[ asr_19 ] Show the field ONLY if: [visit_age]>=18	I try to get a lot of attention	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4961	[ asr_20 ] Show the field ONLY if: [visit_age]>=18	I damage or destroy my things	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4962	[ asr_21 ] Show the field ONLY if: [visit_age]>=18	I damage or destroy things belonging to others	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4963	[ asr_22 ] Show the field ONLY if: [visit_age]>=18	I worry about my future	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
4964	[ asr_23 ] Show the field ONLY if: [visit_age]>=18	I break rules at work or elsewhere	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true



4965	[ asr_24 ] Show the field ONLY if: [visit_age]>=18	I don't eat as well as I should	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4966	[ asr_25 ] Show the field ONLY if: [visit_age]>=18	I don't get along with other people	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4967	[ asr_26 ] Show the field ONLY if: [visit_age]>=18	I don't feel guilty after doing something I shouldn't	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4968	[ asr_27 ] Show the field ONLY if: [visit_age]>=18	I am jealous of others	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4969	[ asr_28 ] Show the field ONLY if: [visit_age]>=18	I get along badly with my family	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4970	[ asr_29 ] Show the field ONLY if: [visit_age]>=18	I am afraid of certain animals, situations, or places (describe): {asr_29desc:icons}	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4971	[ asr_30 ] Show the field ONLY if: [visit_age]>=18	My social relations with other genders are poor	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4972	[ asr_31 ] Show the field ONLY if: [visit_age]>=18	I am afraid I might think or do something bad	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4973	[ asr_32 ] Show the field ONLY if: [visit_age]>=18	I feel that I have to be perfect	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4974	[ asr_33 ] Show the field ONLY if: [visit_age]>=18	I feel that no one loves me	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4975	[ asr_34 ] Show the field ONLY if: [visit_age]>=18	I feel that others are out to get me	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4976	[ asr_35 ] Show the field ONLY if: [visit_age]>=18	I feel worthless or inferior	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4977	[ asr_36 ] Show the field ONLY if: [visit_age]>=18	I accidentally get hurt a lot, accident-prone	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
4978	[ asr_37 ] Show the field ONLY if:	I get in many fights	radio (Matrix) 0 Not true

		[visit_age]>=18		<table><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	1	Somewhat or sometimes true	2	Very true or often true				
1	Somewhat or sometimes true											
2	Very true or often true											
4979	[ asr_38 ]	My relations with neighbors are poor Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4980	[ asr_39 ]	I hang around people who get in trouble Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4981	[ asr_40 ]	I hear sounds or voices that other people think aren't there (describe): {asr_40desc:icons} Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4982	[ asr_41 ]	I am impulsive or act without thinking Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4983	[ asr_42 ]	I would rather be alone than with others Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4984	[ asr_43 ]	I lie or cheat Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4985	[ asr_44 ]	I feel overwhelmed by my responsibilities Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4986	[ asr_45 ]	I am nervous or tense Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4987	[ asr_46 ]	Parts of my body twitch or make nervous movements (describe): {asr_46desc:icons} Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4988	[ asr_47 ]	I lack self-confidence Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4989	[ asr_48 ]	I am not liked by others Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4990	[ asr_49 ]	I can do certain things better than other people Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
4991	[ asr_50 ]	I am too fearful or anxious Show the field ONLY if: [visit_age]>=18		<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true		
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											

				<table><tr><td>2</td><td>Very true or often true</td></tr></table>	2	Very true or often true			
2	Very true or often true								
4992	<div>[ asr_51 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I feel dizzy or lightheaded	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4993	<div>[ asr_52 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I feel too guilty	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4994	<div>[ asr_53 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I have trouble planning for the future	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4995	<div>[ asr_54 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I feel tired without good reason	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4996	<div>[ asr_55 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	My moods swing between elation and depression	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4997	<div>[ asr_56a ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	Physical problems without known medical cause. a. Aches or pains (not stomach or headaches)	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4998	<div>[ asr_56b ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	b. Headaches	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
4999	<div>[ asr_56c ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	c. Nausea, feel sick	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5000	<div>[ asr_56d ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	d. Problems with eyes (not if corrected by glasses) (describe): {asr_56ddesc:icons}	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5001	<div>[ asr_56e ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	e. Rashes or other skin problems	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5002	<div>[ asr_56f ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	f. Stomachaches	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5003	<div>[ asr_56g ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	g. Vomiting, throwing up	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5004	<div>[ asr_56h ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	h. Heart pounding or racing	<div>radio (Matrix)</div> <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								

	5005	[ asr_56i ] Show the field ONLY if: [visit_age]>=18	i. Numbness or tingling in my body parts	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5006	[ asr_57 ] Show the field ONLY if: [visit_age]>=18	I physically attack people	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5007	[ asr_58 ] Show the field ONLY if: [visit_age]>=18	I pick my skin or other parts of my body (describe): {asr_58desc:icons}	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5008	[ asr_59 ] Show the field ONLY if: [visit_age]>=18	I fail to finish things I should do	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5009	[ asr_60 ] Show the field ONLY if: [visit_age]>=18	There is very little that I enjoy	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5010	[ asr_61 ] Show the field ONLY if: [visit_age]>=18	My work performance is poor	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5011	[ asr_62 ] Show the field ONLY if: [visit_age]>=18	I am poorly coordinated or clumsy	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5012	[ asr_63 ] Show the field ONLY if: [visit_age]>=18	I would rather be with older people than with people of my own age	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5013	[ asr_64 ] Show the field ONLY if: [visit_age]>=18	I have trouble setting priorities	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5014	[ asr_65 ] Show the field ONLY if: [visit_age]>=18	I refuse to talk	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5015	[ asr_66 ] Show the field ONLY if: [visit_age]>=18	I repeat certain acts over and over (describe): {asr_66desc:icons}	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5016	[ asr_67 ] Show the field ONLY if: [visit_age]>=18	I have trouble making or keeping friends	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5017	[ asr_68 ] Show the field ONLY if: [visit_age]>=18	I scream or yell a lot	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
	5018	[ asr_69 ] Show the field ONLY if:	I am secretive or keep things to myself	radio (Matrix) 0 Not true

		[visit_age]>=18		<table><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	1	Somewhat or sometimes true	2	Very true or often true				
1	Somewhat or sometimes true											
2	Very true or often true											
5019	[ asr_70 ]	Show the field ONLY if: [visit_age]>=18	I see things that other people think aren't there (describe): {asr_70desc:icons}	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5020	[ asr_71 ]	Show the field ONLY if: [visit_age]>=18	I am self-conscious or easily embarrassed	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5021	[ asr_72 ]	Show the field ONLY if: [visit_age]>=18	I worry about my family	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5022	[ asr_73 ]	Show the field ONLY if: [visit_age]>=18	I meet my responsibilities to my family	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5023	[ asr_74 ]	Show the field ONLY if: [visit_age]>=18	I show off or clown	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5024	[ asr_75 ]	Show the field ONLY if: [visit_age]>=18	I am too shy or timid	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5025	[ asr_76 ]	Show the field ONLY if: [visit_age]>=18	My behavior is irresponsible	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5026	[ asr_77 ]	Show the field ONLY if: [visit_age]>=18	I sleep more than most other people during day and/or night (describe): {asr_77desc:icons}	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5027	[ asr_78 ]	Show the field ONLY if: [visit_age]>=18	I have trouble making decisions	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5028	[ asr_79 ]	Show the field ONLY if: [visit_age]>=18	I have a speech problem (describe): {asr_79desc:icons}	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5029	[ asr_80 ]	Show the field ONLY if: [visit_age]>=18	I stand up for my rights	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5030	[ asr_81 ]	Show the field ONLY if: [visit_age]>=18	My behavior is very changeable	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5031	[ asr_82 ]	Show the field ONLY if: [visit_age]>=18	I steal	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true		
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											

				<table><tr><td>2</td><td>Very true or often true</td></tr></table>	2	Very true or often true			
2	Very true or often true								
5032	<div>[ asr_83 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I am easily bored	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5033	<div>[ asr_84 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I do things that other people think are strange (describe): {asr_84desc:icons}	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5034	<div>[ asr_85 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I have thoughts that other people would think are strange (describe): {asr_85desc:icons}	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5035	<div>[ asr_86 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I am stubborn, sullen, or irritable	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5036	<div>[ asr_87 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	My moods or feelings change suddenly	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5037	<div>[ asr_88 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I enjoy being with people	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5038	<div>[ asr_89 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I rush into things without considering the risks	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5039	<div>[ asr_90 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I drink too much alcohol or get drunk	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5040	<div>[ asr_91 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I think about killing myself	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5041	<div>[ asr_92 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I do things that may cause me trouble with the law (describe): {asr_92desc:icons}	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5042	<div>[ asr_93 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I talk too much	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5043	<div>[ asr_94 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I tease others a lot	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								
5044	<div>[ asr_95 ]</div> <div>Show the field ONLY if: [visit_age]&gt;=18</div>	I have a hot temper	radio (Matrix) <table><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	0	Not true	1	Somewhat or sometimes true	2	Very true or often true
0	Not true								
1	Somewhat or sometimes true								
2	Very true or often true								

5045	[ asr_96 ] Show the field ONLY if: [visit_age]>=18	I think about sex too much	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5046	[ asr_97 ] Show the field ONLY if: [visit_age]>=18	I threaten to hurt people	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5047	[ asr_98 ] Show the field ONLY if: [visit_age]>=18	I like to help others	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5048	[ asr_99 ] Show the field ONLY if: [visit_age]>=18	I dislike staying in one place for very long	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5049	[ asr_100 ] Show the field ONLY if: [visit_age]>=18	I have trouble sleeping (describe): {asr_100desc:icons}	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5050	[ asr_101 ] Show the field ONLY if: [visit_age]>=18	I stay away from my job even when I'm not sick or not on vacation	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5051	[ asr_102 ] Show the field ONLY if: [visit_age]>=18	I don't have much energy	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5052	[ asr_103 ] Show the field ONLY if: [visit_age]>=18	I am unhappy, sad, or depressed	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5053	[ asr_104 ] Show the field ONLY if: [visit_age]>=18	I am louder than others	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5054	[ asr_105 ] Show the field ONLY if: [visit_age]>=18	People think I am disorganized	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5055	[ asr_106 ] Show the field ONLY if: [visit_age]>=18	I try to be fair to others	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5056	[ asr_107 ] Show the field ONLY if: [visit_age]>=18	I feel that I can't succeed	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5057	[ asr_108 ] Show the field ONLY if: [visit_age]>=18	I tend to lose things	radio (Matrix) 0 Not true 1 Somewhat or sometimes true 2 Very true or often true
5058	[ asr_109 ] Show the field ONLY if:	I like to try things	radio (Matrix) 0 Not true

		[visit_age]>=18		<table><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	1	Somewhat or sometimes true	2	Very true or often true				
1	Somewhat or sometimes true											
2	Very true or often true											
5059	[ asr_110 ]	Show the field ONLY if: [visit_age]>=18	I wish I were of a different gender	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5060	[ asr_111 ]	Show the field ONLY if: [visit_age]>=18	I keep from getting involved with others	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5061	[ asr_112 ]	Show the field ONLY if: [visit_age]>=18	I worry a lot	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5062	[ asr_113 ]	Show the field ONLY if: [visit_age]>=18	I worry about my social relations with other genders	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5063	[ asr_114 ]	Show the field ONLY if: [visit_age]>=18	I fail to pay my debts or meet other financial responsibilities	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5064	[ asr_115 ]	Show the field ONLY if: [visit_age]>=18	I feel restless or fidgety	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5065	[ asr_116 ]	Show the field ONLY if: [visit_age]>=18	I get upset too easily	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5066	[ asr_117 ]	Show the field ONLY if: [visit_age]>=18	I have trouble managing money or credit cards	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5067	[ asr_118 ]	Show the field ONLY if: [visit_age]>=18	I am too impatient	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5068	[ asr_119 ]	Show the field ONLY if: [visit_age]>=18	I am not good at details	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5069	[ asr_120 ]	Show the field ONLY if: [visit_age]>=18	I drive too fast	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5070	[ asr_121 ]	Show the field ONLY if: [visit_age]>=18	I tend to be late for appointments	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr><tr><td>2</td><td>Very true or often true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true	2	Very true or often true
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											
2	Very true or often true											
5071	[ asr_122 ]	Show the field ONLY if: [visit_age]>=18	I have trouble keeping a job	<table><tr><td colspan="2">radio (Matrix)</td></tr><tr><td>0</td><td>Not true</td></tr><tr><td>1</td><td>Somewhat or sometimes true</td></tr></table>	radio (Matrix)		0	Not true	1	Somewhat or sometimes true		
radio (Matrix)												
0	Not true											
1	Somewhat or sometimes true											



				2	Very true or often true
5072	[ asr_123 ] Show the field ONLY if: [visit_age]>=18	I am a happy person	radio (Matrix)	0	Not true
				1	Somewhat or sometimes true
				2	Very true or often true
5073	[ asr_124 ] Show the field ONLY if: [visit_age]>=18	In the past 6 months, about how many times per day did you use tobacco (including smokeless tobacco) or use e-cigarettes? <i>times per day</i>	text (number, Min: 0)		
5074	[ asr_125 ] Show the field ONLY if: [visit_age]>=18	In the past 6 months, on how many days were you drunk? <i>days</i>	text (number, Min: 0)		
5075	[ asr_126 ] Show the field ONLY if: [visit_age]>=18	In the past 6 months, on how many days did you use drugs for nonmedical purposes (including marijuana, cocaine, and other drugs, except alcohol and nicotine)? <i>days</i>	text (number, Min: 0)		
5076	[ asr_6desc ] Show the field ONLY if: [asr_6] = '1' or [asr_6] = '2'	ASR 6 describe	text		
5077	[ asr_9desc ] Show the field ONLY if: [asr_9] = '1' or [asr_9] = '2'	ASR 9 describe	text		
5078	[ asr_29desc ] Show the field ONLY if: [asr_29] = '1' or [asr_29] = '2'	ASR 29 describe	text		
5079	[ asr_40desc ] Show the field ONLY if: [asr_40] = '1' or [asr_40] = '2'	ASR 40 describe	text		
5080	[ asr_46desc ] Show the field ONLY if: [asr_46] = '1' or [asr_46] = '2'	ASR 46 describe	text		
5081	[ asr_56ddesc ] Show the field ONLY if: [asr_56d] = '1' or [asr_56d] = '2'	ASR 56d describe	text		
5082	[ asr_58desc ] Show the field ONLY if: [asr_58] = '1' or [asr_58] = '2'	ASR 58 describe	text		
5083	[ asr_66desc ] Show the field ONLY if: [asr_66] = '1' or [asr_66] = '2'	ASR 66 describe	text		
5084	[ asr_70desc ] Show the field ONLY if: [asr_70] = '1' or [asr_70] = '2'	ASR 70 describe	text		
5085	[ asr_77desc ] Show the field ONLY if: [asr_77] = '1' or [asr_77] = '2'	ASR 77 describe	text		
5086	[ asr_79desc ] Show the field ONLY if: [asr_79] = '1' or [asr_79] = '2'	ASR 79 describe	text		
5087	[ asr_84desc ] Show the field ONLY if: [asr_84] = '1' or [asr_84] = '2'	ASR 84 describe	text		
5088	[ asr_85desc ] Show the field ONLY if: [asr_85] = '1' or [asr_85] = '2'	ASR 85 describe	text		
5089	[ asr_92desc ] Show the field ONLY if: [asr_92] = '1' or [asr_92] = '2'	ASR 92 describe	text		
5090	[ asr_100desc ] Show the field ONLY if: [asr_100] = '1' or [asr_100] = '2'	ASR 100 describe	text		

5091	[ asr_anxcount ]  Show the field ONLY if: [visit_age]>=18	Count of items in the anxiety score that were completed	calc Calculation: if([asrcbcd_fversion]=""" or [visit_age]<18, "", sum( if([asr_12]<>""", 1, 0), if([asr_13]<>""", 1, 0), if([asr_14]<>""", 1, 0), if([asr_22]<>""", 1, 0), if([asr_31]<>""", 1, 0), if([asr_33]<>""", 1, 0), if([asr_34]<>""", 1, 0), if([asr_35]<>""", 1, 0), if([asr_45]<>""", 1, 0), if([asr_47]<>""", 1, 0), if([asr_50]<>""", 1, 0), if([asr_52]<>""", 1, 0), if([asr_71]<>""", 1, 0), if([asr_91]<>""", 1, 0), if([asr_103]<>""", 1, 0), if([asr_107]<>""", 1, 0), if([asr_112]<>""", 1, 0))) Field Annotation: @HIDDEN-SURVEY
5092	[ asr_anxsum ]  Show the field ONLY if: [visit_age]>=18	Sum of the items in the anxiety score	calc Calculation: if([asrcbcd_fversion]=""" or [visit_age]<18, "", sum([asr_12], [asr_13], [asr_14], [asr_22], [asr_31], [asr_33], [asr_34], [asr_35], [asr_45], [asr_47], [asr_50], [asr_52], [asr_71], [asr_91], [asr_103], [asr_107], [asr_112])) Field Annotation: @HIDDEN-SURVEY
5093	[ asr_anxscore ]  Show the field ONLY if: [visit_age]>=18	Anxiety score	calc Calculation: if([asr_anxcount]<>"" and [asr_anxcount]>14, (([asr_anxsum]/[asr_anxcount])*17), "") Field Annotation: @HIDDEN-SURVEY
5094	[ asr_anxwarn ]  Show the field ONLY if: [visit_age]>=18	Is the calculated anxiety score concerning?	calc Calculation: if([asr_anxscore]<>""", if([asr_anxscore]>=11, 1, 0), "") Field Annotation: @HIDDEN-SURVEY
5095	[ asr_withdcount ]  Show the field ONLY if: [visit_age]>=18	Count of items in the withdrawn score that were completed	calc Calculation: if([asrcbcd_fversion]=""" or [visit_age]<18, "", sum(if([asr_25]<>""", 1, 0), if([asr_30]<>""", 1, 0), if([asr_42]<>""", 1, 0), if([asr_48]<>""", 1, 0), if([asr_60]<>""", 1, 0), if([asr_65]<>""", 1, 0), if([asr_67]<>""", 1, 0), if([asr_69]<>""", 1, 0), if([asr_111] <>""", 1, 0))) Field Annotation: @HIDDEN-SURVEY
5096	[ asr_withdsum ]  Show the field ONLY if: [visit_age]>=18	Sum of the items in the withdrawn score	calc Calculation: if([asrcbcd_fversion]=""" or [visit_age]<18, "", sum([asr_25], [asr_30], [asr_42], [asr_48], [asr_60], [asr_65], [asr_67], [asr_69], [asr_111])) Field Annotation: @HIDDEN-SURVEY
5097	[ asr_withdscore ]  Show the field ONLY if: [visit_age]>=18	Withdrawn score	calc Calculation: if([asr_withdcount]<>"" and [asr_withdcount]>6, (([asr_withdsum]/[asr_withdcount])*9), "") Field Annotation: @HIDDEN-SURVEY
5098	[ asr_withdwarn ]  Show the field ONLY if: [visit_age]>=18	Is the calculated withdrawn score concerning?	calc Calculation: if([asr_withdscore]<>""", if([asr_withdscore]>=4, 1, 0), "") Field Annotation: @HIDDEN-SURVEY
5099	[ asr_56comb ]  Show the field ONLY if: [visit_age]>=18	Maximum of the 56a-i items	calc Calculation: if([asrcbcd_fversion]=""" or [visit_age]<18, "", if([asr_56a]=""" and [asr_56b]=""" and [asr_56c]=""" and [asr_56d]=""" and [asr_56e]=""" and [asr_56f]=""" and [asr_56g]=""" and [asr_56h]=""" and [asr_56i]="""", max(0, [asr_56a], [asr_56b], [asr_56c], [asr_56d], [asr_56e], [asr_56f], [asr_56g], [asr_56h], [asr_56i]))
5100	[ asr_totprobcount ]  Show the field ONLY if: [visit_age]>=18	Count of items in the total problems score that were completed	calc Calculation: if([asrcbcd_fversion]=""" or [visit_age]< 18, "", sum(if([asr_1]<>""", 1, 0), if([asr_2]<>""", 1, 0), if([asr_3]<>""", 1, 0), if([asr_4]<>""", 1, 0), if([asr_5]<>""", 1, 0), if([asr_6]<>""", 1, 0), if([asr_7]<>""", 1, 0), if([asr_8]<>""", 1, 0), if([asr_9]<>""", 1, 0), if([asr_10]<>""", 1, 0), if([asr_11]<>""", 1, 0), if([asr_12]<>""", 1, 0), if([asr_13]<>""", 1, 0), if([asr_14]<>""", 1, 0), if([asr_15]<>""", 1, 0), if([asr_16]<>""", 1, 0), if([asr_17]<>""", 1, 0), if([asr_18]<>""", 1, 0), if([asr_19]<>""", 1, 0), if([asr_20]<>""", 1, 0), if([asr_21]<>""", 1, 0), if([asr_22]<>""", 1, 0), if([asr_23]<>""", 1, 0), if([asr_24]<>""", 1, 0), if([asr_25]<>""", 1, 0), if([asr_26]<>""", 1, 0), if([asr_27]<>""", 1, 0), if([asr_28]<>""", 1, 0), if([asr_29]<>""", 1, 0), if([asr_30]<>""", 1, 0), if([asr_31]<>""", 1, 0), if([asr_32]<>""", 1, 0), if([asr_33]<>""", 1, 0), if([asr_34]<>""", 1, 0), if([asr_35]<>""", 1, 0), if([asr_36]<>""", 1, 0), if([asr_37]<>""", 1, 0), if([asr_38]<>""", 1, 0), if([asr_39]<>""", 1, 0), if([asr_40]<>""", 1, 0), if([asr_41]<>""", 1, 0), if([asr_42]<>""", 1, 0), if([asr_43]<>""", 1, 0), if([asr_44]<>""", 1, 0), if([asr_45]<>""", 1, 0), if([asr_46]<>""", 1, 0), if([asr_47]<>""", 1, 0), if([asr_48]<>""", 1, 0), if([asr_49]<>""", 1, 0), if([asr_50]<>""", 1, 0), if([asr_51]<>""", 1, 0), if([asr_52]<>""", 1, 0), if([asr_53]<>""", 1, 0), if([asr_54]<>""", 1, 0), if([asr_55]<>""", 1, 0), if([asr_56comb]<>""", 1, 0), if([asr_57] <>""", 1, 0), if([asr_58]<>""", 1, 0), if([asr_59]<>""", 1, 0), if([asr_60]<>""", 1, 0), if([asr_61]<>""", 1, 0), if([asr_62]<>""", 1, 0), if([asr_63]<>""", 1, 0), if([asr_64]<>""", 1, 0), if([asr_65]<>""", 1, 0), if([asr_66]<>""", 1, 0), if([asr_67]<>""", 1, 0), if([asr_68]<>""", 1, 0), if([asr_69]<>""", 1, 0), if([asr_70]<>""", 1, 0), if([asr_71]<>""", 1, 0),

				if([asr_72]<>"" , 1, 0), if([asr_73]<>"" , 1, 0), if([asr_74]<>"" , 1, 0), if([asr_75]<>"" , 1, 0), if([asr_76]<>"" , 1, 0), if([asr_77]<>"" , 1, 0), if([asr_78]<>"" , 1, 0), if([asr_79]<>"" , 1, 0), if([asr_80]<>"" , 1, 0), if([asr_81]<>"" , 1, 0), if([asr_82]<>"" , 1, 0), if([asr_83]<>"" , 1, 0), if([asr_84]<>"" , 1, 0), if([asr_85]<>"" , 1, 0), if([asr_86]<>"" , 1, 0), if([asr_87]<>"" , 1, 0), if([asr_88]<>"" , 1, 0), if([asr_89]<>"" , 1, 0), if([asr_90]<>"" , 1, 0), if([asr_91]<>"" , 1, 0), if([asr_92]<>"" , 1, 0), if([asr_93]<>"" , 1, 0), if([asr_94]<>"" , 1, 0), if([asr_95]<>"" , 1, 0), if([asr_96]<>"" , 1, 0), if([asr_97]<>"" , 1, 0), if([asr_98]<>"" , 1, 0), if([asr_99]<>"" , 1, 0), if([asr_100]<>"" , 1, 0), if([asr_101]<>"" , 1, 0), if([asr_102]<>"" , 1, 0), if([asr_103]<>"" , 1, 0), if([asr_104] <>"" , 1, 0), if([asr_105]<>"" , 1, 0), if([asr_106]<>"" , 1, 0), if([asr_107]<>"" , 1, 0), if([asr_108]<>"" , 1, 0), if([asr_109]<>"" 1, 0), if([asr_110]<>"" , 1, 0), if([asr_111]<>"" , 1, 0), if([asr_112] <>"" , 1, 0), if([asr_113]<>"" , 1, 0), if([asr_114]<>"" , 1, 0), if([asr_115]<>"" , 1, 0), if([asr_116]<>"" , 1, 0), if([asr_117]<>"" , 1, 0), if([asr_118]<>"" , 1, 0), if([asr_119]<>"" , 1, 0), if([asr_120] <>"" , 1, 0), if([asr_121]<>"" , 1, 0), if([asr_122]<>"" , 1, 0), if([asr_123]<>"" , 1, 0))) Field Annotation: @HIDDEN-SURVEY
5101	[ asr_totprobsum ]  Show the field ONLY if: [visit_age]>=18	Sum of the items in the total problems score	calc Calculation: if([asr_cbl_fversion]=""" or [visit_age]< 18, "" , sum([asr_1], [asr_2], [asr_3], [asr_4], [asr_5], [asr_6], [asr_7], [asr_8], [asr_9], [asr_10], [asr_11], [asr_12], [asr_13], [asr_14], [asr_15], [asr_16], [asr_17], [asr_18], [asr_19], [asr_20], [asr_21], [asr_22], [asr_23], [asr_24], [asr_25], [asr_26], [asr_27], [asr_28], [asr_29], [asr_30], [asr_31], [asr_32], [asr_33], [asr_34], [asr_35], [asr_36], [asr_37], [asr_38], [asr_39], [asr_40], [asr_41], [asr_42], [asr_43], [asr_44], [asr_45], [asr_46], [asr_47], [asr_48], [asr_49], [asr_50], [asr_51], [asr_52], [asr_53], [asr_54], [asr_55], [asr_56comb], [asr_57], [asr_58], [asr_59], [asr_60], [asr_61], [asr_62], [asr_63], [asr_64], [asr_65], [asr_66], [asr_67], [asr_68], [asr_69], [asr_70], [asr_71], [asr_72], [asr_73], [asr_74], [asr_75], [asr_76], [asr_77], [asr_78], [asr_79], [asr_80], [asr_81], [asr_82], [asr_83], [asr_84], [asr_85], [asr_86], [asr_87], [asr_88], [asr_89], [asr_90], [asr_91], [asr_92], [asr_93], [asr_94], [asr_95], [asr_96], [asr_97], [asr_98], [asr_99], [asr_100], [asr_101], [asr_102], [asr_103], [asr_104], [asr_105], [asr_106], [asr_107], [asr_108], [asr_109], [asr_110], [asr_111], [asr_112], [asr_113], [asr_114], [asr_115], [asr_116], [asr_117], [asr_118], [asr_119], [asr_120], [asr_121], [asr_122], [asr_123])) Field Annotation: @HIDDEN-SURVEY	
5102	[ asr_totprobscore ]  Show the field ONLY if: [visit_age]>=18	Total problems score	calc Calculation: if([asr_totprobcount]<>"" and [asr_totprobcount]>120, ((([asr_totprobsum]/[asr_totprobcount])*123), "" ) Field Annotation: @HIDDEN-SURVEY	
5103	[ asr_totprobwarn ]  Show the field ONLY if: [visit_age]>=18	Is the calculated total problems score concerning?	calc Calculation: if([asr_totprobscore]<>"" , if([asr_totprobscore]>=70, 1, 0), "" ) Field Annotation: @HIDDEN-SURVEY	
5104	[ asr_selfharmwarn ]  Show the field ONLY if: [visit_age]>=18	Does the participant have a self-harm concern (item 18)?	calc Calculation: if([asr_18]<>"" , if([asr_18]="1" or [asr_18]="2", 1, 0), "" ) Field Annotation: @HIDDEN-SURVEY	
5105	[ asr_hallucwarn ]  Show the field ONLY if: [visit_age]>=18	Does the participant have a hallucination concern (item 40)?	calc Calculation: if([asr_40]<>"" , if([asr_40]="1" or [asr_40]="2", 1, 0), "" ) Field Annotation: @HIDDEN-SURVEY	
5106	[ asr_suicthinkwarn ]  Show the field ONLY if: [visit_age]>=18	Does the participant have a suicidal thoughts concern (item 91)?	calc Calculation: if([asr_91]<>"" , if([asr_91]="1" or [asr_91]="2", 1, 0), "" ) Field Annotation: @HIDDEN-SURVEY	
5107	[ asr_otherharmwarn ]  Show the field ONLY if: [visit_age]>=18	Does the participant have a safety concern (item 97)?	calc Calculation: if([asr_97]<>"" , if([asr_97]="1" or [asr_97]="2", 1, 0), "" ) Field Annotation: @HIDDEN-SURVEY	

5108	<div>[asr_concernwarning]</div> <div>Show the field ONLY if: [asr_anxwarn]="1" or [asr_withdrawn]="1" or [asr_totprobwarn]="1" or [asr_selfharmwarn]="1" or [asr_hallucwarn]="1" or [asr_suicthinwarn]="1" or [asr_otherharmwarn]="1"</div>	Warning: One of the calculated scores for the ASR is concerning and you should follow up with the caregiver clinically.	descriptive Field Annotation: @HIDDEN-SURVEY						
5109	<div>[behavior_checklist_complete]</div>	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

**Instrument: End Of Surveys (end\_of\_surveys)**

Active languages: None

5110	[eos_fversion]	End of survey form version	text Field Annotation: @DEFAULT='1' @HIDDEN @HIDDEN-PDF						
5111	[eos_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
5112	[eos_colllang]	_form collection language	text Field Annotation: @LANGUAGE-CURRENT-SURVEY @HIDDEN						
5113	[eos_thanks]	Thank you for completing your RECOVER study surveys. Your responses help us learn more about the effects of COVID and Long COVID, and help researchers look for ways to treat Long COVID.If you have questions or concerns about these surveys, the RECOVER project, or COVID, please reach out to your local site.	descriptive						
5114	[eos_mhpenroll]  Show the field ONLY if: [visit_armtype]="followup" and [specialized_arm_1][mhp_enrolldt]="1" and [visit_curraregiverid]<>"" and [visit_mhpsolicitationallowed]="1" and ([visit_age]>=13 and [visit_age]<18)	As a RECOVER parent or caregiver, you are invited to download the RECOVER mobile app called MyDataHelps.Using this app, you can:Let us know if your child participating in RECOVER has a new COVID infection.Invite your children participating in RECOVER who are 13 years old or older to share data from their smartphone and wearable devices that are connected to their smartphone, such as FitBit, Garmin, or Apple Watch.Invite your children who are participating in RECOVER and are 13 years old or older to order a FREE Fitbit.Complete RECOVER Surveys for yourself and your children.Join NowLearn More	descriptive						
5115	[eos_mhpenrolly]  Show the field ONLY if: [visit_armtype]="followup" and [specialized_arm_1][mhp_enrolldt]="1" and [visit_mhpsolicitationallowed]="1" and [visit_age]>=18	As a RECOVER participant, you are invited to download the RECOVER mobile app called MyDataHelps.Using this app, you can:Let us know if you have a new COVID infectionShare data from your smartphone and connected wearable devices (such as FitBit, Garmin, Apple Watch) and/or other appsHelp us gather your electronic health recordsTrack and share the symptoms you are experiencingJoin NowLearn More	descriptive						
5116	[eos_completesurveys]	Please click on "Complete Surveys" below to complete your surveys. Afterwards, you may close the tab or window in your browser.	descriptive						
5117	[end_of_surveys_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

**Instrument: Anthropometry (anthropometry)**

Active languages: None

5118	[ca_fversion]	Child anthropometry form version:	text Field Annotation: @DEFAULT='5' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: change skin fold thickness to millimeters v3: added reason not done v4: hid head circumference v5: add separate not done options for each element		
5119	[ca_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY		
5120	[ca_visit_compwarning]  Show the field ONLY if: [visit_form_complete]<>"2"	ERROR! You must complete the enrollment form and the visit form before you can start this form.	descriptive		
5121	[ca_colltd]	Date of child anthropometry collection:	text (date_mdy, Max: today) Field Annotation: @TODAY		
5122	[ca_yn]  Show the field ONLY if: [ca_fversion] >= 3	Was the Anthropometry performed?	radio, Required <table border="1"><tr><td>1</td><td>Yes</td></tr></table>	1	Yes
1	Yes				

				<div>0</div> <div>No</div>
				Custom alignment: LV
5123	<div>[ ca_nreas ]</div> <div>Show the field ONLY if: [ca_yn] = "0" and [ca_fversion] &gt;= 3</div>	Why was the Anthropometry not performed?	<div>radio, Required</div> <div> <div>1</div>Participant Declined <div>2</div>Staff Not Available <div>3</div>Resources Not Available <div>5</div>SOP Not Yet Created <div>6</div>Site Can Never Perform This Test <div>7</div>DRC Removed <div>8</div>Participant Could Not Be Reached/Did Not Show <div>10</div>Clinical Contraindication <div>13</div>Infected Within the Last 30 Days <div>14</div>Participant Uncooperative <div>15</div>Previously Normal/Not Collected Per Protocol/Investigator Discretion <div>9</div>Other </div> <div>Custom alignment: LV</div> <div>Field Annotation: @HIDECHOICE="7,13"</div>	
5124	<div>[ ca_nreasspec ]</div> <div>Show the field ONLY if: [ca_nreas] = "9"</div>	Please specify:	text, Required	
5125	<div>[ ca_wtyn ]</div> <div>Show the field ONLY if: [ca_fversion]&gt;=5 and [ca_yn]="1"</div>	<div>Section Header:</div> <div>Was weight collected?</div>	<div>radio, Required</div> <div> <div>1</div>Yes <div>0</div>No </div> <div>Custom alignment: LV</div>	
5126	<div>[ ca_wtnreas ]</div> <div>Show the field ONLY if: [ca_wtyn]="0"</div>	Why wasn't the weight collected?	<div>radio, Required</div> <div> <div>1</div>Participant Declined <div>2</div>Staff Not Available <div>3</div>Resources Not Available <div>10</div>Clinical Contraindication <div>14</div>Participant Uncooperative <div>9</div>Other </div> <div>Custom alignment: LV</div>	
5127	<div>[ ca_wtnreasspec ]</div> <div>Show the field ONLY if: [ca_wtnreas]="9"</div>	Please specify:	text, Required	
5128	<div>[ ca_wtunits ]</div> <div>Show the field ONLY if: ([ca_fversion]&gt;=5 and [ca_wtyn] = "1") or ([ca_fversion]&gt;=3 and [ca_fversion]&lt;5 and [ca_yn] = "1") or [ca_fversion]&lt;=2</div>	Weight units:	<div>radio, Required</div> <div> <div>1</div>Kilograms <div>2</div>Pounds </div>	
5129	<div>[ ca_wt1kg ]</div> <div>Show the field ONLY if: [ca_wtunits]="1"</div>	<div>Weight:</div> <div>kilograms</div>	text (number, Min: 3.6, Max: 216.1), Required	
5130	<div>[ ca_wt1disp ]</div> <div>Show the field ONLY if: [ca_wtunits]="2"</div>	Weight:Pounds:{ca_wt1lb:icons}{ca_wt1ozdisp}{ca_wt1oz:icons}	descriptive	
5131	<div>[ ca_wt1lb ]</div> <div>Show the field ONLY if: [ca_wtunits] = '2'</div>	<div>Weight (lb):</div> <div>pounds</div>	text (number, Min: 0, Max: 476), Required	
5132	<div>[ ca_wt1ozdisp ]</div> <div>Show the field ONLY if: [ca_wtunits]="2" and [visit_age]&lt;= 2</div>	ounces:	descriptive	
5133	<div>[ ca_wt1oz ]</div> <div>Show the field ONLY if:</div>	<div>Weight (oz):</div> <div>ounces (leave blank if unknown)</div>	text (number, Min: 0, Max: 16)	

		[ca_wtunits]="2" and [visit_age]<= 2													
5134	[ ca_hlyn ]  Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was height collected?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
5135	[ ca_htnreas ]  Show the field ONLY if: [ca_hlyn]="0"	Why wasn't the height collected?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined														
2	Staff Not Available														
3	Resources Not Available														
10	Clinical Contraindication														
14	Participant Uncooperative														
9	Other														
5136	[ ca_htnreasspec ]  Show the field ONLY if: [ca_htnreas]="9"	Please specify:	text, Required												
5137	[ ca_htunits ]  Show the field ONLY if: ([ca_fversion]>=5 and [ca_hlyn] ="1") or ([ca_fversion]>=3 and [ca_fversion]<5 and [ca_yn] = "1") or [ca_fversion] <= 2	Height or length units:	radio, Required <table><tr><td>1</td><td>Centimeters</td></tr><tr><td>2</td><td>Inches</td></tr></table>	1	Centimeters	2	Inches								
1	Centimeters														
2	Inches														
5138	[ ca_ht1cm ]  Show the field ONLY if: [ca_htunits]="1"	Height or length: <i>centimeters; child recumbent length if &lt; 2 years old, standing height if &gt;2 years old</i>	text (number, Min: 82, Max: 204.5), Required												
5139	[ ca_ht1in ]  Show the field ONLY if: [ca_htunits] = '2'	Height or length: <i>inches</i>	text (number, Min: 0, Max: 80.5), Required												
5140	[ ca_hcunits ]  Show the field ONLY if: [visit_age]<2 and [ca_fversion]<4	Head circumference units:	radio, Required <table><tr><td>1</td><td>Centimeters</td></tr><tr><td>2</td><td>Inches</td></tr></table>	1	Centimeters	2	Inches								
1	Centimeters														
2	Inches														
5141	[ ca_hccm ]  Show the field ONLY if: [ca_hcunits]="1" and [ca_fversion] <4	Head circumference: <i>centimeters</i>	text (number, Min: 38.1, Max: 152.4), Required												
5142	[ ca_hcin ]  Show the field ONLY if: [ca_hcunits] = '2' and [ca_fversion] <4	Head circumference: <i>inches</i>	text (number, Min: 15, Max: 60), Required												
5143	[ ca_wcyn ]  Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was waist circumference collected?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
5144	[ ca_wcnreas ]  Show the field ONLY if: [ca_wcyn]="0"	Why wasn't the waist circumference collected?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined														
2	Staff Not Available														
3	Resources Not Available														
10	Clinical Contraindication														
14	Participant Uncooperative														
9	Other														
5145	[ ca_wcnreasspec ]  Show the field ONLY if: [ca_wcnreas]="9"	Please specify:	text, Required												
5146	[ ca_wcunits ]  Show the field ONLY if:	Waist circumference units:	radio, Required <table><tr><td>1</td><td>Centimeters</td></tr></table>	1	Centimeters										
1	Centimeters														

		([ca_fversion]>=5 and [ca_wcyn] = "1") or ([ca_fversion]>=3 and [ca_fversion]<5 and [ca_yn] = "1") or [ca_fversion] <= 2		<div>2</div> <div>Inches</div>
5147	[ca_wccm]	Show the field ONLY if: [ca_wcunits]="1"	Waist circumference: <i>centimeters</i>	text (number, Min: 38.1, Max: 152.4), Required
5148	[ca_wcin]	Show the field ONLY if: [ca_wcunits] = '2'	Waist circumference: <i>inches</i>	text (number, Min: 15, Max: 60), Required
5149	[ca_sfunits]	Show the field ONLY if: ([ca_fversion] >= 3 and [ca_yn] = "1") or [ca_fversion] <= 2	Skin fold thickness units:	radio, Required <div>1</div> Centimeters <div>2</div> Inches Field Annotation: @HIDDEN
5150	[ca_sfcm]	Show the field ONLY if: [ca_sfunits]="1"	Skin fold thickness: <i>centimeters</i>	text (number, Min: 38.1, Max: 152.4), Required Field Annotation: @HIDDEN
5151	[ca_sfin]	Show the field ONLY if: [ca_sfunits] = '2'	Skin fold thickness: <i>inches</i>	text (number, Min: 38.1, Max: 152.4), Required Field Annotation: @HIDDEN
5152	[ca_tsfn]	Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was triceps skin fold thickness collected?	radio, Required <div>1</div> Yes <div>0</div> No Custom alignment: LV
5153	[ca_tsfnreas]	Show the field ONLY if: [ca_tsfn]="0"	Why wasn't the triceps skin fold thickness collected?	radio, Required <div>1</div> Participant Declined <div>2</div> Staff Not Available <div>3</div> Resources Not Available <div>10</div> Clinical Contraindication <div>14</div> Participant Uncooperative <div>9</div> Other Custom alignment: LV
5154	[ca_tsfnreasspec]	Show the field ONLY if: [ca_tsfnreas]="9"	Please specify:	text, Required
5155	[ca_tsfc]	Show the field ONLY if: [ca_fversion]="1"	Triceps skin fold thickness: <i>cm</i>	text (number), Required
5156	[ca_tsfcmm]	Show the field ONLY if: ([ca_fversion]>=5 and [ca_tsfn] = "1") or ([ca_fversion]>=3 and [ca_fversion]<5 and [ca_yn] = "1") or [ca_fversion] = "2"	Triceps skin fold thickness (mm): <i>mmcollect on right side of body as available</i>	text (number, Min: 0, Max: 80), Required
5157	[ca_sssfn]	Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was subscapular skin fold thickness collected?	radio, Required <div>1</div> Yes <div>0</div> No Custom alignment: LV
5158	[ca_sssfnreas]	Show the field ONLY if: [ca_sssfn]="0"	Why wasn't the subscapular skin fold thickness collected?	radio, Required <div>1</div> Participant Declined <div>2</div> Staff Not Available <div>3</div> Resources Not Available <div>10</div> Clinical Contraindication <div>14</div> Participant Uncooperative <div>9</div> Other Custom alignment: LV

5159	[ <b>ca_sssfneasspec</b> ]  Show the field ONLY if: [ca_sssfneasspec]="9"	Please specify:	text, Required												
5160	[ <b>ca_sssf</b> ]  Show the field ONLY if: [ca_fversion]="1"	Subscapular skin fold thickness: <i>cm</i>	text (number), Required												
5161	[ <b>ca_sssfmm</b> ]  Show the field ONLY if: ([ca_fversion]>=5 and [ca_sssfyn] ="1") or ([ca_fversion]>=3 and [ca _fversion]<5 and [ca_yn] = "1") or [ca_fversion] = "2"	Subscapular skin fold thickness (mm): <i>mm collect on right side of body as available</i>	text (number, Min: 0, Max: 80), Required												
5162	[ <b>ca_temppyn</b> ]  Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was temperature collected?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
5163	[ <b>ca_tempreas</b> ]  Show the field ONLY if: [ca_temppyn]="0"	Why wasn't the temperature collected?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined														
2	Staff Not Available														
3	Resources Not Available														
10	Clinical Contraindication														
14	Participant Uncooperative														
9	Other														
5164	[ <b>ca_tempreasspec</b> ]  Show the field ONLY if: [ca_tempreas]="9"	Please specify:	text, Required												
5165	[ <b>ca_temppunits</b> ]  Show the field ONLY if: ([ca_fversion]>=5 and [ca_tempp n]="1") or ([ca_fversion]>=3 and [c a_fversion]<5 and [ca_yn] = "1") o r [ca_fversion] <= 2	Temperature units:	radio, Required <table><tr><td>1</td><td>Celsius</td></tr><tr><td>2</td><td>Fahrenheit</td></tr></table>	1	Celsius	2	Fahrenheit								
1	Celsius														
2	Fahrenheit														
5166	[ <b>ca_tempc</b> ]  Show the field ONLY if: [ca_temppunits]="1"	Temperature: <i>°C</i>	text (number, Min: 34, Max: 44), Required												
5167	[ <b>ca_temppf</b> ]  Show the field ONLY if: [ca_temppunits] = '2'	Temperature: <i>°F</i>	text (number, Min: 94, Max: 110), Required												
5168	[ <b>ca_temppmeth</b> ]  Show the field ONLY if: [ca_temppunits]<>""	Temperature method:	radio, Required <table><tr><td>1</td><td>Oral</td></tr><tr><td>2</td><td>Axillary</td></tr><tr><td>3</td><td>Touchless</td></tr><tr><td>4</td><td>Temporal</td></tr><tr><td>5</td><td>Rectal</td></tr><tr><td>6</td><td>Tympanic</td></tr></table>	1	Oral	2	Axillary	3	Touchless	4	Temporal	5	Rectal	6	Tympanic
1	Oral														
2	Axillary														
3	Touchless														
4	Temporal														
5	Rectal														
6	Tympanic														
5169	[ <b>ca_hryn</b> ]  Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was heart rate collected?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
5170	[ <b>ca_hrnreas</b> ]  Show the field ONLY if: [ca_hryn]="0"	Why wasn't the heart rate collected?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table>	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined														
2	Staff Not Available														
3	Resources Not Available														
10	Clinical Contraindication														
14	Participant Uncooperative														
9	Other														



				Custom alignment: LV												
5171	<div>[ ca_hrnreasspec ]</div> <div>Show the field ONLY if: [ca_hrnreas]="9"</div>	Please specify:		text, Required												
5172	<div>[ ca_hr ]</div> <div>Show the field ONLY if: ([ca_fversion]&gt;=5 and [ca_hryn]="1") or ([ca_fversion]&gt;=3 and [ca_fversion]&lt;5 and [ca_yn] = "1") or [ca_fversion] &lt;= 2</div>	Heart rate: <i>beats per minute</i>		text (number, Min: 34, Max: 136), Required												
5173	<div>[ ca_hrmeth ]</div> <div>Show the field ONLY if: ([ca_fversion]&gt;=5 and [ca_hryn]="1") or ([ca_fversion]&gt;=3 and [ca_fversion]&lt;5 and [ca_yn] = "1") or [ca_fversion] &lt;= 2</div>	Heart rate method:		radio, Required <table><tr><td>1</td><td>Apical pulse (&lt; 2 years)</td></tr><tr><td>2</td><td>Radial pulse (≥ 2 years)</td></tr><tr><td>3</td><td>Digital (collection alongside blood pressure or oxygen saturation)</td></tr><tr><td>9</td><td>Other, please specify {ca_hrmethspec:icons}</td></tr></table>	1	Apical pulse (< 2 years)	2	Radial pulse (≥ 2 years)	3	Digital (collection alongside blood pressure or oxygen saturation)	9	Other, please specify {ca_hrmethspec:icons}				
1	Apical pulse (< 2 years)															
2	Radial pulse (≥ 2 years)															
3	Digital (collection alongside blood pressure or oxygen saturation)															
9	Other, please specify {ca_hrmethspec:icons}															
5174	<div>[ ca_hrmethspec ]</div> <div>Show the field ONLY if: [ca_hrmeth]="9"</div>	Please specify method of collecting heart rate:		text, Required												
5175	<div>[ ca_rryn ]</div> <div>Show the field ONLY if: [ca_fversion]&gt;=5 and [ca_yn]="1"</div>	Was respiratory rate collected?		radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No								
1	Yes															
0	No															
5176	<div>[ ca_rrnreas ]</div> <div>Show the field ONLY if: [ca_rryn]="0"</div>	Why wasn't the respiratory rate collected?		radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table> <div>Custom alignment: LV</div>	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined															
2	Staff Not Available															
3	Resources Not Available															
10	Clinical Contraindication															
14	Participant Uncooperative															
9	Other															
5177	<div>[ ca_rrnreasspec ]</div> <div>Show the field ONLY if: [ca_rrnreas]="9"</div>	Please specify:		text, Required												
5178	<div>[ ca_rr ]</div> <div>Show the field ONLY if: ([ca_fversion]&gt;=5 and [ca_rryn]="1") or ([ca_fversion]&gt;=3 and [ca_fversion]&lt;5 and [ca_yn] = "1") or [ca_fversion] &lt;= 2</div>	Respiratory rate: <i>per minute</i>		text (number, Min: 1, Max: 50), Required												
5179	<div>[ ca_o2satyn ]</div> <div>Show the field ONLY if: [ca_fversion]&gt;=5 and [ca_yn]="1"</div>	Was oxygen saturation collected?		radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No								
1	Yes															
0	No															
5180	<div>[ ca_o2satnreas ]</div> <div>Show the field ONLY if: [ca_o2satyn]="0"</div>	Why wasn't the oxygen saturation collected?		radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table> <div>Custom alignment: LV</div>	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined															
2	Staff Not Available															
3	Resources Not Available															
10	Clinical Contraindication															
14	Participant Uncooperative															
9	Other															
5181	<div>[ ca_o2satnreasspec ]</div> <div>Show the field ONLY if: [ca_o2satnreas]="9"</div>	Please specify:		text, Required												
5182	<div>[ ca_o2sat ]</div>	Oxygen saturation: %		text (number, Min: 80, Max: 100), Required												

		Show the field ONLY if: ([ca_fversion]>=5 and [ca_o2satyn]="1") or ([ca_fversion]>=3 and [ca_fversion]<5 and [ca_yn] = "1") or [ca_fversion] <= 2														
5183	[ ca_bpyn ]	Show the field ONLY if: [ca_fversion]>=5 and [ca_yn]="1"	Was blood pressure collected?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes															
0	No															
5184	[ ca_bpnreas ]	Show the field ONLY if: [ca_bpyn]="0"	Why wasn't the blood pressure collected?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	10	Clinical Contraindication	14	Participant Uncooperative	9	Other
1	Participant Declined															
2	Staff Not Available															
3	Resources Not Available															
10	Clinical Contraindication															
14	Participant Uncooperative															
9	Other															
5185	[ ca_bpnreasspec ]	Show the field ONLY if: [ca_bpnreas]="9"	Please specify:	text, Required												
5186	[ ca_bploc ]	Show the field ONLY if: ([ca_fversion]>=5 and [ca_bpyn]="1") or ([ca_fversion]>=3 and [ca_fversion]<5 and [ca_yn] = "1") or [ca_fversion] <= 2	Blood pressure location:	radio, Required <table><tr><td>1</td><td>Right Arm</td></tr><tr><td>2</td><td>Left Arm</td></tr><tr><td>5</td><td>Right leg</td></tr><tr><td>6</td><td>Left leg</td></tr><tr><td>3</td><td>Not able to measure</td></tr></table> Field Annotation: #nyu_orthostatic_vital_signs#	1	Right Arm	2	Left Arm	5	Right leg	6	Left leg	3	Not able to measure		
1	Right Arm															
2	Left Arm															
5	Right leg															
6	Left leg															
3	Not able to measure															
5187	[ ca_bpcuff ]	Show the field ONLY if: [ca_bploc]<>"" and [ca_bploc] != '3'	Blood pressure cuff size:	radio, Required <table><tr><td>6</td><td>Newborn (4×8)</td></tr><tr><td>1</td><td>Infant (6-12)</td></tr><tr><td>2</td><td>Child (9×18)</td></tr><tr><td>7</td><td>Small adult (10×24)</td></tr><tr><td>8</td><td>Adult (13-30)</td></tr><tr><td>4</td><td>Large (15-32)</td></tr></table>	6	Newborn (4×8)	1	Infant (6-12)	2	Child (9×18)	7	Small adult (10×24)	8	Adult (13-30)	4	Large (15-32)
6	Newborn (4×8)															
1	Infant (6-12)															
2	Child (9×18)															
7	Small adult (10×24)															
8	Adult (13-30)															
4	Large (15-32)															
5188	[ ca_bppos ]	Show the field ONLY if: [ca_bploc]<>"" and [ca_bploc] != '3'	Position during blood pressure measurement:	radio, Required <table><tr><td>1</td><td>Sitting (2 years old or more)</td></tr><tr><td>2</td><td>Supine (&lt; 2 years old)</td></tr></table>	1	Sitting (2 years old or more)	2	Supine (< 2 years old)								
1	Sitting (2 years old or more)															
2	Supine (< 2 years old)															
5189	[ ca_sbp ]	Show the field ONLY if: [ca_bploc]<>"" and [ca_bploc] != '3'	Systolic blood pressure: <i>mmHg</i>	text (number, Min: 72, Max: 228), Required												
5190	[ ca_dbp ]	Show the field ONLY if: [ca_bploc]<>"" and [ca_bploc] != '3'	Diastolic blood pressure: <i>mmHg</i>	text (number, Min: 0, Max: 136), Required												
5191	[ anthropometry_complete ]		Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete															
1	Unverified															
2	Complete															
Instrument: <b>Active Standing Test</b> (active_standing_test)																
Active languages: None																
5192	[ ast_fversion ]		Active Standing Test form version:	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2. added reason not done												
5193	[ ast_fqueries ]		Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY												

5194	<div>[ast_visit_compwarning]</div> <div>Show the field ONLY if: [visit_form_complete]&lt;&gt;"2"</div>	ERROR! You must complete the enrollment form and the visit form before you can start this form.	descriptive
5195	<div>[ast_colldt]</div>	Date of active standing test:	text (date_mdy, Max: today) Field Annotation: @TODAY
5196	<div>[ast_yn]</div>	<div>Section Header: <i>Active standing test</i></div> <div>Did the participant start the Active Standing Test?</div>	<div>radio</div> <div><div>1</div><div>Yes</div></div> <div><div>0</div><div>No</div></div> <div>Custom alignment: LV</div>
5197	<div>[ast_nreas]</div> <div>Show the field ONLY if: [ast_yn] = "0" and [ast_fversion] &gt;= 2</div>	Why was the Active Standing Test not performed?	<div>radio, Required</div> <div><div>1</div><div>Participant Declined</div></div> <div><div>2</div><div>Staff Not Available</div></div> <div><div>3</div><div>Resources Not Available</div></div> <div><div>5</div><div>SOP Not Yet Created</div></div> <div><div>6</div><div>Site Can Never Perform This Test</div></div> <div><div>7</div><div>DRC Removed</div></div> <div><div>8</div><div>Participant Could Not Be Reached/Did Not Show</div></div> <div><div>10</div><div>Clinical Contraindication</div></div> <div><div>13</div><div>Infected Within the Last 30 Days</div></div> <div><div>14</div><div>Participant Uncooperative</div></div> <div><div>15</div><div>Previously Normal/Not Collected Per Protocol/Investigator Discretion</div></div> <div><div>9</div><div>Other</div></div> <div>Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"</div>
5198	<div>[ast_nreasspec]</div> <div>Show the field ONLY if: [ast_nreas] = "9"</div>	Please specify:	text, Required
5199	<div>[ast_hrsupine1]</div> <div>Show the field ONLY if: [ast_yn]="1"</div>	<div>Supine (5 minutes) Pulse Rate</div> <div><i>bpm, 30 seconds count X 2</i></div>	text (number, Min: 34, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#
5200	<div>[ast_sbpsupine1]</div> <div>Show the field ONLY if: [ast_yn]="1"</div>	<div>Supine Systolic Blood Pressure</div> <div><i>mmHg</i></div>	text (number, Min: 72, Max: 228) Field Annotation: #nyu_orthostatic_vital_signs#
5201	<div>[ast_dbpsupine1]</div> <div>Show the field ONLY if: [ast_yn]="1"</div>	<div>Supine Diastolic Blood Pressure</div> <div><i>mmHg</i></div>	text (number, Min: 40, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#
5202	<div>[ast_astnreas]</div> <div>Show the field ONLY if: [ast_yn]="0" and [ast_fversion] = "1"</div>	Why didn't the participant start the Active Standing Test?	<div>radio</div> <div><div>1</div><div>Refused</div></div> <div><div>2</div><div>Unable</div></div> <div><div>9</div><div>Other</div></div> <div>Custom alignment: LV</div>
5203	<div>[ast_astnreasspec]</div> <div>Show the field ONLY if: [ast_astnreas]="9"</div>	Please specify:	text
5204	<div>[ast_stand1yn]</div> <div>Show the field ONLY if: [ast_yn]="1"</div>	<div>Section Header: <i>After standing for 1 minute</i></div> <div>Was the participant able to complete the 1 minute tests?</div>	<div>radio</div> <div><div>1</div><div>Yes</div></div> <div><div>0</div><div>No</div></div> <div>Custom alignment: LV</div>
5205	<div>[ast_stand1dizzy]</div> <div>Show the field ONLY if: [ast_stand1yn]="1"</div>	Does the participant feel dizzy or weak, or have visual changes, diaphoresis (sweating) or pallor (paleness)?	<div>radio</div> <div><div>1</div><div>Yes</div></div> <div><div>0</div><div>No</div></div> <div>Custom alignment: LV Field Annotation: #nyu_orthostatic_vital_signs#</div>
5206	<div>[ast_stand1hr]</div>	<div>Standing 1 minute Pulse Rate</div> <div><i>bpm, 30 seconds count X 2</i></div>	text (number, Min: 34, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#

		Show the field ONLY if: [ast_stand1yn]="1"								
5207	[ast_stand1sbp]	Show the field ONLY if: [ast_stand1yn]="1"	Standing 1 minute Systolic Blood Pressure <i>mmHg</i>	text (number, Min: 72, Max: 228) Field Annotation: #nyu_orthostatic_vital_signs#						
5208	[ast_stand1dpb]	Show the field ONLY if: [ast_stand1yn]="1"	Standing 1 minute Diastolic Blood Pressure <i>mmHg</i>	text (number, Min: 40, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5209	[ast_stand1nreas]	Show the field ONLY if: [ast_stand1yn]="0"	Why didn't the participant complete the 1 minute tests?	radio <table><tr><td>1</td><td>Refused</td></tr><tr><td>2</td><td>Unable</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Refused	2	Unable	9	Other
1	Refused									
2	Unable									
9	Other									
5210	[ast_stand1nreasspec]	Show the field ONLY if: [ast_stand1nreas]="9"	Please specify:	text						
5211	[ast_stand3yn]	Show the field ONLY if: [ast_stand1yn]="1"	Section Header: <i>After standing for 3 minutes</i> Was the participant able to complete the 3 minute tests?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
5212	[ast_stand3dizzy]	Show the field ONLY if: [ast_stand3yn]="1"	Does the participant feel dizzy or weak, or have visual changes, diaphoresis (sweating) or pallor (paleness)?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: #nyu_orthostatic_vital_signs#	1	Yes	0	No		
1	Yes									
0	No									
5213	[ast_stand3hr]	Show the field ONLY if: [ast_stand3yn]="1"	Standing 3 minute Pulse Rate <i>bpm, 30 seconds count X 2</i>	text (number, Min: 34, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5214	[ast_stand3sbp]	Show the field ONLY if: [ast_stand3yn]="1"	Standing 3 minute Systolic Blood Pressure <i>mmHg</i>	text (number, Min: 72, Max: 228) Field Annotation: #nyu_orthostatic_vital_signs#						
5215	[ast_stand3dpb]	Show the field ONLY if: [ast_stand3yn]="1"	Standing 3 minute Diastolic Blood Pressure <i>mmHg</i>	text (number, Min: 40, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5216	[ast_stand3nreas]	Show the field ONLY if: [ast_stand3yn]="0"	Why didn't the participant complete the 3 minute tests?	radio <table><tr><td>1</td><td>Refused</td></tr><tr><td>2</td><td>Unable</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Refused	2	Unable	9	Other
1	Refused									
2	Unable									
9	Other									
5217	[ast_stand3nreasspec]	Show the field ONLY if: [ast_stand3nreas]="9"	Please specify:	text						
5218	[ast_stand5yn]	Show the field ONLY if: [ast_stand3yn]="1"	Section Header: <i>After standing for 5 minutes</i> Was the participant able to complete the 5 minute tests?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
5219	[ast_stand5dizzy]	Show the field ONLY if: [ast_stand5yn]="1"	Does the participant feel dizzy or weak, or have visual changes, diaphoresis (sweating) or pallor (paleness)?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: #nyu_orthostatic_vital_signs#	1	Yes	0	No		
1	Yes									
0	No									
5220	[ast_stand5hr]	Show the field ONLY if: [ast_stand5yn]="1"	Standing 5 minute Pulse Rate <i>bpm, 30 seconds count X 2</i>	text (number, Min: 34, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5221	[ast_stand5sbp]		Standing 5 minute Systolic Blood Pressure <i>mmHg</i>	text (number, Min: 72, Max: 228) Field Annotation: #nyu_orthostatic_vital_signs#						

		Show the field ONLY if: [ast_stand5yn]="1"								
5222	[ast_stand5dpb]	Show the field ONLY if: [ast_stand5yn]="1"	Standing 5 minute Diastolic Blood Pressure <i>mmHg</i>	text (number, Min: 40, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5223	[ast_stand5nreas]	Show the field ONLY if: [ast_stand5yn]="0"	Why didn't the participant complete the 5 minute tests?	radio <table><tr><td>1</td><td>Refused</td></tr><tr><td>2</td><td>Unable</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Refused	2	Unable	9	Other
1	Refused									
2	Unable									
9	Other									
5224	[ast_stand5nreasspec]	Show the field ONLY if: [ast_stand5nreas]="9"	Please specify:	text						
5225	[ast_stand7yn]	Show the field ONLY if: [ast_stand5yn]="1"	Section Header: <i>After standing for 7 minutes</i> Was the participant able to complete the 7 minute tests?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
5226	[ast_stand7dizzy]	Show the field ONLY if: [ast_stand7yn]="1"	Does the participant feel dizzy or weak, or have visual changes, diaphoresis (sweating) or pallor (paleness)?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: #nyu_orthostatic_vital_signs#	1	Yes	0	No		
1	Yes									
0	No									
5227	[ast_stand7hr]	Show the field ONLY if: [ast_stand7yn]="1"	Standing 7 minute Pulse Rate <i>bpm, 30 seconds count X 2</i>	text (number, Min: 34, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5228	[ast_stand7sbp]	Show the field ONLY if: [ast_stand7yn]="1"	Standing 7 minute Systolic Blood Pressure <i>mmHg</i>	text (number, Min: 72, Max: 228) Field Annotation: #nyu_orthostatic_vital_signs#						
5229	[ast_stand7dpb]	Show the field ONLY if: [ast_stand7yn]="1"	Standing 7 minute Diastolic Blood Pressure <i>mmHg</i>	text (number, Min: 40, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5230	[ast_stand7nreas]	Show the field ONLY if: [ast_stand7yn]="0"	Why didn't the participant complete the 7 minute tests?	radio <table><tr><td>1</td><td>Refused</td></tr><tr><td>2</td><td>Unable</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Refused	2	Unable	9	Other
1	Refused									
2	Unable									
9	Other									
5231	[ast_stand7nreasspec]	Show the field ONLY if: [ast_stand7nreas]="9"	Please specify:	text						
5232	[ast_stand10yn]	Show the field ONLY if: [ast_stand7yn]="1"	Section Header: <i>After standing for 10 minutes</i> Was the participant able to complete the 10 minute tests?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
5233	[ast_stand10dizzy]	Show the field ONLY if: [ast_stand10yn]="1"	Does the participant feel dizzy or weak, or have visual changes, diaphoresis (sweating) or pallor (paleness)?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: #nyu_orthostatic_vital_signs#	1	Yes	0	No		
1	Yes									
0	No									
5234	[ast_stand10hr]	Show the field ONLY if: [ast_stand10yn]="1"	Standing 10 minute Pulse Rate <i>bpm, 30 seconds count X 2</i>	text (number, Min: 34, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						
5235	[ast_stand10sbp]	Show the field ONLY if: [ast_stand10yn]="1"	Standing 10 minute Systolic Blood Pressure <i>mmHg</i>	text (number, Min: 72, Max: 228) Field Annotation: #nyu_orthostatic_vital_signs#						
5236	[ast_stand10dpb]		Standing 10 minute Diastolic Blood Pressure <i>mmHg</i>	text (number, Min: 40, Max: 136) Field Annotation: #nyu_orthostatic_vital_signs#						

		Show the field ONLY if: [ast_stand10yn]="1"								
	5237	[ast_stand10nreas]  Show the field ONLY if: [ast_stand10yn]="0"	Why didn't the participant complete the 10 minute tests?	radio <table><tr><td>1</td><td>Refused</td></tr><tr><td>2</td><td>Unable</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	Refused	2	Unable	9	Other
1	Refused									
2	Unable									
9	Other									
	5238	[ast_stand10nreasspec]  Show the field ONLY if: [ast_stand10nreas]="9"	Please specify:	text						
	5239	[ast_orthohypoten]	Orthostatic hypotension, defined as decrease >= 20 mmHg systolic OR 10 mmHg diastolic blood pressure in at least two consecutive standing measurements compared to the supine blood pressure; based on available data	calc Calculation: if([ast_yn]<>"1", "", if([ast_sbpsupine1]<>"" and [ast_stand1sbp]<>"" and [ast_stand3sbp]<>"" and ([ast_sbpsupine1]-[ast_stand1sbp]>=20) and ([ast_sbpsupine1]-[ast_stand3sbp]>=20), 1, if([ast_sbpsupine1]<>"" and [ast_stand3sbp]<>"" and [ast_stand5sbp]<>"" and ([ast_sbpsupine1]-[ast_stand3sbp]>=20) and ([ast_sbpsupine1]-[ast_stand5sbp]>=20), 1, if([ast_sbpsupine1]<>"" and [ast_stand5sbp]<>"" and [ast_stand10sbp]<>"" and ([ast_sbpsupine1]-[ast_stand5sbp]>=20) and ([ast_sbpsupine1]-[ast_stand10sbp]>=20), 1, if([ast_dbpsupine1]<>"" and [ast_stand1dvp]<>"" and [ast_stand3dvp]<>"" and ([ast_dbpsupine1]-[ast_stand1dvp]>=10) and ([ast_dbpsupine1]-[ast_stand3dvp]>=10), 1, if([ast_dbpsupine1]<>"" and [ast_stand3dvp]<>"" and [ast_stand5dvp]<>"" and ([ast_dbpsupine1]-[ast_stand3dvp]>=10) and ([ast_dbpsupine1]-[ast_stand5dvp]>=10), 1, if([ast_dbpsupine1]<>"" and [ast_stand5dvp]<>"" and [ast_stand10dvp]<>"" and ([ast_dbpsupine1]-[ast_stand5dvp]>=10) and ([ast_dbpsupine1]-[ast_stand10dvp]>=10), 1, 0)))))) Field Annotation: @HIDDEN @HIDDEN-PDF						
	5240	[ast_orthohypoten_warning]  Show the field ONLY if: [ast_orthohypoten]="1"	Note: This participant shows signs of orthostatic hypotension. Please report these abnormal findings to the responsible study physician, including all sets of blood pressure and pulse results, and whether the patient experienced pallor, diaphoresis, or faintness when upright.	descriptive						
	5241	[ast_posttach]	Postural tachycardia, defined as increase of >=30 beats/min heart rate in at least two consecutive standing measurements versus the supine heart rate; based on available data	calc Calculation: if([ast_yn]<>"1", "", if([ast_orthohypoten]="1", 0, if([ast_hrsupine1]<>"" and [ast_stand1hr]<>"" and [ast_stand3hr]<>"" and ([visit_age]<20) and ([ast_stand1hr]-[ast_hrsupine1]>=40) and ([ast_stand3hr]-[ast_hrsupine1]>=40), 1, if([ast_hrsupine1]<>"" and [ast_stand3hr]<>"" and [ast_stand5hr]<>"" and ([visit_age]<20) and ([ast_stand3hr]-[ast_hrsupine1]>=40) and ([ast_stand5hr]-[ast_hrsupine1]>=40), 1, if([ast_hrsupine1]<>"" and [ast_stand5hr]<>"" and [ast_stand10hr]<>"" and ([visit_age]<20) and ([ast_stand5hr]-[ast_hrsupine1]>=40) and ([ast_stand10hr]-[ast_hrsupine1]>=40), 1, if([ast_hrsupine1]<>"" and [ast_stand1hr]<>"" and [ast_stand3hr]<>"" and ([visit_age]>=20) and ([ast_stand1hr]-[ast_hrsupine1]>=30) and ([ast_stand3hr]-[ast_hrsupine1]>=30), 1, if([ast_hrsupine1]<>"" and [ast_stand3hr]<>"" and [ast_stand5hr]<>"" and ([visit_age]>=20) and ([ast_stand3hr]-[ast_hrsupine1]>=30) and ([ast_stand5hr]-[ast_hrsupine1]>=30), 1, if([ast_hrsupine1]<>"" and [ast_stand5hr]<>"" and [ast_stand10hr]<>"" and ([visit_age]>=20) and ([ast_stand5hr]-[ast_hrsupine1]>=30) and ([ast_stand10hr]-[ast_hrsupine1]>=30), 1, 0)))))) Field Annotation: @HIDDEN @HIDDEN-PDF						
	5242	[ast_posttach_warning]  Show the field ONLY if: [ast_posttach]="1"	Note: This participant shows signs of postural tachycardia. Please report these abnormal findings to the responsible study physician, including all sets of blood pressure and pulse results, and whether the patient experienced pallor, diaphoresis, or faintness when upright.	descriptive						
	5243	[active_standing_test_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

Instrument: <b>Electrocardiogram</b> (electrocardiogram)																												
Active languages: None																												
	5244	[ekg_fversion]	Electrocardiogram form version:	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: Reason not done added																								
	5245	[ekg_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
	5246	[ekg_colldt]	Date electrocardiogram form collected:	text (date_mdy, Max: today) Field Annotation: @TODAY																								
	5247	[ekg_yn]	Was an electrocardiogram performed?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																											
0	No																											
	5248	[ekg_nreas]  Show the field ONLY if: [ekg_yn] = "0" and [ekg_fversion] >= 2	Why was the electrocardiogram not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																											
2	Staff Not Available																											
3	Resources Not Available																											
5	SOP Not Yet Created																											
6	Site Can Never Perform This Test																											
7	DRC Removed																											
8	Participant Could Not Be Reached/Did Not Show																											
10	Clinical Contraindication																											
13	Infected Within the Last 30 Days																											
14	Participant Uncooperative																											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																											
9	Other																											
	5249	[ekg_nreasspec]  Show the field ONLY if: [ekg_nreas] = "9"	Please specify:	text, Required																								
	5250	[ekg_dttm]  Show the field ONLY if: [ekg_yn] = "1"	Date and time of electrocardiogram:	text (datetime_mdy)																								
	5251	[ekg_research]  Show the field ONLY if: [ekg_yn]="1"	Was the ECG obtained as part of research or clinical care?	radio <table><tr><td>res</td><td>Research</td></tr><tr><td>cln</td><td>Clinical care</td></tr></table> Custom alignment: LV	res	Research	cln	Clinical care																				
res	Research																											
cln	Clinical care																											
	5252	[ekg_clinicalwarning]  Show the field ONLY if: [ekg_research]="cln"	Reminder: only test results available from the medical record from a date within three months of the visit date should be recorded.	descriptive																								
	5253	[ekg_hr]  Show the field ONLY if: [ekg_yn] = "1"	Section Header: <i>ECG Measurement/Result</i>  Heart rate: (bpm) <i>bpm</i>	text (number, Min: 0)																								
	5254	[ekg_pr]  Show the field ONLY if: [ekg_yn] = "1"	PR interval: <i>msec</i>	text (number)																								
	5255	[ekg_qrs]  Show the field ONLY if: [ekg_yn] = "1"	QRS duration: <i>msec</i>	text (number)																								
	5256	[ekg_qt]  Show the field ONLY if: [ekg_yn] = "1"	QT interval: <i>msec</i>	text (number)																								

5257	[ <b>ekg_qtc</b> ] Show the field ONLY if: [ekg_yn] = "1"	QTc interval: <i>msec</i>	text (number)																								
5258	[ <b>ekg_pwaveaxis</b> ] Show the field ONLY if: [ekg_yn] = "1"	P-wave axis: <i>Positive degrees only. For negative degrees, please add 360. I.e. -30 becomes 330</i>	text (number, Min: 0, Max: 360)																								
5259	[ <b>ekg_qrsaxis</b> ] Show the field ONLY if: [ekg_yn] = "1"	QRS axis: <i>Positive degrees only. For negative degrees, please add 360. I.e. -30 becomes 330</i>	text (number, Min: 0, Max: 360)																								
5260	[ <b>ekg_twaveaxis</b> ] Show the field ONLY if: [ekg_yn] = "1"	T-wave axis: <i>Positive degrees only. For negative degrees, please add 360. I.e. -30 becomes 330</i>	text (number, Min: 0, Max: 360)																								
5261	[ <b>ekg_normyn</b> ] Show the field ONLY if: [ekg_yn] = "1"	Is this a normal ECG for age (normal sinus rhythm, normal axis, normal intervals, and no evidence of chamber enlargement or hypertrophy)?	<div>radio</div> <table> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> </table> <div>Custom alignment: LV</div>	1	Yes	0	No																				
1	Yes																										
0	No																										
5262	[ <b>ekg_normmcr</b> ] Show the field ONLY if: [ekg_normyn]="1"	Rhythm on normal ECG (choose all that apply)	<div>checkbox</div> <table> <tr> <td>1</td> <td>ekg_normmcr__1</td> <td>Normal Sinus Rhythm</td> </tr> <tr> <td>2</td> <td>ekg_normmcr__2</td> <td>Sinus Bradycardia</td> </tr> <tr> <td>3</td> <td>ekg_normmcr__3</td> <td>Sinus Tachycardia</td> </tr> <tr> <td>99</td> <td>ekg_normmcr__99</td> <td>Other</td> </tr> </table> <div>Custom alignment: LV</div>	1	ekg_normmcr__1	Normal Sinus Rhythm	2	ekg_normmcr__2	Sinus Bradycardia	3	ekg_normmcr__3	Sinus Tachycardia	99	ekg_normmcr__99	Other												
1	ekg_normmcr__1	Normal Sinus Rhythm																									
2	ekg_normmcr__2	Sinus Bradycardia																									
3	ekg_normmcr__3	Sinus Tachycardia																									
99	ekg_normmcr__99	Other																									
5263	[ <b>ekg_normmcrspec</b> ] Show the field ONLY if: [ekg_normmcr(99)] = "1"	Please specify other rhythm:	text																								
5264	[ <b>ekg_abnormmcr</b> ] Show the field ONLY if: [ekg_normyn]="0"	Rhythm on ECG (choose all that apply)	<div>checkbox</div> <table> <tr> <td>4</td> <td>ekg_abnormmcr__4</td> <td>Ectopic Atrial Rhythm (physiologic rates, excluding ectopic atrial tachycardia)</td> </tr> <tr> <td>5</td> <td>ekg_abnormmcr__5</td> <td>Premature Atrial Beats</td> </tr> <tr> <td>6</td> <td>ekg_abnormmcr__6</td> <td>Supraventricular Tachycardia (SVT)</td> </tr> <tr> <td>7</td> <td>ekg_abnormmcr__7</td> <td>Junctional Rhythm</td> </tr> <tr> <td>8</td> <td>ekg_abnormmcr__8</td> <td>Premature Ventricular Beats</td> </tr> <tr> <td>9</td> <td>ekg_abnormmcr__9</td> <td>Ventricular Tachycardia</td> </tr> <tr> <td>10</td> <td>ekg_abnormmcr__10</td> <td>Normal Rhythm</td> </tr> <tr> <td>99</td> <td>ekg_abnormmcr__99</td> <td>Other</td> </tr> </table> <div>Custom alignment: LV</div>	4	ekg_abnormmcr__4	Ectopic Atrial Rhythm (physiologic rates, excluding ectopic atrial tachycardia)	5	ekg_abnormmcr__5	Premature Atrial Beats	6	ekg_abnormmcr__6	Supraventricular Tachycardia (SVT)	7	ekg_abnormmcr__7	Junctional Rhythm	8	ekg_abnormmcr__8	Premature Ventricular Beats	9	ekg_abnormmcr__9	Ventricular Tachycardia	10	ekg_abnormmcr__10	Normal Rhythm	99	ekg_abnormmcr__99	Other
4	ekg_abnormmcr__4	Ectopic Atrial Rhythm (physiologic rates, excluding ectopic atrial tachycardia)																									
5	ekg_abnormmcr__5	Premature Atrial Beats																									
6	ekg_abnormmcr__6	Supraventricular Tachycardia (SVT)																									
7	ekg_abnormmcr__7	Junctional Rhythm																									
8	ekg_abnormmcr__8	Premature Ventricular Beats																									
9	ekg_abnormmcr__9	Ventricular Tachycardia																									
10	ekg_abnormmcr__10	Normal Rhythm																									
99	ekg_abnormmcr__99	Other																									
5265	[ <b>ekg_abnormmcrspec</b> ] Show the field ONLY if: [ekg_abnormmcr(99)] = "1"	Please specify other rhythm:	text																								
5266	[ <b>ekg_svtyn</b> ] Show the field ONLY if: [ekg_normyn]="0"	Is there evidence of Supraventricular Tachycardia (SVT)?	<div>radio</div> <table> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>0</td> <td>No</td> </tr> </table> <div>Custom alignment: LV</div>	1	Yes	0	No																				
1	Yes																										
0	No																										
5267	[ <b>ekg_svt</b> ] Show the field ONLY if: [ekg_svtyn]="1" or [ekg_abnormmcr(6)] = "1"	What type of SVT?	<div>radio</div> <table> <tr> <td>1</td> <td>Ectopic Atrial Tachycardia</td> </tr> <tr> <td>2</td> <td>Atrial Flutter</td> </tr> <tr> <td>3</td> <td>Atrial Fibrillation</td> </tr> <tr> <td>4</td> <td>Supraventricular Tachycardia (narrow)</td> </tr> <tr> <td>5</td> <td>Supraventricular Tachycardia (wide)</td> </tr> <tr> <td>99</td> <td>Other</td> </tr> </table> <div>Custom alignment: LV</div>	1	Ectopic Atrial Tachycardia	2	Atrial Flutter	3	Atrial Fibrillation	4	Supraventricular Tachycardia (narrow)	5	Supraventricular Tachycardia (wide)	99	Other												
1	Ectopic Atrial Tachycardia																										
2	Atrial Flutter																										
3	Atrial Fibrillation																										
4	Supraventricular Tachycardia (narrow)																										
5	Supraventricular Tachycardia (wide)																										
99	Other																										
5268	[ <b>ekg_svtspec</b> ] Show the field ONLY if:	Please specify type of SVT:	text																								



		[ekg_svt] = "99"																				
5269	[ekg_avblock_yn]	Is there evidence of heart block?  Show the field ONLY if: [ekg_normyn]="0"	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No															
1	Yes																					
0	No																					
5270	[ekg_avblock]	What type of heart block?  Show the field ONLY if: [ekg_avblock_yn] = "1"	radio <table><tr><td>2</td><td>First Degree Atrioventricular Block</td></tr><tr><td>3</td><td>Second Degree Atrioventricular Block, Type 1</td></tr><tr><td>4</td><td>Second Degree Atrioventricular Block, Type 2</td></tr><tr><td>6</td><td>High Grade Atrioventricular Block</td></tr><tr><td>5</td><td>Third Degree Atrioventricular Block</td></tr></table> Custom alignment: LV	2	First Degree Atrioventricular Block	3	Second Degree Atrioventricular Block, Type 1	4	Second Degree Atrioventricular Block, Type 2	6	High Grade Atrioventricular Block	5	Third Degree Atrioventricular Block									
2	First Degree Atrioventricular Block																					
3	Second Degree Atrioventricular Block, Type 1																					
4	Second Degree Atrioventricular Block, Type 2																					
6	High Grade Atrioventricular Block																					
5	Third Degree Atrioventricular Block																					
5271	[ekg_delay_yn]	Is there evidence of intraventricular conduction delay or bundle branch block:  Show the field ONLY if: [ekg_normyn]="0"	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No															
1	Yes																					
0	No																					
5272	[ekg_delay]	Please specify QRS pattern:  Show the field ONLY if: [ekg_delay_yn] = "1"	radio <table><tr><td>1</td><td>Incomplete Right Bundle Branch Block / RSR</td></tr><tr><td>2</td><td>Complete Right Bundle Branch Block</td></tr><tr><td>3</td><td>Complete Left Bundle Branch Block</td></tr><tr><td>4</td><td>Non-specific intraventricular conduction delay</td></tr></table> Custom alignment: LV	1	Incomplete Right Bundle Branch Block / RSR	2	Complete Right Bundle Branch Block	3	Complete Left Bundle Branch Block	4	Non-specific intraventricular conduction delay											
1	Incomplete Right Bundle Branch Block / RSR																					
2	Complete Right Bundle Branch Block																					
3	Complete Left Bundle Branch Block																					
4	Non-specific intraventricular conduction delay																					
5273	[ekg_hypt_yn]	Is there evidence of enlarged chamber size or hypertrophy:  Show the field ONLY if: [ekg_normyn]="0"	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	2	No															
1	Yes																					
2	No																					
5274	[ekg_hypet_spec]	What type of enlarged chamber size or hypertrophy is present?  Show the field ONLY if: [ekg_hypt_yn] = "1"	checkbox <table><tr><td>3</td><td>ekg_hypet_spec__3</td><td>Right ventricular hypertrophy</td></tr><tr><td>4</td><td>ekg_hypet_spec__4</td><td>Left ventricular hypertrophy</td></tr><tr><td>5</td><td>ekg_hypet_spec__5</td><td>Non-specific ventricular hypertrophy</td></tr><tr><td>1</td><td>ekg_hypet_spec__1</td><td>Right atrial enlargement</td></tr><tr><td>2</td><td>ekg_hypet_spec__2</td><td>Left atrial enlargement</td></tr><tr><td>6</td><td>ekg_hypet_spec__6</td><td>Non-specific atrial enlargement</td></tr></table> Custom alignment: LV	3	ekg_hypet_spec__3	Right ventricular hypertrophy	4	ekg_hypet_spec__4	Left ventricular hypertrophy	5	ekg_hypet_spec__5	Non-specific ventricular hypertrophy	1	ekg_hypet_spec__1	Right atrial enlargement	2	ekg_hypet_spec__2	Left atrial enlargement	6	ekg_hypet_spec__6	Non-specific atrial enlargement	
3	ekg_hypet_spec__3	Right ventricular hypertrophy																				
4	ekg_hypet_spec__4	Left ventricular hypertrophy																				
5	ekg_hypet_spec__5	Non-specific ventricular hypertrophy																				
1	ekg_hypet_spec__1	Right atrial enlargement																				
2	ekg_hypet_spec__2	Left atrial enlargement																				
6	ekg_hypet_spec__6	Non-specific atrial enlargement																				
5275	[ekg_sttwave_yn]	Is there evidence of ST-T waves anomalies?  Show the field ONLY if: [ekg_normyn]="0"	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No															
1	Yes																					
0	No																					
5276	[ekg_sttwave]	What type of ST-T waves anomalies?  Show the field ONLY if: [ekg_sttwave_yn] = "1"	checkbox <table><tr><td>1</td><td>ekg_sttwave__1</td><td>Non-specific ST segment changes</td></tr><tr><td>2</td><td>ekg_sttwave__2</td><td>T wave inversion</td></tr><tr><td>3</td><td>ekg_sttwave__3</td><td>Pericardial pattern (diffuse ST segment elevation)</td></tr><tr><td>4</td><td>ekg_sttwave__4</td><td>ST segment elevation (localized territory; suggestive myocardial infarction)</td></tr><tr><td>5</td><td>ekg_sttwave__5</td><td>ST segment depression</td></tr></table> Custom alignment: LV	1	ekg_sttwave__1	Non-specific ST segment changes	2	ekg_sttwave__2	T wave inversion	3	ekg_sttwave__3	Pericardial pattern (diffuse ST segment elevation)	4	ekg_sttwave__4	ST segment elevation (localized territory; suggestive myocardial infarction)	5	ekg_sttwave__5	ST segment depression				
1	ekg_sttwave__1	Non-specific ST segment changes																				
2	ekg_sttwave__2	T wave inversion																				
3	ekg_sttwave__3	Pericardial pattern (diffuse ST segment elevation)																				
4	ekg_sttwave__4	ST segment elevation (localized territory; suggestive myocardial infarction)																				
5	ekg_sttwave__5	ST segment depression																				
5277	[ekg_othabnorm_yn]	Is there evidence of any other abnormalities?  Show the field ONLY if: [ekg_normyn]="0"	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No															
1	Yes																					
0	No																					

				Custom alignment: LV						
	5278	[ekg_othabnorm]  Show the field ONLY if: [ekg_othabnorm_yn] = "1"	Please specify type of other abnormalities:	text						
	5279	[ekg_clnsign_yn]  Show the field ONLY if: [ekg_yn]="1"	Current ECG test results were assessed as:	radio <table><tr><td>1</td><td>Clinically significant</td></tr><tr><td>0</td><td>Not clinically significant</td></tr></table> Custom alignment: LV	1	Clinically significant	0	Not clinically significant		
1	Clinically significant									
0	Not clinically significant									
	5280	[ekg_ae_yn]  Show the field ONLY if: [ekg_yn]="1"	Was an AE/SAE form completed?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	5281	[ekg_ae_dt]  Show the field ONLY if: [ekg_ae_yn] = "1"	Date reported to sponsor:	text (date_mdy, Min: 2020-01-01, Max: today)						
	5282	[ekg_assess_dt]  Show the field ONLY if: [ekg_yn]="1"	Date of Assessment:	text (date_mdy, Min: 2020-01-01, Max: today)						
	5283	[ekg_cmt]  Show the field ONLY if: [ekg_yn]="1"	Comments	notes Custom alignment: LV						
	5284	[ekg_clinicaction]  Show the field ONLY if: [electrocardiogram_reading_center_complete] <> "" and [ekg_yn] ="1"	Section Header: <i>READING CENTER NOTES</i> Any clinically actionable findings: [ekgrc_clinicaction]	descriptive						
	5285	[ekg_clinicactionspec]  Show the field ONLY if: [ekgrc_clinicaction] = '2' and [ekg_yn] ="1"	Clinically actionable findings description: [ekgrc_clinicactionspec]	descriptive						
	5286	[ekg_qaqc]  Show the field ONLY if: [electrocardiogram_reading_center_complete] <> "" and [ekg_yn] ="1"	QA / QC Issues present: [ekgrc_qaqc]	descriptive						
	5287	[ekg_qaqcspec]  Show the field ONLY if: [ekgrc_qaqc] = '1' and [ekg_yn] ="1"	QA / QC Issues description: [ekgrc_qaqcspec]	descriptive						
	5288	[electrocardiogram_complete]  	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Electrocardiogram Reading Center</b> (electrocardiogram_reading_center)										
Active languages: None										
	5289	[ekgrc_fversion]  	Electrocardiogram reading center form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
	5290	[ekgrc_fqueries]  	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
	5291	[ekgrc_colltd]  	Date of EKG reading center form completion:	text (date_mdy, Max: today), Required Field Annotation: @TODAY						
	5292	[ekgrc_clinicaction]  	Any clinically actionable findings?	radio, Required <table><tr><td>1</td><td>Concordant with local</td></tr><tr><td>2</td><td>Finding present but not reported by site</td></tr><tr><td>3</td><td>Unverified</td></tr></table> Custom alignment: LV	1	Concordant with local	2	Finding present but not reported by site	3	Unverified
1	Concordant with local									
2	Finding present but not reported by site									
3	Unverified									

	5293	[ekgrc_clinicactionspec] Show the field ONLY if: [ekgrc_clinicaction] = "2"	Description:	notes, Required Custom alignment: LV																								
	5294	[ekgrc_qaqc]	Any QA/QC issues that need to be discussed with the site?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																											
0	No																											
	5295	[ekgrc_qaqcspec] Show the field ONLY if: [ekgrc_qaqc] = "1"	Description:	notes, Required Custom alignment: LV																								
	5296	[electrocardiogram_reading_center_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																											
1	Unverified																											
2	Complete																											
Instrument: <b>Spirometry</b> (spirometry) Active languages: None																												
	5297	[pft_fversion]	Spirometry / Pulmonary function tests (PFTs) form version	text Field Annotation: @DEFAULT='4' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: Added reason not done v3: integrate spirometry and pft site form v4: hide bronchoscopy questions unless tier 3																								
	5298	[pft_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
	5299	[pft_agewarning] Show the field ONLY if: [arm-number]="6"	Reminder: this test is for all participants 6 and older.	descriptive																								
	5300	[pft_colldt]	Date of spirometry form collection:	text (date_mdy, Max: today) Field Annotation: @TODAY																								
	5301	[pft_pipedids] Show the field ONLY if: [pft_fversion]<3	Participant information:Age: [visit_age] yearsSex: [visit_biosex]Weight: [first-event-name][ca_wt1kg] kgHeight: [first-event-name][ca_ht1cm] cm	descriptive																								
	5302	[pft_yn]	Were the pulmonary function tests performed?For regular tier 2 followup, this is limited to spirometry.	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																											
0	No																											
	5303	[pft_nreas] Show the field ONLY if: [pft_yn]="0"	Why were the pulmonary function tests not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																											
2	Staff Not Available																											
3	Resources Not Available																											
5	SOP Not Yet Created																											
6	Site Can Never Perform This Test																											
7	DRC Removed																											
8	Participant Could Not Be Reached/Did Not Show																											
10	Clinical Contraindication																											
13	Infected Within the Last 30 Days																											
14	Participant Uncooperative																											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																											
9	Other																											
	5304	[pft_nreasspec] Show the field ONLY if: [pft_nreas]="9"	Please specify:	text, Required																								
	5305	[pft_dttm] Show the field ONLY if: [pft_yn]="1"	Date and time pulmonary function tests performed:	text (datetime_mdy), Required																								

	5306	[ pft_dt ]	Date pulmonary function tests performed (calculated):	text (date_mdy), Required Field Annotation: @HIDDEN @HIDDEN-PDF @CALTEXT(left([pft_dttm],10))				
	5307	[ pft_dtagewarning ]  Show the field ONLY if: rounddown(datediff([enrollment_arm_1][enrl_dob], [pft_dt], "y"))<6 and [arm-number]="6"	Warning! This test should only have been performed on participants 6 and older. Please submit a protocol deviation.	descriptive				
	5308	[ pft_research ]  Show the field ONLY if: [pft_yn]="1"	Was the spirometry obtained as part of research or clinical care?	radio, Required <table><tr><td>1</td><td>Research</td></tr><tr><td>2</td><td>Clinical Care</td></tr></table> Custom alignment: LV	1	Research	2	Clinical Care
1	Research							
2	Clinical Care							
	5309	[ pft_clinicalwarning ]  Show the field ONLY if: [pft_research]="2"	Reminder: only test results available from the medical record from a date within three months of the visit date should be recorded.	descriptive				
	5310	[ pft_protocol ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]>=3	Were these tests performed per protocol?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No, and I am filing a PD report to explain</td></tr></table> Custom alignment: LV	1	Yes	0	No, and I am filing a PD report to explain
1	Yes							
0	No, and I am filing a PD report to explain							
	5311	[ pft_agecalc ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]>=3	Section Header: <i>Participant information</i> Age in years at time PFT performed: <i>Calculated from date of birth to the date of testing entered above.</i>	calc Calculation: if([pft_fversion]>=3, rounddown(datediff([enrollment_arm_1][enrl_dob], [pft_dt], "y")), "")				
	5312	[ pft_biosex ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]>=3	Copied biological sex value:	calc Calculation: // note that "if" case starts on a new line if([pft_yn]="1" and [pft_fversion]>=3, if([visit_biosex]<>"" , [visit_biosex], if([baseline_arm_2][biosex]<>"" , [baseline_arm_2][biosex], if([baseline_arm_4][biosex]<>"" , [baseline_arm_4][biosex], if([6_month_arm_5][visit_biosex]<>"" , [6_month_arm_5][visit_biosex], ""))), "") Field Annotation: @HIDDEN @HIDDEN-PDF				
	5313	[ pft_biosexmap ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]>=3	Biological sex (display):	text Field Annotation: @CALTEXT( if([pft_biosex]="1", "Female", if([pft_biosex]="0", "Male", if([pft_biosex]="3", "Intersex", ""))))				
	5314	[ pft_heightu ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]>=3	Height units:	radio, Required <table><tr><td>1</td><td>centimeters</td></tr><tr><td>2</td><td>inches</td></tr></table> Custom alignment: LV	1	centimeters	2	inches
1	centimeters							
2	inches							
	5315	[ pft_heightcm ]  Show the field ONLY if: [pft_yn]="1" and [pft_heightu]="1" and [pft_fversion]>=3	Height (centimeters):Value from [ca_colldt]: [ca_ht1cm] cm.[Please enter clinical measurement, or value above, if available.] <i>centimeters, cm</i>	text (number), Required				
	5316	[ pft_heightin ]  Show the field ONLY if: [pft_yn]="1" and [pft_heightu]="2" and [pft_fversion]>=3	Height (inches):Value from [ca_colldt]: [ca_ht1in] in.[Please enter clinical measurement, or value above, if available.] <i>inches, in</i>	text (number), Required				
	5317	[ pft_heightstd ]  Show the field ONLY if: [pft_yn]="1" and [pft_heightu]<>""	Height standardized to centimeters: <i>centimeters, cm</i>	calc Calculation: if([pft_heightu]="2" and [pft_heightin]<>"" , [pft_heightin]*2.54, if([pft_heightu]="1" and [pft_heightcm]<>"" , [pft_heightcm], ""))				
	5318	[ pft_albuterol ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]<3	Did the participant take albuterol or another short- or long-acting beta-agonist within 24 hours of this spirometry test?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	5319	[ pft_albuteroldt ]  Show the field ONLY if: [pft_albuterol]="1"	Date and time of most recent beta-agonist use prior to spirometry test:	text (datetime_mdy), Required				
	5320	[ pft_smokeyn ]  Show the field ONLY if: [pft_yn]="1" and [pft_fversion]>=3	Has the participant smoked in the past 2 weeks?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No
1	Yes							
0	No							

				Custom alignment: LV															
5321	<div>[ pft_smoketype ]</div> <div>Show the field ONLY if: [pft_smokeyn]="1"</div>	Which of the following has the participant smoked in the past 2 weeks? (select all that apply) <i>select all that apply</i>	<div>checkbox</div> <table><tr><td>1</td><td>pft_smoketype__1</td><td>Cigarette</td></tr><tr><td>2</td><td>pft_smoketype__2</td><td>Cigar</td></tr><tr><td>3</td><td>pft_smoketype__3</td><td>Vaping pen</td></tr><tr><td>4</td><td>pft_smoketype__4</td><td>Marijuana</td></tr><tr><td>9</td><td>pft_smoketype__9</td><td>Other</td></tr></table> <div>Custom alignment: LV</div>	1	pft_smoketype__1	Cigarette	2	pft_smoketype__2	Cigar	3	pft_smoketype__3	Vaping pen	4	pft_smoketype__4	Marijuana	9	pft_smoketype__9	Other	
1	pft_smoketype__1	Cigarette																	
2	pft_smoketype__2	Cigar																	
3	pft_smoketype__3	Vaping pen																	
4	pft_smoketype__4	Marijuana																	
9	pft_smoketype__9	Other																	
5322	<div>[ pft_sabeta ]</div> <div>Show the field ONLY if: [pft_yn]="1" and [pft_fversion]&gt;=3</div>	Has the participant taken a short-acting beta agonist within the last 6 hours? (what is a short-acting beta agonist?)	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No												
1	Yes																		
0	No																		
5323	<div>[ pft_labeta ]</div> <div>Show the field ONLY if: [pft_yn]="1" and [pft_fversion]&gt;=3</div>	Has the participant taken a long-acting beta agonist within the last 12 hours? (what is a long-acting beta agonist?)	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No												
1	Yes																		
0	No																		
5324	<div>[ pft_spiroyn ]</div> <div>Show the field ONLY if: [pft_yn]="1" and [pft_fversion]&gt;=3</div>	Section Header: <i>Spirometry</i> Was spirometry testing performed?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No												
1	Yes																		
0	No																		
5325	<div>[ pft_machine ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]&lt;3 and [pft_yn]="1")</div>	Machine used:	<div>text, Required</div>																
5326	<div>[ pft_bronchoyn ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" and (([pft_fversion]="3") or ([pft_fversion]&gt;=4 and ([visit_armtype]="tier3" or [arm-number]="6")))</div>	Was post-bronchodilator testing done (that is, was a bronchodilator administered and testing performed again?)	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No												
1	Yes																		
0	No																		
5327	<div>[ pft_hqnote ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" and [pft_fversion]&gt;=3</div>	Note: Only record the results from the attempt of highest quality.	<div>descriptive</div>																
5328	<div>[ pft_spirodisplay ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]&lt;3 and [pft_yn]="1")</div>	MeasurePre-bronchodilator{pft_bronchoheading1}PredictedFVC (liters){pft_fvcm:icons}{pft_fvcmpost:icons}{pft_fvccalc:icons}FEV1 (liters){pft_fev1m:icons}{pft_fev1mpost:icons}{pft_fev1calc:icons}FEV1/FVC{pft_fev1fvcm:icons}{pft_fev1fvcmpost:icons}{pft_fev1fvccalc:icons}FEF 25%-75%{pft_fef2575m:icons}{pft_fef2575mpost:icons}{pft_fef2575calc:icons}FET (seconds){pft_fetm:icons}{pft_fetmpost:icons}%	<div>descriptive</div>																
5329	<div>[ pft_bronchoheading1 ]</div> <div>Show the field ONLY if: [pft_bronchoyn]="1"</div>	Post-bronchodilator	<div>descriptive</div>																
5330	<div>[ pft_fvcm ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]&lt;3 and [pft_yn]="1")</div>	FVC measured pre-bronchodilator <i>liters</i>	<div>text (number, Min: 0, Max: 9), Required</div>																
5331	<div>[ pft_fvcmpost ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" and [pft_bronchoyn]="1"</div>	FVC measured post-bronchodilator <i>liters</i>	<div>text (number, Min: 0, Max: 9), Required</div>																
5332	<div>[ pft_fvccalc ]</div> <div>Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]&lt;3 and [pft_yn]="1")</div>	FVC predicted by calculation <i>liters</i>	<div>text (number)</div> <div>Field Annotation: @READONLY</div>																
5333	<div>[ pft_fev1m ]</div> <div>Show the field ONLY if:</div>	FEV1 measured pre-bronchodilator <i>liters</i>	<div>text (number, Min: 0, Max: 6), Required</div>																

		[pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")		
5334	[pft_fev1mpost]	FEV1 measured post-bronchodilator <i>liters</i> Show the field ONLY if: [pft_spiroyn]="1" and [pft_bronchoyn]="1"	text (number, Min: 0, Max: 6), Required	
5335	[pft_fev1calc]	FEV1 predicted by calculation <i>liters</i> Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")	text (number) Field Annotation: @READONLY	
5336	[pft_fev1fvcm]	FEV1/FVC measured pre-bronchodilator <i>fraction</i> Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")	calc, Required Calculation: if([pft_fvcm]<>"" and [pft_fvcm]<>"0", round([pft_fev1m] / [pft_fvcm] * 100, 3), "")	
5337	[pft_fev1fvcmpost]	FEV1/FVC measured post-bronchodilator <i>fraction</i> Show the field ONLY if: [pft_spiroyn]="1" and [pft_bronchoyn]="1"	calc, Required Calculation: if([pft_fvcmpost]<>"" and [pft_fvcmpost]<>"0", round([pft_fev1mpost] / [pft_fvcmpost] * 100, 3), "")	
5338	[pft_fev1fvccalc]	FEV1/FVC predicted by calculation <i>fraction</i> Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")	text (number) Field Annotation: @READONLY	
5339	[pft_fef2575m]	FEF 25-75% measured pre-bronchodilator <i>liters/second</i> Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")	text (number, Min: 0, Max: 5), Required	
5340	[pft_fef2575mpost]	FEF 25-75% measured post-bronchodilator <i>liters/second</i> Show the field ONLY if: [pft_spiroyn]="1" and [pft_bronchoyn]="1"	text (number, Min: 0, Max: 5), Required	
5341	[pft_fef2575calc]	FEF 25-75% predicted by calculation <i>liters/second</i> Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")	text (number) Field Annotation: @READONLY	
5342	[pft_fetm]	FET measured pre-bronchodilator <i>seconds</i> Show the field ONLY if: [pft_spiroyn]="1" or ([pft_fversion]<3 and [pft_yn]="1")	text (number, Min: 0, Max: 60), Required	
5343	[pft_fetmpost]	FET measured post-bronchodilator <i>seconds</i> Show the field ONLY if: [pft_spiroyn]="1" and [pft_bronchoyn]="1"	text (number, Min: 0, Max: 60), Required	
5344	[pft_pefm]	PEF: <i>L/sec</i> Show the field ONLY if: [pft_yn]="1" and [pft_fversion]<3	text (number)	
5345	[pft_fev1pp]	FEV1 percent of predicted: % Show the field ONLY if: [pft_yn]="1" and [pft_fversion]<3	text (number, Min: 0, Max: 200)	
5346	[pft_fvcpp]	FVC percent of predicted: % Show the field ONLY if: [pft_yn]="1" and [pft_fversion]<3	text (number, Min: 0, Max: 200)	
5347	[pft_fef2575pp]	FEF 25-75 percent of predicted: % Show the field ONLY if: [pft_yn]="1" and [pft_fversion]<3	text (number, Min: 0, Max: 200)	
5348	[pft_ppeq]	Percent prediction equation used: Show the field ONLY if: [pft_yn]="1" and [pft_fversion]<3	text	
5349	[pft_eqndisplay]	Pre-bronchodilator{pft_bronchoheading2}Effort (as assessed by the person conducting spirometry):{pft_effort:icons} {pft_effortpost:icons}Quality of the test (as assessed by the person conducting spirometry):{pft_quality:icons} {pft_qualitypost:icons}Tests result:{pft_norm:icons} {pft_normpost:icons}	descriptive	
5350	[pft_bronchoheading2]	Post-bronchodilator	descriptive	

		Show the field ONLY if: [pft_bronchoyn]="1"										
5351	[pft_effort]	Show the field ONLY if: [pft_yn]="1"	(Pre-bronchodilator) Effort (as assessed by the person conducting spirometry):	radio <table><tr><td>1</td><td>Poor</td></tr><tr><td>2</td><td>Adequate or good</td></tr></table> Custom alignment: LV	1	Poor	2	Adequate or good				
1	Poor											
2	Adequate or good											
5352	[pft_quality]	Show the field ONLY if: [pft_yn]="1"	(Pre-bronchodilator) Quality of the test (as assessed by the person conducting spirometry):	radio <table><tr><td>1</td><td>Poor / do not use</td></tr><tr><td>2</td><td>Inconsistent / interpret with caution</td></tr><tr><td>3</td><td>Short expiratory effort (also reflected in FET) - FVC and FEV1/FVC may be impacted</td></tr><tr><td>4</td><td>Good</td></tr></table> Custom alignment: LV	1	Poor / do not use	2	Inconsistent / interpret with caution	3	Short expiratory effort (also reflected in FET) - FVC and FEV1/FVC may be impacted	4	Good
1	Poor / do not use											
2	Inconsistent / interpret with caution											
3	Short expiratory effort (also reflected in FET) - FVC and FEV1/FVC may be impacted											
4	Good											
5353	[pft_norm]	Show the field ONLY if: [pft_yn]="1"	(Pre-bronchodilator) Tests result:	radio <table><tr><td>1</td><td>Normal (i.e., no abnormal findings)</td></tr><tr><td>2</td><td>Abnormal, consistent with obstructive defect</td></tr><tr><td>3</td><td>Abnormal, consistent with restrictive ventilatory defect</td></tr></table> Custom alignment: LV	1	Normal (i.e., no abnormal findings)	2	Abnormal, consistent with obstructive defect	3	Abnormal, consistent with restrictive ventilatory defect		
1	Normal (i.e., no abnormal findings)											
2	Abnormal, consistent with obstructive defect											
3	Abnormal, consistent with restrictive ventilatory defect											
5354	[pft_effortpost]	Show the field ONLY if: [pft_yn]="1" and [pft_bronchoyn]="1"	(Post-bronchodilator) Effort (as assessed by the person conducting spirometry):	radio <table><tr><td>1</td><td>Poor</td></tr><tr><td>2</td><td>Adequate or good</td></tr></table> Custom alignment: LV	1	Poor	2	Adequate or good				
1	Poor											
2	Adequate or good											
5355	[pft_qualitypost]	Show the field ONLY if: [pft_yn]="1" and [pft_bronchoyn]="1"	(Post-bronchodilator) Quality of the test (as assessed by the person conducting spirometry):	radio <table><tr><td>1</td><td>Poor / do not use</td></tr><tr><td>2</td><td>Inconsistent / interpret with caution</td></tr><tr><td>3</td><td>Short expiratory effort (also reflected in FET) - FVC and FEV1/FVC may be impacted</td></tr><tr><td>4</td><td>Good</td></tr></table> Custom alignment: LV	1	Poor / do not use	2	Inconsistent / interpret with caution	3	Short expiratory effort (also reflected in FET) - FVC and FEV1/FVC may be impacted	4	Good
1	Poor / do not use											
2	Inconsistent / interpret with caution											
3	Short expiratory effort (also reflected in FET) - FVC and FEV1/FVC may be impacted											
4	Good											
5356	[pft_normpost]	Show the field ONLY if: [pft_yn]="1" and [pft_bronchoyn]="1"	(Post-bronchodilator) Tests result:	radio <table><tr><td>1</td><td>Normal (i.e., no abnormal findings)</td></tr><tr><td>2</td><td>Abnormal, consistent with obstructive defect</td></tr><tr><td>3</td><td>Abnormal, consistent with restrictive ventilatory defect</td></tr></table> Custom alignment: LV	1	Normal (i.e., no abnormal findings)	2	Abnormal, consistent with obstructive defect	3	Abnormal, consistent with restrictive ventilatory defect		
1	Normal (i.e., no abnormal findings)											
2	Abnormal, consistent with obstructive defect											
3	Abnormal, consistent with restrictive ventilatory defect											
5357	[pft_dlcoyn]	Show the field ONLY if: [pft_yn]="1" and ((([pft_fversion]>=3) or ([pft_fversion]>=4 and ([visit_armtype]="tier3" or [arm-number]="6"))))	Section Header: <i>Diffusing capacity</i> Was diffusing capacity collected? Reminder: diffusing capacity is only collected for tier 3 testing.	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes											
0	No											
5358	[pft_diffdisplay]	Show the field ONLY if: [pft_dlcoyn]="1"	MeasureValuePredictedDLCO (not adjusted){pft_dlcom:icons} {pft_dlccalc}VA{pft_vam:icons} %	descriptive								
5359	[pft_dlcom]	Show the field ONLY if: [pft_dlcoyn]="1"	DLCO measured <i>mL/mmHg/min</i>	text (number, Min: 0, Max: 60), Required								
5360	[pft_dlccalc]	Show the field ONLY if: [pft_dlcoyn]="1"	DLco predicted by calculation	text (number) Field Annotation: @READONLY								
5361	[pft_vam]	Show the field ONLY if: [pft_dlcoyn]="1"	VA measured <i>mL/mmHg/min</i>	text (number, Min: 0, Max: 10), Required								
5362	[pft_report]	Show the field ONLY if: [pft_yn]="1"	Section Header: <i>De-identified PFT report</i> Upload de-identified PFT report here:Please ensure that you have removed any identifiers (participant name, date of birth, etc.)	file Custom alignment: LV Field Annotation: @INLINE								
5363	[pft_assess_dt]		Date of assessment:	text (date_mdy, Min: 2020-01-01, Max: today)								

		Show the field ONLY if: [pft_yn]="1"										
	5364	[ pft_comm ]  Show the field ONLY if: [pft_yn]="1"	Comments	notes Custom alignment: LV								
	5365	[ spirometry_complete ]  Show the field ONLY if: [pft_yn]="1"	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete		
0	Incomplete											
1	Unverified											
2	Complete											
Instrument: <b>Pft Reading Center</b> (pft_reading_center)												
Active languages: None												
	5366	[ pft_rc_fversion ]	PFT reading center form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)								
	5367	[ pft_rc_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY								
	5368	[ pft_rc_colltdt ]	Date of PFT reading center form completion:	text (date_mdy) Field Annotation: @TODAY								
	5369	[ pft_rc_nopftswarning ]  Show the field ONLY if: [pft_yn]<>"1"	ERROR! The PFT site form does not indicate that PFT tests were run. This form cannot be used at this time. Please click "cancel".	descriptive								
	5370	[ pft_rc_rryn ]  Show the field ONLY if: [pft_yn]="1"	Has this test been selected for a research read?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes											
0	No											
	5371	[ pft_rc_rrspiro ]  Show the field ONLY if: [pft_rc_rryn]="1"	Section Header: <i>Research Read</i> Spirometry results:	radio <table><tr><td>1</td><td>Normal</td></tr><tr><td>2</td><td>Consistant with obstruction</td></tr><tr><td>3</td><td>Consistant with restriction</td></tr><tr><td>4</td><td>Consistant with combined obstruction/restriction</td></tr></table> Custom alignment: LV	1	Normal	2	Consistant with obstruction	3	Consistant with restriction	4	Consistant with combined obstruction/restriction
1	Normal											
2	Consistant with obstruction											
3	Consistant with restriction											
4	Consistant with combined obstruction/restriction											
	5372	[ pft_rc_rrspirospec ]  Show the field ONLY if: [pft_rc_rrspiro]="2" or [pft_rc_rrspiro]="3" or [pft_rc_rrspiro]="4"	What is the level of severity of the abnormal spirometry results?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr></table> Custom alignment: LV	1	Mild	2	Moderate	3	Severe		
1	Mild											
2	Moderate											
3	Severe											
	5373	[ pft_rc_rrdlco ]  Show the field ONLY if: [pft_rc_rryn]="1"	DLCo results:	radio <table><tr><td>1</td><td>Normal</td></tr><tr><td>2</td><td>Abnormal</td></tr></table> Custom alignment: LV	1	Normal	2	Abnormal				
1	Normal											
2	Abnormal											
	5374	[ pft_rc_rrdlcospec ]  Show the field ONLY if: [pft_rc_rrdlco]="2"	What is the level of severity of the abnormal DLCo results?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr></table> Custom alignment: LV	1	Mild	2	Moderate	3	Severe		
1	Mild											
2	Moderate											
3	Severe											
	5375	[ pft_rc_rrnotesyn ]  Show the field ONLY if: [pft_rc_rryn]="1"	Are there additional notes for the site?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes											
0	No											
	5376	[ pft_rc_rrnotes ]  Show the field ONLY if: [pft_rc_rrnotesyn]="1"	Please specify:	notes Custom alignment: LV								
	5377	[ pft_rc_qcyn ]  Show the field ONLY if: [pft_yn]="1"	Section Header: <i>PFT QC</i> Has this test been selected for manual QC by the reading center?	radio <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes						
1	Yes											



				<table><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	0	No			
0	No								
5378	[ pftrc_spiroyn ]  Show the field ONLY if: [pftrc_qcyn]="1"	Section Header: <i>Pre-bronchodilator spirometry QC</i>  Was pre-bronchodilator spirometry done?	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	radio		1	Yes	0	No
radio									
1	Yes								
0	No								
5379	[ pftrc_spioprtrials ]  Show the field ONLY if: [pftrc_spiroyn]="1"	Total number of trials submitted:	text (integer)						
5380	[ pftrc_spioprpta ]  Show the field ONLY if: [pftrc_spioprtrials]>0	Pre-bronchodilator Part A: acceptability Trials used are the 3 "best" results based on the over-reader's judgement.	descriptive						
5381	[ pftrc_spioprpt1 ]  Show the field ONLY if: [pftrc_spioprtrials]>0	Trial 1	descriptive						
5382	[ pftrc_spioprpt1yn ]  Show the field ONLY if: [pftrc_spioprtrials]>0	Is there an available trial for QA?	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	radio		1	Yes	0	No
radio									
1	Yes								
0	No								
5383	[ pftrc_spioprpt1display ]  Show the field ONLY if: [pftrc_spioprpt1yn]="1"	Trial number used for QA:{pftrc_spioprpt1num:icons} FEV1 value: {pftrc_spioprpt1fev1:icons} FVC value:{pftrc_spioprpt1fvc:icons} Criteria: 1. A good start of exhalation with back extrapolated volume 150 ms){pftrc_spioprpt1crit4:icons} 5. No obstructed mouthpiece or spirometer{pftrc_spioprpt1crit5:icons} 6. No glottis closure or abrupt termination after the first second of expiration{pftrc_spioprpt1crit6:icons} 7. No evidence of a leak{pftrc_spioprpt1crit7:icons} 8. Must achieve one of 3 EOFE indicators: 8.1. Expiratory plateau (≤ 0.025L in last 1 sec of expiration){pftrc_spioprpt1crit81:icons} 8.2. Expiratory time ≥15 sec{pftrc_spioprpt1crit82:icons} 8.3. FVC within repeatability tolerance of or is greater than the largest prior observed FVC{pftrc_spioprpt1crit83:icons} 9. No evidence of a leak{pftrc_spioprpt1crit9:icons}	descriptive						
5384	[ pftrc_spioprpt1num ]	Trial number used for QA:	text (integer)						
5385	[ pftrc_spioprpt1fev1 ]	FEV1 value:	text						
5386	[ pftrc_spioprpt1fvc ]	FVC value:	text						
5387	[ pftrc_spioprpt1crit1 ]	A good start of exhalation with back extrapolated volume < 5% of FVC or 0.100L, whichever is greater	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	radio		1	Met criterion	0	No
radio									
1	Met criterion								
0	No								
5388	[ pftrc_spioprpt1crit2 ]	No evidence of a faulty zero-flow setting	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	radio		1	Met criterion	0	No
radio									
1	Met criterion								
0	No								
5389	[ pftrc_spioprpt1crit3 ]	No cough during the first second of exhalation	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	radio		1	Met criterion	0	No
radio									
1	Met criterion								
0	No								
5390	[ pftrc_spioprpt1crit4 ]	Submaximal effort and late peak flow (PEFT > 150ms)	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	radio		1	Met criterion	0	No
radio									
1	Met criterion								
0	No								
5391	[ pftrc_spioprpt1crit5 ]	No obstructed mouthpiece or spirometer	<table><tr><td colspan="2">radio</td></tr><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	radio		1	Met criterion	0	No
radio									
1	Met criterion								
0	No								

	5392	[ pftrc_spiroprt1crit6 ]	No glottis closure or abrupt termination after the first second of expiration	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5393	[ pftrc_spiroprt1crit7 ]	No evidence of a leak	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5394	[ pftrc_spiroprt1crit81 ]	Expiratory plateau ( ≤ 0.025L in last 1s of expiration)	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5395	[ pftrc_spiroprt1crit82 ]	Expiratory time ≥ 15s	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5396	[ pftrc_spiroprt1crit83 ]	FVC within repeatability tolerance of, or is greater than, the largest prior observed FVC	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5397	[ pftrc_spiroprt1crit9 ]	Technician note elucidates and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5398	[ pftrc_spiroprt2 ]  Show the field ONLY if: [pftrc_spiroprt1yn]="1"	Trial 2	descriptive				
	5399	[ pftrc_spiroprt2yn ]  Show the field ONLY if: [pftrc_spiroprt1yn]="1"	Is there an available trial for QA?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	5400	[ pftrc_spiroprt2display ]  Show the field ONLY if: [pftrc_spiroprt2yn]="1"	Trial number used for QA:{pftrc_spiroprt2num:icons} FEV1 value: {pftrc_spiroprt2fev1:icons} FVC value:{pftrc_spiroprt2fvc:icons} Criteria: 1. A good start of exhalation with back extrapolated volume 150 ms){pftrc_spiroprt2crit4:icons} 5. No obstructed mouthpiece or spirometer{pftrc_spiroprt2crit5:icons} 6. No glottis closure or abrupt termination after the first second of expiration{pftrc_spiroprt2crit6:icons} 7. No evidence of a leak{pftrc_spiroprt2crit7:icons} 8. Must achieve one of 3 EOFE indicators: 8.1. Expiratory plateau ( ≤ 0.025L in last 1 sec of expiration){pftrc_spiroprt2crit81:icons} 8.2. Expiratory time ≥15 sec{pftrc_spiroprt2crit82:icons} 8.3. FVC within repeatability tolerance of or is greater than the largest prior observed FVC{pftrc_spiroprt2crit83:icons} 9. No evidence of a leak{pftrc_spiroprt2crit9:icons}	descriptive				
	5401	[ pftrc_spiroprt2num ]	Trial number used for QA:	text (integer)				
	5402	[ pftrc_spiroprt2fev1 ]	FEV1 value:	text				
	5403	[ pftrc_spiroprt2fvc ]	FVC value:	text				
	5404	[ pftrc_spiroprt2crit1 ]	A good start of exhalation with back extrapolated volume < 5% of FVC or 0.100L, whichever is greater	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5405	[ pftrc_spiroprt2crit2 ]	No evidence of a faulty zero-flow setting	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Met criterion	0	No
1	Met criterion							
0	No							

				Custom alignment: RV
5406	[pftrc_spiroprt2crit3]	No cough during the first second of exhalation	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5407	[pftrc_spiroprt2crit4]	Submaximal effort and late peak flow (PEFT > 150ms)	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5408	[pftrc_spiroprt2crit5]	No obstructed mouthpiece or spirometer	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5409	[pftrc_spiroprt2crit6]	No glottis closure or abrupt termination after the first second of expiration	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5410	[pftrc_spiroprt2crit7]	No evidence of a leak	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5411	[pftrc_spiroprt2crit81]	Expiratory plateau ( $\leq 0.025L$ in last 1s of expiration)	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5412	[pftrc_spiroprt2crit82]	Expiratory time $\geq 15s$	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5413	[pftrc_spiroprt2crit83]	FVC within repeatability tolerance of, or is greater than, the largest prior observed FVC	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5414	[pftrc_spiroprt2crit9]	Technician note elucidates and possibly validates "usability"	radio <div> <div>1 Met criterion</div> <div>0 No</div> </div>	Custom alignment: RV
5415	[pftrc_spiroprt3] Show the field ONLY if: [pftrc_spiroprt2yn]="1"	Trial 3	descriptive	
5416	[pftrc_spiroprt3yn] Show the field ONLY if: [pftrc_spiroprt2yn]="1"	Is there an available trial for QA?	radio <div> <div>1 Yes</div> <div>0 No</div> </div>	Custom alignment: LV
5417	[pftrc_spiroprt3display] Show the field ONLY if: [pftrc_spiroprt3yn]="1"	Trial number used for QA:{pftrc_spiroprt3num:icons} FEV1 value: {pftrc_spiroprt3fev1:icons} FVC value:{pftrc_spiroprt3fvc:icons} Criteria: 1. A good start of exhalation with back extrapolated volume 150 ms){pftrc_spiroprt3crit4:icons} 5. No obstructed mouthpiece or spirometer{pftrc_spiroprt3crit5:icons} 6. No glottis closure or abrupt termination after the first second of expiration{pftrc_spiroprt3crit6:icons} 7. No evidence of a leak{pftrc_spiroprt3crit7:icons} 8. Must achieve one of 3 EOFE indicators: 8.1. Expiratory plateau ( $\leq 0.025L$ in last 1 sec of	descriptive	

			expiration){pftrc_spiroprt3crit81:icons} 8.2. Expiratory time ≥15 sec{pftrc_spiroprt3crit82:icons} 8.3. FVC within repeatability tolerance of or is greater than the largest prior observed FVC{pftrc_spiroprt3crit83:icons} 9. No evidence of a leak{pftrc_spiroprt3crit9:icons}	
	5418	[pftrc_spiroprt3num]	Trial number used for QA:	text (integer)
	5419	[pftrc_spiroprt3fev1]	FEV1 value:	text
	5420	[pftrc_spiroprt3fvc]	FVC value:	text
	5421	[pftrc_spiroprt3crit1]	A good start of exhalation with back extrapolated volume < 5% of FVC or 0.100L, whichever is greater	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5422	[pftrc_spiroprt3crit2]	No evidence of a faulty zero-flow setting	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5423	[pftrc_spiroprt3crit3]	No cough during the first second of exhalation	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5424	[pftrc_spiroprt3crit4]	Submaximal effort and late peak flow (PEFT > 150ms)	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5425	[pftrc_spiroprt3crit5]	No obstructed mouthpiece or spirometer	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5426	[pftrc_spiroprt3crit6]	No glottis closure or abrupt termination after the first second of expiration	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5427	[pftrc_spiroprt3crit7]	No evidence of a leak	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5428	[pftrc_spiroprt3crit81]	Expiratory plateau (≤ 0.025L in last 1s of expiration)	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5429	[pftrc_spiroprt3crit82]	Expiratory time ≥ 15s	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV
	5430	[pftrc_spiroprt3crit83]	FVC within repeatability tolerance of, or is greater than, the largest prior observed FVC	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> Custom alignment: RV

5431	[ pftrc_spiroprt3crit9 ]	Technician note elucidates and possibly validates "usability"	<div>radio</div> <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
5432	[ pftrc_spiroprptb ] Show the field ONLY if: [pftrc_spioprtrials]>0	Pre-bronchodilator Part B: Repeatability	descriptive
5433	[ pftrc_spioprrepeat ] Show the field ONLY if: [pftrc_spioprtrials]>0	Repeatability:	<div>radio</div> <div><div>A</div>A: ≥3 acceptable tests with repeatability within 0.150L</div> <div><div>B</div>B; ≥2 acceptable tests with repeatability within 0.150L</div> <div><div>C</div>C: ≥2 acceptable tests with repeatability within 0.200L</div> <div><div>D</div>D: ≥2 acceptable tests with repeatability within 0.250L</div> <div><div>E</div>E: 2 acceptable tests, repeatability &gt; 0.250L</div> <div><div>U</div>U: 1 acceptable test, possibly usable</div> <div><div>F</div>F: no acceptable tests</div> <div>Custom alignment: LV</div>
5434	[ pftrc_spioprptc ] Show the field ONLY if: [pftrc_spioprtrials]>0	Pre-bronchodilator Part C: Overall Grade	descriptive
5435	[ pftrc_spioproverall ] Show the field ONLY if: [pftrc_spioprtrials]>0	Overall grade:	<div>radio</div> <div><div>1</div>Acceptable (Part B grades A &amp; B)</div> <div><div>2</div>Borderline acceptable (Part B grades C &amp; D)</div> <div><div>3</div>Usable (Consider 1 acceptable trial; consider usable FEV1 (Part A: all yes except criteria 8); consider usable FVC (Part A: criteria 1, 3, &amp; 4 no))</div> <div><div>4</div>Unacceptable (Part B grade F)</div> <div>Custom alignment: LV</div>
5436	[ pftrc_spioproveralltext ]	Overall grade for piping	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([pftrc_spioproverall]="1", "Acceptable", if([pftrc_spioproverall]="2", "Borderline acceptable", if([pftrc_spioproverall]="3", "Usable", if([pftrc_spioproverall]="4", "Unacceptable", ""))))
5437	[ pftrc_spioprtyn ] Show the field ONLY if: [pftrc_qcyn]="1"	Section Header: <i>Post-bronchodilator spirometry QC</i> Was post-bronchodilator spirometry done?	<div>radio</div> <div><div>1</div>Yes</div> <div><div>0</div>No</div> <div>Custom alignment: LV</div>
5438	[ pftrc_spioptrtrials ] Show the field ONLY if: [pftrc_spioprtyn]="1"	Total number of trials submitted:	text (integer)
5439	[ pftrc_spioprtpta ] Show the field ONLY if: [pftrc_spioptrtrials]>0	Post-bronchodilator Part A: acceptabilityTrials used are the 3 "best" results based on the over-reader's judgement.	descriptive
5440	[ pftrc_spioprtt1 ] Show the field ONLY if: [pftrc_spioptrtrials]>0	Trial 1	descriptive
5441	[ pftrc_spioprtt1yn ] Show the field ONLY if: [pftrc_spioptrtrials]>0	Is there an available trial for QA?	<div>radio</div> <div><div>1</div>Yes</div> <div><div>0</div>No</div> <div>Custom alignment: LV</div>
5442	[ pftrc_spioprtt1display ] Show the field ONLY if: [pftrc_spioprtt1yn]="1"	Trial number used for QA:{pftrc_spioprtt1num:icons} FEV1 value: {pftrc_spioprtt1fev1:icons} FVC value:{pftrc_spioprtt1fvc:icons} Criteria: 1. A good start of exhalation with back extrapolated volume 150 ms){pftrc_spioprtt1crit4:icons} 5. No obstructed mouthpiece or spirometer{pftrc_spioprtt1crit5:icons} 6. No glottis closure or abrupt termination after the first second of expiration{pftrc_spioprtt1crit6:icons} 7. No evidence of a leak{pftrc_spioprtt1crit7:icons} 8. Must achieve one of 3 EOFE indicators: 8.1. Expiratory plateau (≤ 0.025L in last 1 sec of	descriptive

			expiration){pftrc_spiroptt1crit81:icons} 8.2. Expiratory time ≥15 sec{pftrc_spiroptt1crit82:icons} 8.3. FVC within repeatability tolerance of or is greater than the largest prior observed FVC{pftrc_spiroptt1crit83:icons} 9. No evidence of a leak{pftrc_spiroptt1crit9:icons}	
	5443	[pftrc_spiroptt1num]	Trial number used for QA:	text (integer)
	5444	[pftrc_spiroptt1fev1]	FEV1 value:	text
	5445	[pftrc_spiroptt1fvc]	FVC value:	text
	5446	[pftrc_spiroptt1crit1]	A good start of exhalation with back extrapolated volume < 5% of FVC or 0.100L, whichever is greater	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5447	[pftrc_spiroptt1crit2]	No evidence of a faulty zero-flow setting	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5448	[pftrc_spiroptt1crit3]	No cough during the first second of exhalation	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5449	[pftrc_spiroptt1crit4]	Submaximal effort and late peak flow (PEFT > 150ms)	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5450	[pftrc_spiroptt1crit5]	No obstructed mouthpiece or spirometer	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5451	[pftrc_spiroptt1crit6]	No glottis closure or abrupt termination after the first second of expiration	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5452	[pftrc_spiroptt1crit7]	No evidence of a leak	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5453	[pftrc_spiroptt1crit81]	Expiratory plateau (≤ 0.025L in last 1s of expiration)	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5454	[pftrc_spiroptt1crit82]	Expiratory time ≥ 15s	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>
	5455	[pftrc_spiroptt1crit83]	FVC within repeatability tolerance of, or is greater than, the largest prior observed FVC	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div> <div>Custom alignment: RV</div>

	5456	[ pftrc_spiroptt1crit9 ]	Technician note elucidates and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5457	[ pftrc_spiroptt2 ] Show the field ONLY if: [pftrc_spiroptt1yn]="1"	Trial 2	descriptive				
	5458	[ pftrc_spiroptt2yn ] Show the field ONLY if: [pftrc_spiroptt1yn]="1"	Is there an available trial for QA?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	5459	[ pftrc_spiroptt2display ] Show the field ONLY if: [pftrc_spiroptt2yn]="1"	Trial number used for QA:{pftrc_spiroptt2num:icons} FEV1 value: {pftrc_spiroptt2fev1:icons} FVC value:{pftrc_spiroptt2fvc:icons} Criteria: 1. A good start of exhalation with back extrapolated volume 150 ms){pftrc_spiroptt2crit4:icons} 5. No obstructed mouthpiece or spirometer{pftrc_spiroptt2crit5:icons} 6. No glottis closure or abrupt termination after the first second of expiration{pftrc_spiroptt2crit6:icons} 7. No evidence of a leak{pftrc_spiroptt2crit7:icons} 8. Must achieve one of 3 EOFE indicators: 8.1. Expiratory plateau ( $\leq 0.025L$ in last 1 sec of expiration){pftrc_spiroptt2crit81:icons} 8.2. Expiratory time $\geq 15$ sec{pftrc_spiroptt2crit82:icons} 8.3. FVC within repeatability tolerance of or is greater than the largest prior observed FVC{pftrc_spiroptt2crit83:icons} 9. No evidence of a leak{pftrc_spiroptt2crit9:icons}	descriptive				
	5460	[ pftrc_spiroptt2num ]	Trial number used for QA:	text (integer)				
	5461	[ pftrc_spiroptt2fev1 ]	FEV1 value:	text				
	5462	[ pftrc_spiroptt2fvc ]	FVC value:	text				
	5463	[ pftrc_spiroptt2crit1 ]	A good start of exhalation with back extrapolated volume < 5% of FVC or 0.100L, whichever is greater	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5464	[ pftrc_spiroptt2crit2 ]	No evidence of a faulty zero-flow setting	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5465	[ pftrc_spiroptt2crit3 ]	No cough during the first second of exhalation	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5466	[ pftrc_spiroptt2crit4 ]	Submaximal effort and late peak flow (PEFT > 150ms)	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5467	[ pftrc_spiroptt2crit5 ]	No obstructed mouthpiece or spirometer	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5468	[ pftrc_spiroptt2crit6 ]	No glottis closure or abrupt termination after the first second of expiration	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5469	[ pftrc_spiroptt2crit7 ]	No evidence of a leak	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Met criterion	0	No
1	Met criterion							
0	No							

				Custom alignment: RV				
	5470	[ pftrc_spiroptt2crit81 ]	Expiratory plateau ( ≤ 0.025L in last 1s of expiration)	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5471	[ pftrc_spiroptt2crit82 ]	Expiratory time ≥ 15s	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5472	[ pftrc_spiroptt2crit83 ]	FVC within repeatability tolerance of, or is greater than, the largest prior observed FVC	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5473	[ pftrc_spiroptt2crit9 ]	Technician note elucidates and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5474	[ pftrc_spiroptt3 ]  Show the field ONLY if: [pftrc_spiroptt2yn]="1"	Trial 3	descriptive				
	5475	[ pftrc_spiroptt3yn ]  Show the field ONLY if: [pftrc_spiroptt2yn]="1"	Is there an available trial for QA?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	5476	[ pftrc_spiroptt3display ]  Show the field ONLY if: [pftrc_spiroptt3yn]="1"	Trial number used for QA:{pftrc_spiroptt3num:icons} FEV1 value: {pftrc_spiroptt3fev1:icons} FVC value:{pftrc_spiroptt3fvc:icons} Criteria: 1. A good start of exhalation with back extrapolated volume 150 ms){pftrc_spiroptt3crit4:icons} 5. No obstructed mouthpiece or spirometer{pftrc_spiroptt3crit5:icons} 6. No glottis closure or abrupt termination after the first second of expiration{pftrc_spiroptt3crit6:icons} 7. No evidence of a leak{pftrc_spiroptt3crit7:icons} 8. Must achieve one of 3 EOFE indicators: 8.1. Expiratory plateau ( ≤ 0.025L in last 1 sec of expiration){pftrc_spiroptt3crit81:icons} 8.2. Expiratory time ≥15 sec{pftrc_spiroptt3crit82:icons} 8.3. FVC within repeatability tolerance of or is greater than the largest prior observed FVC{pftrc_spiroptt3crit83:icons} 9. No evidence of a leak{pftrc_spiroptt3crit9:icons}	descriptive				
	5477	[ pftrc_spiroptt3num ]	Trial number used for QA:	text (integer)				
	5478	[ pftrc_spiroptt3fev1 ]	FEV1 value:	text				
	5479	[ pftrc_spiroptt3fvc ]	FVC value:	text				
	5480	[ pftrc_spiroptt3crit1 ]	A good start of exhalation with back extrapolated volume < 5% of FVC or 0.100L, whichever is greater	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5481	[ pftrc_spiroptt3crit2 ]	No evidence of a faulty zero-flow setting	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5482	[ pftrc_spiroptt3crit3 ]	No cough during the first second of exhalation	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5483	[ pftrc_spiroptt3crit4 ]	Submaximal effort and late peak flow (PEFT > 150ms)	radio <table><tr><td>1</td><td>Met criterion</td></tr></table>	1	Met criterion		
1	Met criterion							



				<table><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	0	No												
0	No																	
5484	[pftrc_spiroptt3crit5]	No obstructed mouthpiece or spirometer		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5485	[pftrc_spiroptt3crit6]	No glottis closure or abrupt termination after the first second of expiration		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5486	[pftrc_spiroptt3crit7]	No evidence of a leak		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5487	[pftrc_spiroptt3crit81]	Expiratory plateau ( $\leq 0.025L$ in last 1s of expiration)		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5488	[pftrc_spiroptt3crit82]	Expiratory time $\geq 15s$		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5489	[pftrc_spiroptt3crit83]	FVC within repeatability tolerance of, or is greater than, the largest prior observed FVC		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5490	[pftrc_spiroptt3crit9]	Technician note elucidates and possibly validates "usability"		radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No										
1	Met criterion																	
0	No																	
5491	[pftrc_spiroptptb] Show the field ONLY if: [pftrc_spiropttrials]>0	Post-bronchodilator Part B: Repeatability		descriptive														
5492	[pftrc_spiroptrepeat] Show the field ONLY if: [pftrc_spiropttrials]>0	Repeatability:		radio <table><tr><td>A</td><td>A: <math>\geq 3</math> acceptable tests with repeatability within 0.150L</td></tr><tr><td>B</td><td>B: <math>\geq 2</math> acceptable tests with repeatability within 0.150L</td></tr><tr><td>C</td><td>C: <math>\geq 2</math> acceptable tests with repeatability within 0.200L</td></tr><tr><td>D</td><td>D: <math>\geq 2</math> acceptable tests with repeatability within 0.250L</td></tr><tr><td>E</td><td>E: 2 acceptable tests, repeatability <math>&gt; 0.250L</math></td></tr><tr><td>U</td><td>U: 1 acceptable test, possibly usable</td></tr><tr><td>F</td><td>F: no acceptable tests</td></tr></table> Custom alignment: LV	A	A: $\geq 3$ acceptable tests with repeatability within 0.150L	B	B: $\geq 2$ acceptable tests with repeatability within 0.150L	C	C: $\geq 2$ acceptable tests with repeatability within 0.200L	D	D: $\geq 2$ acceptable tests with repeatability within 0.250L	E	E: 2 acceptable tests, repeatability $> 0.250L$	U	U: 1 acceptable test, possibly usable	F	F: no acceptable tests
A	A: $\geq 3$ acceptable tests with repeatability within 0.150L																	
B	B: $\geq 2$ acceptable tests with repeatability within 0.150L																	
C	C: $\geq 2$ acceptable tests with repeatability within 0.200L																	
D	D: $\geq 2$ acceptable tests with repeatability within 0.250L																	
E	E: 2 acceptable tests, repeatability $> 0.250L$																	
U	U: 1 acceptable test, possibly usable																	
F	F: no acceptable tests																	
5493	[pftrc_spiroptptc] Show the field ONLY if: [pftrc_spiropttrials]>0	Post-bronchodilator Part C: Overall Grade		descriptive														
5494	[pftrc_spiroptoverall] Show the field ONLY if: [pftrc_spiropttrials]>0	Overall grade:		radio <table><tr><td>1</td><td>Acceptable (Part B grades A &amp; B)</td></tr><tr><td>2</td><td>Borderline acceptable (Part B grades C &amp; D)</td></tr><tr><td>3</td><td>Usable (Consider 1 acceptable trial; consider usable FEV1 (Part A: all yes except criteria 8); consider usable FVC (Part A: criteria 1, 3, &amp; 4 no))</td></tr><tr><td>4</td><td>Unacceptable (Part B grade F)</td></tr></table>	1	Acceptable (Part B grades A & B)	2	Borderline acceptable (Part B grades C & D)	3	Usable (Consider 1 acceptable trial; consider usable FEV1 (Part A: all yes except criteria 8); consider usable FVC (Part A: criteria 1, 3, & 4 no))	4	Unacceptable (Part B grade F)						
1	Acceptable (Part B grades A & B)																	
2	Borderline acceptable (Part B grades C & D)																	
3	Usable (Consider 1 acceptable trial; consider usable FEV1 (Part A: all yes except criteria 8); consider usable FVC (Part A: criteria 1, 3, & 4 no))																	
4	Unacceptable (Part B grade F)																	

				Custom alignment: LV				
	5495	[ pftrc_spiroptoveralltext ]	Overall grade for piping	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([pftrc_spiroptoverall]="1", "Acceptable", if([pftrc_spiroptoverall]="2", "Borderline acceptable", if([pftrc_spiroptoverall]="3", "Usable", if([pftrc_spiroptoverall]="4", "Unacceptable", ""))))				
	5496	[ pftrc_spirooverallcalc ]	Section Header: <i>Spirometry overall grade (pre- and post-bronchodilator):</i> Spirometry overall grade (pre and post bronchodilator) calculation	calc Calculation: if([pftrc_spiroproverall]<>"" and [pftrc_spiroptoverall]<>"" , max([pftrc_spiroproverall], [pftrc_spiroptoverall]), if([pftrc_spiroproverall]<>"" , [pftrc_spiroproverall], "")) Field Annotation: @HIDDEN				
	5497	[ pftrc_spirooveralltext ]	Display text for overall grade	text Field Annotation: @HIDDEN @CALCTEXT( if([pftrc_spirooverallcalc]="1", "Acceptable", if([pftrc_spirooverallcalc]="2", "Borderline acceptable", if([pftrc_spirooverallcalc]="3", "Usable", if([pftrc_spirooverallcalc]="4", "Unacceptable", ""))))				
	5498	[ pftrc_spirooveralldisplay ] Show the field ONLY if: [pftrc_spirooveralltext]<>""	Overall grade, including pre-bronchodilator and post-bronchodilator spirometry: [pftrc_spirooveralltext].	descriptive				
	5499	[ pftrc_dlcotrials ] Show the field ONLY if: [pftrc_qcyn]="1"	Section Header: <i>DLco Quality Control (Reading Center)</i> Total number of trials submitted:	text (integer)				
	5500	[ pftrc_dlcopta ] Show the field ONLY if: [pftrc_dlcotrials]>0	DLco Part A: acceptability	descriptive				
	5501	[ pftrc_dlcot1 ] Show the field ONLY if: [pftrc_dlcotrials]>0	Trial 1	descriptive				
	5502	[ pftrc_dlcot1yn ] Show the field ONLY if: [pftrc_dlcotrials]>0	Is there an available trial for QA?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	5503	[ pftrc_dlcot1display ] Show the field ONLY if: [pftrc_dlcot1yn]="1"	Trial number used for QA:{pftrc_dlcot1num:icons}DLco raw value: {pftrc_dlcot1dlco:icons}Criteria:1. VI/VC ≥ 90% of the largest FVC from the same session{pftrc_dlcot1crit1:icons}2. VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers. {pftrc_dlcot1crit2:icons}3. 85% of test gas VI inhaled in < 4 seconds{pftrc_dlcot1crit3:icons}4. Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.{pftrc_dlcot1crit4:icons}5. Sample collection complete within 4 sec of start exhalation. {pftrc_dlcot1crit5:icons}6. Technician note explains and possibly validates "usability"{pftrc_dlcot1crit6:icons}	descriptive				
	5504	[ pftrc_dlcot1num ]	Number of trial used for QA:	text (integer)				
	5505	[ pftrc_dlcot1dlco ]	DLco raw value:	text (number)				
	5506	[ pftrc_dlcot1crit1 ]	VI/VC ≥ 90% of the largest FVC from the same session	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5507	[ pftrc_dlcot1crit2 ]	VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5508	[ pftrc_dlcot1crit3 ]	85% of test gas VI inhaled in < 4 seconds	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							

	5509	[pftrc_dlcot1crit4]	Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5510	[pftrc_dlcot1crit5]	Sample collection complete within 4 sec of start exhalation.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5511	[pftrc_dlcot1crit6]	Technician note explains and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5512	[pftrc_dlcot2] Show the field ONLY if: [pftrc_dlcot1yn]="1"	Trial 2	descriptive				
	5513	[pftrc_dlcot2yn] Show the field ONLY if: [pftrc_dlcot1yn]="1"	Is there an available trial for QA?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
	5514	[pftrc_dlcot2display] Show the field ONLY if: [pftrc_dlcot2yn]="1"	Trial number used for QA:{pftrc_dlcot2num:icons}DLco raw value: {pftrc_dlcot2dlco:icons}Criteria:1. VI/VC ≥ 90% of the largest FVC from the same session{pftrc_dlcot2crit1:icons}2. VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers. {pftrc_dlcot2crit2:icons}3. 85% of test gas VI inhaled in < 4 seconds{pftrc_dlcot2crit3:icons}4. Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.{pftrc_dlcot2crit4:icons}5. Sample collection complete within 4 sec of start exhalation. {pftrc_dlcot2crit5:icons}6. Technician note explains and possibly validates "usability"{pftrc_dlcot2crit6:icons}	descriptive				
	5515	[pftrc_dlcot2num]	Number of trial used for QA:	text (integer)				
	5516	[pftrc_dlcot2dlco]	DLco raw value:	text (number)				
	5517	[pftrc_dlcot2crit1]	VI/VC ≥ 90% of the largest FVC from the same session	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5518	[pftrc_dlcot2crit2]	VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5519	[pftrc_dlcot2crit3]	85% of test gas VI inhaled in < 4 seconds	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5520	[pftrc_dlcot2crit4]	Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5521	[pftrc_dlcot2crit5]	Sample collection complete within 4 sec of start exhalation.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion							
0	No							
	5522	[pftrc_dlcot2crit6]	Technician note explains and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr></table>	1	Met criterion		
1	Met criterion							

				<div><div>0</div>No</div> <div>Custom alignment: RV</div>
5523	<div>[ pftrc_dlcot3 ]</div> <div>Show the field ONLY if: [pftrc_dlcot2yn]="1"</div>	Trial 3	descriptive	
5524	<div>[ pftrc_dlcot3yn ]</div> <div>Show the field ONLY if: [pftrc_dlcot2yn]="1"</div>	Is there an available trial for QA?	radio <div><div>1</div>Yes</div> <div><div>0</div>No</div>	<div>Custom alignment: LV</div>
5525	<div>[ pftrc_dlcot3display ]</div> <div>Show the field ONLY if: [pftrc_dlcot3yn]="1"</div>	Trial number used for QA:{pftrc_dlcot3num:icons}DLco raw value: {pftrc_dlcot3dlco:icons}Criteria:1. VI/VC ≥ 90% of the largest FVC from the same session{pftrc_dlcot3crit1:icons}2. VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers. {pftrc_dlcot3crit2:icons}3. 85% of test gas VI inhaled in < 4 seconds{pftrc_dlcot3crit3:icons}4. Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.{pftrc_dlcot3crit4:icons}5. Sample collection complete within 4 sec of start exhalation. {pftrc_dlcot3crit5:icons}6. Technician note explains and possibly validates "usability"{pftrc_dlcot3crit6:icons}	descriptive	
5526	<div>[ pftrc_dlcot3num ]</div>	Number of trial used for QA:	text (integer)	
5527	<div>[ pftrc_dlcot3dlco ]</div>	DLco raw value:	text (number)	
5528	<div>[ pftrc_dlcot3crit1 ]</div>	VI/VC ≥ 90% of the largest FVC from the same session	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div>	<div>Custom alignment: RV</div>
5529	<div>[ pftrc_dlcot3crit2 ]</div>	VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers.	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div>	<div>Custom alignment: RV</div>
5530	<div>[ pftrc_dlcot3crit3 ]</div>	85% of test gas VI inhaled in < 4 seconds	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div>	<div>Custom alignment: RV</div>
5531	<div>[ pftrc_dlcot3crit4 ]</div>	Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div>	<div>Custom alignment: RV</div>
5532	<div>[ pftrc_dlcot3crit5 ]</div>	Sample collection complete within 4 sec of start exhalation.	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div>	<div>Custom alignment: RV</div>
5533	<div>[ pftrc_dlcot3crit6 ]</div>	Technician note explains and possibly validates "usability"	radio <div><div>1</div>Met criterion</div> <div><div>0</div>No</div>	<div>Custom alignment: RV</div>
5534	<div>[ pftrc_dlcot4 ]</div> <div>Show the field ONLY if: [pftrc_dlcot3yn]="1"</div>	Trial 4	descriptive	
5535	<div>[ pftrc_dlcot4yn ]</div> <div>Show the field ONLY if: [pftrc_dlcot3yn]="1"</div>	Is there an available trial for QA?	radio <div><div>1</div>Yes</div> <div><div>0</div>No</div>	<div>Custom alignment: LV</div>

5536	[ pftrc_dlcot4display ] Show the field ONLY if: [pftrc_dlcot4yn]="1"	Trial number used for QA:{pftrc_dlcot4num:icons}DLco raw value: {pftrc_dlcot4dlco:icons}Criteria:1. VI/VC ≥ 90% of the largest FVC from the same session{pftrc_dlcot4crit1:icons}2. VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers. {pftrc_dlcot4crit2:icons}3. 85% of test gas VI inhaled in < 4 seconds{pftrc_dlcot4crit3:icons}4. Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.{pftrc_dlcot4crit4:icons}5. Sample collection complete within 4 sec of start exhalation. {pftrc_dlcot4crit5:icons}6. Technician note explains and possibly validates "usability"{pftrc_dlcot4crit6:icons}	descriptive				
5537	[ pftrc_dlcot4num ]	Number of trial used for QA:	text (integer)				
5538	[ pftrc_dlcot4dlco ]	DLco raw value:	text (number)				
5539	[ pftrc_dlcot4crit1 ]	VI/VC ≥ 90% of the largest FVC from the same session	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion						
0	No						
5540	[ pftrc_dlcot4crit2 ]	VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion						
0	No						
5541	[ pftrc_dlcot4crit3 ]	85% of test gas VI inhaled in < 4 seconds	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion						
0	No						
5542	[ pftrc_dlcot4crit4 ]	Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion						
0	No						
5543	[ pftrc_dlcot4crit5 ]	Sample collection complete within 4 sec of start exhalation.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion						
0	No						
5544	[ pftrc_dlcot4crit6 ]	Technician note explains and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No
1	Met criterion						
0	No						
5545	[ pftrc_dlcot5 ] Show the field ONLY if: [pftrc_dlcot4yn]="1"	Trial 5	descriptive				
5546	[ pftrc_dlcot5yn ] Show the field ONLY if: [pftrc_dlcot4yn]="1"	Is there an available trial for QA?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
5547	[ pftrc_dlcot5display ] Show the field ONLY if: [pftrc_dlcot5yn]="1"	Trial number used for QA:{pftrc_dlcot5num:icons}DLco raw value: {pftrc_dlcot5dlco:icons}Criteria:1. VI/VC ≥ 90% of the largest FVC from the same session{pftrc_dlcot5crit1:icons}2. VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers. {pftrc_dlcot5crit2:icons}3. 85% of test gas VI inhaled in < 4 seconds{pftrc_dlcot5crit3:icons}4. Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.{pftrc_dlcot5crit4:icons}5. Sample collection complete within 4 sec of start exhalation. {pftrc_dlcot5crit5:icons}6. Technician note explains and possibly validates "usability"{pftrc_dlcot5crit6:icons}	descriptive				
5548	[ pftrc_dlcot5num ]	Number of trial used for QA:	text (integer)				
5549	[ pftrc_dlcot5dlco ]	DLco raw value:	text (number)				

	5550	[pfttrc_dlcot5crit1]	VI/VC ≥ 90% of the largest FVC from the same session	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No						
1	Met criterion													
0	No													
	5551	[pfttrc_dlcot5crit2]	VI/VC ≥ 85% of the largest FVC and VA is within 200mL or 5% (whichever is greater) of the largest VA from other acceptable maneuvers.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No						
1	Met criterion													
0	No													
	5552	[pfttrc_dlcot5crit3]	85% of test gas VI inhaled in < 4 seconds	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No						
1	Met criterion													
0	No													
	5553	[pfttrc_dlcot5crit4]	Stable calculated breath-hold time (BHT) for 10±2 sec without evidence of Valsalva or Muller maneuver during this time.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No						
1	Met criterion													
0	No													
	5554	[pfttrc_dlcot5crit5]	Sample collection complete within 4 sec of start exhalation.	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No						
1	Met criterion													
0	No													
	5555	[pfttrc_dlcot5crit6]	Technician note explains and possibly validates "usability"	radio <table><tr><td>1</td><td>Met criterion</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RV	1	Met criterion	0	No						
1	Met criterion													
0	No													
	5556	[pfttrc_dlcotpb] Show the field ONLY if: [pfttrc_dlcotrials]>0	DLco Part B: Repeatability	descriptive										
	5557	[pfttrc_dlcorepeat] Show the field ONLY if: [pfttrc_dlcotrials]>0	Repeatability:	radio <table><tr><td>A</td><td>A: 2 acceptable trials with repeatability ≤ 2 ml/min/mmHg (0.67 mmol/min/kPa). Part A all yes.</td></tr><tr><td>C</td><td>C: 2 acceptable trials with repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa). Part A all yes.</td></tr><tr><td>D</td><td>D: No repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa)</td></tr><tr><td>U</td><td>U: 1 acceptable trial</td></tr><tr><td>F</td><td>F: 0 acceptable trials, no repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa) (ie, D grade repeatability)</td></tr></table> Custom alignment: LV	A	A: 2 acceptable trials with repeatability ≤ 2 ml/min/mmHg (0.67 mmol/min/kPa). Part A all yes.	C	C: 2 acceptable trials with repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa). Part A all yes.	D	D: No repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa)	U	U: 1 acceptable trial	F	F: 0 acceptable trials, no repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa) (ie, D grade repeatability)
A	A: 2 acceptable trials with repeatability ≤ 2 ml/min/mmHg (0.67 mmol/min/kPa). Part A all yes.													
C	C: 2 acceptable trials with repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa). Part A all yes.													
D	D: No repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa)													
U	U: 1 acceptable trial													
F	F: 0 acceptable trials, no repeatability ≤ 3 ml/min/mmHg (1.00 mmol/min/kPa) (ie, D grade repeatability)													
	5558	[pfttrc_dlcotpc] Show the field ONLY if: [pfttrc_dlcotrials]>0	DLco Part C: Overall Grade	descriptive										
	5559	[pfttrc_dlcoverall] Show the field ONLY if: [pfttrc_dlcotrials]>0	Overall grade:	radio <table><tr><td>1</td><td>Acceptable (Repeatability grade A; Acceptability all "yes" or Part A all yes except #1)</td></tr><tr><td>2</td><td>Borderline acceptable (Repeatability grades C or D; Acceptability yes to VI/VC ≥ 80%, BHT appropriate, sample collection ≤ 5sec or yes to ≤ 80% VI/VC, BHT outside window, sample collection ≤ 5 sec)</td></tr><tr><td>3</td><td>Usable (Repeatability grade U; Acceptability 1 acceptable trial, consider answer to part A #6 for usability.)</td></tr><tr><td>4</td><td>Unacceptable (Repeatability grade F; Acceptability part A #1,2,4,5 no)</td></tr></table> Custom alignment: LV	1	Acceptable (Repeatability grade A; Acceptability all "yes" or Part A all yes except #1)	2	Borderline acceptable (Repeatability grades C or D; Acceptability yes to VI/VC ≥ 80%, BHT appropriate, sample collection ≤ 5sec or yes to ≤ 80% VI/VC, BHT outside window, sample collection ≤ 5 sec)	3	Usable (Repeatability grade U; Acceptability 1 acceptable trial, consider answer to part A #6 for usability.)	4	Unacceptable (Repeatability grade F; Acceptability part A #1,2,4,5 no)		
1	Acceptable (Repeatability grade A; Acceptability all "yes" or Part A all yes except #1)													
2	Borderline acceptable (Repeatability grades C or D; Acceptability yes to VI/VC ≥ 80%, BHT appropriate, sample collection ≤ 5sec or yes to ≤ 80% VI/VC, BHT outside window, sample collection ≤ 5 sec)													
3	Usable (Repeatability grade U; Acceptability 1 acceptable trial, consider answer to part A #6 for usability.)													
4	Unacceptable (Repeatability grade F; Acceptability part A #1,2,4,5 no)													

5560	[ pftrc_dlcooveralltext ]	overall grade for piping	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([pftrc_dlcooverall]="1", "Acceptable", if([pftrc_dlcooverall]="2", "Borderline acceptable", if([pftrc_dlcooverall]="3", "Usable", if([pftrc_dlcooverall]="4", "Unacceptable", ""))))))																								
5561	[ pft_reading_center_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																										
1	Unverified																										
2	Complete																										
<b>Instrument: Beighton Scale For Joint Hypermobility</b> (beighton_scale_for_joint_hypermobility) Active languages: None																											
5562	[ bsjh_fversion ]	Form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: added reason not done																								
5563	[ bsjh_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
5564	[ bsjh_colltdt ]	Date of form collection:	text (date_mdy, Max: today) Field Annotation: @TODAY																								
5565	[ bsjh_yn ]  Show the field ONLY if: [bsjh_fversion] >= 2	Was the Beighton Scale For Joint Hypermobility performed?	radio, Required <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
5566	[ bsjh_nreas ]  Show the field ONLY if: [bsjh_yn] = "0" and [bsjh_fversion] >= 2	Why was the Beighton Scale For Joint Hypermobility not performed?	radio, Required <table border="1"> <tr><td>1</td><td>Participant Declined</td></tr> <tr><td>2</td><td>Staff Not Available</td></tr> <tr><td>3</td><td>Resources Not Available</td></tr> <tr><td>5</td><td>SOP Not Yet Created</td></tr> <tr><td>6</td><td>Site Can Never Perform This Test</td></tr> <tr><td>7</td><td>DRC Removed</td></tr> <tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr> <tr><td>10</td><td>Clinical Contraindication</td></tr> <tr><td>13</td><td>Infected Within the Last 30 Days</td></tr> <tr><td>14</td><td>Participant Uncooperative</td></tr> <tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr> <tr><td>9</td><td>Other</td></tr> </table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																										
2	Staff Not Available																										
3	Resources Not Available																										
5	SOP Not Yet Created																										
6	Site Can Never Perform This Test																										
7	DRC Removed																										
8	Participant Could Not Be Reached/Did Not Show																										
10	Clinical Contraindication																										
13	Infected Within the Last 30 Days																										
14	Participant Uncooperative																										
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																										
9	Other																										
5567	[ bsjh_nreasspec ]  Show the field ONLY if: [bsjh_nreas] = "9"	Please specify:	text, Required																								
5568	[ bsjh_pinkyintro ]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	5th fingers or pinkies: test both sides. Rest palm of the hand and forearm on a flat surface with palm site down and the fingers straight. Can the fifth finger be bent or lifted upwards at the knuckle to go back beyond 90 degrees?	descriptive																								
5569	[ bsjh_pinkyr ]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Right hand 5th finger:	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table> Custom alignment: RH	1	Yes	0	No																				
1	Yes																										
0	No																										
5570	[ bsjh_pinky1 ]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Left hand 5th finger:	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>0</td><td>No</td></tr> </table> Custom alignment: RH	1	Yes	0	No																				
1	Yes																										
0	No																										
5571	[ bsjh_thumbintro ]  Show the field ONLY if:	Thumbs: test both sides. With the arm out straight, the palm facing down, and the wrist then bent fully downward, can the thumb be pushed back to touch the forearm?	descriptive																								

		([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"								
	5572	[bsjh_thumbr]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Right thumb:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5573	[bsjh_thumbl]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Left thumb:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5574	[bsjh_elbowintro]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Elbows: test both sides. With arms outstretched and palms facing upwards, does the elbow extend (bend too far) upwards more than an extra 10 degrees beyond a normal outstretched position?	descriptive						
	5575	[bsjh_elbowr]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Right elbow:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5576	[bsjh_elbowl]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Left elbow:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5577	[bsjh_kneeintro]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Knees: test both sides. While standing with knees locked (bent backwards as far as possible), does the lower part of either leg extend more than 10 degrees forward?	descriptive						
	5578	[bsjh_kneer]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Right knee:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5579	[bsjh_kneel]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Left knee:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5580	[bsjh_spineintro]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Spine: Bend forward, can you place the palms of your hands flat on the floor in front of your feet without bending your knees?	descriptive						
	5581	[bsjh_spine]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Spine:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH	1	Yes	0	No		
1	Yes									
0	No									
	5582	[bsjh_score]  Show the field ONLY if: ([bsjh_fversion] >= 2 and [bsjh_yn] = "1") or [bsjh_fversion] = "1"	Total Beighton Scale score:	calc Calculation: sum([bsjh_pinky], [bsjh_pinkyl], [bsjh_thumbr], [bsjh_thumbl], [bsjh_elbowr], [bsjh_elbowl], [bsjh_kneer], [bsjh_kneel], [bsjh_spine]) Custom alignment: RH						
	5583	[beighton_scale_for_joint_hypermobility_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>NIH Toolbox</b> (nih_toolbox) Active languages: None										
	5584	[nih_fversion]	Form version	text Field Annotation: @DEFAULT='2' @IF([user-role-						



				label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2. added reason not done																								
	5585	[nih_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
	5586	[nih_colltdt]	Date of form collection:	text (date_mdy, Max: today) Field Annotation: @TODAY																								
	5587	[nih_yn]  Show the field ONLY if: [nih_fversion] >= 2	Was the NIH Toolbox performed?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>  Custom alignment: LV	1	Yes	0	No																				
1	Yes																											
0	No																											
	5588	[nih_nreas]  Show the field ONLY if: [nih_yn] = "0" and [nih_fversion] >= 2	Why was the NIH Toolbox not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table>  Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																											
2	Staff Not Available																											
3	Resources Not Available																											
5	SOP Not Yet Created																											
6	Site Can Never Perform This Test																											
7	DRC Removed																											
8	Participant Could Not Be Reached/Did Not Show																											
10	Clinical Contraindication																											
13	Infected Within the Last 30 Days																											
14	Participant Uncooperative																											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																											
9	Other																											
	5589	[nih_nreasspec]  Show the field ONLY if: [nih_nreas] = "9"	Please specify:	text, Required																								
	5590	[nih_agewarning]  Show the field ONLY if: [visit_age]<3	Warning: the NIH Toolbox is only valid for participants 3 years or older. This participant seems to be [visit_age] years old. Please verify that the NIH Toolbox tests are valid for this participant.	descriptive																								
	5591	[nih_picvocyn]  Show the field ONLY if: [visit_age]>=3 and (([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>Picture Vocabulary Test</i> Administered:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Refuse to engage</td></tr><tr><td>9</td><td>Other</td></tr></table>	1	Yes	0	No	-1	Refuse to engage	9	Other																
1	Yes																											
0	No																											
-1	Refuse to engage																											
9	Other																											
	5592	[nih_picvocynspec]  Show the field ONLY if: [visit_age]>=3 and [nih_picvocyn] = "9"	Please specify:	text																								
	5593	[nih_picvocadmnote]  Show the field ONLY if: [visit_age]>=3 and [nih_picvocyn] = "1"	Test administration notes:	text																								
	5594	[nih_picvoctheta]  Show the field ONLY if: [visit_age]>=3 and [nih_picvocyn] = "1"	Theta: <i>Could be negative and has two decimals</i>	text (number)																								
	5595	[nih_picvocacss]  Show the field ONLY if: [visit_age]>=3 and [nih_picvocyn] = "1"	Age-corrected standard score: <i>integer 50-150</i>	text (integer, Min: 50, Max: 150)																								
	5596	[nih_picvocpct]  Show the field ONLY if: [visit_age]>=3 and [nih_picvocyn] = "1"	National percentile (age adjusted): <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)																								
	5597	[nih_picvoctscore]  Show the field ONLY if:	Fully corrected T-score: <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)																								

		[visit_age]>=3 and [nih_picvocyn] = "1" and [nih_picvoctscorena(na)] <> "1"										
5598	[nih_picvoctscorena]	Show the field ONLY if: [visit_age]>=3 and [nih_picvocyn] = "1" and [nih_picvoctscore]=""	T-score not available	checkbox <table><tr><td>na</td><td>nih_picvoctscorena__na</td><td>T-score not available</td></tr></table>	na	nih_picvoctscorena__na	T-score not available					
na	nih_picvoctscorena__na	T-score not available										
5599	[nih_flankeryn]	Show the field ONLY if: [visit_age]>=3 and (([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>Flanker Inhibitory Control and Attention Test</i> Administered:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Refuse to engage</td></tr><tr><td>9</td><td>Other</td></tr></table>	1	Yes	0	No	-1	Refuse to engage	9	Other
1	Yes											
0	No											
-1	Refuse to engage											
9	Other											
5600	[nih_flankerynspec]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "9"	Please specify:	text								
5601	[nih_flankeradmnote]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1"	Test administration notes:	text								
5602	[nih_flankerraw]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1"	Raw score: <i>positive one decimal</i>	text (number, Min: 0)								
5603	[nih_flankercomp]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1"	Computed score: <i>0-10</i>	text (number, Min: 0, Max: 10)								
5604	[nih_flankeracss]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1"	Age-corrected standard score: <i>integer 50-150</i>	text (integer, Min: 50, Max: 150)								
5605	[nih_flankerpct]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1"	National percentile (age adjusted): <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)								
5606	[nih_flankertscore]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1" and [nih_flankertscorena(na)] <> "1"	Fully corrected T-score: <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)								
5607	[nih_flankertscorena]	Show the field ONLY if: [visit_age]>=3 and [nih_flankeryn] = "1" and [nih_flankertscore]=""	T-score not available	checkbox <table><tr><td>na</td><td>nih_flankertscorena__na</td><td>T-score not available</td></tr></table>	na	nih_flankertscorena__na	T-score not available					
na	nih_flankertscorena__na	T-score not available										
5608	[nih_listsortyn]	Show the field ONLY if: [visit_age]>=7 and (([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>List Sorting Working Memory Test</i> Administered:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Refuse to engage</td></tr><tr><td>9</td><td>Other</td></tr></table>	1	Yes	0	No	-1	Refuse to engage	9	Other
1	Yes											
0	No											
-1	Refuse to engage											
9	Other											
5609	[nih_listsortynspec]	Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "9"	Please specify:	text								
5610	[nih_listsortadmnote]	Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "1"	Test administration notes:	text								
5611	[nih_listsortraw]	Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "1"	Raw score: <i>integer 0-50</i>	text (integer, Min: 0, Max: 50)								
5612	[nih_listsortacss]		Age-corrected standard score:	text (integer, Min: 50, Max: 150)								

		Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "1"	integer 50-150	
	5613	[nih_listsortpct]  Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "1"	National percentile (age adjusted): integer 0-100	text (integer, Min: 0, Max: 100)
	5614	[nih_listsorttscore]  Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "1" and [nih_listsorttscorena(na)] <> "1"	Fully corrected T-score: integer 0-100	text (integer, Min: 0, Max: 100)
	5615	[nih_listsorttscorena]  Show the field ONLY if: [visit_age]>=7 and [nih_listsortyn] = "1" and [nih_listsorttscore] = ""	T-score not available	checkbox na nih_listsorttscorena__na T-score not available
	5616	[nih_dimccyn]  Show the field ONLY if: [visit_age]>=3 and (([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>Dimensional Change Card Sort Test</i> Administered:	radio 1 Yes 0 No -1 Refuse to engage 9 Other
	5617	[nih_dimccynspec]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "9"	Please specify:	text
	5618	[nih_dimccadmnote]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1"	Test administration notes:	text
	5619	[nih_dimccraw]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1"	Raw score: positive	text (number, Min: 0)
	5620	[nih_dimcccomp]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1"	Computed score: 0-10	text (number, Min: 0, Max: 10)
	5621	[nih_dimccacss]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1"	Age-corrected standard score: integer 50-150	text (integer, Min: 50, Max: 150)
	5622	[nih_dimccpct]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1"	National percentile (age adjusted): integer 0-100	text (integer, Min: 0, Max: 100)
	5623	[nih_dimcctscore]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1" and [nih_dimcctscorena(na)] <> "1"	Fully corrected T-score: integer 0-100	text (integer, Min: 0, Max: 100)
	5624	[nih_dimcctscorena]  Show the field ONLY if: [visit_age]>=3 and [nih_dimccyn] = "1" and [nih_dimcctscore] = ""	T-score not available	checkbox na nih_dimcctscorena__na T-score not available
	5625	[nih_patcompyn]  Show the field ONLY if: [visit_age]>=7 and (([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>Pattern Comparison Processing Speed Test</i> Administered:	radio 1 Yes 0 No -1 Refuse to engage 9 Other
	5626	[nih_patcompynspec]  Show the field ONLY if: [visit_age]>=7 and [nih_patcompyn] = "9"	Please specify:	text

5627	<div>[ nih_patcompadmnote ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1"</div>	Test administration notes:	text								
5628	<div>[ nih_patcompraw ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1"</div>	Raw score: <i>positive 0-130</i>	text (number, Min: 0, Max: 130)								
5629	<div>[ nih_patcompcomp ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1"</div>	Computed score: <i>number 2 decimals</i>	text (number)								
5630	<div>[ nih_patcompacss ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1"</div>	Age-corrected standard score: <i>integer 50-150</i>	text (integer, Min: 50, Max: 150)								
5631	<div>[ nih_patcompmpct ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1"</div>	National percentile (age adjusted): <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)								
5632	<div>[ nih_patcomptscore ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1" and [nih_patcomptscorena(na)]&lt;&gt;"1"</div>	Fully corrected T-score: <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)								
5633	<div>[ nih_patcomptscorena ]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_patcompyn]="1" and [nih_patcomptscore]=""</div>	T-score not available	<div>checkbox</div> <table><tr><td>na</td><td>nih_patcomptscorena__na</td><td>T-score not available</td></tr></table>	na	nih_patcomptscorena__na	T-score not available					
na	nih_patcomptscorena__na	T-score not available									
5634	<div>[ nih_picseqyn ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and (([nih_fversion]&gt;= 2 and [nih_yn] = "1") or [nih_fversion] = "1")</div>	Section Header: <i>Picture Sequence Memory Test</i> Administered:	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Refuse to engage</td></tr><tr><td>9</td><td>Other</td></tr></table>	1	Yes	0	No	-1	Refuse to engage	9	Other
1	Yes										
0	No										
-1	Refuse to engage										
9	Other										
5635	<div>[ nih_picseqnyspec ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="9"</div>	Please specify:	text								
5636	<div>[ nih_picseqadmnote ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="1"</div>	Test administration notes:	text								
5637	<div>[ nih_picseqraw ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="1"</div>	Raw score: <i>positive 1 decimal</i>	text (number, Min: 0)								
5638	<div>[ nih_picseqtheta ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="1"</div>	Theta: <i>number 2 decimals</i>	text (number)								
5639	<div>[ nih_picseqcomp ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="1"</div>	Computed score: <i>number 2 decimals</i>	text (number)								
5640	<div>[ nih_picseqacss ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="1"</div>	Age-corrected standard score: <i>integer 50-150</i>	text (integer, Min: 50, Max: 150)								
5641	<div>[ nih_picseqpct ]</div> <div>Show the field ONLY if: [visit_age]&gt;=3 and [nih_picseqyn]="1"</div>	National percentile (age adjusted): <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)								

5642	[ <b>nih_picseqtscore</b> ] Show the field ONLY if: [visit_age]>=3 and [nih_picseqyn] ="1" and [nih_picseqtscorena(na)] <>"1"	Fully corrected T-score: <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)
5643	[ <b>nih_picseqtscorena</b> ] Show the field ONLY if: [visit_age]>=3 and [nih_picseqyn] ="1" and [nih_picseqtscore]=""	T-score not available	checkbox na nih_picseqtscorena__na T-score not available
5644	[ <b>nih_oralrryn</b> ] Show the field ONLY if: [visit_age]>=7 and ([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fv ersion] = "1")	Section Header: <i>Oral Reading Recognition Test</i> Administered:	radio 1 Yes 0 No -1 Refuse to engage 9 Other
5645	[ <b>nih_oralrrynspec</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="9"	Please specify:	text
5646	[ <b>nih_oralrradmnote</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="1"	Test administration notes:	text
5647	[ <b>nih_oralrrtheta</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="1"	Theta: <i>number 2 decimals</i>	text (number)
5648	[ <b>nih_oralrracss</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="1"	Age-corrected standard score: <i>integer 50-150</i>	text (integer, Min: 50, Max: 150)
5649	[ <b>nih_oralrrpct</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="1"	National percentile (age adjusted): <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)
5650	[ <b>nih_oralrrtscore</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="1" and [nih_oralrrtscorena(na)] <>"1"	Fully corrected T-score: <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)
5651	[ <b>nih_oralrrtscorena</b> ] Show the field ONLY if: [visit_age]>=7 and [nih_oralrryn] ="1" and [nih_oralrrtscore]=""	T-score not available	checkbox na nih_oralrrtscorena__na T-score not available
5652	[ <b>nih_audreyyn</b> ] Show the field ONLY if: [visit_age]>=8 and ([nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fv ersion] = "1")	Section Header: <i>Auditory Verbal Learning Test</i> Administered:	radio 1 Yes 0 No -1 Refuse to engage 9 Other
5653	[ <b>nih_audreyynspec</b> ] Show the field ONLY if: [visit_age]>=8 and [nih_audreyyn] ="9"	Please specify:	text
5654	[ <b>nih_audreyadmnote</b> ] Show the field ONLY if: [visit_age]>=8 and [nih_audreyyn] ="1"	Test administration notes:	text
5655	[ <b>nih_audreyraw</b> ] Show the field ONLY if: [visit_age]>=8 and [nih_audreyyn] ="1"	Raw score: <i>number 0-45</i>	text (number, Min: 0, Max: 45)
5656	[ <b>nih_cogcrycompyn</b> ] Show the field ONLY if:	Section Header: <i>Cognition Crystallized Composite score</i> Obtained:	radio 1 Yes

		[visit_age]>=7 and ([[nih_fversion] >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")		<div>0</div> <div>No</div>
	5657	<div>[nih_cogcrycompacss]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogcrycompyn]="1"</div>	<div>Age-corrected standard score:</div> <div>integer 50-150</div>	text (integer, Min: 50, Max: 150)
	5658	<div>[nih_cogcrycompmpct]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogcrycompyn]="1"</div>	<div>National percentile (age adjusted):</div> <div>integer 0-100</div>	text (integer, Min: 0, Max: 100)
	5659	<div>[nih_cogcrycomptscore]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogcrycompyn]="1" and [nih_cogcrycomptscorena(na)]&lt;&gt;"1"</div>	<div>Fully corrected T-score:</div> <div>integer 0-100</div>	text (integer, Min: 0, Max: 100)
	5660	<div>[nih_cogcrycomptscorena]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogcrycompyn]="1" and [nih_cogcrycomptscore]=""</div>	T-score not available	<div>checkbox</div> <div> <div>na</div> <div>nih_cogcrycomptscorena__na</div> <div>T-score not available</div> </div>
	5661	<div>[nih_cogflcompyn]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and ([[nih_fversion] &gt;= 2 and [nih_yn] = "1") or [nih_fversion] = "1")</div>	<div>Section Header: Cognition Fluid Composite score</div> <div>Obtained:</div>	<div>radio</div> <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>
	5662	<div>[nih_cogflcompacss]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogflcompyn]="1"</div>	<div>Age-corrected standard score:</div> <div>integer 50-150</div>	text (integer, Min: 50, Max: 150)
	5663	<div>[nih_cogflcompmpct]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogflcompyn]="1"</div>	<div>National percentile (age adjusted):</div> <div>integer 0-100</div>	text (integer, Min: 0, Max: 100)
	5664	<div>[nih_cogflcomptscore]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogflcompyn]="1" and [nih_cogflcomptscorena(na)]&lt;&gt;"1"</div>	<div>Fully corrected T-score:</div> <div>integer 0-100</div>	text (integer, Min: 0, Max: 100)
	5665	<div>[nih_cogflcomptscorena]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogflcompyn]="1" and [nih_cogflcomptscore]=""</div>	T-score not available	<div>checkbox</div> <div> <div>na</div> <div>nih_cogflcomptscorena__na</div> <div>T-score not available</div> </div>
	5666	<div>[nih_cogtotcompyn]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and ([[nih_fversion] &gt;= 2 and [nih_yn] = "1") or [nih_fversion] = "1")</div>	<div>Section Header: Cognition Total Composite score</div> <div>Obtained:</div>	<div>radio</div> <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>
	5667	<div>[nih_cogtotcompacss]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogtotcompyn]="1"</div>	<div>Age-corrected standard score:</div> <div>integer 50-150</div>	text (integer, Min: 50, Max: 150)
	5668	<div>[nih_cogtotcompmpct]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogtotcompyn]="1"</div>	<div>National percentile (age adjusted):</div> <div>integer 0-100</div>	text (integer, Min: 0, Max: 100)
	5669	<div>[nih_cogtotcomptscore]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogtotcompyn]="1" and [nih_cogtotcomptscorena(na)]&lt;&gt;"1"</div>	<div>Fully corrected T-score:</div> <div>integer 0-100</div>	text (integer, Min: 0, Max: 100)
	5670	<div>[nih_cogtotcomptscorena]</div> <div>Show the field ONLY if: [visit_age]&gt;=7 and [nih_cogtotcompyn]="1" and [nih_cogtotcomptscore]=""</div>	T-score not available	<div>checkbox</div> <div> <div>na</div> <div>nih_cogtotcomptscorena__na</div> <div>T-score not available</div> </div>

		score]=""														
5671	[nih_cogeccompyn]	Show the field ONLY if: ([visit_age]>=3 and [visit_age]<=6) and (((nih_fversion) >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>Cognition Early Childhood Composite</i>  Obtained:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No								
1	Yes															
0	No															
5672	[nih_cogeccompacss]	Show the field ONLY if: ([visit_age]>=3 and [visit_age]<=6) and [nih_cogeccompyn]="1"	Age-corrected standard score: <i>integer 50-150</i>	text (integer, Min: 50, Max: 150)												
5673	[nih_cogeccompct]	Show the field ONLY if: ([visit_age]>=3 and [visit_age]<=6) and [nih_cogeccompyn]="1"	National percentile (age adjusted): <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)												
5674	[nih_cogeccomptscore]	Show the field ONLY if: ([visit_age]>=3 and [visit_age]<=6) and [nih_cogeccompyn]="1" and [nih_cogeccomptscorena(na)]<>"1"	Fully corrected T-score: <i>integer 0-100</i>	text (integer, Min: 0, Max: 100)												
5675	[nih_cogeccomptscorena]	Show the field ONLY if: ([visit_age]>=3 and [visit_age]<=6) and [nih_cogeccompyn]="1" and [nih_cogeccomptscore]=""	T-score not available	checkbox <table><tr><td>na</td><td>nih_cogeccomptscorena__na</td><td>T-score not available</td></tr></table>	na	nih_cogeccomptscorena__na	T-score not available									
na	nih_cogeccomptscorena__na	T-score not available														
5676	[nih_examiner]	Show the field ONLY if: (((nih_fversion) >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Section Header: <i>Overall</i>  Examiner name or identifier:	text												
5677	[nih_deviceid]	Show the field ONLY if: (((nih_fversion) >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Device (iPad) of administration identifier:	text												
5678	[nih_notes]	Show the field ONLY if: (((nih_fversion) >= 2 and [nih_yn] = "1") or [nih_fversion] = "1")	Notes:	notes Custom alignment: LV												
5679	[nih_toolbox_complete]		Section Header: <i>Form Status</i>  Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete															
1	Unverified															
2	Complete															
Instrument: <b>Pulse Oximetry (pulse_oximetry)</b>																
Active languages: None																
5680	[poxy_fversion]		Pulse oximetry form version:	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2. added reason not done												
5681	[poxy_fqueries]		Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY												
5682	[poxy_colltdt]		Pulse oximetry form entry date:	text (date_mdy, Max: today) Field Annotation: @TODAY												
5683	[poxy_yn]	Show the field ONLY if: [poxy_fversion] >= 2	Was the Pulse Oximetry performed?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>  Custom alignment: LV	1	Yes	0	No								
1	Yes															
0	No															
5684	[poxy_nreas]	Show the field ONLY if: [poxy_yn] = "0" and [poxy_fversion] >= 2	Why was the Pulse Oximetry not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr></table>	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed
1	Participant Declined															
2	Staff Not Available															
3	Resources Not Available															
5	SOP Not Yet Created															
6	Site Can Never Perform This Test															
7	DRC Removed															

				<table><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> <div>Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"</div>	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
8	Participant Could Not Be Reached/Did Not Show															
10	Clinical Contraindication															
13	Infected Within the Last 30 Days															
14	Participant Uncooperative															
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion															
9	Other															
5685	<div>[ poxy_nreasspec ]</div> <div>Show the field ONLY if: [poxy_nreas] = "9"</div>	Please specify:	text, Required													
5686	<div>[ poxy_colldtdaj ]</div>	Pulse oximetry form entry date - adjusted	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([poxy_colldt]<>"" , concat([poxy_colldt], " 00:00"), ""))													
5687	<div>[ poxy_enrldtdaj ]</div>	Enrollment date - adjusted	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([poxy_colldt]<>"" , concat([enrollment_arm_1] [enrl_dt], " 00:00"), ""))													
5688	<div>[ poxy_w1intro ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Section Header: <i>Week 1</i> The participant was asked to record pulse oximetry data daily in week 1. There should be two measurements for each day of week 1 (one from the daytime and one from the nighttime).	descriptive													
5689	<div>[ poxy_intro_w1d1m ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Week 1 day 1 daytime (🌞)	descriptive													
5690	<div>[ poxy_dttm_w1d1m ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Date and time of measurement (🌞, AM):	text (datetime_mdy, Min: [poxy_enrldtdaj], Max: [poxy_colldtdaj])													
5691	<div>[ poxy_spo2_w1d1m ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Oxygen level (SpO <sub>2</sub> , 🌞): %	text (number, Min: 80, Max: 100)													
5692	<div>[ poxy_pr_w1d1m ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Pulse rate (🌞): <i>beats per minute</i>	text (number)													
5693	<div>[ poxy_symp_w1d1m ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Symptoms or health problems (🌞):	text													
5694	<div>[ poxy_intro_w1d1n ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Week 1 day 1 nighttime (🌙)	descriptive													
5695	<div>[ poxy_dttm_w1d1n ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtdaj], Max: [poxy_colldtdaj])													
5696	<div>[ poxy_spo2_w1d1n ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Oxygen level (SpO <sub>2</sub> , 🌙): %	text (number, Min: 80, Max: 100)													
5697	<div>[ poxy_pr_w1d1n ]</div> <div>Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] &gt;= 2) or [poxy_fversion] = "1"</div>	Pulse rate (🌙): <i>beats per minute</i>	text (number)													



5698	[ poxy_symp_w1d1n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5699	[ poxy_intro_w1d2m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 2 daytime (☀)	descriptive
5700	[ poxy_dttm_w1d2m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☀, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5701	[ poxy_spo2_w1d2m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☀): %	text (number, Min: 80, Max: 100)
5702	[ poxy_pr_w1d2m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☀): <i>beats per minute</i>	text (number)
5703	[ poxy_symp_w1d2m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5704	[ poxy_intro_w1d2n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 2 nighttime (☾)	descriptive
5705	[ poxy_dttm_w1d2n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☾, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5706	[ poxy_spo2_w1d2n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☾): %	text (number, Min: 80, Max: 100)
5707	[ poxy_pr_w1d2n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☾): <i>beats per minute</i>	text (number)
5708	[ poxy_symp_w1d2n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5709	[ poxy_intro_w1d3m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 3 daytime (☀)	descriptive
5710	[ poxy_dttm_w1d3m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☀, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5711	[ poxy_spo2_w1d3m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☀): %	text (number, Min: 80, Max: 100)
5712	[ poxy_pr_w1d3m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☀): <i>beats per minute</i>	text (number)
5713	[ poxy_symp_w1d3m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text

5714	[ poxy_intro_w1d3n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 3 nighttime (🌙)	descriptive
5715	[ poxy_dttm_w1d3n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colltdadj])
5716	[ poxy_spo2_w1d3n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌙): %	text (number, Min: 80, Max: 100)
5717	[ poxy_pr_w1d3n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌙): <i>beats per minute</i>	text (number)
5718	[ poxy_symp_w1d3n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌙):	text
5719	[ poxy_intro_w1d4m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 4 daytime (☀️)	descriptive
5720	[ poxy_dttm_w1d4m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☀️, AM):	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colltdadj])
5721	[ poxy_spo2_w1d4m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☀️): %	text (number, Min: 80, Max: 100)
5722	[ poxy_pr_w1d4m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☀️): <i>beats per minute</i>	text (number)
5723	[ poxy_symp_w1d4m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☀️):	text
5724	[ poxy_intro_w1d4n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 4 nighttime (🌙)	descriptive
5725	[ poxy_dttm_w1d4n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colltdadj])
5726	[ poxy_spo2_w1d4n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌙): %	text (number, Min: 80, Max: 100)
5727	[ poxy_pr_w1d4n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌙): <i>beats per minute</i>	text (number)
5728	[ poxy_symp_w1d4n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌙):	text
5729	[ poxy_intro_w1d5m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 5 daytime (☀️)	descriptive

5730	[ poxy_dttm_w1d5m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌞, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5731	[ poxy_spo2_w1d5m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌞): %	text (number, Min: 80, Max: 100)
5732	[ poxy_pr_w1d5m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌞): <i>beats per minute</i>	text (number)
5733	[ poxy_symp_w1d5m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌞):	text
5734	[ poxy_intro_w1d5n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 5 nighttime (🌙)	descriptive
5735	[ poxy_dttm_w1d5n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5736	[ poxy_spo2_w1d5n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌙): %	text (number, Min: 80, Max: 100)
5737	[ poxy_pr_w1d5n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌙): <i>beats per minute</i>	text (number)
5738	[ poxy_symp_w1d5n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌙):	text
5739	[ poxy_intro_w1d6m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 6 daytime (🌞)	descriptive
5740	[ poxy_dttm_w1d6m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌞, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5741	[ poxy_spo2_w1d6m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌞): %	text (number, Min: 80, Max: 100)
5742	[ poxy_pr_w1d6m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌞): <i>beats per minute</i>	text (number)
5743	[ poxy_symp_w1d6m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌞):	text
5744	[ poxy_intro_w1d6n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 6 nighttime (🌙)	descriptive
5745	[ poxy_dttm_w1d6n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])

5746	[ poxy_spo2_w1d6n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☺): %	text (number, Min: 80, Max: 100)
5747	[ poxy_pr_w1d6n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☺): <i>beats per minute</i>	text (number)
5748	[ poxy_symp_w1d6n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5749	[ poxy_intro_w1d7m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 7 daytime (☺)	descriptive
5750	[ poxy_dttm_w1d7m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☺, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5751	[ poxy_spo2_w1d7m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☺): %	text (number, Min: 80, Max: 100)
5752	[ poxy_pr_w1d7m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☺): <i>beats per minute</i>	text (number)
5753	[ poxy_symp_w1d7m ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5754	[ poxy_intro_w1d7n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 1 day 7 nighttime (☺)	descriptive
5755	[ poxy_dttm_w1d7n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☺, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5756	[ poxy_spo2_w1d7n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☺): %	text (number, Min: 80, Max: 100)
5757	[ poxy_pr_w1d7n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☺): <i>beats per minute</i>	text (number)
5758	[ poxy_symp_w1d7n ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5759	[ poxy_w2intro ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Section Header: <i>Week 2</i> The participant was asked to record pulse oximetry data during one day in week 2. There should be two measurements for that one day in week 2 (one from the daytime and one from the nighttime).	descriptive
5760	[ poxy_intro_w2dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 2 daytime (☺)	descriptive
5761	[ poxy_dttm_w2dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☺, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])

5762	[ poxy_spo2_w2dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌞): %	text (number, Min: 80, Max: 100)
5763	[ poxy_pr_w2dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌞): <i>beats per minute</i>	text (number)
5764	[ poxy_symp_w2dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌞):	text
5765	[ poxy_intro_w2dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 2 nighttime (🌙)	descriptive
5766	[ poxy_dttm_w2dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5767	[ poxy_spo2_w2dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌙): %	text (number, Min: 80, Max: 100)
5768	[ poxy_pr_w2dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌙): <i>beats per minute</i>	text (number)
5769	[ poxy_symp_w2dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌙):	text
5770	[ poxy_w3intro ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Section Header: <i>Week 3</i> The participant was asked to record pulse oximetry data during one day in week 3. There should be two measurements for that one day in week 3 (one from the daytime and one from the nighttime).	descriptive
5771	[ poxy_intro_w3dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 3 daytime (🌞)	descriptive
5772	[ poxy_dttm_w3dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌞, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5773	[ poxy_spo2_w3dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , 🌞): %	text (number, Min: 80, Max: 100)
5774	[ poxy_pr_w3dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (🌞): <i>beats per minute</i>	text (number)
5775	[ poxy_symp_w3dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (🌞):	text
5776	[ poxy_intro_w3dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 3 nighttime (🌙)	descriptive
5777	[ poxy_dttm_w3dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (🌙, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])

5778	[ poxy_spo2_w3dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☺): %	text (number, Min: 80, Max: 100)
5779	[ poxy_pr_w3dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☺): <i>beats per minute</i>	text (number)
5780	[ poxy_symp_w3dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☺):	text
5781	[ poxy_w4intro ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Section Header: <i>Week 4</i> The participant was asked to record pulse oximetry data during one day in week 4. There should be two measurements for that one day in week 4 (one from the daytime and one from the nighttime).	descriptive
5782	[ poxy_intro_w4dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 4 daytime (☀)	descriptive
5783	[ poxy_dttm_w4dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☀, AM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colltdad])
5784	[ poxy_spo2_w4dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☀): %	text (number, Min: 80, Max: 100)
5785	[ poxy_pr_w4dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☀): <i>beats per minute</i>	text (number)
5786	[ poxy_symp_w4dxm ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☀):	text
5787	[ poxy_intro_w4dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Week 4 nighttime (☾)	descriptive
5788	[ poxy_dttm_w4dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement (☾, PM):	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colltdad])
5789	[ poxy_spo2_w4dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> , ☾): %	text (number, Min: 80, Max: 100)
5790	[ poxy_pr_w4dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate (☾): <i>beats per minute</i>	text (number)
5791	[ poxy_symp_w4dxn ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems (☾):	text
5792	[ poxy_intro_misc ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Section Header: <i>Other measurements</i> Please record any other measurements taken below.	descriptive
5793	[ poxy_intro_misc01 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 1	descriptive

5794	[ poxy_dttm_misc01 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5795	[ poxy_spo2_misc01 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5796	[ poxy_pr_misc01 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5797	[ poxy_symp_misc01 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5798	[ poxy_intro_misc02 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 2	descriptive
5799	[ poxy_dttm_misc02 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5800	[ poxy_spo2_misc02 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5801	[ poxy_pr_misc02 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5802	[ poxy_symp_misc02 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5803	[ poxy_intro_misc03 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 3	descriptive
5804	[ poxy_dttm_misc03 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5805	[ poxy_spo2_misc03 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5806	[ poxy_pr_misc03 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5807	[ poxy_symp_misc03 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5808	[ poxy_intro_misc04 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 4	descriptive
5809	[ poxy_dttm_misc04 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])

5810	[ poxy_spo2_misc04 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5811	[ poxy_pr_misc04 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5812	[ poxy_symp_misc04 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5813	[ poxy_intro_misc05 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 5	descriptive
5814	[ poxy_dttm_misc05 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5815	[ poxy_spo2_misc05 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5816	[ poxy_pr_misc05 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5817	[ poxy_symp_misc05 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5818	[ poxy_intro_misc06 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 6	descriptive
5819	[ poxy_dttm_misc06 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5820	[ poxy_spo2_misc06 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5821	[ poxy_pr_misc06 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5822	[ poxy_symp_misc06 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5823	[ poxy_intro_misc07 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 7	descriptive
5824	[ poxy_dttm_misc07 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5825	[ poxy_spo2_misc07 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)



5826	[ poxy_pr_misc07 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5827	[ poxy_symp_misc07 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5828	[ poxy_intro_misc08 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 8	descriptive
5829	[ poxy_dttm_misc08 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colldtadj])
5830	[ poxy_spo2_misc08 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5831	[ poxy_pr_misc08 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5832	[ poxy_symp_misc08 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5833	[ poxy_intro_misc09 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 9	descriptive
5834	[ poxy_dttm_misc09 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colldtadj])
5835	[ poxy_spo2_misc09 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5836	[ poxy_pr_misc09 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5837	[ poxy_symp_misc09 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5838	[ poxy_intro_misc10 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 10	descriptive
5839	[ poxy_dttm_misc10 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colldtadj])
5840	[ poxy_spo2_misc10 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5841	[ poxy_pr_misc10 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)

5842	[ poxy_symp_misc10 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5843	[ poxy_intro_misc11 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 11	descriptive
5844	[ poxy_dttm_misc11 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5845	[ poxy_spo2_misc11 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5846	[ poxy_pr_misc11 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5847	[ poxy_symp_misc11 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5848	[ poxy_intro_misc12 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 12	descriptive
5849	[ poxy_dttm_misc12 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5850	[ poxy_spo2_misc12 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5851	[ poxy_pr_misc12 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5852	[ poxy_symp_misc12 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5853	[ poxy_intro_misc13 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 13	descriptive
5854	[ poxy_dttm_misc13 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5855	[ poxy_spo2_misc13 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5856	[ poxy_pr_misc13 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5857	[ poxy_symp_misc13 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text

5858	[ poxy_intro_misc14 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 14	descriptive
5859	[ poxy_dttm_misc14 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colltdadj])
5860	[ poxy_spo2_misc14 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5861	[ poxy_pr_misc14 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5862	[ poxy_symp_misc14 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5863	[ poxy_intro_misc15 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 15	descriptive
5864	[ poxy_dttm_misc15 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colltdadj])
5865	[ poxy_spo2_misc15 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5866	[ poxy_pr_misc15 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5867	[ poxy_symp_misc15 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5868	[ poxy_intro_misc16 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 16	descriptive
5869	[ poxy_dttm_misc16 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colltdadj])
5870	[ poxy_spo2_misc16 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5871	[ poxy_pr_misc16 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5872	[ poxy_symp_misc16 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5873	[ poxy_intro_misc17 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 17	descriptive

5874	[ poxy_dttm_misc17 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5875	[ poxy_spo2_misc17 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5876	[ poxy_pr_misc17 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5877	[ poxy_symp_misc17 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5878	[ poxy_intro_misc18 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 18	descriptive
5879	[ poxy_dttm_misc18 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5880	[ poxy_spo2_misc18 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5881	[ poxy_pr_misc18 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5882	[ poxy_symp_misc18 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5883	[ poxy_intro_misc19 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 19	descriptive
5884	[ poxy_dttm_misc19 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5885	[ poxy_spo2_misc19 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5886	[ poxy_pr_misc19 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5887	[ poxy_symp_misc19 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5888	[ poxy_intro_misc20 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 20	descriptive
5889	[ poxy_dttm_misc20 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])

5890	[ poxy_spo2_misc20 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5891	[ poxy_pr_misc20 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5892	[ poxy_symp_misc20 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5893	[ poxy_intro_misc21 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 21	descriptive
5894	[ poxy_dttm_misc21 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5895	[ poxy_spo2_misc21 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5896	[ poxy_pr_misc21 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5897	[ poxy_symp_misc21 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5898	[ poxy_intro_misc22 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 22	descriptive
5899	[ poxy_dttm_misc22 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5900	[ poxy_spo2_misc22 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)
5901	[ poxy_pr_misc22 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)
5902	[ poxy_symp_misc22 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text
5903	[ poxy_intro_misc23 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 23	descriptive
5904	[ poxy_dttm_misc23 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtad], Max: [poxy_colldtad])
5905	[ poxy_spo2_misc23 ] Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)

	5906	[ poxy_pr_misc23 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)						
	5907	[ poxy_symp_misc23 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text						
	5908	[ poxy_intro_misc24 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 24	descriptive						
	5909	[ poxy_dttm_misc24 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colldtadj])						
	5910	[ poxy_spo2_misc24 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)						
	5911	[ poxy_pr_misc24 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)						
	5912	[ poxy_symp_misc24 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text						
	5913	[ poxy_intro_misc25 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Other time 25	descriptive						
	5914	[ poxy_dttm_misc25 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Date and time of measurement:	text (datetime_mdy, Min: [poxy_enrldtadj], Max: [poxy_colldtadj])						
	5915	[ poxy_spo2_misc25 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Oxygen level (SpO <sub>2</sub> ): %	text (number, Min: 80, Max: 100)						
	5916	[ poxy_pr_misc25 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Pulse rate: <i>beats per minute</i>	text (number)						
	5917	[ poxy_symp_misc25 ]  Show the field ONLY if: ([poxy_yn] = "1" and [poxy_fversion] >= 2) or [poxy_fversion] = "1"	Symptoms or health problems:	text						
	5918	[ pulse_oximetry_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

Instrument: **Clinical Labs** (clinical\_labs)

Active languages: None

	5919	[ clab_fversion ]	Clinical labs form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	5920	[ clab_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY
	5921	[ clab_desc ]	Clinical labs are defined as a lab test result available from medical record from a date within three months of the visit date.	descriptive
	5922	[ clab_nnvwarning ]	Non-numeric test results are only for results received from the lab; e.g. like '< 0.6mg', or 'positive'. Do not put any other comments	descriptive

			into these fields. If the test could not be run, or was incomplete, this is not a "non-numeric result".							
	5923	[ clab_lipiddt ]	Section Header: <i>Lipid panel (clinically available):</i> Date of clinical Lipid panel:	text (date_mdy, Min: [clab_datemin], Max: [clab_datemax])						
	5924	[ clab_lipidfast ]	Fasting for clinical lipid panel (fasting should be for at least 8 hours) :	radio <table border="1"><tr><td>1</td><td>Yes, fasting</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unknown</td></tr></table> Field Annotation: ++labinfo=panel:lipid	1	Yes, fasting	0	No	-1	Unknown
1	Yes, fasting									
0	No									
-1	Unknown									
	5925	[ clab_lipidldlu ]  Show the field ONLY if: [clab_lipidldlnn(1)]= "0"	LDL units:	radio <table border="1"><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>mg/L</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:clab_lipiddt	1	mg/dL	2	mg/L		
1	mg/dL									
2	mg/L									
	5926	[ clab_lipidldl_u1 ]  Show the field ONLY if: [clab_lipidldlnn(1)]= "0" and [clab_lipidldlu] = "1"	LDL: <i>mg/dL</i>	text (number, Min: 10, Max: 400) Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:clab_lipiddt;conversionfactor:1						
	5927	[ clab_lipidldl_u2 ]  Show the field ONLY if: [clab_lipidldlnn(1)]= "0" and [clab_lipidldlu] = "2"	LDL: <i>mg/L</i>	text (number) Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:clab_lipiddt;conversionfactor:C						
	5928	[ clab_lipidldlnn ]  Show the field ONLY if: [clab_lipidldl_u1]= "" and [clab_lipidldl_u2]= ""	LDL non-numeric result:	checkbox <table border="1"><tr><td>1</td><td>clab_lipidldlnn__1</td><td>Non-numeric LDL result{clab_lipidldlnnv:icons} {clab_lipidldlnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:clab_lipiddt	1	clab_lipidldlnn__1	Non-numeric LDL result{clab_lipidldlnnv:icons} {clab_lipidldlnnvwarn}			
1	clab_lipidldlnn__1	Non-numeric LDL result{clab_lipidldlnnv:icons} {clab_lipidldlnnvwarn}								
	5929	[ clab_lipidldlnnv ]  Show the field ONLY if: [clab_lipidldlnn(1)]= "1"	LDL non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:clab_lipiddt						
	5930	[ clab_lipidldlnnvwarn ]  Show the field ONLY if: [clab_lipidldlnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive						
	5931	[ clab_lipidldlab ]  Show the field ONLY if: [clab_lipidldl_u1]<> "" or [clab_lipidldl_u2]<> "" or [clab_lipidldlnnv]<> ""	LDL abnormal:	radio <table border="1"><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:clab_lipiddt	1	Abnormal	0	No		
1	Abnormal									
0	No									
	5932	[ clab_lipidhdlu ]  Show the field ONLY if: [clab_lipidhdlnn(1)]= "0"	HDL units:	radio <table border="1"><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>mg/L</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:clab_lipiddt	1	mg/dL	2	mg/L		
1	mg/dL									
2	mg/L									
	5933	[ clab_lipidhdl_u1 ]  Show the field ONLY if: [clab_lipidhdlu]= "1" and [clab_lipidhdlhdlnn(1)]= "0"	HDL: <i>mg/dL</i>	text (number, Min: 5, Max: 189) Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:clab_lipiddt;conversionfactor:						
	5934	[ clab_lipidhdl_u2 ]  Show the field ONLY if: [clab_lipidhdlu]= "2" and [clab_lipidhdlhdlnn(1)]= "0"	HDL: <i>mg/L</i>	text (number) Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:clab_lipiddt;conversionfactor:						
	5935	[ clab_lipidhdlnn ]  Show the field ONLY if: [clab_lipidhdl_u1]= "" and [clab_lipidhdl_u2]= ""	HDL non-numeric result:	checkbox <table border="1"><tr><td>1</td><td>clab_lipidhdlnn__1</td><td>Non-numeric HDL result{clab_lipidhdlnnv:icons} {clab_lipidhdlnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:clab_lipiddt	1	clab_lipidhdlnn__1	Non-numeric HDL result{clab_lipidhdlnnv:icons} {clab_lipidhdlnnvwarn}			
1	clab_lipidhdlnn__1	Non-numeric HDL result{clab_lipidhdlnnv:icons} {clab_lipidhdlnnvwarn}								

5936	[ clab_lipidhdlnnv ]  Show the field ONLY if: [clab_lipidhdlnn(1)]="1"	HDL non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:clab_lipiddt				
5937	[ clab_lipidhdlnnvwarn ]  Show the field ONLY if: [clab_lipidhdlnn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
5938	[ clab_lipidhdlab ]  Show the field ONLY if: [clab_lipidhdl_u1]<>"" or [clab_lipi hdl_u2]<>"" or [clab_lipidhdlnnv] <>""	HDL abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:clab_lipiddt	1	Abnormal	0	No
1	Abnormal						
0	No						
5939	[ clab_lipidcholu ]  Show the field ONLY if: [clab_lipidcholnn(1)]="0"	Total cholesterol units:	radio <table><tr><td>1</td><td>mg/dL</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:chol;date:clab_lipiddt	1	mg/dL		
1	mg/dL						
5940	[ clab_lipidchol_u1 ]  Show the field ONLY if: [clab_lipidcholu]="1" and [clab_lip idcholnn(1)]="0"	Total cholesterol: <i>mg/dL</i>	text (number, Min: 7, Max: 446) Field Annotation: ++labinfo=panel:lipid;lab:chol;date:clab_lipiddt;conversionfactor				
5941	[ clab_lipidchoinn ]  Show the field ONLY if: [clab_lipidchol_u1]=""	Total cholesterol non-numeric result:	checkbox <table><tr><td>1</td><td>clab_lipidchoinn__1</td><td>Non-numeric Total cholesterol result{clab_lipidchoinnv:icons} {clab_lipidchoinnvwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:chol;date:clab_lipiddt	1	clab_lipidchoinn__1	Non-numeric Total cholesterol result{clab_lipidchoinnv:icons} {clab_lipidchoinnvwarn}	
1	clab_lipidchoinn__1	Non-numeric Total cholesterol result{clab_lipidchoinnv:icons} {clab_lipidchoinnvwarn}					
5942	[ clab_lipidchoinnv ]  Show the field ONLY if: [clab_lipidcholnn(1)]="1"	Total cholesterol non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lipid;lab:chol;date:clab_lipiddt				
5943	[ clab_lipidchoinnvwarn ]  Show the field ONLY if: [clab_lipidcholnn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
5944	[ clab_lipidcholab ]  Show the field ONLY if: [clab_lipidchol_u1]<>"" or [clab_li pidcholnnv]<>""	Total cholesterol abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:chol;date:clab_lipiddt	1	Abnormal	0	No
1	Abnormal						
0	No						
5945	[ clab_lipidtriu ]  Show the field ONLY if: [clab_lipidhdlnn(1)]="0"	Triglycerides units:	radio <table><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>mg/L</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:tri;date:clab_lipiddt	1	mg/dL	2	mg/L
1	mg/dL						
2	mg/L						
5946	[ clab_lipidtri_u1 ]  Show the field ONLY if: [clab_lipidtrinn(1)]="0" and [clab_l ipidtriu] = "1"	Triglycerides: <i>mg/dL</i>	text (number, Min: 10, Max: 2684) Field Annotation: ++labinfo=panel:lipid;lab:tri;date:clab_lipiddt;conversionfactor:1				
5947	[ clab_lipidtri_u2 ]  Show the field ONLY if: [clab_lipidtrinn(1)]="0" and [clab_l ipidtriu] = "2"	Triglycerides: <i>mg/L</i>	text (number) Field Annotation: ++labinfo=panel:lipid;lab:tri;date:clab_lipiddt;conversionfactor:0				
5948	[ clab_lipidtrinn ]  Show the field ONLY if: [clab_lipidtri_u1]=" " and [clab_lipi dtri_u2] = " "	Triglycerides non-numeric result:	checkbox <table><tr><td>1</td><td>clab_lipidtrinn__1</td><td>Non-numeric Triglycerides result{clab_lipidtrinnv:icons} {clab_lipidtrinnvwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:tri;date:clab_lipiddt	1	clab_lipidtrinn__1	Non-numeric Triglycerides result{clab_lipidtrinnv:icons} {clab_lipidtrinnvwarn}	
1	clab_lipidtrinn__1	Non-numeric Triglycerides result{clab_lipidtrinnv:icons} {clab_lipidtrinnvwarn}					
5949	[ clab_lipidtrinnv ]  Show the field ONLY if: [clab_lipidtrinn(1)]="1"	Triglycerides non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lipid;lab:tri;date:clab_lipiddt				



	5950	[ clab_lipidtrinnvwarn ] Show the field ONLY if: [clab_lipidtrinn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
	5951	[ clab_lipidtriab ]  Show the field ONLY if: [clab_lipidtri_u1]<>"" or [clab_lipi dtri_u2]<>"" or [clab_lipidtrinnv]< >""	Triglycerides abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:lipid;lab:tri;date:clab_lipiddt	1	Abnormal	0	No
1	Abnormal							
0	No							
	5952	[ clab_hemoa1cdt ]	Section Header: Hemoglobin A1c (clinically available): Date of clinical Hemoglobin A1c:	text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:hemoa1c				
	5953	[ clab_hemoa1cu ]  Show the field ONLY if: [clab_hemoa1cnn(1)]=0"	Hemoglobin A1c units:	radio <table><tr><td>1</td><td>%</td></tr></table>  Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:clab_hemoa1cdt	1	%		
1	%							
	5954	[ clab_hemoa1c_u1 ]  Show the field ONLY if: [clab_hemoa1cu]=1" and [clab_h emoa1cnn(1)]=0"	Hemoglobin A1c: %	text (number, Min: 2.8, Max: 16.2) Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:clab_hemoa1cdt				
	5955	[ clab_hemoa1cnn ]  Show the field ONLY if: [clab_hemoa1c_u1]="	Hemoglobin A1c non-numeric result:	checkbox <table><tr><td>1</td><td>clab_hemoa1cnn__1</td><td>Non-numeric Hemoglobin A1c result{clab_hemoa1cnnv:icons} {clab_hemoa1cnnwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:clab_hemoa1cdt	1	clab_hemoa1cnn__1	Non-numeric Hemoglobin A1c result{clab_hemoa1cnnv:icons} {clab_hemoa1cnnwarn}	
1	clab_hemoa1cnn__1	Non-numeric Hemoglobin A1c result{clab_hemoa1cnnv:icons} {clab_hemoa1cnnwarn}						
	5956	[ clab_hemoa1cnnv ]  Show the field ONLY if: [clab_hemoa1cnn(1)]=1"	Hemoglobin A1c non-numeric result:	text, Required Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:clab_hemoa1cdt				
	5957	[ clab_hemoa1cnnvwarn ]  Show the field ONLY if: [clab_hemoa1cnn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
	5958	[ clab_hemoa1cab ]  Show the field ONLY if: [clab_hemoa1c_u1]<>"" or [clab_h emoa1cnnv]<>""	Hemoglobin A1c abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:clab_hemoa1cdt	1	Abnormal	0	No
1	Abnormal							
0	No							
	5959	[ clab_tshdt ]	Section Header: Thyroid stimulating hormone (clinically available): Date of clinical Thyroid stimulating hormone:	text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:tsh				
	5960	[ clab_tshu ]  Show the field ONLY if: [clab_tshnn(1)]=0"	Thyroid stimulating hormone units:	radio <table><tr><td>1</td><td>mIU/mL or uIU/mL or mIU/L or mU/L</td></tr></table>  Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:clab_tshdt	1	mIU/mL or uIU/mL or mIU/L or mU/L		
1	mIU/mL or uIU/mL or mIU/L or mU/L							
	5961	[ clab_tsh_u1 ]  Show the field ONLY if: [clab_tshu]=1" and [clab_tshnn (1)]=0"	Thyroid stimulating hormone: mIU/mL or uIU/mL or mIU/L or mU/L	text (number, Min: 0.01, Max: 43) Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:clab_tshdt;conversionfactor:				
	5962	[ clab_tshnn ]  Show the field ONLY if: [clab_tsh_u1]="	Thyroid stimulating hormone non-numeric result:	checkbox <table><tr><td>1</td><td>clab_tshnn__1</td><td>Non-numeric Thyroid stimulating hormone result{clab_tshnnv:icons} {clab_tshnnwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:clab_tshdt	1	clab_tshnn__1	Non-numeric Thyroid stimulating hormone result{clab_tshnnv:icons} {clab_tshnnwarn}	
1	clab_tshnn__1	Non-numeric Thyroid stimulating hormone result{clab_tshnnv:icons} {clab_tshnnwarn}						
	5963	[ clab_tshnnv ]  Show the field ONLY if: [clab_tshnn(1)]=1"	Thyroid stimulating hormone non-numeric result:	text, Required Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:clab_tshdt				
	5964	[ clab_tshnnvwarn ]  Show the field ONLY if: [clab_tshnn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
	5965	[ clab_tshab ]  Show the field ONLY if:	Thyroid stimulating hormone abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No
1	Abnormal							
0	No							

		[clab_tsh_u1]<>"" or [clab_tshnnv]<>""		Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:clab_tshdt												
	5966	[ clab_t4dt ]	Section Header: <i>Free T4 (clinically available):</i> Date of clinical Free T4:	text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:t4												
	5967	[ clab_t4u ]  Show the field ONLY if: [clab_t4nn(1)]="0"	Free T4 units:	radio <table><tr><td>1</td><td>µg/dL (mcg/dL)</td></tr><tr><td>2</td><td>pg/mL</td></tr><tr><td>3</td><td>ng/dL</td></tr><tr><td>4</td><td>ng/L</td></tr><tr><td>5</td><td>mU/L</td></tr><tr><td>6</td><td>pmol/L</td></tr></table>  Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt	1	µg/dL (mcg/dL)	2	pg/mL	3	ng/dL	4	ng/L	5	mU/L	6	pmol/L
1	µg/dL (mcg/dL)															
2	pg/mL															
3	ng/dL															
4	ng/L															
5	mU/L															
6	pmol/L															
	5968	[ clab_t4_u1 ]  Show the field ONLY if: [clab_t4u]="1" and [clab_t4nn(1)]="0"	Free T4: <i>µg/dL (mcg/dL)</i>	text (number, Min: 0.00058, Max: 0.00253) Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt;conversionfactor:1												
	5969	[ clab_t4_u2 ]  Show the field ONLY if: [clab_t4u]="2" and [clab_t4nn(1)]="0"	Free T4: <i>pg/mL</i>	text (number, Min: 5.8, Max: 25.3) Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt;conversionfactor:0.0001												
	5970	[ clab_t4_u3 ]  Show the field ONLY if: [clab_t4u]="3" and [clab_t4nn(1)]="0"	Free T4: <i>ng/dL</i>	text (number, Min: 0.58, Max: 2.53) Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt;conversionfactor:0.001												
	5971	[ clab_t4_u4 ]  Show the field ONLY if: [clab_t4u]="4" and [clab_t4nn(1)]="0"	Free T4: <i>ng/L</i>	text (number) Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt;conversionfactor:0.0001												
	5972	[ clab_t4_u5 ]  Show the field ONLY if: [clab_t4u]="5" and [clab_t4nn(1)]="0"	Free T4: <i>mU/L</i>	text (number) Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt												
	5973	[ clab_t4_u6 ]  Show the field ONLY if: [clab_t4u]="6" and [clab_t4nn(1)]="0"	Free T4: <i>pmol/L</i>	text (number) Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt;conversionfactor:0.0001												
	5974	[ clab_t4nn ]  Show the field ONLY if: [clab_t4_u1]=" " and [clab_t4_u2]=" " and [clab_t4_u3]=" " and [clab_t4_u4]=" " and [clab_t4_u5]=" " and [clab_t4_u6]=" "	Free T4 non-numeric result:	checkbox <table><tr><td>1</td><td>clab_t4nn__1</td><td>Non-numeric Free T4 result{clab_t4nnv:icons} {clab_t4nnvwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt	1	clab_t4nn__1	Non-numeric Free T4 result{clab_t4nnv:icons} {clab_t4nnvwarn}									
1	clab_t4nn__1	Non-numeric Free T4 result{clab_t4nnv:icons} {clab_t4nnvwarn}														
	5975	[ clab_t4nnv ]  Show the field ONLY if: [clab_t4nn(1)]="1"	Free T4 non-numeric result:	text, Required Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt												
	5976	[ clab_t4nnvwarn ]  Show the field ONLY if: [clab_t4nn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive												
	5977	[ clab_t4ab ]  Show the field ONLY if: [clab_t4_u1]<>"" or [clab_t4_u2]<>"" or [clab_t4_u3]<>"" or [clab_t4_u4]<>"" or [clab_t4_u5]<>"" or [clab_t4_u6]<>"" or [clab_t4nnv]<>""	Free T4 abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:t4;lab:t4;date:clab_t4dt	1	Abnormal	0	No								
1	Abnormal															
0	No															
	5978	[ clab_vitddt ]	Section Header: <i>25-Hydroxy vitamin D (clinically available):</i> Date of clinical 25-Hydroxy vitamin D:	text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:vitd												
	5979	[ clab_vitdu ]  Show the field ONLY if: [clab_vitdnn(1)]="0"	25-Hydroxy vitamin D units:	radio <table><tr><td>1</td><td>nmol/L</td></tr><tr><td>2</td><td>ng/mL</td></tr><tr><td>4</td><td>ng/dL</td></tr><tr><td>3</td><td>pg/mL</td></tr><tr><td>5</td><td>pmol/L</td></tr></table>	1	nmol/L	2	ng/mL	4	ng/dL	3	pg/mL	5	pmol/L		
1	nmol/L															
2	ng/mL															
4	ng/dL															
3	pg/mL															
5	pmol/L															

				Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt						
5980	[ clab_vitd_u1 ]  Show the field ONLY if: [clab_vitdu]="1" and [clab_vitdnn(1)]="0"	25-Hydroxy vitamin D: <i>nmol/L</i>		text (number, Min: 7.04, Max: 253) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt;conversionfactor:1						
5981	[ clab_vitd_u2 ]  Show the field ONLY if: [clab_vitdu]="2" and [clab_vitdnn(1)]="0"	25-Hydroxy vitamin D: <i>ng/mL</i>		text (number, Min: 2.82, Max: 101.36) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt;conversionfactor:2						
5982	[ clab_vitd_u3 ]  Show the field ONLY if: [clab_vitdu]="3" and [clab_vitdnn(1)]="0"	25-Hydroxy vitamin D: <i>pg/mL</i>		text (number) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt;conversionfactor:3						
5983	[ clab_vitd_u4 ]  Show the field ONLY if: [clab_vitdu]="4" and [clab_vitdnn(1)]="0"	25-Hydroxy vitamin D: <i>ng/dL</i>		text (number, Min: 282, Max: 10136) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt;conversionfactor:4						
5984	[ clab_vitd_u5 ]  Show the field ONLY if: [clab_vitdu]="5" and [clab_vitdnn(1)]="0"	25-Hydroxy vitamin D: <i>pmol/L</i>		text (number) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt;conversionfactor:5						
5985	[ clab_vitdnn ]  Show the field ONLY if: [clab_vitd_u1]="" [clab_vitd_u2]="" [clab_vitd_u3]="" [clab_vitd_u4]="" [clab_vitd_u5]=""	25-Hydroxy vitamin D non-numeric result:	<table><tr><td>1</td><td>clab_vitdnn__1</td><td>Non-numeric 25-Hydroxy vitamin D result{clab_vitdnnv:icons} {clab_vitdnnvwarn}</td></tr></table>	1	clab_vitdnn__1	Non-numeric 25-Hydroxy vitamin D result{clab_vitdnnv:icons} {clab_vitdnnvwarn}	Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt			
1	clab_vitdnn__1	Non-numeric 25-Hydroxy vitamin D result{clab_vitdnnv:icons} {clab_vitdnnvwarn}								
5986	[ clab_vitdnnv ]  Show the field ONLY if: [clab_vitdnn(1)]="1"	25-Hydroxy vitamin D non-numeric result:		text, Required Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt						
5987	[ clab_vitdnnvwarn ]  Show the field ONLY if: [clab_vitdnn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive						
5988	[ clab_vitdab ]  Show the field ONLY if: [clab_vitd_u1]<>"" or [clab_vitd_u2]<>"" or [clab_vitd_u3]<>"" or [clab_vitd_u4]<>"" or [clab_vitd_u5]<>"" or [clab_vitdnnv]<>""	25-Hydroxy vitamin D abnormal:	<table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:clab_vitddt		
1	Abnormal									
0	No									
5989	[ clab_chemdt ]	Section Header: <i>Basic chemistry (clinically available):</i> Date of clinical Basic chemistry:		text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:chem						
5990	[ clab_chemfast ]	Fasting for clinical basic chemistry panel (fasting should be for at least 8 hours):	<table><tr><td>1</td><td>Yes, fasting</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unknown</td></tr></table>	1	Yes, fasting	0	No	-1	Unknown	Field Annotation: ++labinfo=panel:chem
1	Yes, fasting									
0	No									
-1	Unknown									
5991	[ clab_nau ]  Show the field ONLY if: [clab_nann(1)]="0"	Sodium units:	<table><tr><td>1</td><td>mmol/L or mEq/L</td></tr></table>	1	mmol/L or mEq/L	Field Annotation: ++labinfo=panel:chem;lab:na;date:clab_chemdt				
1	mmol/L or mEq/L									
5992	[ clab_na_u1 ]  Show the field ONLY if: [clab_nau]="1" and [clab_nann(1)]="0"	Sodium: <i>mmol/L or mEq/L</i>		text (number, Min: 121, Max: 151) Field Annotation: ++labinfo=panel:chem;lab:na;date:clab_chemdt;conversionfactor:1						
5993	[ clab_nann ]  Show the field ONLY if: [clab_na_u1]=""	Sodium non-numeric result:	<table><tr><td>1</td><td>clab_nann__1</td><td>Non-numeric Sodium result{clab_nannv:icons} {clab_nannvwarn}</td></tr></table>	1	clab_nann__1	Non-numeric Sodium result{clab_nannv:icons} {clab_nannvwarn}	Field Annotation:			
1	clab_nann__1	Non-numeric Sodium result{clab_nannv:icons} {clab_nannvwarn}								

				++labinfo=panel:chem;lab:na;date:clab_chemdt				
5994	[ clab_nannv ] Show the field ONLY if: [clab_nann(1)]="1"	Sodium non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:na;date:clab_chemdt					
5995	[ clab_nannvwarn ] Show the field ONLY if: [clab_nann(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
5996	[ clab_naab ] Show the field ONLY if: [clab_na_u1]<>"" or [clab_nannv]<>""	Sodium abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:na;date:clab_chemdt	1	Abnormal	0	No	
1	Abnormal							
0	No							
5997	[ clab_ku ] Show the field ONLY if: [clab_knn(1)]="0"	Potassium units:	radio <table><tr><td>1</td><td>mmol/L or mEq/L</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:k;date:clab_chemdt	1	mmol/L or mEq/L			
1	mmol/L or mEq/L							
5998	[ clab_k_u1 ] Show the field ONLY if: [clab_ku]="1" and [clab_knn(1)]="0"	Potassium: <i>mmol/L or mEq/L</i>	text (number, Min: 2.6, Max: 7.1) Field Annotation: ++labinfo=panel:chem;lab:k;date:clab_chemdt;conversionfactor					
5999	[ clab_knn ] Show the field ONLY if: [clab_k_u1]=""	Potassium non-numeric result:	checkbox <table><tr><td>1</td><td>clab_knn__1</td><td>Non-numeric Potassium result{clab_knnv:icons}{clab_knnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:k;date:clab_chemdt	1	clab_knn__1	Non-numeric Potassium result{clab_knnv:icons}{clab_knnvwarn}		
1	clab_knn__1	Non-numeric Potassium result{clab_knnv:icons}{clab_knnvwarn}						
6000	[ clab_knnv ] Show the field ONLY if: [clab_knn(1)]="1"	Potassium non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:k;date:clab_chemdt					
6001	[ clab_knnvwarn ] Show the field ONLY if: [clab_knn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
6002	[ clab_kab ] Show the field ONLY if: [clab_k_u1]<>"" or [clab_knnv]<>""	Potassium abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:k;date:clab_chemdt	1	Abnormal	0	No	
1	Abnormal							
0	No							
6003	[ clab_chloru ] Show the field ONLY if: [clab_chlornn(1)]="0"	Chloride units:	radio <table><tr><td>1</td><td>mmol/L or mEq/L</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:chlor;date:clab_chemdt	1	mmol/L or mEq/L			
1	mmol/L or mEq/L							
6004	[ clab_chlor_u1 ] Show the field ONLY if: [clab_chloru]="1" and [clab_chlornn(1)]="0"	Chloride: <i>mmol/L or mEq/L</i>	text (number, Min: 84, Max: 117) Field Annotation: ++labinfo=panel:chem;lab:chlor;date:clab_chemdt;conversionfactor					
6005	[ clab_chlornn ] Show the field ONLY if: [clab_chlor_u1]=""	Chloride non-numeric result:	checkbox <table><tr><td>1</td><td>clab_chlornn__1</td><td>Non-numeric Chloride result{clab_chlornnv:icons}{clab_chlornnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:chlor;date:clab_chemdt	1	clab_chlornn__1	Non-numeric Chloride result{clab_chlornnv:icons}{clab_chlornnvwarn}		
1	clab_chlornn__1	Non-numeric Chloride result{clab_chlornnv:icons}{clab_chlornnvwarn}						
6006	[ clab_chlornnv ] Show the field ONLY if: [clab_chlornn(1)]="1"	Chloride non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:chlor;date:clab_chemdt					
6007	[ clab_chlornnvwarn ] Show the field ONLY if: [clab_chlornn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
6008	[ clab_chlorab ] Show the field ONLY if:	Chloride abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr></table>	1	Abnormal			
1	Abnormal							

		[clab_chlor_u1]<>" or [clab_chlor_nnv]<>"		<div>0 No</div> <div>Field Annotation: ++labinfo=panel:chem;lab:chlor;date:clab_chemdt</div>
6009	[clab_bicarbu]	Show the field ONLY if: [clab_bicarbn(1)]=0"	Bicarbonate units:	<div>radio</div> <div>1 mmol/L or mEq/L</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:clab_chemdt</div>
6010	[clab_bicarb_u1]	Show the field ONLY if: [clab_bicarb_u1]=1" and [clab_bicarbn(1)]=0"	Bicarbonate: <i>mmol/L or mEq/L</i>	<div>text (number, Min: 14, Max: 38)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:clab_chemdt;conversionfac</div>
6011	[clab_bicarbn]	Show the field ONLY if: [clab_bicarb_u1]="	Bicarbonate non-numeric result:	<div>checkbox</div> <div>1 clab_bicarbn__1 Non-numeric Bicarbonate result{clab_bicarbnv:icons} {clab_bicarbnvwarn}</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:clab_chemdt</div>
6012	[clab_bicarbnv]	Show the field ONLY if: [clab_bicarbn(1)]=1"	Bicarbonate non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:clab_chemdt</div>
6013	[clab_bicarbnvwarn]	Show the field ONLY if: [clab_bicarbn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6014	[clab_bicarb]	Show the field ONLY if: [clab_bicarb_u1]<>" or [clab_bicarbnv]<>"	Bicarbonate abnormal:	<div>radio</div> <div>1 Abnormal</div> <div>0 No</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:clab_chemdt</div>
6015	[clab_bunu]	Show the field ONLY if: [clab_bunnn(1)]=0"	Blood urea nitrogen (BUN) units:	<div>radio</div> <div>1 mmol/L</div> <div>2 mg/dL</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bun;date:clab_chemdt</div>
6016	[clab_bun_u1]	Show the field ONLY if: [clab_bunu]=1" and [clab_bunnn(1)]=0"	Blood urea nitrogen (BUN): <i>mmol/L</i>	<div>text (number, Min: 0.71, Max: 28.2)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bun;date:clab_chemdt;conversionfac</div>
6017	[clab_bun_u2]	Show the field ONLY if: [clab_bunu]=2" and [clab_bunnn(1)]=0"	Blood urea nitrogen (BUN): <i>mg/dL</i>	<div>text (number, Min: 2, Max: 79)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bun;date:clab_chemdt;conversionfac</div>
6018	[clab_bunnn]	Show the field ONLY if: [clab_bun_u1]="" and [clab_bun_u2]="	Blood urea nitrogen (BUN) non-numeric result:	<div>checkbox</div> <div>1 clab_bunnn__1 Non-numeric Blood urea nitrogen (BUN) result{clab_bunnnv:icons} {clab_bunnnvwarn}</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bun;date:clab_chemdt</div>
6019	[clab_bunnnv]	Show the field ONLY if: [clab_bunnn(1)]=1"	Blood urea nitrogen (BUN) non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bun;date:clab_chemdt</div>
6020	[clab_bunnnvwarn]	Show the field ONLY if: [clab_bunnn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6021	[clab_bunab]	Show the field ONLY if: [clab_bun_u1]<>" or [clab_bun_u2]<>" or [clab_bunnnv]<>"	Blood urea nitrogen (BUN) abnormal:	<div>radio</div> <div>1 Abnormal</div> <div>0 No</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bun;date:clab_chemdt</div>

6022	<div>[ clab_creatsu ]</div> <div>Show the field ONLY if: [clab_creatsnn(1)]="0"</div>	Creatinine (serum) units:	<div>radio</div> <div><div>1</div><div>mg/dL</div></div> <div><div>2</div><div>U/L</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:clab_chemdt</div>
6023	<div>[ clab_creats_u1 ]</div> <div>Show the field ONLY if: [clab_creatsnn(1)]="0" and [clab_creatsu] = 1</div>	Creatinine (serum): <i>mg/dL</i>	<div>text (number, Min: 0.25, Max: 14.97)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:clab_chemdt;conversionf</div>
6024	<div>[ clab_creats_u2 ]</div> <div>Show the field ONLY if: [clab_creatsnn(1)]="0" and [clab_creatsu] = 2</div>	Creatinine (serum): <i>U/L</i>	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:clab_chemdt;conversionf</div>
6025	<div>[ clab_creatsnn ]</div> <div>Show the field ONLY if: [clab_creats_u1]=""" and [clab_creats_u2]="""</div>	Creatinine (serum) non-numeric result:	<div>checkbox</div> <div><div>1</div><div>clab_creatsnn__1</div><div>Non-numeric Creatinine (serum) result{clab_creatsnnv:icons} {clab_creatsnnvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:clab_chemdt</div>
6026	<div>[ clab_creatsnnv ]</div> <div>Show the field ONLY if: [clab_creatsnn(1)]="1"</div>	Creatinine (serum) non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:clab_chemdt</div>
6027	<div>[ clab_creatsnnvwarn ]</div> <div>Show the field ONLY if: [clab_creatsnn(1)]="1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	<div>descriptive</div>
6028	<div>[ clab_creatsab ]</div> <div>Show the field ONLY if: [clab_creats_u1]&lt;&gt;"" or [clab_creats_u2]&lt;&gt;"" or [clab_creatsnnv]&lt;&gt;""</div>	Creatinine (serum) abnormal:	<div>radio</div> <div><div>1</div><div>Abnormal</div></div> <div><div>0</div><div>No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:clab_chemdt</div>
6029	<div>[ clab_cau ]</div> <div>Show the field ONLY if: [clab_cann(1)]="0"</div>	Calcium units:	<div>radio</div> <div><div>1</div><div>mg/dL</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:clab_chemdt</div>
6030	<div>[ clab_ca_u1 ]</div> <div>Show the field ONLY if: [clab_cau]="1" and [clab_cann(1)]="0"</div>	Calcium: <i>mg/dL</i>	<div>text (number, Min: 6.4, Max: 12.3)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:clab_chemdt;conversionfacto</div>
6031	<div>[ clab_cann ]</div> <div>Show the field ONLY if: [clab_ca_u1]=""</div>	Calcium non-numeric result:	<div>checkbox</div> <div><div>1</div><div>clab_cann__1</div><div>Non-numeric Calcium result{clab_cannv:icons} {clab_cannvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:clab_chemdt</div>
6032	<div>[ clab_cannv ]</div> <div>Show the field ONLY if: [clab_cann(1)]="1"</div>	Calcium non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:clab_chemdt</div>
6033	<div>[ clab_cannvwarn ]</div> <div>Show the field ONLY if: [clab_cann(1)]="1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	<div>descriptive</div>
6034	<div>[ clab_caab ]</div> <div>Show the field ONLY if: [clab_ca_u1]&lt;&gt;"" or [clab_cannv]&lt;&gt;""</div>	Calcium abnormal:	<div>radio</div> <div><div>1</div><div>Abnormal</div></div> <div><div>0</div><div>No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:clab_chemdt</div>
6035	<div>[ clab_glucu ]</div> <div>Show the field ONLY if: [clab_glucnn(1)]="0"</div>	Glucose units:	<div>radio</div> <div><div>1</div><div>mg/dL</div></div> <div>Field Annotation:</div>

				++labinfo=panel:chem;lab:gluc;date:clab_chemdt				
6036	[clab_gluc_u1] Show the field ONLY if: [clab_glucu]="1" and [clab_glucnn(1)]="0"	Glucose: <i>mg/dL</i>	text (number, Min: 39, Max: 626) Field Annotation: ++labinfo=panel:chem;lab:gluc;date:clab_chemdt;conversionfactor:1					
6037	[clab_glucnn] Show the field ONLY if: [clab_gluc_u1]=""	Glucose non-numeric result:	checkbox <table><tr><td>1</td><td>clab_glucnn__1</td><td>Non-numeric Glucose result{clab_glucnnv:icons} {clab_glucnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:gluc;date:clab_chemdt	1	clab_glucnn__1	Non-numeric Glucose result{clab_glucnnv:icons} {clab_glucnnvwarn}		
1	clab_glucnn__1	Non-numeric Glucose result{clab_glucnnv:icons} {clab_glucnnvwarn}						
6038	[clab_glucnnv] Show the field ONLY if: [clab_glucnn(1)]="1"	Glucose non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:gluc;date:clab_chemdt					
6039	[clab_glucnnvwarn] Show the field ONLY if: [clab_glucnn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
6040	[clab_glucab] Show the field ONLY if: [clab_gluc_u1]<>"" or [clab_glucnnv]<>""	Glucose abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:chem;lab:gluc;date:clab_chemdt	1	Abnormal	0	No	
1	Abnormal							
0	No							
6041	[clab_lftdt] Date of clinical Liver function tests (LFT):	Section Header: <i>Liver function tests (LFT) (clinically available);</i> Date of clinical Liver function tests (LFT):	text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:lft					
6042	[clab_astu] Show the field ONLY if: [clab_astnn(1)]="0"	Aspartate aminotransferase (AST) units:	radio <table><tr><td>1</td><td>U/L or IU/L</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:ast;date:clab_lftdt	1	U/L or IU/L			
1	U/L or IU/L							
6043	[clab_ast_u1] Show the field ONLY if: [clab_astu]="1" and [clab_astnn(1)]="0"	Aspartate aminotransferase (AST): <i>U/L or IU/L</i>	text (number, Min: 6, Max: 489) Field Annotation: ++labinfo=panel:lft;lab:ast;date:clab_lftdt;conversionfactor:1					
6044	[clab_astnn] Show the field ONLY if: [clab_ast_u1]=""	Aspartate aminotransferase (AST) non-numeric result:	checkbox <table><tr><td>1</td><td>clab_astnn__1</td><td>Non-numeric Aspartate aminotransferase (AST) result{clab_astnnv:icons} {clab_astnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:ast;date:clab_lftdt	1	clab_astnn__1	Non-numeric Aspartate aminotransferase (AST) result{clab_astnnv:icons} {clab_astnnvwarn}		
1	clab_astnn__1	Non-numeric Aspartate aminotransferase (AST) result{clab_astnnv:icons} {clab_astnnvwarn}						
6045	[clab_astnnv] Show the field ONLY if: [clab_astnn(1)]="1"	Aspartate aminotransferase (AST) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:ast;date:clab_lftdt					
6046	[clab_astnnvwarn] Show the field ONLY if: [clab_astnn(1)]="1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
6047	[clab_astab] Show the field ONLY if: [clab_ast_u1]<>"" or [clab_astnnv]<>""	Aspartate aminotransferase (AST) abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:ast;date:clab_lftdt	1	Abnormal	0	No	
1	Abnormal							
0	No							
6048	[clab_altu] Show the field ONLY if: [clab_altnn(1)]="0"	Alanine aminotransferase (ALT) units:	radio <table><tr><td>1</td><td>U/L or IU/L</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:alt;date:clab_lftdt	1	U/L or IU/L			
1	U/L or IU/L							
6049	[clab_alt_u1] Show the field ONLY if: [clab_altu]="1" and [clab_altnn(1)]="0"	Alanine aminotransferase (ALT): <i>U/L or IU/L</i>	text (number, Min: 2, Max: 682) Field Annotation: ++labinfo=panel:lft;lab:alt;date:clab_lftdt;conversionfactor:1					
6050	[clab_altnn] Show the field ONLY if: [clab_alt_u1]=""	Alanine aminotransferase (ALT) non-numeric result:	checkbox <table><tr><td>1</td><td>clab_altnn__1</td><td>Non-numeric Alanine transaminase (ALT) result{clab_altnnv:icons} {clab_altnnvwarn}</td></tr></table>	1	clab_altnn__1	Non-numeric Alanine transaminase (ALT) result{clab_altnnv:icons} {clab_altnnvwarn}		
1	clab_altnn__1	Non-numeric Alanine transaminase (ALT) result{clab_altnnv:icons} {clab_altnnvwarn}						

				Field Annotation: ++labinfo=panel:lft;lab:alt;date:clab_lftdt				
6051	[ clab_altnnv ] Show the field ONLY if: [clab_altnn(1)]= "1"	Alanine aminotransferase (ALT) non-numeric result:		text, Required Field Annotation: ++labinfo=panel:lft;lab:alt;date:clab_lftdt				
6052	[ clab_altnnvwarn ] Show the field ONLY if: [clab_altnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6053	[ clab_altab ] Show the field ONLY if: [clab_alt_u1]<>"" or [clab_altnnv]<>""	Alanine aminotransferase (ALT) abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:lft;lab:alt;date:clab_lftdt
1	Abnormal							
0	No							
6054	[ clab_alkphosu ] Show the field ONLY if: [clab_alkphosnn(1)]= "0"	Alkaline phosphatase units:	radio <table><tr><td>1</td><td>U/L or IU/L</td></tr></table>	1	U/L or IU/L	Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:clab_lftdt		
1	U/L or IU/L							
6055	[ clab_alkphos_u1 ] Show the field ONLY if: [clab_alkphosu]= "1" and [clab_alkphosnn(1)]= "0"	Alkaline phosphatase: U/L or IU/L		text (number, Min: 16, Max: 638) Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:clab_lftdt;conversionfactor:1				
6056	[ clab_alkphosnn ] Show the field ONLY if: [clab_alkphos_u1]= ""	Alkaline phosphatase non-numeric result:	checkbox <table><tr><td>1</td><td>clab_alkphosnn__1</td><td>Non-numeric Alkaline phosphatase result{clab_alkphosnnv:icons} {clab_alkphosnnvwarn}</td></tr></table>	1	clab_alkphosnn__1	Non-numeric Alkaline phosphatase result{clab_alkphosnnv:icons} {clab_alkphosnnvwarn}	Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:clab_lftdt	
1	clab_alkphosnn__1	Non-numeric Alkaline phosphatase result{clab_alkphosnnv:icons} {clab_alkphosnnvwarn}						
6057	[ clab_alkphosnnv ] Show the field ONLY if: [clab_alkphosnn(1)]= "1"	Alkaline phosphatase non-numeric result:		text, Required Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:clab_lftdt				
6058	[ clab_alkphosnnvwarn ] Show the field ONLY if: [clab_alkphosnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6059	[ clab_alkphosab ] Show the field ONLY if: [clab_alkphos_u1]<>"" or [clab_alkphosnnv]<>""	Alkaline phosphatase abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:clab_lftdt
1	Abnormal							
0	No							
6060	[ clab_bilitotu ] Show the field ONLY if: [clab_bilitotnn(1)]= "0"	Total bilirubin units:	radio <table><tr><td>1</td><td>mg/dL</td></tr></table>	1	mg/dL	Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:clab_lftdt		
1	mg/dL							
6061	[ clab_bilitot_u1 ] Show the field ONLY if: [clab_bilitotu]= "1" and [clab_bilitotnn(1)]= "0"	Total bilirubin: mg/dL		text (number, Min: 0.1, Max: 3.8) Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:clab_lftdt;conversionfactor:1				
6062	[ clab_bilitotnn ] Show the field ONLY if: [clab_bilitot_u1]= ""	Total bilirubin non-numeric result:	checkbox <table><tr><td>1</td><td>clab_bilitotnn__1</td><td>Non-numeric Total bilirubin result{clab_bilitotnnv:icons} {clab_bilitotnnvwarn}</td></tr></table>	1	clab_bilitotnn__1	Non-numeric Total bilirubin result{clab_bilitotnnv:icons} {clab_bilitotnnvwarn}	Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:clab_lftdt	
1	clab_bilitotnn__1	Non-numeric Total bilirubin result{clab_bilitotnnv:icons} {clab_bilitotnnvwarn}						
6063	[ clab_bilitotnnv ] Show the field ONLY if: [clab_bilitotnn(1)]= "1"	Total bilirubin non-numeric result:		text, Required Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:clab_lftdt				
6064	[ clab_bilitotnnvwarn ] Show the field ONLY if: [clab_bilitotnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6065	[ clab_bilitotab ]	Total bilirubin abnormal:	radio					



		Show the field ONLY if: [clab_bilitot_u1]<>"" or [clab_bilitotnnv]<>""		<table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:clab_lftdt	1	Abnormal	0	No	
1	Abnormal								
0	No								
6066	[clab_bilidiru]  Show the field ONLY if: [clab_bilidirnn(1)]=0"	Direct bilirubin units:	radio <table><tr><td>1</td><td>mg/dL</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:clab_lftdt	1	mg/dL				
1	mg/dL								
6067	[clab_bilidir_u1]  Show the field ONLY if: [clab_bilidiru]="1" and [clab_bilidirnn(1)]=0"	Direct bilirubin: <i>mg/dL</i>	text (number, Min: 0, Max: 0.6) Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:clab_lftdt;conversionfactor:1						
6068	[clab_bilidirnn]  Show the field ONLY if: [clab_bilidir_u1]=""	Direct bilirubin non-numeric result:	checkbox <table><tr><td>1</td><td>clab_bilidirnn__1</td><td>Non-numeric Direct bilirubin result{clab_bilidirnnv:icons} {clab_bilidirnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:clab_lftdt	1	clab_bilidirnn__1	Non-numeric Direct bilirubin result{clab_bilidirnnv:icons} {clab_bilidirnnvwarn}			
1	clab_bilidirnn__1	Non-numeric Direct bilirubin result{clab_bilidirnnv:icons} {clab_bilidirnnvwarn}							
6069	[clab_bilidirnnv]  Show the field ONLY if: [clab_bilidirnn(1)]=1"	Direct bilirubin non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:clab_lftdt						
6070	[clab_bilidirnnvwarn]  Show the field ONLY if: [clab_bilidirnn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive						
6071	[clab_bilidirab]  Show the field ONLY if: [clab_bilidir_u1]<>"" or [clab_bilidirnnv]<>""	Direct bilirubin abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:clab_lftdt	1	Abnormal	0	No		
1	Abnormal								
0	No								
6072	[clab_protsu]  Show the field ONLY if: [clab_protsnn(1)]=0"	Protein (serum) units:	radio <table><tr><td>1</td><td>g/dL</td></tr><tr><td>2</td><td>mg/dL</td></tr><tr><td>3</td><td>mg/L</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:prots;date:clab_lftdt	1	g/dL	2	mg/dL	3	mg/L
1	g/dL								
2	mg/dL								
3	mg/L								
6073	[clab_prots_u1]  Show the field ONLY if: [clab_protsnn(1)]=0" and [clab_protsu]="1"	Protein (serum): <i>g/dL</i>	text (number, Min: 4.4, Max: 10) Field Annotation: ++labinfo=panel:lft;lab:prots;date:clab_lftdt;conversionfactor:1						
6074	[clab_prots_u2]  Show the field ONLY if: [clab_protsnn(1)]=0" and [clab_protsu]="2"	Protein (serum): <i>mg/dL</i>	text (number) Field Annotation: ++labinfo=panel:lft;lab:prots;date:clab_lftdt;conversionfactor:0.0						
6075	[clab_prots_u3]  Show the field ONLY if: [clab_protsnn(1)]=0" and [clab_protsu]="3"	Protein (serum): <i>mg/L</i>	text (number) Field Annotation: ++labinfo=panel:lft;lab:prots;date:clab_lftdt;conversionfactor:0.0						
6076	[clab_protsnn]  Show the field ONLY if: [clab_prots_u1]="" and [clab_prots_u2]="" and [clab_prots_u3]=""	Protein (serum) non-numeric result:	checkbox <table><tr><td>1</td><td>clab_protsnn__1</td><td>Non-numeric Protein (serum) result{clab_protsnnv:icons} {clab_protsnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:prots;date:clab_lftdt	1	clab_protsnn__1	Non-numeric Protein (serum) result{clab_protsnnv:icons} {clab_protsnnvwarn}			
1	clab_protsnn__1	Non-numeric Protein (serum) result{clab_protsnnv:icons} {clab_protsnnvwarn}							
6077	[clab_protsnnv]  Show the field ONLY if: [clab_protsnn(1)]=1"	Protein (serum) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:prots;date:clab_lftdt						
6078	[clab_protsnnvwarn]  Show the field ONLY if: [clab_protsnn(1)]=1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive						
6079	[clab_protsab]	Protein (serum) abnormal:	radio						

		Show the field ONLY if: [clab_prot_u1]<>"" or [clab_prot_u2]<>"" or [clab_prot_u3]<>"" or [clab_prot_nnv]<>""		<table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:prot;date:clab_lftdt	1	Abnormal	0	No
1	Abnormal							
0	No							
6080	[ clab_albu ]  Show the field ONLY if: [clab_albnn(1)]= "0"	Albumin units:		radio <table><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>g/dL</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:alb;date:clab_lftdt	1	mg/dL	2	g/dL
1	mg/dL							
2	g/dL							
6081	[ clab_alb_u1 ]  Show the field ONLY if: [clab_albnn(1)]= "0" and [clab_alb_u]= "1"	Albumin: <i>mg/dL</i>		text (number, Min: 2100, Max: 5400) Field Annotation: ++labinfo=panel:lft;lab:alb;date:clab_lftdt;conversionfactor:1				
6082	[ clab_alb_u2 ]  Show the field ONLY if: [clab_albnn(1)]= "0" and [clab_alb_u]= "2"	Albumin: <i>g/dL</i>		text (number, Min: 2.1, Max: 5.4) Field Annotation: ++labinfo=panel:lft;lab:alb;date:clab_lftdt;conversionfactor:1000				
6083	[ clab_albnn ]  Show the field ONLY if: [clab_alb_u1]= "" and [clab_alb_u2]= ""	Albumin non-numeric result:		checkbox <table><tr><td>1</td><td>clab_albnn__1</td><td>Non-numeric Albumin result{clab_albnnv:icons} {clab_albnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:alb;date:clab_lftdt	1	clab_albnn__1	Non-numeric Albumin result{clab_albnnv:icons} {clab_albnnvwarn}	
1	clab_albnn__1	Non-numeric Albumin result{clab_albnnv:icons} {clab_albnnvwarn}						
6084	[ clab_albnnv ]  Show the field ONLY if: [clab_albnn(1)]= "1"	Albumin non-numeric result:		text, Required Field Annotation: ++labinfo=panel:lft;lab:alb;date:clab_lftdt				
6085	[ clab_albnnvwarn ]  Show the field ONLY if: [clab_albnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6086	[ clab_albab ]  Show the field ONLY if: [clab_alb_u1]<>"" or [clab_alb_u2]<>"" or [clab_albnnv]<>""	Albumin abnormal:		radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lft;lab:alb;date:clab_lftdt	1	Abnormal	0	No
1	Abnormal							
0	No							
6087	[ clab_cbcdt ]	Section Header: <i>CBC (clinically available)</i> : Date of clinical CBC:		text (date_mdy, Min: [clab_datemin], Max: [clab_datemax]) Field Annotation: ++labinfo=panel:cbc				
6088	[ clab_wbcu ]  Show the field ONLY if: [clab_wbcnn(1)]= "0"	White blood cells (WBC) units:		radio <table><tr><td>1</td><td>K/<math>\mu</math>L or 10<sup>9</sup>/L or 10<sup>3</sup>/<math>\mu</math>L or 10<sup>3</sup>/cmm or K/mm<sup>3</sup> or K/mcL</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:clab_cbcdt	1	K/ $\mu$ L or 10 <sup>9</sup> /L or 10 <sup>3</sup> / $\mu$ L or 10 <sup>3</sup> /cmm or K/mm <sup>3</sup> or K/mcL		
1	K/ $\mu$ L or 10 <sup>9</sup> /L or 10 <sup>3</sup> / $\mu$ L or 10 <sup>3</sup> /cmm or K/mm <sup>3</sup> or K/mcL							
6089	[ clab_wbc_u1 ]  Show the field ONLY if: [clab_wbcu]= "1" and [clab_wbcnn(1)]= "0"	White blood cells (WBC): <i>K/<math>\mu</math>L or 10<sup>9</sup>/L or 10<sup>3</sup>/<math>\mu</math>L or 10<sup>3</sup>/cmm or K/mm<sup>3</sup> or K/mcL</i>		text (number, Min: 1.9, Max: 74.2) Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:clab_cbcdt;conversionfactor:1				
6090	[ clab_wbcnn ]  Show the field ONLY if: [clab_wbc_u1]= ""	White blood cells (WBC) non-numeric result:		checkbox <table><tr><td>1</td><td>clab_wbcnn__1</td><td>Non-numeric White blood cells (WBC) result{clab_wbcnnv:icons} {clab_wbcnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:clab_cbcdt	1	clab_wbcnn__1	Non-numeric White blood cells (WBC) result{clab_wbcnnv:icons} {clab_wbcnnvwarn}	
1	clab_wbcnn__1	Non-numeric White blood cells (WBC) result{clab_wbcnnv:icons} {clab_wbcnnvwarn}						
6091	[ clab_wbcnnv ]  Show the field ONLY if: [clab_wbcnn(1)]= "1"	White blood cells (WBC) non-numeric result:		text, Required Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:clab_cbcdt				
6092	[ clab_wbcnnvwarn ]  Show the field ONLY if: [clab_wbcnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6093	[ clab_wbcab ]  Show the field ONLY if: [clab_wbc_u1]<>"" or [clab_wbcnnv]<>""	White blood cells (WBC) abnormal:		radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:clab_cbcdt	1	Abnormal	0	No
1	Abnormal							
0	No							

6094	[ clab_hgbu ] Show the field ONLY if: [clab_hgbnn(1)]= "0"	Hemoglobin (Hgb) units:	radio 1 g/dL  Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:clab_cbcddt
6095	[ clab_hgb_u1 ] Show the field ONLY if: [clab_hgbu]="1" and [clab_hgbnn (1)]= "0"	Hemoglobin (Hgb): g/dL	text (number, Min: 6.4, Max: 19.9) Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:clab_cbcddt;conversionfactor:1
6096	[ clab_hgbnn ] Show the field ONLY if: [clab_hgb_u1]=""	Hemoglobin (Hgb) non-numeric result:	checkbox 1 clab_hgbnn__1 Non-numeric Hemoglobin (Hgb) result{clab_hgbnnv:icons} {clab_hgbnnvwarn}  Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:clab_cbcddt
6097	[ clab_hgbnnv ] Show the field ONLY if: [clab_hgbnn(1)]= "1"	Hemoglobin (Hgb) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:clab_cbcddt
6098	[ clab_hgbnnvwarn ] Show the field ONLY if: [clab_hgbnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6099	[ clab_hgbab ] Show the field ONLY if: [clab_hgb_u1]<>" " or [clab_hgbnn v]<>" "	Hemoglobin (Hgb) abnormal:	radio 1 Abnormal 0 No  Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:clab_cbcddt
6100	[ clab_hctu ] Show the field ONLY if: [clab_hctnn(1)]= "0"	Hematocrit (Hct) units:	radio 1 %  Field Annotation: ++labinfo=panel:cbc;lab:hct;date:clab_cbcddt
6101	[ clab_hct_u1 ] Show the field ONLY if: [clab_hctu]="1" and [clab_hctnn (1)]= "0"	Hematocrit (Hct): %	text (number, Min: 23, Max: 58.8) Field Annotation: ++labinfo=panel:cbc;lab:hct;date:clab_cbcddt;conversionfactor:1
6102	[ clab_hctnn ] Show the field ONLY if: [clab_hct_u1]=""	Hematocrit (Hct) non-numeric result:	checkbox 1 clab_hctnn__1 Non-numeric Hematocrit (Hct) result{clab_hctnnv:icons} {clab_hctnnvwarn}  Field Annotation: ++labinfo=panel:cbc;lab:hct;date:clab_cbcddt
6103	[ clab_hctnnv ] Show the field ONLY if: [clab_hctnn(1)]= "1"	Hematocrit (Hct) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:hct;date:clab_cbcddt
6104	[ clab_hctnnvwarn ] Show the field ONLY if: [clab_hctnn(1)]= "1"	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6105	[ clab_hctab ] Show the field ONLY if: [clab_hct_u1]<>" " or [clab_hctnnv] <>" "	Hematocrit (Hct) abnormal:	radio 1 Abnormal 0 No  Field Annotation: ++labinfo=panel:cbc;lab:hct;date:clab_cbcddt
6106	[ clab_plateu ] Show the field ONLY if: [clab_platenn(1)]= "0"	Platelets units:	radio 1 K/ $\mu$ L or 10 <sup>9</sup> /L or 10 <sup>3</sup> / $\mu$ L or 10 <sup>3</sup> /cmm or k/mm <sup>3</sup> or K/mcL  Field Annotation: ++labinfo=panel:cbc;lab:plate;date:clab_cbcddt
6107	[ clab_plate_u1 ] Show the field ONLY if: [clab_plateu]="1" and [clab_plate nn(1)]= "0"	Platelets: K/ $\mu$ L or 10 <sup>9</sup> /L or 10 <sup>3</sup> / $\mu$ L or 10 <sup>3</sup> /cmm or k/mm <sup>3</sup> or K/mcL	text (number, Min: 8, Max: 818) Field Annotation: ++labinfo=panel:cbc;lab:plate;date:clab_cbcddt;conversionfactor:1

6108	<div>[ clab_platenn ]</div> <div>Show the field ONLY if: [clab_plate_u1]=""</div>	Platelets non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>clab_platenn__1</td><td>Non-numeric Platelets result{clab_platennv:icons} {clab_platennvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:plate;date:clab_cbcddt</div>	1	clab_platenn__1	Non-numeric Platelets result{clab_platennv:icons} {clab_platennvwarn}			
1	clab_platenn__1	Non-numeric Platelets result{clab_platennv:icons} {clab_platennvwarn}							
6109	<div>[ clab_platennv ]</div> <div>Show the field ONLY if: [clab_platenn(1)]= "1"</div>	Platelets non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:plate;date:clab_cbcddt</div>						
6110	<div>[ clab_platennvwarn ]</div> <div>Show the field ONLY if: [clab_platenn(1)]= "1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	<div>descriptive</div>						
6111	<div>[ clab_plateab ]</div> <div>Show the field ONLY if: [clab_plate_u1]&lt;&gt;"" or [clab_platennv]&lt;&gt;""</div>	Platelets abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:plate;date:clab_cbcddt</div>	1	Abnormal	0	No		
1	Abnormal								
0	No								
6112	<div>[ clab_neutrou ]</div> <div>Show the field ONLY if: [clab_neutronn(1)]= "0"</div>	Neutrophil units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>K/cmm</td></tr><tr><td>3</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt</div>	1	%	2	K/cmm	3	10^9 /L
1	%								
2	K/cmm								
3	10^9 /L								
6113	<div>[ clab_neutro_u1 ]</div> <div>Show the field ONLY if: [clab_neutronn(1)]= "0" and [clab_neutrou] = "1"</div>	Neutrophil %: %	<div>text (number, Min: 0, Max: 100)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt;conversionfactor</div>						
6114	<div>[ clab_neutro_u2 ]</div> <div>Show the field ONLY if: [clab_neutronn(1)]= "0" and [clab_neutrou] = "2"</div>	Neutrophil: K/cmm	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt</div>						
6115	<div>[ clab_neutro_u3 ]</div> <div>Show the field ONLY if: [clab_neutronn(1)]= "0" and [clab_neutrou] = "3"</div>	Neutrophil: 10^9 /L	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt</div>						
6116	<div>[ clab_neutronn ]</div> <div>Show the field ONLY if: [clab_neutro_u1]=" " and [clab_neutro_u2] = " " and [clab_neutro_u3] = " "</div>	Neutrophil % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>clab_neutronn__1</td><td>Non-numeric Neutrophil % result{clab_neutronnv:icons} {clab_neutronnvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt</div>	1	clab_neutronn__1	Non-numeric Neutrophil % result{clab_neutronnv:icons} {clab_neutronnvwarn}			
1	clab_neutronn__1	Non-numeric Neutrophil % result{clab_neutronnv:icons} {clab_neutronnvwarn}							
6117	<div>[ clab_neutronnv ]</div> <div>Show the field ONLY if: [clab_neutronn(1)]= "1"</div>	Neutrophil % non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt</div>						
6118	<div>[ clab_neutronnvwarn ]</div> <div>Show the field ONLY if: [clab_neutronn(1)]= "1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	<div>descriptive</div>						
6119	<div>[ clab_neutroab ]</div> <div>Show the field ONLY if: [clab_neutro_u1]&lt;&gt;"" or [clab_neutro_u2]&lt;&gt;"" or [clab_neutro_u3]&lt;&gt;"" or [clab_neutronnv]&lt;&gt;""</div>	Neutrophil % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:clab_cbcddt</div>	1	Abnormal	0	No		
1	Abnormal								
0	No								
6120	<div>[ clab_lymphou ]</div> <div>Show the field ONLY if: [clab_lymphonn(1)]= "0"</div>	Lymphocyte units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>K/cmm</td></tr><tr><td>3</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt</div>	1	%	2	K/cmm	3	10^9 /L
1	%								
2	K/cmm								
3	10^9 /L								

6121	<div>[ clab_lympho_u1 ]</div> <div>Show the field ONLY if: [clab_lymphonn(1)]= "0" and [clab_lymphou] = "1"</div>	Lymphocyte %: %	text (number, Min: 0, Max: 100) Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt;conversionfactor				
6122	<div>[ clab_lympho_u2 ]</div> <div>Show the field ONLY if: [clab_lymphonn(1)]= "0" and [clab_lymphou] = "2"</div>	Lymphocyte: <i>K/cmm</i>	text (number) Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt				
6123	<div>[ clab_lympho_u3 ]</div> <div>Show the field ONLY if: [clab_lymphonn(1)]= "0" and [clab_lymphou] = "3"</div>	Lymphocyte: <i>10^9 /L</i>	text (number) Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt				
6124	<div>[ clab_lymphonn ]</div> <div>Show the field ONLY if: [clab_lympho_u1]="" and [clab_lympho_u2]="" and [clab_lympho_u3]=""</div>	Lymphocyte % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>clab_lymphonn__1</td><td>Non-numeric Lymphocyte % result{clab_lymphonnv:icons} {clab_lymphonnvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt</div>	1	clab_lymphonn__1	Non-numeric Lymphocyte % result{clab_lymphonnv:icons} {clab_lymphonnvwarn}	
1	clab_lymphonn__1	Non-numeric Lymphocyte % result{clab_lymphonnv:icons} {clab_lymphonnvwarn}					
6125	<div>[ clab_lymphonnv ]</div> <div>Show the field ONLY if: [clab_lymphonn(1)]= "1"</div>	Lymphocyte % non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt				
6126	<div>[ clab_lymphonnvwarn ]</div> <div>Show the field ONLY if: [clab_lymphonn(1)]= "1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6127	<div>[ clab_lymphoab ]</div> <div>Show the field ONLY if: [clab_lympho_u1]&lt;&gt;"" or [clab_lympho_u2]&lt;&gt;"" or [clab_lympho_u3]&lt;&gt;"" or [clab_lymphonnv]&lt;&gt;""</div>	Lymphocyte % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:clab_cbcddt</div>	1	Abnormal	0	No
1	Abnormal						
0	No						
6128	<div>[ clab_monou ]</div> <div>Show the field ONLY if: [clab_mononn(1)]= "0"</div>	Monocyte units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:mono;date:clab_cbcddt</div>	1	%	2	10^9 /L
1	%						
2	10^9 /L						
6129	<div>[ clab_mono_u1 ]</div> <div>Show the field ONLY if: [clab_mononn(1)]= "0" and [clab_monou] = "1"</div>	Monocyte %: %	text (number, Min: 0, Max: 100) Field Annotation: ++labinfo=panel:cbc;lab:mono;date:clab_cbcddt;conversionfactor				
6130	<div>[ clab_mono_u2 ]</div> <div>Show the field ONLY if: [clab_mononn(1)]= "0" and [clab_monou] = "2"</div>	Monocyte: <i>10^9 /L</i>	text (number) Field Annotation: ++labinfo=panel:cbc;lab:mono;date:clab_cbcddt				
6131	<div>[ clab_mononn ]</div> <div>Show the field ONLY if: [clab_mono_u1]="" and [clab_monou_u2]=""</div>	Monocyte % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>clab_mononn__1</td><td>Non-numeric Monocyte % result{clab_mononnv:icons} {clab_mononnvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:mono;date:clab_cbcddt</div>	1	clab_mononn__1	Non-numeric Monocyte % result{clab_mononnv:icons} {clab_mononnvwarn}	
1	clab_mononn__1	Non-numeric Monocyte % result{clab_mononnv:icons} {clab_mononnvwarn}					
6132	<div>[ clab_mononnv ]</div> <div>Show the field ONLY if: [clab_mononn(1)]= "1"</div>	Monocyte % non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:mono;date:clab_cbcddt				
6133	<div>[ clab_mononnvwarn ]</div> <div>Show the field ONLY if: [clab_mononn(1)]= "1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6134	<div>[ clab_monoab ]</div> <div>Show the field ONLY if: [clab_mono_u1]&lt;&gt;"" or [clab_monou_u2]&lt;&gt;"" or [clab_mononnv]&lt;&gt;""</div>	Monocyte % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:mono;date:clab_cbcddt</div>	1	Abnormal	0	No
1	Abnormal						
0	No						

6135	<div>[ clab_basou ]</div> <div>Show the field ONLY if: [clab_basonn(1)]= "0"</div>	Basophil units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:clab_cbcddt</div>	1	%	2	10^9 /L
1	%						
2	10^9 /L						
6136	<div>[ clab_baso_u1 ]</div> <div>Show the field ONLY if: [clab_basonn(1)]= "0" and [clab_basou] = "1"</div>	Basophil %: %	<div>text (number, Min: 0, Max: 100)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:clab_cbcddt;conversionfactor:</div>				
6137	<div>[ clab_baso_u2 ]</div> <div>Show the field ONLY if: [clab_basonn(1)]= "0" and [clab_basou] = "2"</div>	Basophil: 10^9 /L	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:clab_cbcddt</div>				
6138	<div>[ clab_basonn ]</div> <div>Show the field ONLY if: [clab_baso_u1]= "" and [clab_baso_u2]= ""</div>	Basophil % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>clab_basonn__1</td><td>Non-numeric Basophil % result{clab_basonnv:icons} {clab_basonnvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:clab_cbcddt</div>	1	clab_basonn__1	Non-numeric Basophil % result{clab_basonnv:icons} {clab_basonnvwarn}	
1	clab_basonn__1	Non-numeric Basophil % result{clab_basonnv:icons} {clab_basonnvwarn}					
6139	<div>[ clab_basonnv ]</div> <div>Show the field ONLY if: [clab_basonn(1)]= "1"</div>	Basophil % non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:clab_cbcddt</div>				
6140	<div>[ clab_basonnvwarn ]</div> <div>Show the field ONLY if: [clab_basonn(1)]= "1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6141	<div>[ clab_basoab ]</div> <div>Show the field ONLY if: [clab_baso_u1]&lt;&gt;"" or [clab_baso_u2]&lt;&gt;"" or [clab_basonnv]&lt;&gt;""</div>	Basophil % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:clab_cbcddt</div>	1	Abnormal	0	No
1	Abnormal						
0	No						
6142	<div>[ clab_eosinu ]</div> <div>Show the field ONLY if: [clab_eosinnn(1)]= "0"</div>	Eosinophil units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:clab_cbcddt</div>	1	%	2	10^9 /L
1	%						
2	10^9 /L						
6143	<div>[ clab_eosin_u1 ]</div> <div>Show the field ONLY if: [clab_eosinnn(1)]= "0" and [clab_eosinu] = "1"</div>	Eosinophil %: %	<div>text (number, Min: 0, Max: 100)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:clab_cbcddt;conversionfactor:</div>				
6144	<div>[ clab_eosin_u2 ]</div> <div>Show the field ONLY if: [clab_eosinnn(1)]= "0" and [clab_eosinu] = "2"</div>	Eosinophil: 10^9 /L	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:clab_cbcddt</div>				
6145	<div>[ clab_eosinnn ]</div> <div>Show the field ONLY if: [clab_eosin_u1]= "" and [clab_eosin_u2]= ""</div>	Eosinophil % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>clab_eosinnn__1</td><td>Non-numeric Eosinophil % result{clab_eosinnnv:icons} {clab_eosinnnvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:clab_cbcddt</div>	1	clab_eosinnn__1	Non-numeric Eosinophil % result{clab_eosinnnv:icons} {clab_eosinnnvwarn}	
1	clab_eosinnn__1	Non-numeric Eosinophil % result{clab_eosinnnv:icons} {clab_eosinnnvwarn}					
6146	<div>[ clab_eosinnnv ]</div> <div>Show the field ONLY if: [clab_eosinnn(1)]= "1"</div>	Eosinophil % non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:clab_cbcddt</div>				
6147	<div>[ clab_eosinnnvwarn ]</div> <div>Show the field ONLY if: [clab_eosinnn(1)]= "1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6148	<div>[ clab_eosinab ]</div> <div>Show the field ONLY if: [clab_eosin_u1]&lt;&gt;"" or [clab_eosin_u2]&lt;&gt;"" or [clab_eosinnnv]&lt;&gt;""</div>	Eosinophil % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation:</div>	1	Abnormal	0	No
1	Abnormal						
0	No						

				++labinfo=panel:cbc;lab:eosin;date:clab_cbcddt						
	6149	[clab_cbcdiffyn]	Manual differential performed:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc	1	Yes	0	No		
1	Yes									
0	No									
	6150	[clab_cbcdiffab]  Show the field ONLY if: [clab_cbcdiffyn]="1"	Abnormal based on differential:	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc	1	Yes	0	No		
1	Yes									
0	No									
	6151	[clinical_labs_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Research Labs</b> (research_labs) Active languages: None										
	6152	[rlab_fversion]	Research labs form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
	6153	[rlab_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
	6154	[rlab_nnwarning]  Show the field ONLY if: 1=0	Warning! This form is not required at this visit (visit type=[visittype]-month). Please click "cancel" to leave the form.	descriptive						
	6155	[rlab_nnvwarning]	Non-numeric test results are only for results received from the lab; e.g. '< 0.6mg', or 'positive'. Do not put any other comments into these fields. If the test could not be run, or was incomplete, this is not a "non-numeric result".	descriptive						
	6156	[rlab_dt]	Date research labs collected:	text (date_mdy, Min: 2019-10-31, Max: today)						
	6157	[rlab_lipidfast]  Show the field ONLY if: [clab_lipiddt]=""	Section Header: <i>Lipid panel (RECOVER research order):</i> Fasting for research lipid panel (fasting should be for at least 8 hours):	radio <table><tr><td>1</td><td>Yes, fasting</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unknown</td></tr></table> Field Annotation: ++labinfo=panel:lipid	1	Yes, fasting	0	No	-1	Unknown
1	Yes, fasting									
0	No									
-1	Unknown									
	6158	[rlab_lipidldlu]  Show the field ONLY if: [rlab_lipidldlnn(1)]="0" and [clab_lipiddt]=""	LDL units:	radio <table><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>mg/L</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:rlab_dt	1	mg/dL	2	mg/L		
1	mg/dL									
2	mg/L									
	6159	[rlab_lipidldl_u1]  Show the field ONLY if: [clab_lipiddt]=" " and ([rlab_lipidldlnn(1)]="0") and [rlab_lipidldlu]="1"	LDL: <i>mg/dL</i>	text (number, Min: 10, Max: 400) Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:rlab_dt;conversionfactor:1						
	6160	[rlab_lipidldl_u2]  Show the field ONLY if: [clab_lipiddt]=" " and ([rlab_lipidldlnn(1)]="0") and [rlab_lipidldlu] = "2"	LDL: <i>mg/L</i>	text (number) Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:rlab_dt;conversionfactor:0.1						
	6161	[rlab_lipidldlnn]  Show the field ONLY if: [clab_lipiddt]=" " and ([rlab_lipidldl_u1]=" ") and ([rlab_lipidldl_u2]=" ")	LDL non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_lipidldlnn__1</td><td>Non-numeric LDL result{rlab_lipidldlnn:icons}{rlab_lipidldlnnwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:rlab_dt	1	rlab_lipidldlnn__1	Non-numeric LDL result{rlab_lipidldlnn:icons}{rlab_lipidldlnnwarn}			
1	rlab_lipidldlnn__1	Non-numeric LDL result{rlab_lipidldlnn:icons}{rlab_lipidldlnnwarn}								
	6162	[rlab_lipidldlnnv]  Show the field ONLY if: [clab_lipiddt]=" " and ([rlab_lipidldlnn(1)]="1")	LDL non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:rlab_dt						

6163	<div><div>[rlab_lipidldlnnvwarn]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidldlnn(1)]="1")</div></div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6164	<div><div>[rlab_lipidldlab]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidld_u1]&lt;&gt;"" or [rlab_lipidld_u2]&lt;&gt;"" or [rlab_lipidldlnnv]&lt;&gt;"" )</div></div>	LDL abnormal:	<div>radio<div><div>1</div>Abnormal</div><div><div>0</div>No</div></div> <div>Field Annotation: ++labinfo=panel:lipid;lab:ldl;date:rlab_dt</div>
6165	<div><div>[rlab_lipidhdlu]</div><div>Show the field ONLY if: [rlab_lipidhdlnn(1)]="0" and [clab_lipiddt]=""</div></div>	HDL units:	<div>radio<div><div>1</div>mg/dL</div><div><div>2</div>mg/L</div></div> <div>Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:rlab_dt</div>
6166	<div><div>[rlab_lipidhdl_u1]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidhdlnn(1)]="0") and [rlab_lipidhdlu]="1"</div></div>	HDL: <div>mg/dL</div>	text (number, Min: 5, Max: 189) <div>Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:rlab_dt;conversionfactor:1</div>
6167	<div><div>[rlab_lipidhdl_u2]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidhdlnn(1)]="0") and [rlab_lipidhdlu]="2"</div></div>	HDL: <div>mg/L</div>	text (number) <div>Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:rlab_dt;conversionfactor:0.1</div>
6168	<div><div>[rlab_lipidhdlnn]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidhdl_u1]="" and ([rlab_lipidhdl_u2]="" and ([rlab_lipidhdlnn(1)]="1")</div></div>	HDL non-numeric result:	<div>checkbox<div><div>1</div><div>rlab_lipidhdlnn__1</div><div>Non-numeric HDL result{rlab_lipidhdlnnv:icons}{rlab_lipidhdlnnvwarn}</div></div></div> <div>Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:rlab_dt</div>
6169	<div><div>[rlab_lipidhdlnnv]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidhdlnn(1)]="1")</div></div>	HDL non-numeric result:	text, Required <div>Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:rlab_dt</div>
6170	<div><div>[rlab_lipidhdlnnvwarn]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidhdlnn(1)]="1")</div></div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6171	<div><div>[rlab_lipidhdlab]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidhdl_u1]&lt;&gt;"" or [rlab_lipidhdl_u2]&lt;&gt;"" or [rlab_lipidhdlnnv]&lt;&gt;"" )</div></div>	HDL abnormal:	<div>radio<div><div>1</div>Abnormal</div><div><div>0</div>No</div></div> <div>Field Annotation: ++labinfo=panel:lipid;lab:hdl;date:rlab_dt</div>
6172	<div><div>[rlab_lipidcholu]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidcholnn(1)]="0")</div></div>	Total cholesterol units:	<div>radio<div><div>1</div>mg/dL</div></div> <div>Field Annotation: ++labinfo=panel:lipid;lab:chol;date:rlab_dt</div>
6173	<div><div>[rlab_lipidchol_u1]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidcholu]="1" and [rlab_lipidcholnn(1)]="0")</div></div>	Total cholesterol: <div>mg/dL</div>	text (number, Min: 7, Max: 446) <div>Field Annotation: ++labinfo=panel:lipid;lab:chol;date:rlab_dt;conversionfactor:1</div>
6174	<div><div>[rlab_lipidcholnn]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidchol_u1]=""</div></div>	Total cholesterol non-numeric result:	<div>checkbox<div><div>1</div><div>rlab_lipidcholnn__1</div><div>Non-numeric Total cholesterol result{rlab_lipidcholnnv:icons}{rlab_lipidcholnnvwarn}</div></div></div> <div>Field Annotation: ++labinfo=panel:lipid;lab:chol;date:rlab_dt</div>
6175	<div><div>[rlab_lipidcholnnv]</div><div>Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidcholnn(1)]="1")</div></div>	Total cholesterol non-numeric result:	text, Required <div>Field Annotation: ++labinfo=panel:lipid;lab:chol;date:rlab_dt</div>
6176	<div><div>[rlab_lipidcholnnvwarn]</div><div>Show the field ONLY if:</div></div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive



		[clab_lipiddt]="" and ([rlab_lipidcholnn(1)]="1")						
6177	[rlab_lipidcholab]	Total cholesterol abnormal:  Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidchol_u1]<>"" or [rlab_lipidcholnnv]<>"")		radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:chol;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
6178	[rlab_lipidtriu]	Triglycerides units:  Show the field ONLY if: [rlab_lipidtrinn(1)]="0" and [clab_lipiddt]=""		radio <table><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>mg/L</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:tri;date:rlab_dt	1	mg/dL	2	mg/L
1	mg/dL							
2	mg/L							
6179	[rlab_lipidtri_u1]	Triglycerides: mg/dL  Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidtrinn(1)]="0") and [rlab_lipidtri_u1]="1"		text (number, Min: 10, Max: 2684) Field Annotation: ++labinfo=panel:lipid;lab:tri;date:rlab_dt;conversionfactor:1				
6180	[rlab_lipidtri_u2]	Triglycerides: mg/L  Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidtrinn(1)]="0") and [rlab_lipidtri_u2]="2"		text (number) Field Annotation: ++labinfo=panel:lipid;lab:tri;date:rlab_dt;conversionfactor:0.1				
6181	[rlab_lipidtrinn]	Triglycerides non-numeric result:  Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidtri_u1]="" and ([rlab_lipidtri_u2]=""		checkbox <table><tr><td>1</td><td>rlab_lipidtrinn__1</td><td>Non-numeric Triglycerides result{rlab_lipidtrinnv:icons}{rlab_lipidtrinnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:tri;date:rlab_dt	1	rlab_lipidtrinn__1	Non-numeric Triglycerides result{rlab_lipidtrinnv:icons}{rlab_lipidtrinnvwarn}	
1	rlab_lipidtrinn__1	Non-numeric Triglycerides result{rlab_lipidtrinnv:icons}{rlab_lipidtrinnvwarn}						
6182	[rlab_lipidtrinnv]	Triglycerides non-numeric result:  Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidtrinn(1)]="1")		text, Required Field Annotation: ++labinfo=panel:lipid;lab:tri;date:rlab_dt				
6183	[rlab_lipidtrinnvwarn]	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6184	[rlab_lipidtriab]	Triglycerides abnormal:  Show the field ONLY if: [clab_lipiddt]="" and ([rlab_lipidtri_u1]<>"" or [rlab_lipidtri_u2]<>"" or [rlab_lipidtrinnv]<>""		radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:lipid;lab:tri;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
6185	[rlab_hemoa1cu]	Section Header: Hemoglobin A1c (RECOVER research order):  Hemoglobin A1c units:  Show the field ONLY if: [clab_hemoa1cdt]="" and ([rlab_hemoa1cnn(1)]="0")		radio <table><tr><td>1</td><td>%</td></tr></table> Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:rlab_dt	1	%		
1	%							
6186	[rlab_hemoa1c_u1]	Hemoglobin A1c: %  Show the field ONLY if: [clab_hemoa1cdt]="" and ([rlab_hemoa1cu]="1" and [rlab_hemoa1cnn(1)]="0")		text (number, Min: 2.8, Max: 16.2) Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:rlab_dt;conversion				
6187	[rlab_hemoa1cnn]	Hemoglobin A1c non-numeric result:  Show the field ONLY if: [clab_hemoa1cdt]="" and ([rlab_hemoa1c_u1]=""		checkbox <table><tr><td>1</td><td>rlab_hemoa1cnn__1</td><td>Non-numeric Hemoglobin A1c result{rlab_hemoa1cnnv:icons}{rlab_hemoa1cnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:rlab_dt	1	rlab_hemoa1cnn__1	Non-numeric Hemoglobin A1c result{rlab_hemoa1cnnv:icons}{rlab_hemoa1cnnvwarn}	
1	rlab_hemoa1cnn__1	Non-numeric Hemoglobin A1c result{rlab_hemoa1cnnv:icons}{rlab_hemoa1cnnvwarn}						
6188	[rlab_hemoa1cnnv]	Hemoglobin A1c non-numeric result:  Show the field ONLY if: [clab_hemoa1cdt]="" and ([rlab_hemoa1cnn(1)]="1")		text, Required Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:rlab_dt				
6189	[rlab_hemoa1cnnvwarn]	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				

6190	<div>[ rlab_hemoa1cab ]</div> <div>Show the field ONLY if: [clab_hemoa1cdt]="" [clab_hemoa1c_u1]&lt;&gt;"" or [rlab_hemoa1cnnv]&lt;&gt;""</div>	Hemoglobin A1c abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:hemoa1c;lab:hemoa1c;date:rlab_dt</div>
6191	<div>[ rlab_tshu ]</div> <div>Show the field ONLY if: [clab_tshdt]="" [rlab_tshnn(1)]="0")</div>	Section Header: <i>Thyroid stimulating hormone (RECOVER research order):</i> Thyroid stimulating hormone units:	<div>radio</div> <div><div>1 mIU/mL or uIU/mL or mIU/L or mU/L</div></div> <div>Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:rlab_dt</div>
6192	<div>[ rlab_tsh_u1 ]</div> <div>Show the field ONLY if: [clab_tshdt]="" [rlab_tshu]="1" and [rlab_tshnn(1)]="0")</div>	Thyroid stimulating hormone: <i>mIU/mL or uIU/mL or mIU/L or mU/L</i>	<div>text (number, Min: 0.01, Max: 43)</div> <div>Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:rlab_dt;conversionfactor:1</div>
6193	<div>[ rlab_tshnn ]</div> <div>Show the field ONLY if: [clab_tshdt]="" [rlab_tsh_u1]="")</div>	Thyroid stimulating hormone non-numeric result:	<div>checkbox</div> <div><div>1 rlab_tshnn__1</div><div>Non-numeric Thyroid stimulating hormone result{rlab_tshnnv:icons}{rlab_tshnnvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:rlab_dt</div>
6194	<div>[ rlab_tshnnv ]</div> <div>Show the field ONLY if: [clab_tshdt]="" [rlab_tshnn(1)]="1")</div>	Thyroid stimulating hormone non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:rlab_dt</div>
6195	<div>[ rlab_tshnnvwarn ]</div> <div>Show the field ONLY if: [clab_tshdt]="" [rlab_tshnn(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	<div>descriptive</div>
6196	<div>[ rlab_tshab ]</div> <div>Show the field ONLY if: [clab_tshdt]="" [rlab_tsh_u1]&lt;&gt;"" or [rlab_tshnnv]&lt;&gt;""</div>	Thyroid stimulating hormone abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:tsh;lab:tsh;date:rlab_dt</div>
6197	<div>[ rlab_t4u ]</div> <div>Show the field ONLY if: [clab_t4dt]="" [rlab_t4nn(1)]="0")</div>	Section Header: <i>Free T4 (RECOVER research order):</i> Free T4 units:	<div>radio</div> <div><div>1 µg/dL (mcg/dL)</div><div>2 pg/mL</div><div>3 ng/dL</div><div>4 ng/L</div><div>5 mU/L</div><div>6 pmol/L</div></div> <div>Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt</div>
6198	<div>[ rlab_t4_u1 ]</div> <div>Show the field ONLY if: [clab_t4dt]="" [rlab_t4u]="1" and [rlab_t4nn(1)]="0")</div>	Free T4: <i>µg/dL (mcg/dL)</i>	<div>text (number, Min: 0.00058, Max: 0.00253)</div> <div>Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt;conversionfactor:1</div>
6199	<div>[ rlab_t4_u2 ]</div> <div>Show the field ONLY if: [clab_t4dt]="" [rlab_t4u]="2" and [rlab_t4nn(1)]="0")</div>	Free T4: <i>pg/mL</i>	<div>text (number, Min: 5.8, Max: 25.3)</div> <div>Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt;conversionfactor:0.0001</div>
6200	<div>[ rlab_t4_u3 ]</div> <div>Show the field ONLY if: [clab_t4dt]="" [rlab_t4u]="3" and [rlab_t4nn(1)]="0")</div>	Free T4: <i>ng/dL</i>	<div>text (number, Min: 0.58, Max: 2.53)</div> <div>Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt;conversionfactor:0.001</div>
6201	<div>[ rlab_t4_u4 ]</div> <div>Show the field ONLY if: [clab_t4dt]="" [rlab_t4u]="4" and [rlab_t4nn(1)]="0")</div>	Free T4: <i>ng/L</i>	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt;conversionfactor:0.0001</div>
6202	<div>[ rlab_t4_u5 ]</div> <div>Show the field ONLY if: [clab_t4dt]="" [rlab_t4u]="5" and [rlab_t4nn(1)]="0")</div>	Free T4: <i>mU/L</i>	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt</div>
6203	<div>[ rlab_t4_u6 ]</div>	Free T4: <i>pmol/L</i>	<div>text (number)</div> <div>Field Annotation:</div>

		Show the field ONLY if: [clab_t4dt]=" and ([rlab_t4u]="6" and [rlab_t4nn(1)]=0")		++labinfo=panel:t4;lab:t4;date:rlab_dt;conversionfactor:0.00007										
6204	[rlab_t4nn]	Show the field ONLY if: [clab_t4dt]=" and ([rlab_t4_u2]=" and [rlab_t4_u1]=" and [rlab_t4_u3]=" and [rlab_t4_u4]=" and [rlab_t4_u5]=" and [rlab_t4_u6]=")	Free T4 non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_t4nn__1</td><td>Non-numeric Free T4 result{rlab_t4nnv:icons} {rlab_t4nnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt	1	rlab_t4nn__1	Non-numeric Free T4 result{rlab_t4nnv:icons} {rlab_t4nnvwarn}							
1	rlab_t4nn__1	Non-numeric Free T4 result{rlab_t4nnv:icons} {rlab_t4nnvwarn}												
6205	[rlab_t4nnv]	Show the field ONLY if: [clab_t4dt]=" and ([rlab_t4nn(1)]=1")	Free T4 non-numeric result:	text, Required Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt										
6206	[rlab_t4nnvwarn]	Show the field ONLY if: [clab_t4dt]=" and ([rlab_t4nn(1)]=1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive										
6207	[rlab_t4ab]	Show the field ONLY if: [clab_t4dt]=" and ([rlab_t4_u1]<>" or [rlab_t4_u2]<>" or [rlab_t4_u3]<>" or [rlab_t4_u4]<>" or [rlab_t4_u5]<>" or [rlab_t4_u6]<>" or [rlab_t4nnv]<>"	Free T4 abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:t4;lab:t4;date:rlab_dt	1	Abnormal	0	No						
1	Abnormal													
0	No													
6208	[rlab_vitdu]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdnn(1)]=0")	Section Header: 25-Hydroxy vitamin D (RECOVER research order): 25-Hydroxy vitamin D units:	radio <table><tr><td>1</td><td>nmol/L</td></tr><tr><td>2</td><td>ng/mL</td></tr><tr><td>4</td><td>ng/dL</td></tr><tr><td>3</td><td>pg/mL</td></tr><tr><td>5</td><td>pmol/L</td></tr></table> Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt	1	nmol/L	2	ng/mL	4	ng/dL	3	pg/mL	5	pmol/L
1	nmol/L													
2	ng/mL													
4	ng/dL													
3	pg/mL													
5	pmol/L													
6209	[rlab_vitd_u1]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdu]="1" and [rlab_vitdnn(1)]=0")	25-Hydroxy vitamin D: nmol/L	text (number, Min: 7.04, Max: 253) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt;conversionfactor:1										
6210	[rlab_vitd_u2]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdu]="2" and [rlab_vitdnn(1)]=0")	25-Hydroxy vitamin D: ng/mL	text (number, Min: 2.82, Max: 101.36) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt;conversionfactor:2.5										
6211	[rlab_vitd_u3]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdu]="3" and [rlab_vitdnn(1)]=0")	25-Hydroxy vitamin D: pg/mL	text (number) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt;conversionfactor:0.00										
6212	[rlab_vitd_u4]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdu]="4" and [rlab_vitdnn(1)]=0")	25-Hydroxy vitamin D: ng/dL	text (number, Min: 282, Max: 10136) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt;conversionfactor:0.02										
6213	[rlab_vitd_u5]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdu]="5" and [rlab_vitdnn(1)]=0")	25-Hydroxy vitamin D: pmol/L	text (number) Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt;conversionfactor:0.00										
6214	[rlab_vitdnn]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitd_u1]=" and [rlab_vitd_u2]=" and [rlab_vitd_u3]=" and [rlab_vitd_u4]=" and [rlab_vitd_u5]=")	25-Hydroxy vitamin D non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_vitdnn__1</td><td>Non-numeric 25-Hydroxy vitamin D result{rlab_vitdnnv:icons} {rlab_vitdnnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt	1	rlab_vitdnn__1	Non-numeric 25-Hydroxy vitamin D result{rlab_vitdnnv:icons} {rlab_vitdnnvwarn}							
1	rlab_vitdnn__1	Non-numeric 25-Hydroxy vitamin D result{rlab_vitdnnv:icons} {rlab_vitdnnvwarn}												
6215	[rlab_vitdnnv]	Show the field ONLY if: [clab_vitddt]=" and ([rlab_vitdnn(1)]=1")	25-Hydroxy vitamin D non-numeric result:	text, Required Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt										

6216	<div>[ rlab_vitdnnvwarn ]</div> <div>Show the field ONLY if: [clab_vitddt]="" and ([rlab_vitdnn(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6217	<div>[ rlab_vitdab ]</div> <div>Show the field ONLY if: [clab_vitddt]="" and ([rlab_vitd_u1]&lt;&gt;"" or [rlab_vitd_u2]&lt;&gt;"" or [rlab_vitd_u3]&lt;&gt;"" or [rlab_vitd_u4]&lt;&gt;"" or [rlab_vitd_u5]&lt;&gt;"" or [rlab_vitdnnv]&lt;&gt;")</div>	25-Hydroxy vitamin D abnormal:	<div>radio</div> <div><div>1Abnormal</div><div>0No</div></div> <div>Field Annotation: ++labinfo=panel:vitd;lab:vitd;date:rlab_dt</div>
6218	<div>[ rlab_chemfast ]</div> <div>Show the field ONLY if: [clab_chemdt]=""</div>	Section Header: <i>Basic chemistry (RECOVER research order):</i>  Fasting for research basic chemistry panel (fasting should be for at least 8 hours):	<div>radio</div> <div><div>1Yes, fasting</div><div>0No</div><div>-1Unknown</div></div> <div>Field Annotation: ++labinfo=panel:chem</div>
6219	<div>[ rlab_nau ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_nann(1)]="0")</div>	Sodium units:	<div>radio</div> <div><div>1mmol/L or mEq/L</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:na;date:rlab_dt</div>
6220	<div>[ rlab_na_u1 ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_nau]="1" and [rlab_nann(1)]="0")</div>	Sodium: <i>mmol/L or mEq/L</i>	text (number, Min: 121, Max: 151) Field Annotation: ++labinfo=panel:chem;lab:na;date:rlab_dt;conversionfactor:1
6221	<div>[ rlab_nann ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_na_u1]="")</div>	Sodium non-numeric result:	<div>checkbox</div> <div><div>1rlab_nann__1Non-numeric Sodium result{rlab_nannv:icons}{rlab_nannvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:na;date:rlab_dt</div>
6222	<div>[ rlab_nannv ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_nann(1)]="1")</div>	Sodium non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:na;date:rlab_dt
6223	<div>[ rlab_nannvwarn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_nann(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6224	<div>[ rlab_naab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_na_u1]&lt;&gt;"" or [rlab_nannv]&lt;&gt;")</div>	Sodium abnormal:	<div>radio</div> <div><div>1Abnormal</div><div>0No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:na;date:rlab_dt</div>
6225	<div>[ rlab_ku ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_knn(1)]="0")</div>	Potassium units:	<div>radio</div> <div><div>1mmol/L or mEq/L</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:k;date:rlab_dt</div>
6226	<div>[ rlab_k_u1 ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_ku]="1" and [rlab_knn(1)]="0")</div>	Potassium: <i>mmol/L or mEq/L</i>	text (number, Min: 2.6, Max: 7.1) Field Annotation: ++labinfo=panel:chem;lab:k;date:rlab_dt;conversionfactor:1
6227	<div>[ rlab_knn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_k_u1]="")</div>	Potassium non-numeric result:	<div>checkbox</div> <div><div>1rlab_knn__1Non-numeric Potassium result{rlab_knnv:icons}{rlab_knnvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:k;date:rlab_dt</div>
6228	<div>[ rlab_knnv ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_knn(1)]="1")</div>	Potassium non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:k;date:rlab_dt
6229	<div>[ rlab_knnvwarn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_knn(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive

6230	<div>[ rlab_kab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_k_u1] &lt;&gt;"" or [rlab_knnv]&lt;&gt;"" )</div>	Potassium abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:k;date:rlab_dt</div>
6231	<div>[ rlab_chloru ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_chlor_nn(1)]= "0" )</div>	Chloride units:	<div>radio</div> <div><div>1 mmol/L or mEq/L</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:chlor;date:rlab_dt</div>
6232	<div>[ rlab_chlor_u1 ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_chlor_u]="1" and [rlab_chlornn(1)]= "0" )</div>	Chloride: <i>mmol/L or mEq/L</i>	<div>text (number, Min: 84, Max: 117)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:chlor;date:rlab_dt;conversionfactor:1</div>
6233	<div>[ rlab_chlornn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_chlor_u1]="")</div>	Chloride non-numeric result:	<div>checkbox</div> <div><div>1 rlab_chlornn__1</div><div>Non-numeric Chloride result{rlab_chlornnv:icons} {rlab_chlornnvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:chlor;date:rlab_dt</div>
6234	<div>[ rlab_chlornnv ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_chlor_nn(1)]= "1" )</div>	Chloride non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:chlor;date:rlab_dt</div>
6235	<div>[ rlab_chlornnvwarn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_chlor_nn(1)]= "1" )</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6236	<div>[ rlab_chlorab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_chlor_u1]&lt;&gt;"" or [rlab_chlornnv]&lt;&gt;"" )</div>	Chloride abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:chlor;date:rlab_dt</div>
6237	<div>[ rlab_bicarb_u ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_bicarb_bnn(1)]= "0" )</div>	Bicarbonate units:	<div>radio</div> <div><div>1 mmol/L or mEq/L</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:rlab_dt</div>
6238	<div>[ rlab_bicarb_u1 ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_bicarb_bu]="1" and [rlab_bicarb_bnn(1)]= "0" )</div>	Bicarbonate: <i>mmol/L or mEq/L</i>	<div>text (number, Min: 14, Max: 38)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:rlab_dt;conversionfactor:</div>
6239	<div>[ rlab_bicarbnn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_bicarb_b_u1]="")</div>	Bicarbonate non-numeric result:	<div>checkbox</div> <div><div>1 rlab_bicarbnn__1</div><div>Non-numeric Bicarbonate result{rlab_bicarbnnv:icons} {rlab_bicarbnnvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:rlab_dt</div>
6240	<div>[ rlab_bicarbnnv ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_bicarb_bnn(1)]= "1" )</div>	Bicarbonate non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:rlab_dt</div>
6241	<div>[ rlab_bicarbnnvwarn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_bicarb_bnn(1)]= "1" )</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6242	<div>[ rlab_bicarbab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" and ([rlab_bicarb_b_u1]&lt;&gt;"" or [rlab_bicarbnnv]&lt;&gt;"" )</div>	Bicarbonate abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:bicarb;date:rlab_dt</div>

6243	[ rlab_bunu ] Show the field ONLY if: [clab_chemdt]="" n(1))="0")	Blood urea nitrogen (BUN) units:	radio 1 mmol/L 2 mg/dL  Field Annotation: ++labinfo=panel:chem;lab:bun;date:rlab_dt
6244	[ rlab_bun_u1 ] Show the field ONLY if: [clab_chemdt]="" u]="1" and [rlab_bunnn(1))="0")	Blood urea nitrogen (BUN): mmol/L	text (number, Min: 0.71, Max: 28.2) Field Annotation: ++labinfo=panel:chem;lab:bun;date:rlab_dt;conversionfactor:1
6245	[ rlab_bun_u2 ] Show the field ONLY if: [clab_chemdt]="" u]="2" and [rlab_bunnn(1))="0")	Blood urea nitrogen (BUN): mg/dL	text (number, Min: 2, Max: 79) Field Annotation: ++labinfo=panel:chem;lab:bun;date:rlab_dt;conversionfactor:0.1
6246	[ rlab_bunnn ] Show the field ONLY if: [clab_chemdt]="" u1]="" u2]="")	Blood urea nitrogen (BUN) non-numeric result:	checkbox 1 rlab_bunnn__1 Non-numeric Blood urea nitrogen (BUN) result{rlab_bunnnv:icons} {rlab_bunnnvwarn}  Field Annotation: ++labinfo=panel:chem;lab:bun;date:rlab_dt
6247	[ rlab_bunnnv ] Show the field ONLY if: [clab_chemdt]="" n(1))="1")	Blood urea nitrogen (BUN) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:bun;date:rlab_dt
6248	[ rlab_bunnnvwarn ] Show the field ONLY if: [clab_chemdt]="" n(1))="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6249	[ rlab_bunab ] Show the field ONLY if: [clab_chemdt]="" u1]<>" or [rlab_bun_u2]<>" or [rlab_bunnnv]<>"	Blood urea nitrogen (BUN) abnormal:	radio 1 Abnormal 0 No  Field Annotation: ++labinfo=panel:chem;lab:bun;date:rlab_dt
6250	[ rlab_creats_u ] Show the field ONLY if: [clab_chemdt]="" nn(1)) = 0	Creatinine (serum) units:	radio 1 mg/dL 2 U/L  Field Annotation: ++labinfo=panel:chem;lab:creats;date:rlab_dt
6251	[ rlab_creats_u1 ] Show the field ONLY if: [clab_chemdt]="" snn(1))="0") and [rlab_creats_u] = 1	Creatinine (serum): mg/dL	text (number, Min: 0.25, Max: 14.97) Field Annotation: ++labinfo=panel:chem;lab:creats;date:rlab_dt;conversionfactor:1
6252	[ rlab_creats_u2 ] Show the field ONLY if: [clab_chemdt]="" snn(1))="0") and [rlab_creats_u] = "2"	Creatinine (serum): U/L	text (number) Field Annotation: ++labinfo=panel:chem;lab:creats;date:rlab_dt;conversionfactor:1
6253	[ rlab_creatsnn ] Show the field ONLY if: [clab_chemdt]="" s_u1]="") and ([rlab_creats_u2] = "")	Creatinine (serum) non-numeric result:	checkbox 1 rlab_creatsnn__1 Non-numeric Creatinine (serum) result{rlab_creatsnnv:icons} {rlab_creatsnnvwarn}  Field Annotation: ++labinfo=panel:chem;lab:creats;date:rlab_dt
6254	[ rlab_creatsnnv ] Show the field ONLY if: [clab_chemdt]="" snn(1))="1")	Creatinine (serum) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:chem;lab:creats;date:rlab_dt
6255	[ rlab_creatsnnvwarn ] Show the field ONLY if: [clab_chemdt]="" snn(1))="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive

6256	<div>[ rlab_creatsab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [clab_chemdt]&lt;" or [rlab_creates_u2]&lt;" or [rlab_createsnnv]&lt;"</div>	Creatinine (serum) abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:creats;date:rlab_dt</div>
6257	<div>[ rlab_cau ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_cann(1)]=0"</div>	Calcium units:	<div>radio</div> <div><div>1 mg/dL</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:rlab_dt</div>
6258	<div>[ rlab_ca_u1 ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_cann(1)]=1" and [rlab_cann(1)]=0"</div>	Calcium: mg/dL	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:rlab_dt;conversionfactor:1</div>
6259	<div>[ rlab_cann ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_ca_u1]=""</div>	Calcium non-numeric result:	<div>checkbox</div> <div><div>1 rlab_cann__1</div><div>Non-numeric Calcium result{rlab_cannv:icons} {rlab_cannvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:rlab_dt</div>
6260	<div>[ rlab_cannv ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_cann(1)]=1"</div>	Calcium non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:rlab_dt</div>
6261	<div>[ rlab_cannvwarn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_cann(1)]=1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6262	<div>[ rlab_caab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_ca_u1]&lt;" or [rlab_cannv]&lt;"</div>	Calcium abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:ca;date:rlab_dt</div>
6263	<div>[ rlab_glucu ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_glucn(1)]=0"</div>	Glucose units:	<div>radio</div> <div><div>1 mg/dL</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:gluc;date:rlab_dt</div>
6264	<div>[ rlab_gluc_u1 ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_gluc_u]=1" and [rlab_glucn(1)]=0"</div>	Glucose: mg/dL	<div>text (number, Min: 39, Max: 626)</div> <div>Field Annotation: ++labinfo=panel:chem;lab:gluc;date:rlab_dt;conversionfactor:</div>
6265	<div>[ rlab_glucnn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_gluc_u1]=""</div>	Glucose non-numeric result:	<div>checkbox</div> <div><div>1 rlab_glucnn__1</div><div>Non-numeric Glucose result{rlab_glucnnv:icons} {rlab_glucnnvwarn}</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:gluc;date:rlab_dt;conversionfactor:</div>
6266	<div>[ rlab_glucnnv ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_glucn(1)]=1"</div>	Glucose non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:chem;lab:gluc;date:rlab_dt;conversionfactor:</div>
6267	<div>[ rlab_glucnnvwarn ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_glucn(1)]=1"</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive
6268	<div>[ rlab_glucab ]</div> <div>Show the field ONLY if: [clab_chemdt]="" [rlab_gluc_u1]&lt;" or [rlab_glucnnv]&lt;"</div>	Glucose abnormal:	<div>radio</div> <div><div>1 Abnormal</div><div>0 No</div></div> <div>Field Annotation: ++labinfo=panel:chem;lab:gluc;date:rlab_dt;conversionfactor:</div>
6269	<div>[ rlab_astu ]</div> <div>Show the field ONLY if:</div>	<div>Section Header: Liver function tests (LFT) (RECOVER research order):</div> <div>Aspartate aminotransferase (AST) units:</div>	<div>radio</div> <div><div>1 U/L or IU/L</div></div>

		[clab_lftdt]="" and ([rlab_astnn(1)]="0")		Field Annotation: ++labinfo=panel:lft;lab:ast;date:rlab_dt				
6270	[rlab_ast_u1]	Aspartate aminotransferase (AST): <i>U/L or IU/L</i> Show the field ONLY if: [clab_lftdt]="" and ([rlab_astu]="1" and [rlab_astnn(1)]="0")		text (number, Min: 6, Max: 489) Field Annotation: ++labinfo=panel:lft;lab:ast;date:rlab_dt;conversionfactor:1				
6271	[rlab_astnn]	Aspartate aminotransferase (AST) non-numeric result: Show the field ONLY if: [clab_lftdt]="" and ([rlab_ast_u1]="")	<div>checkbox</div> <table><tr><td>1</td><td>rlab_astnn__1</td><td>Non-numeric Aspartate aminotransferase (AST) result{rlab_astnnv:icons}{rlab_astnnvwarn}</td></tr></table>	1	rlab_astnn__1	Non-numeric Aspartate aminotransferase (AST) result{rlab_astnnv:icons}{rlab_astnnvwarn}	Field Annotation: ++labinfo=panel:lft;lab:ast;date:rlab_dt	
1	rlab_astnn__1	Non-numeric Aspartate aminotransferase (AST) result{rlab_astnnv:icons}{rlab_astnnvwarn}						
6272	[rlab_astnnv]	Aspartate aminotransferase (AST) non-numeric result: Show the field ONLY if: [clab_lftdt]="" and ([rlab_astnn(1)]="1")	text, Required Field Annotation: ++labinfo=panel:lft;lab:ast;date:rlab_dt					
6273	[rlab_astnnvwarn]	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field. Show the field ONLY if: [clab_lftdt]="" and ([rlab_astnn(1)]="1")	descriptive					
6274	[rlab_astab]	Aspartate aminotransferase (AST) abnormal: Show the field ONLY if: [clab_lftdt]="" and ([rlab_ast_u1]<>"" or [rlab_astnnv]<>"")	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:lft;lab:ast;date:rlab_dt
1	Abnormal							
0	No							
6275	[rlab_altu]	Alanine aminotransferase (ALT) units: Show the field ONLY if: [clab_lftdt]="" and ([rlab_altnn(1)]="0")	<div>radio</div> <table><tr><td>1</td><td>U/L or IU/L</td></tr></table>	1	U/L or IU/L	Field Annotation: ++labinfo=panel:lft;lab:alt;date:rlab_dt		
1	U/L or IU/L							
6276	[rlab_alt_u1]	Alanine aminotransferase (ALT): <i>U/L or IU/L</i> Show the field ONLY if: [clab_lftdt]="" and ([rlab_altu]="1" and [rlab_altnn(1)]="0")	text (number, Min: 2, Max: 682) Field Annotation: ++labinfo=panel:lft;lab:alt;date:rlab_dt;conversionfactor:1					
6277	[rlab_altnn]	Alanine aminotransferase (ALT) non-numeric result: Show the field ONLY if: [clab_lftdt]="" and ([rlab_alt_u1]="")	<div>checkbox</div> <table><tr><td>1</td><td>rlab_altnn__1</td><td>Non-numeric Alanine transaminase (ALT) result{rlab_altnnv:icons}{rlab_altnnvwarn}</td></tr></table>	1	rlab_altnn__1	Non-numeric Alanine transaminase (ALT) result{rlab_altnnv:icons}{rlab_altnnvwarn}	Field Annotation: ++labinfo=panel:lft;lab:alt;date:rlab_dt;conversionfactor:1	
1	rlab_altnn__1	Non-numeric Alanine transaminase (ALT) result{rlab_altnnv:icons}{rlab_altnnvwarn}						
6278	[rlab_altnnv]	Alanine aminotransferase (ALT) non-numeric result: Show the field ONLY if: [clab_lftdt]="" and ([rlab_altnn(1)]="1")	text, Required Field Annotation: ++labinfo=panel:lft;lab:alt;date:rlab_dt;conversionfactor:1					
6279	[rlab_altnnvwarn]	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field. Show the field ONLY if: [clab_lftdt]="" and ([rlab_altnn(1)]="1")	descriptive					
6280	[rlab_altab]	Alanine aminotransferase (ALT) abnormal: Show the field ONLY if: [clab_lftdt]="" and ([rlab_alt_u1]<>"" or [rlab_altnnv]<>"")	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:lft;lab:alt;date:rlab_dt;conversionfactor:1
1	Abnormal							
0	No							
6281	[rlab_alkphosu]	Alkaline phosphatase units: Show the field ONLY if: [clab_lftdt]="" and ([rlab_alkphosnn(1)]="0")	<div>radio</div> <table><tr><td>1</td><td>U/L or IU/L</td></tr></table>	1	U/L or IU/L	Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:rlab_dt		
1	U/L or IU/L							
6282	[rlab_alkphos_u1]	Alkaline phosphatase: <i>U/L or IU/L</i> Show the field ONLY if: [clab_lftdt]="" and ([rlab_alkphosu]="1" and [rlab_alkphosnn(1)]="0")	text (number, Min: 16, Max: 638) Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:rlab_dt;conversionfactor:1					
6283	[rlab_alkphosnn]	Alkaline phosphatase non-numeric result:	checkbox					



		Show the field ONLY if: [clab_lftdt]="" and ([rlab_alkphos_u1]="" )		<table><tr><td>1</td><td>rlab_alkphosnn__1</td><td>Non-numeric Alkaline phosphatase result{rlab_alkphosnnv:icons}{rlab_alkphosnnvwarn}</td></tr></table>	1	rlab_alkphosnn__1	Non-numeric Alkaline phosphatase result{rlab_alkphosnnv:icons}{rlab_alkphosnnvwarn}	
1	rlab_alkphosnn__1	Non-numeric Alkaline phosphatase result{rlab_alkphosnnv:icons}{rlab_alkphosnnvwarn}						
				Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:rlab_dt				
	6284	[ rlab_alkphosnnv ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_alkphosn n(1)]= "1" )	Alkaline phosphatase non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:rlab_dt				
	6285	[ rlab_alkphosnnvwarn ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_alkphosn n(1)]= "1" )	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
	6286	[ rlab_alkphosab ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_alkphos_u1]<>"" or [rlab_alkphosnnv]<>"" )	Alkaline phosphatase abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:lft;lab:alkphos;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
	6287	[ rlab_bilitotu ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilitotnn (1)]= "0" )	Total bilirubin units:	radio <table><tr><td>1</td><td>mg/dL</td></tr></table>  Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:rlab_dt	1	mg/dL		
1	mg/dL							
	6288	[ rlab_bilitot_u1 ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilitotu ]= "1" and [rlab_bilitotnn(1)]= "0" )	Total bilirubin: <i>mg/dL</i>	text (number, Min: 0.1, Max: 3.8) Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:rlab_dt;conversionfactor:1				
	6289	[ rlab_bilitotnn ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilitot_u 1]= "" )	Total bilirubin non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_bilitotnn__1</td><td>Non-numeric Total bilirubin result{rlab_bilitotnnv:icons}{rlab_bilitotnnvwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:rlab_dt	1	rlab_bilitotnn__1	Non-numeric Total bilirubin result{rlab_bilitotnnv:icons}{rlab_bilitotnnvwarn}	
1	rlab_bilitotnn__1	Non-numeric Total bilirubin result{rlab_bilitotnnv:icons}{rlab_bilitotnnvwarn}						
	6290	[ rlab_bilitotnnv ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilitotnn (1)]= "1" )	Total bilirubin non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:rlab_dt				
	6291	[ rlab_bilitotnnvwarn ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilitotnn (1)]= "1" )	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
	6292	[ rlab_bilitotab ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilitot_u 1]<>"" or [rlab_bilitotnnv]<>"" )	Total bilirubin abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>  Field Annotation: ++labinfo=panel:lft;lab:bilitot;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
	6293	[ rlab_bilidiru ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilidirnn (1)]= "0" and [rlab_bilidirnr(1)]= "0" )	Direct bilirubin units:	radio <table><tr><td>1</td><td>mg/dL</td></tr></table>  Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:rlab_dt	1	mg/dL		
1	mg/dL							
	6294	[ rlab_bilidir_u1 ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilidiru ]= "1" and [rlab_bilidirnn(1)]= "0" an d [rlab_bilidirnr(1)]= "0" )	Direct bilirubin: <i>mg/dL</i>	text (number, Min: 0, Max: 0.6) Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:rlab_dt;conversionfactor:1				
	6295	[ rlab_bilidirnn ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilidir_u 1]= "" and [rlab_bilidirnr(1)]= "0" )	Direct bilirubin non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_bilidirnn__1</td><td>Non-numeric Direct bilirubin result{rlab_bilidirnnv:icons}{rlab_bilidirnnvwarn}</td></tr></table>  Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:rlab_dt	1	rlab_bilidirnn__1	Non-numeric Direct bilirubin result{rlab_bilidirnnv:icons}{rlab_bilidirnnvwarn}	
1	rlab_bilidirnn__1	Non-numeric Direct bilirubin result{rlab_bilidirnnv:icons}{rlab_bilidirnnvwarn}						
	6296	[ rlab_bilidirnnv ]  Show the field ONLY if:	Direct bilirubin non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:rlab_dt				

		[clab_lftdt]="" and ([rlab_bilidirnn(1)]="1")								
6297	[rlab_bilidirnnwarn]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilidirnn(1)]="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive						
6298	[rlab_bilidirnr]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilidir_u1]="" and [rlab_bilidirnn(1)]="0")	Direct bilirubin not reported:	<div>checkbox</div> <table><tr><td>1</td><td>rlab_bilidirnr__1</td><td>Lab only reports total bilirubin; direct bilirubin not reported</td></tr></table> <div>Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:rlab_dt</div>	1	rlab_bilidirnr__1	Lab only reports total bilirubin; direct bilirubin not reported			
1	rlab_bilidirnr__1	Lab only reports total bilirubin; direct bilirubin not reported								
6299	[rlab_bilidirab]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_bilidir_u1]<>"" or [rlab_bilidirnnv]<>"" and [rlab_bilidirnr(1)]="0")	Direct bilirubin abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:lft;lab:bilidir;date:rlab_dt</div>	1	Abnormal	0	No		
1	Abnormal									
0	No									
6300	[rlab_protsu]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_protsnn(1)]="0")	Protein (serum) units:	<div>radio</div> <table><tr><td>1</td><td>g/dL</td></tr><tr><td>2</td><td>mg/dL</td></tr><tr><td>3</td><td>mg/L</td></tr></table> <div>Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt</div>	1	g/dL	2	mg/dL	3	mg/L
1	g/dL									
2	mg/dL									
3	mg/L									
6301	[rlab_prots_u1]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_protsnn(1)]="0") and [rlab_protsu] = "1"	Protein (serum): g/dL	text (number, Min: 4.4, Max: 10) Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt;conversionfactor:1						
6302	[rlab_prots_u2]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_protsnn(1)]="0") and [rlab_protsu] = "2"	Protein (serum): mg/dL	text (number) Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt;conversionfactor:0.00						
6303	[rlab_prots_u3]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_protsnn(1)]="0") and [rlab_protsu] = "3"	Protein (serum): mg/L	text (number) Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt;conversionfactor:0.00						
6304	[rlab_protsnn]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_prots_u1]="" and [rlab_prots_u2]="" and [rlab_prots_u3]=""	Protein (serum) non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>rlab_protsnn__1</td><td>Non-numeric Protein (serum) result{rlab_protsnnv:icons}{rlab_protsnnwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt</div>	1	rlab_protsnn__1	Non-numeric Protein (serum) result{rlab_protsnnv:icons}{rlab_protsnnwarn}			
1	rlab_protsnn__1	Non-numeric Protein (serum) result{rlab_protsnnv:icons}{rlab_protsnnwarn}								
6305	[rlab_protsnnv]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_protsnn(1)]="1")	Protein (serum) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt						
6306	[rlab_protsnnwarn]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_protsnn(1)]="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive						
6307	[rlab_protsab]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_prots_u1]<>"" or [rlab_prots_u2]<>"" or [rlab_prots_u3]<>"" or [rlab_protsnnv]<>""	Protein (serum) abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:lft;lab:prots;date:rlab_dt</div>	1	Abnormal	0	No		
1	Abnormal									
0	No									
6308	[rlab_albu]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_albnn(1)]="0")	Albumin units:	<div>radio</div> <table><tr><td>1</td><td>mg/dL</td></tr><tr><td>2</td><td>g/dL</td></tr></table> <div>Field Annotation: ++labinfo=panel:lft;lab:alb;date:rlab_dt</div>	1	mg/dL	2	g/dL		
1	mg/dL									
2	g/dL									
6309	[rlab_alb_u1]	Show the field ONLY if: [clab_lftdt]="" and ([rlab_albnn(1)]="0" and [rlab_albu]="1")	Albumin: mg/dL	text (number, Min: 2100, Max: 5400) Field Annotation: ++labinfo=panel:lft;lab:alb;date:rlab_dt;conversionfactor:1						
6310	[rlab_alb_u2]		Albumin: g/dL	text (number, Min: 2.1, Max: 5.4) Field Annotation:						

		Show the field ONLY if: [clab_lftdt]="" and ([rlab_albnn(1)] ="0" and [rlab_albu]="2")		++labinfo=panel:lft;lab:alb;date:rlab_dt;conversionfactor:1000				
6311	[ rlab_albnn ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_alb_u1] ="" and [rlab_alb_u2]="")	Albumin non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_albnn__1</td><td>Non-numeric Albumin result{rlab_albnnv:icons} {rlab_albnnvwarn}</td></tr></table>	1	rlab_albnn__1	Non-numeric Albumin result{rlab_albnnv:icons} {rlab_albnnvwarn}	Field Annotation: ++labinfo=panel:lft;lab:alb;date:rlab_dt	
1	rlab_albnn__1	Non-numeric Albumin result{rlab_albnnv:icons} {rlab_albnnvwarn}						
6312	[ rlab_albnnv ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_albnn(1)] ="1")	Albumin non-numeric result:	text, Required Field Annotation: ++labinfo=panel:lft;lab:alb;date:rlab_dt					
6313	[ rlab_albnnvwarn ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_albnn(1)] ="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
6314	[ rlab_albab ]  Show the field ONLY if: [clab_lftdt]="" and ([rlab_alb_u1]< >"" or [rlab_alb_u2]<>"" or [rlab_a lbnnv]<>")	Albumin abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:lft;lab:alb;date:rlab_dt
1	Abnormal							
0	No							
6315	[ rlab_wbcu ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_wbcnn (1)]="0")	Section Header: CBC (RECOVER research order):  White blood cells (WBC) units:	radio <table><tr><td>1</td><td>K/<math>\mu</math>L or 10<sup>9</sup>/L or 10<sup>3</sup>/<math>\mu</math>L or 10<sup>3</sup>/cmm or K/mm<sup>3</sup> or K/mcL</td></tr></table>	1	K/ $\mu$ L or 10 <sup>9</sup> /L or 10 <sup>3</sup> / $\mu$ L or 10 <sup>3</sup> /cmm or K/mm <sup>3</sup> or K/mcL	Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:rlab_dt		
1	K/ $\mu$ L or 10 <sup>9</sup> /L or 10 <sup>3</sup> / $\mu$ L or 10 <sup>3</sup> /cmm or K/mm <sup>3</sup> or K/mcL							
6316	[ rlab_wbc_u1 ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_wbcu] ="1" and [rlab_wbcnn(1)]="0")	White blood cells (WBC): <i>K/<math>\mu</math>L or 10<sup>9</sup>/L or 10<sup>3</sup>/<math>\mu</math>L or 10<sup>3</sup>/cmm or k/mm<sup>3</sup> or K/mcL</i>	text (number, Min: 0, Max: 74.2) Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:rlab_dt;conversionfactor:1					
6317	[ rlab_wbcnn ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_wbc_u 1]="")	White blood cells (WBC) non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_wbcnn__1</td><td>Non-numeric White blood cells (WBC) result{rlab_wbcnnv:icons} {rlab_wbcnnvwarn}</td></tr></table>	1	rlab_wbcnn__1	Non-numeric White blood cells (WBC) result{rlab_wbcnnv:icons} {rlab_wbcnnvwarn}	Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:rlab_dt	
1	rlab_wbcnn__1	Non-numeric White blood cells (WBC) result{rlab_wbcnnv:icons} {rlab_wbcnnvwarn}						
6318	[ rlab_wbcnnv ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_wbcnn (1)]="1")	White blood cells (WBC) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:rlab_dt					
6319	[ rlab_wbcnnvwarn ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_wbcnn (1)]="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive					
6320	[ rlab_wbcab ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_wbc_u 1]<>"" or [rlab_wbcnnv]<>")	White blood cells (WBC) abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Abnormal	0	No	Field Annotation: ++labinfo=panel:cbc;lab:wbc;date:rlab_dt
1	Abnormal							
0	No							
6321	[ rlab_hgbu ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_hgbnn (1)]="0")	Hemoglobin (Hgb) units:	radio <table><tr><td>1</td><td>g/dL</td></tr></table>	1	g/dL	Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:rlab_dt		
1	g/dL							
6322	[ rlab_hgb_u1 ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_hgbu] ="1" and [rlab_hgbnn(1)]="0")	Hemoglobin (Hgb): <i>g/dL</i>	text (number, Min: 6.4, Max: 19.9) Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:rlab_dt;conversionfactor:1					
6323	[ rlab_hgbnn ]  Show the field ONLY if: [clab_cbc dt]="" and ([rlab_hgb_u 1]="")	Hemoglobin (Hgb) non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_hgbnn__1</td><td>Non-numeric Hemoglobin (Hgb) result{rlab_hgbnnv:icons} {rlab_hgbnnvwarn}</td></tr></table>	1	rlab_hgbnn__1	Non-numeric Hemoglobin (Hgb) result{rlab_hgbnnv:icons} {rlab_hgbnnvwarn}	Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:rlab_dt	
1	rlab_hgbnn__1	Non-numeric Hemoglobin (Hgb) result{rlab_hgbnnv:icons} {rlab_hgbnnvwarn}						
6324	[ rlab_hgbnnv ]  Show the field ONLY if:	Hemoglobin (Hgb) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:rlab_dt					

		[clab_cbcdt]="" and ([rlab_hgbnn(1)]="1")						
6325	[rlab_hgbnnwarn]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hgbnn(1)]="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6326	[rlab_hgbab]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hgb_u1]<>"" or [rlab_hgbnnv]<>")	Hemoglobin (Hgb) abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:hgb;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
6327	[rlab_hctu]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hctnn(1)]="0")	Hematocrit (Hct) units:	radio <table><tr><td>1</td><td>%</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:hct;date:rlab_dt	1	%		
1	%							
6328	[rlab_hctu1]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hctu]="1" and [rlab_hctnn(1)]="0")	Hematocrit (Hct): %	text (number, Min: 23, Max: 58.8) Field Annotation: ++labinfo=panel:cbc;lab:hct;date:rlab_dt;conversionfactor:1				
6329	[rlab_hctnn]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hctu1]="")	Hematocrit (Hct) non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_hctnn__1</td><td>Non-numeric Hematocrit (Hct) result{rlab_hctnnv:icons} {rlab_hctnnwarn}</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:hct;date:rlab_dt	1	rlab_hctnn__1	Non-numeric Hematocrit (Hct) result{rlab_hctnnv:icons} {rlab_hctnnwarn}	
1	rlab_hctnn__1	Non-numeric Hematocrit (Hct) result{rlab_hctnnv:icons} {rlab_hctnnwarn}						
6330	[rlab_hctnnv]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hctnn(1)]="1")	Hematocrit (Hct) non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:hct;date:rlab_dt				
6331	[rlab_hctnnvwarn]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hctnn(1)]="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6332	[rlab_hctab]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_hctu1]<>"" or [rlab_hctnnv]<>")	Hematocrit (Hct) abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:hct;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
6333	[rlab_plateu]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_platenn(1)]="0")	Platelets units:	radio <table><tr><td>1</td><td>K/μl or 10<sup>9</sup>/L or 10<sup>3</sup>/μL or 10<sup>3</sup>/cmm or k/mm<sup>3</sup> or K/mL</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:plate;date:rlab_dt	1	K/μl or 10 <sup>9</sup> /L or 10 <sup>3</sup> /μL or 10 <sup>3</sup> /cmm or k/mm <sup>3</sup> or K/mL		
1	K/μl or 10 <sup>9</sup> /L or 10 <sup>3</sup> /μL or 10 <sup>3</sup> /cmm or k/mm <sup>3</sup> or K/mL							
6334	[rlab_plate_u1]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_plateu]="1" and [rlab_platenn(1)]="0")	Platelets: <i>K/μL or 10<sup>9</sup>/L or 10<sup>3</sup>/μL or 10<sup>3</sup>/cmm or k/mm<sup>3</sup> or K/mL</i>	text (number, Min: 8, Max: 818) Field Annotation: ++labinfo=panel:cbc;lab:plate;date:rlab_dt;conversionfactor:1				
6335	[rlab_platenn]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_plate_u1]="")	Platelets non-numeric result:	checkbox <table><tr><td>1</td><td>rlab_platenn__1</td><td>Non-numeric Platelets result{rlab_platennv:icons} {rlab_platennwarn}</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:plate;date:rlab_dt	1	rlab_platenn__1	Non-numeric Platelets result{rlab_platennv:icons} {rlab_platennwarn}	
1	rlab_platenn__1	Non-numeric Platelets result{rlab_platennv:icons} {rlab_platennwarn}						
6336	[rlab_platennv]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_platenn(1)]="1")	Platelets non-numeric result:	text, Required Field Annotation: ++labinfo=panel:cbc;lab:plate;date:rlab_dt				
6337	[rlab_platennvwarn]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_platenn(1)]="1")	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6338	[rlab_plateab]	Show the field ONLY if: [clab_cbcdt]="" and ([rlab_plate_u1]<>"" or [rlab_platennv]<>")	Platelets abnormal:	radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:plate;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							

6339	<div>[ rlab_neutrou ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro nn(1)]="0")</div>	Neutrophil units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>K/cmm</td></tr><tr><td>3</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt</div>	1	%	2	K/cmm	3	10^9 /L
1	%								
2	K/cmm								
3	10^9 /L								
6340	<div>[ rlab_neutro_u1 ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro nn(1)]="0") and [rlab_neutrou] = "1"</div>	Neutrophil %: %	<div>text (number, Min: 0, Max: 100)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt;conversionfactor:1</div>						
6341	<div>[ rlab_neutro_u2 ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro nn(1)]="0") and [rlab_neutrou] = "2"</div>	Neutrophil: K/cmm	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt</div>						
6342	<div>[ rlab_neutro_u3 ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro nn(1)]="0") and [rlab_neutrou] = "3"</div>	Neutrophil: 10^9 /L	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt</div>						
6343	<div>[ rlab_neutronn ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro_ u1]=""" and [rlab_neutro_u2]=""" an d [rlab_neutro_u3]="")</div>	Neutrophil % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>rlab_neutronn__1</td><td>Non-numeric Neutrophil % result{rlab_neutronn:icons} {rlab_neutronnvwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt</div>	1	rlab_neutronn__1	Non-numeric Neutrophil % result{rlab_neutronn:icons} {rlab_neutronnvwarn}			
1	rlab_neutronn__1	Non-numeric Neutrophil % result{rlab_neutronn:icons} {rlab_neutronnvwarn}							
6344	<div>[ rlab_neutronnv ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro nn(1)]="1")</div>	Neutrophil % non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt</div>						
6345	<div>[ rlab_neutronnvwarn ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro nn(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	<div>descriptive</div>						
6346	<div>[ rlab_neutroab ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_neutro_ u1]&lt;&gt;"" or [rlab_neutro_u2]&lt;&gt;"" o r [rlab_neutro_u3]&lt;&gt;"" or [rlab_ne utronnv]&lt;&gt;""</div>	Neutrophil % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:neutro;date:rlab_dt</div>	1	Abnormal	0	No		
1	Abnormal								
0	No								
6347	<div>[ rlab_lymphou ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_lympho nn(1)]="0")</div>	Lymphocyte %:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>K/cmm</td></tr><tr><td>3</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt</div>	1	%	2	K/cmm	3	10^9 /L
1	%								
2	K/cmm								
3	10^9 /L								
6348	<div>[ rlab_lympho_u1 ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_lympho nn(1)]="0") and [rlab_lymphou] ="1"</div>	Lymphocyte %: %	<div>text (number, Min: 0, Max: 100)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt;conversionfactor:1</div>						
6349	<div>[ rlab_lympho_u2 ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_lympho nn(1)]="0") and [rlab_lymphou] ="2"</div>	Lymphocyte: K/cmm	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt</div>						
6350	<div>[ rlab_lympho_u3 ]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_lympho nn(1)]="0") and [rlab_lymphou] ="3"</div>	Lymphocyte: 10^9 /L	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt</div>						
6351	<div>[ rlab_lymphonn ]</div>	Lymphocyte % non-numeric result:	<div>checkbox</div>						

		Show the field ONLY if: [clab_cbcdt]="" and ([rlab_lympho_u1]="" and ([rlab_lympho_u2]="" and ([rlab_lympho_u3]="")		<table><tr><td>1</td><td>rlab_lymphonn__1</td><td>Non-numeric Lymphocyte % result{rlab_lymphonnv:icons} {rlab_lymphonnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt	1	rlab_lymphonn__1	Non-numeric Lymphocyte % result{rlab_lymphonnv:icons} {rlab_lymphonnvwarn}	
1	rlab_lymphonn__1	Non-numeric Lymphocyte % result{rlab_lymphonnv:icons} {rlab_lymphonnvwarn}						
6352	[ rlab_lymphonnv ]	Lymphocyte % non-numeric result:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_lympho_nn(1)]= "1")		text, Required Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt				
6353	[ rlab_lymphonnvwarn ]	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6354	[ rlab_lymphoab ]	Lymphocyte % abnormal:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_lympho_u1]<>"" or [rlab_lympho_u2]<>"" or [rlab_lympho_u3]<>"" or [rlab_lymphonnv]<>""		radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:lympho;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
6355	[ rlab_monou ]	Monocyte units:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_monon_n(1)]= "0")		radio <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>10^9 /L</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:mono;date:rlab_dt	1	%	2	10^9 /L
1	%							
2	10^9 /L							
6356	[ rlab_mono_u1 ]	Monocyte %: %  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_monon_n(1)]= "0") and [rlab_monou] = "1"		text (number, Min: 0, Max: 100) Field Annotation: ++labinfo=panel:cbc;lab:mono;date:rlab_dt;conversionfactor:				
6357	[ rlab_mono_u2 ]	Monocyte: 10^9 /L  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_monon_n(1)]= "0") and [rlab_monou] = "2"		text (number) Field Annotation: ++labinfo=panel:cbc;lab:mono;date:rlab_dt				
6358	[ rlab_mononn ]	Monocyte % non-numeric result:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_mono_u1]="" and [rlab_mono_u2]="")		checkbox <table><tr><td>1</td><td>rlab_mononn__1</td><td>Non-numeric Monocyte % result{rlab_mononnv:icons} {rlab_mononnvwarn}</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:mono;date:rlab_dt	1	rlab_mononn__1	Non-numeric Monocyte % result{rlab_mononnv:icons} {rlab_mononnvwarn}	
1	rlab_mononn__1	Non-numeric Monocyte % result{rlab_mononnv:icons} {rlab_mononnvwarn}						
6359	[ rlab_mononnv ]	Monocyte % non-numeric result:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_monon_n(1)]= "1")		text, Required Field Annotation: ++labinfo=panel:cbc;lab:mono;date:rlab_dt				
6360	[ rlab_mononnvwarn ]	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.		descriptive				
6361	[ rlab_monoab ]	Monocyte % abnormal:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_mono_u1]<>"" or [rlab_mono_u2]<>"" or [rlab_mononnv]<>""		radio <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:mono;date:rlab_dt	1	Abnormal	0	No
1	Abnormal							
0	No							
6362	[ rlab_basou ]	Basophil units:  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_basonn(1)]= "0")		radio <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>10^9 /L</td></tr></table> Field Annotation: ++labinfo=panel:cbc;lab:baso;date:rlab_dt	1	%	2	10^9 /L
1	%							
2	10^9 /L							
6363	[ rlab_baso_u1 ]	Basophil %: %  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_basonn(1)]= "0") and [rlab_basou] = "1"		text (number, Min: 0, Max: 100) Field Annotation: ++labinfo=panel:cbc;lab:baso;date:rlab_dt;conversionfactor:1				
6364	[ rlab_baso_u2 ]	Basophil: 10^9 /L  Show the field ONLY if: [clab_cbcdt]="" and ([rlab_basonn(1)]= "0") and [rlab_basou] = "2"		text (number) Field Annotation: ++labinfo=panel:cbc;lab:baso;date:rlab_dt				

6365	<div>[rlab_basonn]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_baso_u1]="") and [rlab_baso_u2] = ""</div>	Basophil % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>rlab_basonn__1</td><td>Non-numeric Basophil % result{rlab_basonnv:icons}{rlab_basonnnwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:rlab_dt</div>	1	rlab_basonn__1	Non-numeric Basophil % result{rlab_basonnv:icons}{rlab_basonnnwarn}	
1	rlab_basonn__1	Non-numeric Basophil % result{rlab_basonnv:icons}{rlab_basonnnwarn}					
6366	<div>[rlab_basonnv]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_basonn(1)]="1")</div>	Basophil % non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:rlab_dt</div>				
6367	<div>[rlab_basonnnwarn]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_basonn(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6368	<div>[rlab_basoab]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_baso_u1]&lt;&gt;"" or [rlab_baso_u2]&lt;&gt;"" or [rlab_basonnv]&lt;&gt;""</div>	Basophil % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:baso;date:rlab_dt</div>	1	Abnormal	0	No
1	Abnormal						
0	No						
6369	<div>[rlab_eosinu]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosinn(1)]="0")</div>	Eosinophil units:	<div>radio</div> <table><tr><td>1</td><td>%</td></tr><tr><td>2</td><td>10^9 /L</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:rlab_dt</div>	1	%	2	10^9 /L
1	%						
2	10^9 /L						
6370	<div>[rlab_eosin_u1]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosinn(1)]="0") and [rlab_eosinu] = "1"</div>	Eosinophil %:	<div>text (number, Min: 0, Max: 100)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:rlab_dt;conversionfactor:1</div>				
6371	<div>[rlab_eosin_u2]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosinn(1)]="0") and [rlab_eosinu] = "2"</div>	Eosinophil:	<div>text (number)</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:rlab_dt</div>				
6372	<div>[rlab_eosinnn]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosin_u1]="") and [rlab_eosin_u2] = ""</div>	Eosinophil % non-numeric result:	<div>checkbox</div> <table><tr><td>1</td><td>rlab_eosinnn__1</td><td>Non-numeric Eosinophil % result{rlab_eosinnnv:icons}{rlab_eosinnnnwarn}</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:rlab_dt</div>	1	rlab_eosinnn__1	Non-numeric Eosinophil % result{rlab_eosinnnv:icons}{rlab_eosinnnnwarn}	
1	rlab_eosinnn__1	Non-numeric Eosinophil % result{rlab_eosinnnv:icons}{rlab_eosinnnnwarn}					
6373	<div>[rlab_eosinnnv]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosinn(1)]="1")</div>	Eosinophil % non-numeric result:	<div>text, Required</div> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:rlab_dt</div>				
6374	<div>[rlab_eosinnnnwarn]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosinn(1)]="1")</div>	"non-numeric" entry data is only for data that was actually resulted (e.g. "< 0.6mg") which cannot be entered into a numeric field.	descriptive				
6375	<div>[rlab_eosinab]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_eosin_u1]&lt;&gt;"" or [rlab_eosin_u2] &lt;&gt;"" or [rlab_eosinnnv]&lt;&gt;""</div>	Eosinophil % abnormal:	<div>radio</div> <table><tr><td>1</td><td>Abnormal</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc;lab:eosin;date:rlab_dt</div>	1	Abnormal	0	No
1	Abnormal						
0	No						
6376	<div>[rlab_cbcdiffyn]</div> <div>Show the field ONLY if: [clab_cbcdt]=""</div>	Manual differential performed:	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc</div>	1	Yes	0	No
1	Yes						
0	No						
6377	<div>[rlab_cbcdiffab]</div> <div>Show the field ONLY if: [clab_cbcdt]=""" and ([rlab_cbcdiffyn]="1")</div>	Abnormal based on differential:	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Field Annotation: ++labinfo=panel:cbc</div>	1	Yes	0	No
1	Yes						
0	No						
6378	<div>[research_labs_complete]</div>	<div>Section Header: Form Status</div> <div>Complete?</div>	<div>dropdown</div> <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr></table>	0	Incomplete	1	Unverified
0	Incomplete						
1	Unverified						

Instrument: **Biospecimens** (biospecimens)

Active languages: None

6379	[pc_fversion]	Biospecimens form version:	text Field Annotation: @DEFAULT='3' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: major redesign and new kits v3: added PAX collection variables																						
6380	[pc_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																						
6381	[pc_floadtime]	Form Load Time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF																						
6382	[normalized_times]	Field for normalizing times	descriptive																						
6383	[pc_visit_compwarning] Show the field ONLY if: [visit_form_complete]<>"2"	ERROR! You must complete the visit form before you can start this form.	descriptive																						
6384	[pc_colltdt]	Date of Biospecimens form collection:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY																						
6385	[pc_phi]	Participant's DOB: [enrollment_arm_1][enrl_dob]	descriptive																						
6386	[pc_sample_kit_type]	Select Kit type:	dropdown, Required <table><tr><td>1</td><td>RECOVER Peds Tier 1 - Tasso Kit</td></tr><tr><td>2</td><td>RECOVER Peds Tier 1 - Saliva Kit</td></tr><tr><td>3</td><td>RECOVER Peds Tier 2 - Acute (wk 8) - Ages 3-5 yrs</td></tr><tr><td>4</td><td>RECOVER Peds Tier 2 - Acute (wk 8) - Ages 6-25 yrs (original)</td></tr><tr><td>21</td><td>RECOVER Peds Tier 2 - Acute (wk 8) - Ages 24 mo - &lt; 6 yrs</td></tr><tr><td>22</td><td>RECOVER Peds Tier 2 - Acute (wk 8) - Ages 6 yrs &amp; up</td></tr><tr><td>23</td><td>RECOVER Peds Tier 2 - Post-acute - Ages 24 mo - &lt; 6 yrs</td></tr><tr><td>24</td><td>RECOVER Peds Tier 2 - Post-acute (6 mo) - Ages 6 - &lt; 10 yrs</td></tr><tr><td>25</td><td>RECOVER Peds Tier 2 - Post-acute (6 mo) - Ages 10 yrs &amp; up</td></tr><tr><td>26</td><td>RECOVER Peds Tier 2 - Post-acute (12, 24, 36, 48 mo) - Ages 6 yrs - &lt; 10 yrs</td></tr><tr><td>27</td><td>RECOVER Peds Tier 2 - Post-acute (12, 24, 36, 48 mo) - Ages 10 yrs &amp; up</td></tr></table> Field Annotation: @IF([arm-number]="2", @HIDECHOICE="1,2,3,4,23,24,25,26,27", "") @IF([arm-number]="4", @HIDECHOICE="3,4,21,22,23,24,25,26,27", "") @IF([arm-number]="5" and [event-name]="6_month_arm_5", @HIDECHOICE="1,2,3,4,21,22,26,27", "") @IF([arm-number]="5" and [event-name]<>"6_month_arm_5", @HIDECHOICE="1,2,3,4,21,22,24,25", "")	1	RECOVER Peds Tier 1 - Tasso Kit	2	RECOVER Peds Tier 1 - Saliva Kit	3	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 3-5 yrs	4	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 6-25 yrs (original)	21	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 24 mo - < 6 yrs	22	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 6 yrs & up	23	RECOVER Peds Tier 2 - Post-acute - Ages 24 mo - < 6 yrs	24	RECOVER Peds Tier 2 - Post-acute (6 mo) - Ages 6 - < 10 yrs	25	RECOVER Peds Tier 2 - Post-acute (6 mo) - Ages 10 yrs & up	26	RECOVER Peds Tier 2 - Post-acute (12, 24, 36, 48 mo) - Ages 6 yrs - < 10 yrs	27	RECOVER Peds Tier 2 - Post-acute (12, 24, 36, 48 mo) - Ages 10 yrs & up
1	RECOVER Peds Tier 1 - Tasso Kit																								
2	RECOVER Peds Tier 1 - Saliva Kit																								
3	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 3-5 yrs																								
4	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 6-25 yrs (original)																								
21	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 24 mo - < 6 yrs																								
22	RECOVER Peds Tier 2 - Acute (wk 8) - Ages 6 yrs & up																								
23	RECOVER Peds Tier 2 - Post-acute - Ages 24 mo - < 6 yrs																								
24	RECOVER Peds Tier 2 - Post-acute (6 mo) - Ages 6 - < 10 yrs																								
25	RECOVER Peds Tier 2 - Post-acute (6 mo) - Ages 10 yrs & up																								
26	RECOVER Peds Tier 2 - Post-acute (12, 24, 36, 48 mo) - Ages 6 yrs - < 10 yrs																								
27	RECOVER Peds Tier 2 - Post-acute (12, 24, 36, 48 mo) - Ages 10 yrs & up																								
6387	[pc_kittypecalc]	Helper calculation for kit type	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_sample_kit_type]="1", "tasso", if([pc_sample_kit_type]="2", "saliva", if([pc_sample_kit_type]="3" or [pc_sample_kit_type]="4", "oldkit", if([pc_sample_kit_type]="21" or [pc_sample_kit_type]="22" or [pc_sample_kit_type]="23" or [pc_sample_kit_type]="24" or [pc_sample_kit_type]="25" or [pc_sample_kit_type]="26" or [pc_sample_kit_type]="27", "newkit", ""))))))																						
6388	[pc_tassoagewarning] Show the field ONLY if: [pc_kittypecalc]="tasso" and ([pc_colltdt]<>"M" and datediff([enrollment_arm_1][enrl_dob], [pc_colltdt], 'M', true)<23.75)	Warning: the participant is under 24 months. Are you sure you want to order a Tasso kit?	descriptive																						
6389	[pc_tassodrawwarning] Show the field ONLY if: [pc_kittypecalc]="tasso" and [visit_samplerefusal(1)]=1	Stop! The visit form indicates that the participant has not agreed to a draw for a Tasso kit. Please verify that this is ok to draw and amend the visit form.	descriptive																						



6390	<div>[ pc_blooddrawwarning ]</div> <div>Show the field ONLY if: [pc_kittypecalc]="newkit" and [visit_samplerefusal(5)]=1"</div>	Stop! The visit form indicates that the participant has not agreed to blood collection. Please verify that this sample is ok to collect and amend the visit form.	descriptive
6391	<div>[ pc_salivadrawwarning ]</div> <div>Show the field ONLY if: [pc_kittypecalc]="saliva" and [visit_samplerefusal(6)]=1"</div>	Stop! The visit form indicates that the participant has not agreed to saliva collection. Please verify that this sample is ok to collect and amend the visit form.	descriptive
6392	<div>[ pc_tassoreplace ]</div> <div>Show the field ONLY if: [pc_kittypecalc]="tasso" and [current-instance]&gt;1</div>	Is this a replacement Tasso kit?	<div>radio, Required</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>
6393	<div>[ pc_tassodrawwarning2 ]</div> <div>Show the field ONLY if: [pc_tassoreplace]="1" and [visit_samplerefusal(2)]=1"</div>	Stop! The visit form indicates that the participant has not agreed for a redrawn tasso kit. Please verify that this should be done, and amend the visit form.	descriptive
6394	<div>[ pc_kit_level_group ]</div> <div>Show the field ONLY if: [pc_sample_kit_type]&lt;&gt;"</div>	Kit ID Entry 1 {pc_kit_id_1:icons}{pc_kitidkit:icons} {pc_kitidtasso:icons}{pc_kitidsaliva:icons} {pc_kitformatwarning:icons}{pc_tassoformatwarning:icons} {pc_salivaformatwarning:icons} Kit ID Entry 2 {pc_kit_id_2:icons} {pc_kitidmismatchwarning:icons} Tier / Time Point [arm-label] [event-label] Collection Date/Time {pc_kit_date_time:icons} Kit Annotation: {pc_kit_annotation:icons}	descriptive
6395	<div>[ pc_kitformatwarning ]</div> <div>Show the field ONLY if: ([pc_fversion]="1" and [pc_kittypecalc]="oldkit" and [pc_kit_id_1]&lt;&gt;"") and ((left([pc_kit_id_1],4)&lt;&gt;"KIT-")) or ([pc_fversion]="2" and [pc_kittypecalc]="newkit" and [pc_kitidkit]&lt;&gt;"") and ((left([pc_kitidkit],4)&lt;&gt;"KIT-"))</div>	The kit ID should be of the format 'KIT-NNNNNNNN', where 'NNNNNNNN' is a zero-prefixed eight-digit number; e.g. KIT-00112232.	descriptive
6396	<div>[ pc_tassoformatwarning ]</div> <div>Show the field ONLY if: ([pc_fversion]="1" and [pc_kittypecalc]="tasso" and [pc_kit_id_1]&lt;&gt;"") and (isnumber([pc_kit_id_1]) or length([pc_kit_id_1])&lt;&gt;11) or ([pc_fversion]&gt;=2 and [pc_kittypecalc]="tasso" and [pc_kitidtasso]&lt;&gt;"") and (isnumber([pc_kitidtasso]) or length([pc_kitidtasso])&lt;&gt;11))</div>	The Tasso kit ID should be an eleven-digit number; e.g. 20010112232.	descriptive
6397	<div>[ pc_salivaformatwarning ]</div> <div>Show the field ONLY if: ([pc_fversion]="1" and [pc_kittypecalc]="saliva" and [pc_kit_id_1]&lt;&gt;"") and (isnumber([pc_kit_id_1]) or length([pc_kit_id_1])&lt;&gt;14) or ([pc_fversion]&gt;=2 and [pc_kittypecalc]="saliva" and [pc_kitidsaliva]&lt;&gt;"") and (isnumber([pc_kitidsaliva]) or length([pc_kitidsaliva])&lt;&gt;14))</div>	The Saliva kit ID should be a fourteen-digit number; e.g. 54402310112232.	descriptive
6398	<div>[ pc_kitidmismatchwarning ]</div> <div>Show the field ONLY if: ([pc_fversion]="1" and ([pc_kit_id_1]&lt;&gt;"" and [pc_kit_id_2]&lt;&gt;"" and [pc_kit_id_1]&lt;[pc_kit_id_2])) or ([pc_fversion]&gt;=2 and ([pc_kittypecalc]="tasso" and [pc_kitidtasso]&lt;&gt;"" and [pc_kit_id_2]&lt;&gt;"" and [pc_kitidtasso]&lt;[pc_kit_id_2])) or ([pc_fversion]&gt;=2 and ([pc_kittypecalc]="saliva" and [pc_kitidsaliva]&lt;&gt;"" and [pc_kit_id_2]&lt;&gt;"" and [pc_kitidsaliva]&lt;[pc_kit_id_2])) or ([pc_fversion]&gt;=2 and ([pc_kittypecalc]="newkit" and [pc_kitidkit]&lt;&gt;"" and [pc_kit_id_2]&lt;&gt;"" and [pc_kitidkit]&lt;[pc_kit_id_2]))</div>	The kit IDs should match; please check that they are the same.	descriptive

6399	<div>[pc_kit_id_1]</div> <div>Show the field ONLY if: [pc_fversion]="1"</div>	Kit ID	text, Required				
6400	<div>[pc_kitidkit]</div> <div>Show the field ONLY if: [pc_fversion]&gt;=2 and ([pc_kittypecalc]="newkit")</div>	Kit id (KIT-):	text (biospec_kitid), Required				
6401	<div>[pc_kitidtasso]</div> <div>Show the field ONLY if: [pc_fversion]&gt;=2 and ([pc_kittypecalc]="tasso")</div>	Kit id (tasso):	text (biospec_11d), Required				
6402	<div>[pc_kitidsaliva]</div> <div>Show the field ONLY if: [pc_fversion]&gt;=2 and ([pc_kittypecalc]="saliva")</div>	Kit id (saliva):	text (biospec_14d), Required				
6403	<div>[pc_kit_id_final]</div>	Final Kit ID	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_fversion]="1", [pc_kit_id_1],if([pc_fversion]>=2,if([pc_kittypecalc]="saliva", [pc_kitidsaliva],if([pc_kittypecalc]="tasso", [pc_kitidtasso],if([pc_kittypecalc]="newkit", [pc_kitidkit], ""))),""))				
6404	<div>[pc_kit_id_2]</div>	Please re-enter Kit ID	text, Required				
6405	<div>[pc_kit_annotation]</div>	Kit Annotation	notes Custom alignment: LV				
6406	<div>[pc_returnsampleaftertest]</div>	Should this sample be returned to the participant's site after any tests have been performed?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: @HIDDEN @HIDDEN-PDF	1	Yes	0	No
1	Yes						
0	No						
6407	<div>[pc_tracking_out]</div> <div>Show the field ONLY if: ([pc_fversion]="1" and ([pc_kittypecalc]="saliva" or [pc_kittypecalc]="tasso" or [pc_kittypecalc]="oldkit"]) or ([pc_fversion]="2" and ([pc_kittypecalc]="saliva" or [pc_kittypecalc]="tasso"))</div>	Outbound Tracking Number <i>not required</i>	text				
6408	<div>[pc_tracking_in]</div> <div>Show the field ONLY if: ([pc_fversion]="1" and ([pc_kittypecalc]="saliva" or [pc_kittypecalc]="tasso" or [pc_kittypecalc]="oldkit"]) or ([pc_fversion]="2" and ([pc_kittypecalc]="saliva" or [pc_kittypecalc]="tasso"))</div>	Inbound Tracking Number <i>not required</i>	text				
6409	<div>[pc_kit_date_time]</div>	Date and Time of Collection	text (datetime_mdy), Required Field Annotation: @HIDEBUTTON				
6410	<div>[pc_kit_date_time_norm]</div>	Date and Time of Collection Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
6411	<div>[pc_sstcoll]</div> <div>Show the field ONLY if: [pc_kittypecalc]="oldkit" or [pc_sample_kit_type]="21" or [pc_sample_kit_type]="22" or [pc_sample_kit_type]="23" or [pc_sample_kit_type]="26" or [pc_sample_kit_type]="27"</div>	Section Header: <i>Inventory of Samples Collected</i> Serum Separating Tubes (SST)	radio (Matrix) <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table>	1	Collected	0	Not collected
1	Collected						
0	Not collected						
6412	<div>[pc_arupcoll]</div> <div>Show the field ONLY if: [pc_fversion]&gt;=2 and ([pc_sample_kit_type]="24" or [pc_sample_kit_type]="25")</div>	Serum Separating Tubes (SST) - 6 month	radio (Matrix) <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table>	1	Collected	0	Not collected
1	Collected						
0	Not collected						
6413	<div>[pc_cptcoll]</div> <div>Show the field ONLY if: [pc_kittypecalc]="oldkit" or [pc_sample_kit_type]="22" or [pc_sample_kit_type]="23" or [pc_sample_kit_type]="26" or [pc_sample_kit_type]="27"</div>	Cell Preparation Tubes (CPT)	radio (Matrix) <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table>	1	Collected	0	Not collected
1	Collected						
0	Not collected						

		e_kit_type]="26" or [pc_sample_kit_type]="27"														
6414	[ <a href="#">pc_edtacoll</a> ]	Show the field ONLY if: [pc_sample_kit_type]="4" or [pc_sample_kit_type]="21" or [pc_sample_kit_type]="22" or [pc_sample_kit_type]="23" or [pc_sample_kit_type]="25" or [pc_sample_kit_type]="26" or [pc_sample_kit_type]="27"	EDTA	radio (Matrix) <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table>	1	Collected	0	Not collected								
1	Collected															
0	Not collected															
6415	[ <a href="#">pc_salivacoll</a> ]	Show the field ONLY if: [pc_kittypecalc]="oldkit" or [pc_sample_kit_type]="21" or [pc_sample_kit_type]="22"	Saliva	radio (Matrix) <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table>	1	Collected	0	Not collected								
1	Collected															
0	Not collected															
6416	[ <a href="#">pc_paxcoll</a> ]	Show the field ONLY if: ([pc_sample_kit_type] = '26' or [pc_sample_kit_type] = '27') and [pc_fversion] >= 3	PAX Gene	radio (Matrix) <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table>	1	Collected	0	Not collected								
1	Collected															
0	Not collected															
6417	[ <a href="#">pc_paxgeneconsentwarning</a> ]	Show the field ONLY if: [pc_paxcoll]="1"	Reminder: the participant must have signed the PAXGene and Wellbeing Addendum before collecting PaxGene specimens.	descriptive												
6418	[ <a href="#">pc_tasso_ship</a> ]	Show the field ONLY if: [pc_sample_kit_type]="1"	Section Header: <i>Inventory of Ordered Kits</i> Tasso	radio (Matrix) <table><tr><td>1</td><td>Ordered</td></tr><tr><td>0</td><td>Not Ordered</td></tr></table>	1	Ordered	0	Not Ordered								
1	Ordered															
0	Not Ordered															
6419	[ <a href="#">pc_saliva_ship</a> ]	Show the field ONLY if: [pc_sample_kit_type]="2"	Saliva	radio (Matrix) <table><tr><td>1</td><td>Ordered</td></tr><tr><td>0</td><td>Not Ordered</td></tr></table>	1	Ordered	0	Not Ordered								
1	Ordered															
0	Not Ordered															
6420	[ <a href="#">pc_tasso_ship_date</a> ]	Show the field ONLY if: [pc_tasso_ship]="1"	Order Date of Tasso Kit	text (date_mdy), Required Field Annotation: @HIDEBUTTON												
6421	[ <a href="#">pc_tasso_ship_date_norm</a> ]		Order Date of Tasso Kit Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF												
6422	[ <a href="#">pc_tassoreplacewhy</a> ]	Show the field ONLY if: [pc_tassoreplace]="1"	Why was the replacement kit sent?	radio, Required <table><tr><td>1</td><td>Sample was inadequate / underfilled</td></tr><tr><td>2</td><td>Sample was overfilled</td></tr><tr><td>3</td><td>Sample needed to be redrawn</td></tr><tr><td>4</td><td>First kit was not received</td></tr><tr><td>5</td><td>First kit malfunctioned</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDDEN @HIDDEN-PDF nb: this approach has been rethought, and these variables have been replaced	1	Sample was inadequate / underfilled	2	Sample was overfilled	3	Sample needed to be redrawn	4	First kit was not received	5	First kit malfunctioned	9	Other
1	Sample was inadequate / underfilled															
2	Sample was overfilled															
3	Sample needed to be redrawn															
4	First kit was not received															
5	First kit malfunctioned															
9	Other															
6423	[ <a href="#">pc_tassoreplacewhyspec</a> ]	Show the field ONLY if: [pc_tassoreplacewhy]="9"	Please specify reason:	text, Required Field Annotation: @HIDDEN @HIDDEN-PDF												
6424	[ <a href="#">pc_tassostatusyn</a> ]	Show the field ONLY if: [pc_kittypecalc]="tasso"	Check here if there is an issue with this Tasso kit:	checkbox <table><tr><td>1</td><td>pc_tassostatusyn__1</td><td>An issue with this Tasso kit was reported</td></tr></table> Custom alignment: LV	1	pc_tassostatusyn__1	An issue with this Tasso kit was reported									
1	pc_tassostatusyn__1	An issue with this Tasso kit was reported														
6425	[ <a href="#">pc_tassostatus</a> ]	Show the field ONLY if: [pc_tassostatusyn(1)]="1"	What was the status of the Tasso kit?	radio <table><tr><td>1</td><td>Sample was inadequate / underfilled</td></tr><tr><td>2</td><td>Sample was overfilled</td></tr><tr><td>6</td><td>Sample was modified or clotted (likely due to plastic film not being removed)</td></tr><tr><td>4</td><td>Sample not received at PBC</td></tr><tr><td>5</td><td>Kit malfunctioned</td></tr><tr><td>7</td><td>Sample not sufficient for processing by PBC (QNS)</td></tr></table>	1	Sample was inadequate / underfilled	2	Sample was overfilled	6	Sample was modified or clotted (likely due to plastic film not being removed)	4	Sample not received at PBC	5	Kit malfunctioned	7	Sample not sufficient for processing by PBC (QNS)
1	Sample was inadequate / underfilled															
2	Sample was overfilled															
6	Sample was modified or clotted (likely due to plastic film not being removed)															
4	Sample not received at PBC															
5	Kit malfunctioned															
7	Sample not sufficient for processing by PBC (QNS)															

				<table><tr><td>8</td><td>PBC data entry error</td></tr><tr><td>10</td><td>Missing</td></tr><tr><td>11</td><td>Sample failed at Rutgers</td></tr><tr><td>12</td><td>Modified sample results are inconclusive at Rutgers</td></tr><tr><td>9</td><td>Other</td></tr></table>	8	PBC data entry error	10	Missing	11	Sample failed at Rutgers	12	Modified sample results are inconclusive at Rutgers	9	Other
8	PBC data entry error													
10	Missing													
11	Sample failed at Rutgers													
12	Modified sample results are inconclusive at Rutgers													
9	Other													
				Custom alignment: LV										
	6426	[pc_tassostatusspec] Show the field ONLY if: [pc_tassostatus]="9"	Please specify reason:	text, Required										
	6427	[pc_saliva_ship_date] Show the field ONLY if: [pc_saliva_ship]="1"	Order Date of Saliva Kit	text (date_mdy), Required Field Annotation: @HIDEBUTTON										
	6428	[pc_saliva_ship_date_norm]	Order Date of Saliva Kit Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF										
	6429	[pc_stt_and_cpts] Show the field ONLY if: [pc_sstcoll]="1"	Section Header: SST Collection and Processing Please enter the sample id and centrifuge date time for each parent SST tube.Sample ID{pc_sst1_id:icons}Centrifuge Date/Time{pc_sst1_centrifuge:icons}	descriptive										
	6430	[pc_sst_local] Show the field ONLY if: [pc_fversion]="1" and [pc_sstcoll]="1" and [pc_kittypecalc]="oldkit"	Is the SST processing happening locally (at your study site) or centrally (at the PBC)?	radio <table><tr><td>1</td><td>Locally</td></tr><tr><td>2</td><td>Centrally</td></tr></table> Custom alignment: LV	1	Locally	2	Centrally						
1	Locally													
2	Centrally													
	6431	[pc_sstproc]	Hard coded "locally value"	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_fversion]>=2 and [pc_sstcoll]="1", "Locally", ""))										
	6432	[pc_sst_local_display] Show the field ONLY if: ([pc_fversion]="1" and [pc_sst_local]="1" and [pc_kittypecalc]="oldkit") or ([pc_fversion]>=2 and [pc_sstcoll]="1")	Please enter the volume (in microliter) and freeze date time associated with each aliquot processed from the parent tube.Aliquot 1 ID{pc_sst1aliquot1id:icons}Aliquot 1 Volume (µl) {pc_sst1aliquot1volume:icons}Aliquot 1 Freeze Date/Time{pc_sst1aliquot1freeze:icons}Aliquot 2 ID{pc_sst1aliquot2id:icons}Aliquot 2 Volume (µl) {pc_sst1aliquot2volume:icons}Aliquot 2 Freeze Date/Time{pc_sst1aliquot2freeze:icons}Aliquot 3 ID{pc_sst1aliquot3id:icons}Aliquot 3 Volume (µl) {pc_sst1aliquot3volume:icons}Aliquot 3 Freeze Date/Time{pc_sst1aliquot3freeze:icons}Aliquot 4 ID{pc_sst1aliquot4id:icons}Aliquot 4 Volume (µl) {pc_sst1aliquot4volume:icons}Aliquot 4 Freeze Date/Time{pc_sst1aliquot4freeze:icons}Aliquot 5 ID{pc_sst1aliquot5id:icons}Aliquot 5 Volume (µl) {pc_sst1aliquot5volume:icons}Aliquot 5 Freeze Date/Time{pc_sst1aliquot5freeze:icons}	descriptive										
	6433	[pc_sst_display_local2] Show the field ONLY if: ([pc_fversion]="1" and [pc_sst_local]="1" and [pc_kittypecalc]="oldkit")	Aliquot 6 ID{pc_sst1aliquot6id:icons}Aliquot 6 Volume (µl) {pc_sst1aliquot6volume:icons}Aliquot 6 Freeze Date/Time{pc_sst1aliquot6freeze:icons}Aliquot 7 ID{pc_sst1aliquot7id:icons}Aliquot 7 Volume (µl) {pc_sst1aliquot7volume:icons}Aliquot 7 Freeze Date/Time{pc_sst1aliquot7freeze:icons}Aliquot 8 ID{pc_sst1aliquot8id:icons}Aliquot 8 Volume (µl) {pc_sst1aliquot8volume:icons}Aliquot 8 Freeze Date/Time{pc_sst1aliquot8freeze:icons}	descriptive										
	6434	[pc_sst_local_displaynotes] Show the field ONLY if: ([pc_fversion]="1" and [pc_sst_local]="1" and [pc_kittypecalc]="oldkit") or ([pc_fversion]>=2 and [pc_sstcoll]="1")	1. Centrifuge Date/Time: Date/time stamp that biospecimen was placed in centrifuge.2. Freeze Date/Time: Date/time stamp that biospecimen was put in freezer.	descriptive										
	6435	[pc_sst1_id] SST 1 Sample ID	SST Sample ID	text (biospec_11d), Required										
	6436	[pc_sst1_centrifuge]	SST Centrifuge Time	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON										
	6437	[pc_sst1_centrifuge_norm]	SST Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF										
	6438	[pc_sst1aliquot1id]	SST Aliquot 1 ID	text (biospec_10d)										
	6439	[pc_sst1aliquot1volume] Aliquot Volume in µl	SST Aliquot 1 Volume	text (integer, Min: 1, Max: 1000)										

	6440	[pc_sst1aliquot1freeze]	SST Aliquot 1 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6441	[pc_sst1aliquot1freeze_norm]	SST Aliquot 1 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6442	[pc_sst1aliquot2id]	SST Aliquot 2 ID	text (biospec_10d)				
	6443	[pc_sst1aliquot2volume]	SST Aliquot 2 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6444	[pc_sst1aliquot2freeze]	SST 1 Aliquot 2 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6445	[pc_sst1aliquot2freeze_norm]	SST 1 Aliquot 2 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6446	[pc_sst1aliquot3id]	SST 1 Aliquot 3 ID	text (biospec_10d)				
	6447	[pc_sst1aliquot3volume]	SST 1 Aliquot 3 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6448	[pc_sst1aliquot3freeze]	SST 1 Aliquot 3 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6449	[pc_sst1aliquot3freeze_norm]	SST 1 Aliquot 3 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6450	[pc_sst1aliquot4id]	SST 1 Aliquot 4 ID	text (biospec_10d)				
	6451	[pc_sst1aliquot4volume]	SST 1 Aliquot 4 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6452	[pc_sst1aliquot4freeze]	SST 1 Aliquot 4 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6453	[pc_sst1aliquot4freeze_norm]	SST 1 Aliquot 4 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6454	[pc_sst1aliquot5id]	SST 1 Aliquot 5 ID	text (biospec_10d)				
	6455	[pc_sst1aliquot5volume]	SST 1 Aliquot 5 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6456	[pc_sst1aliquot5freeze]	SST 1 Aliquot 5 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6457	[pc_sst1aliquot5freeze_norm]	SST 1 Aliquot 5 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6458	[pc_sst1aliquot6id]	SST 1 Aliquot 6 ID	text (biospec_10d)				
	6459	[pc_sst1aliquot6volume]	SST 1 Aliquot 6 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6460	[pc_sst1aliquot6freeze]	SST 1 Aliquot 6 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6461	[pc_sst1aliquot6freeze_norm]	SST 1 Aliquot 6 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6462	[pc_sst1aliquot7id]	SST 1 Aliquot 7 ID	text (biospec_10d)				
	6463	[pc_sst1aliquot7volume]	SST 1 Aliquot 7 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6464	[pc_sst1aliquot7freeze]	SST 1 Aliquot 7 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6465	[pc_sst1aliquot7freeze_norm]	SST 1 Aliquot 7 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6466	[pc_sst1aliquot8id]	SST 1 Aliquot 8 ID	text (biospec_10d)				
	6467	[pc_sst1aliquot8volume]	SST 1 Aliquot 8 Volume <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
	6468	[pc_sst1aliquot8freeze]	SST 1 Aliquot 8 Freeze Time <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
	6469	[pc_sst1aliquot8freeze_norm]	SST 1 Aliquot 8 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6470	[pc_arupcentrifuge] Show the field ONLY if: [pc_arupcoll]="1"	Section Header: <i>SST (6 month) Collection and Processing</i> SST centrifuge date and time:	text (datetime_mdy, Min: [visit_dt], Max: today), Required				
	6471	[pc_arupcentrifuge_norm]	SST centrifuge date time normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
	6472	[pc_arup1000coll] Show the field ONLY if: [pc_arupcoll]="1"	1000µL ARUP aliquot (EBV Ab panel):	radio, Required <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table> Custom alignment: LV	1	Collected	0	Not collected
1	Collected							
0	Not collected							

6473	[ pc_arup1000proc ]	1000µL Hard coded "locally"	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup1000coll]="1", "Locally", ""))				
6474	[ pc_arup1000testcode ]	1000µL Hard coded ARUP test code for EBV	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup1000coll]="1", "0050600", ""))				
6475	[ pc_arup1000id ]  Show the field ONLY if: [pc_arup1000coll]="1"	1000µL aliquot ID:	text (biospec_11d), Required				
6476	[ pc_arup1000volume ]  Show the field ONLY if: [pc_arup1000coll]="1"	1000µL aliquot volume: <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 1000)				
6477	[ pc_arup1000freeze ]  Show the field ONLY if: [pc_arup1000coll]="1"	1000µL aliquot freeze time: <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
6478	[ pc_arup1000freeze_norm ]	1000µL aliquot freeze time normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
6479	[ pc_arup2000coll ]  Show the field ONLY if: [pc_arupcoll]="1"	2000µL ARUP aliquot (ANA, Anti-CCP, Anti-dsDNA, RF):	radio, Required <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table> Custom alignment: LV	1	Collected	0	Not collected
1	Collected						
0	Not collected						
6480	[ pc_arup2000proc ]	2000µL Hard coded "locally"	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup2000coll]="1", "Locally", ""))				
6481	[ pc_arup2000testcodeana ]	2000µL hard coded test code for ANA	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup2000coll]="1", "3000082", ""))				
6482	[ pc_arup2000testcodeccp ]	2000µL hard coded test code for Cyclic Citrullinated Peptide	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([pc_arup2000coll]="1", if(mid([pc_kit_date_time],3,1)="-", if(datediff([pc_kit_date_time], "08-21-2023 00:00", "d", true) <0, "3016632", "0055256"), if(mid([pc_kit_date_time],5,1)="-", if(datediff([pc_kit_date_time], "2023-08-21 00:00", "d", true) <0, "3016632", "0055256"), "")), ""))				
6483	[ pc_arup2000testcodedsdna ]	2000µL hard coded test code for dsDNA	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup2000coll]="1", "50215", ""))				
6484	[ pc_arup2000testcoderheum ]	2000µL hard coded test code for Rheumatoid Factor	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup2000coll]="1", "0050465", ""))				
6485	[ pc_arup2000id ]  Show the field ONLY if: [pc_arup2000coll]="1"	2000µL aliquot ID:	text (biospec_11d), Required				
6486	[ pc_arup2000volume ]  Show the field ONLY if: [pc_arup2000coll]="1"	2000µL aliquot volume: <i>Aliquot Volume in µl</i>	text (integer, Min: 1, Max: 2000)				
6487	[ pc_arup2000freeze ]  Show the field ONLY if: [pc_arup2000coll]="1"	2000µL aliquot freeze time: <i>Freeze Time in Hours</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON				
6488	[ pc_arup2000freeze_norm ]	2000µL aliquot freeze time normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF				
6489	[ pc_arup1500coll ]  Show the field ONLY if: [pc_arupcoll]="1"	~1500µL aliquot (SST intermediate container):	radio, Required <table><tr><td>1</td><td>Collected</td></tr><tr><td>0</td><td>Not collected</td></tr></table> Custom alignment: LV	1	Collected	0	Not collected
1	Collected						
0	Not collected						
6490	[ pc_arup1500proc ]	~1500µL Hard coded "locally"	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_arup1500coll]="1", "Locally", ""))				
6491	[ pc_1cpt_embedded ]  Show the field ONLY if: [pc_fversion]="1" and [pc_cptcoll] ="1" and [pc_kittyecalcl]="oldkit"	Section Header: <i>CPT Collection and Processing</i> CPT CollectionCPT Sample ID{pc_1cpt1_id:icons}CPT Centrifuge Date/Time{pc_1cpt1centrifuge:icons}1. Centrifuge Date/Time: Date/time stamp that biospecimen was placed in centrifuge.	descriptive				

6492	[ pc_2cpt_embedded ] Show the field ONLY if: [pc_fversion]>=2 and [pc_cptcoll]="1" and ([pc_sample_kit_type]="2" or [pc_sample_kit_type]="26" or [pc_sample_kit_type]="27")	CPT CollectionCPT 1 Sample ID{pc_4cpt1_id:icons}CPT 1 Centrifuge Date/Time{pc_4cpt1centrifuge:icons}CPT 2 Sample ID{pc_4cpt2_id:icons}CPT 2 Centrifuge Date/Time{pc_4cpt2centrifuge:icons}	descriptive
6493	[ pc_4cpt_embedded ] Show the field ONLY if: [pc_fversion]>=2 and [pc_cptcoll]="1" and ([pc_sample_kit_type]="2" or [pc_sample_kit_type]="27")	CPT 3 Sample ID{pc_4cpt3_id:icons}CPT 3 Centrifuge Date/Time{pc_4cpt3centrifuge:icons}CPT 4 Sample ID{pc_4cpt4_id:icons}CPT 4 Centrifuge Date/Time{pc_4cpt4centrifuge:icons}	descriptive
6494	[ pc_cptcentrifugenote ] Show the field ONLY if: [pc_fversion]>=2 and [pc_cptcoll]="1" and ([pc_sample_kit_type]="2" or [pc_sample_kit_type]="26" or [pc_sample_kit_type]="27")	1. Centrifuge Date/Time: Date/time stamp that biospecimen was placed in centrifuge.	descriptive
6495	[ pc_1cpt1_id ]	CPT Sample ID <i>Scan or enter CPT Sample ID</i>	text (biospec_11d)
6496	[ pc_1cpt1centrifuge ]	CPT Centrifuge Time <i>Please enter the centrifuge time in minutes</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON
6497	[ pc_1cpt1centrifuge_norm ]	CPT Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
6498	[ pc_cptproc ]	Hard coded "centrally"	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_fversion]>=2 and [pc_cptcoll]="1", "Centrally", ""))
6499	[ pc_4cpt1_id ]	CPT 1 Sample ID <i>Scan or enter CPT 1 Sample ID</i>	text (biospec_11d)
6500	[ pc_4cpt1centrifuge ]	CPT 1 Centrifuge Time <i>Please enter the centrifuge time in minutes</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON
6501	[ pc_4cpt1centrifuge_norm ]	CPT 1 Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
6502	[ pc_4cpt2_id ]	CPT 2 Sample ID <i>Scan or enter CPT 1 Sample ID</i>	text (biospec_11d)
6503	[ pc_4cpt2centrifuge ]	CPT 2 Centrifuge Time <i>Please enter the centrifuge time in minutes</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON
6504	[ pc_4cpt2centrifuge_norm ]	CPT 2 Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
6505	[ pc_4cpt3_id ]	CPT 3 Sample ID <i>Scan or enter CPT 1 Sample ID</i>	text (biospec_11d)
6506	[ pc_4cpt3centrifuge ]	CPT 3 Centrifuge Time <i>Please enter the centrifuge time in minutes</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON
6507	[ pc_4cpt3centrifuge_norm ]	CPT 3 Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
6508	[ pc_4cpt4_id ]	CPT 4 Sample ID <i>Scan or enter CPT 1 Sample ID</i>	text (biospec_11d)
6509	[ pc_4cpt4centrifuge ]	CPT 4 Centrifuge Time <i>Please enter the centrifuge time in minutes</i>	text (datetime_seconds_mdy) Field Annotation: @HIDEBUTTON
6510	[ pc_4cpt4centrifuge_norm ]	CPT 4 Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
6511	[ pc_tassotrackdisplay ] Show the field ONLY if: [pc_tasso_ship]="1"	Section Header: <i>Tasso Tracking</i> PBC Information:Receive date[pc_tsrbpcrecdt]Disposal status[pc_tsrdispstat]Aliquots remaining at PBC[pc_tsrbcaliquotnum]Child sponge information:Child sponge 1ID[pc_tsrcs1id]Status[pc_tsrcs1stat]Attribute[pc_tsrcs1attr]Sent to Rutgers[pc_tsrcs1rutgersyn]Antibody result[pc_tsrcs1res]Received at Rutgers[pc_tsrcs1rutgersrecdtm]Child sponge 2ID[pc_tsrcs2id]Status[pc_tsrcs2stat]Attribute[pc_tsrcs2attr]Sent to Rutgers[pc_tsrcs2rutgersyn]Antibody result[pc_tsrcs2res]Received at Rutgers[pc_tsrcs2rutgersrecdtm]Child sponge 3ID[pc_tsrcs3id]Status[pc_tsrcs3stat]Attribute[pc_tsrcs3attr]Sent to Rutgers[pc_tsrcs3rutgersyn]Antibody result[pc_tsrcs3res]Received at Rutgers[pc_tsrcs3rutgersrecdtm]Child sponge 4ID[pc_tsrcs4id]Status[pc_tsrcs4stat]Attribute[pc_tsrcs4attr]Sent to Rutgers[pc_tsrcs4rutgersyn]Antibody result[pc_tsrcs4res]Received at Rutgers[pc_tsrcs4rutgersrecdtm]	descriptive
6512	[ pc_tsrbpcrecdt ]	PBC Tasso Kit receive date	text (date_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF

6513	[pc_tsrdispstat]	Disposal status	text Field Annotation: @HIDDEN @HIDDEN-PDF										
6514	[pc_tsrpbcaliquotnum]	Aliquots remaining at PBC	text (integer, Min: 0, Max: 3) Field Annotation: @HIDDEN @HIDDEN-PDF										
6515	[pc_tsrcs1id]	Child sponge 1 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF										
6516	[pc_tsrcs1stat]	Child sponge 1 status	radio <table><tr><td>0</td><td>Not rejected</td></tr><tr><td>1</td><td>Failed at Mayo</td></tr><tr><td>2</td><td>Failed at Rutgers</td></tr><tr><td>3</td><td>Tested</td></tr><tr><td>4</td><td>Tested, results inconclusive</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Not rejected	1	Failed at Mayo	2	Failed at Rutgers	3	Tested	4	Tested, results inconclusive
0	Not rejected												
1	Failed at Mayo												
2	Failed at Rutgers												
3	Tested												
4	Tested, results inconclusive												
6517	[pc_tsrcs1attr]	Child sponge 1 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF										
6518	[pc_tsrcs1rutgersyn]	Child sponge 1 sent to Rutgers	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	1	Yes	0	No						
1	Yes												
0	No												
6519	[pc_tsrcs1rutgersrecdtm]	Child sponge 1 received at Rutgers date/time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF										
6520	[pc_tsrcs1res]	Child sponge 1 antibody result status	radio <table><tr><td>0</td><td>Fail</td></tr><tr><td>1</td><td>Pass</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Fail	1	Pass						
0	Fail												
1	Pass												
6521	[pc_tsrcs2id]	Child sponge 2 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF										
6522	[pc_tsrcs2stat]	Child sponge 2 status	radio <table><tr><td>0</td><td>Not rejected</td></tr><tr><td>1</td><td>Failed at Mayo</td></tr><tr><td>2</td><td>Failed at Rutgers</td></tr><tr><td>3</td><td>Tested</td></tr><tr><td>4</td><td>Tested, results inconclusive</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Not rejected	1	Failed at Mayo	2	Failed at Rutgers	3	Tested	4	Tested, results inconclusive
0	Not rejected												
1	Failed at Mayo												
2	Failed at Rutgers												
3	Tested												
4	Tested, results inconclusive												
6523	[pc_tsrcs2attr]	Child sponge 2 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF										
6524	[pc_tsrcs2rutgersyn]	Child sponge 2 sent to Rutgers	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	1	Yes	0	No						
1	Yes												
0	No												
6525	[pc_tsrcs2rutgersrecdtm]	Child sponge 2 received at Rutgers date/time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF										
6526	[pc_tsrcs2res]	Child sponge 2 antibody result status	radio <table><tr><td>0</td><td>Fail</td></tr><tr><td>1</td><td>Pass</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Fail	1	Pass						
0	Fail												
1	Pass												
6527	[pc_tsrcs3id]	Child sponge 3 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF										



6528	[pc_tsrcs3stat]	Child sponge 3 status	radio <table><tr><td>0</td><td>Not rejected</td></tr><tr><td>1</td><td>Failed at Mayo</td></tr><tr><td>2</td><td>Failed at Rutgers</td></tr><tr><td>3</td><td>Tested</td></tr><tr><td>4</td><td>Tested, results inconclusive</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Not rejected	1	Failed at Mayo	2	Failed at Rutgers	3	Tested	4	Tested, results inconclusive
0	Not rejected												
1	Failed at Mayo												
2	Failed at Rutgers												
3	Tested												
4	Tested, results inconclusive												
6529	[pc_tsrcs3attr]	Child sponge 3 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF										
6530	[pc_tsrcs3rutgersyn]	Child sponge 3 sent to Rutgers	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	1	Yes	0	No						
1	Yes												
0	No												
6531	[pc_tsrcs3rutgersrecdtm]	Child sponge 3 received at Rutgers date/time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF										
6532	[pc_tsrcs3res]	Child sponge 3 antibody result status	radio <table><tr><td>0</td><td>Fail</td></tr><tr><td>1</td><td>Pass</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Fail	1	Pass						
0	Fail												
1	Pass												
6533	[pc_tsrcs4id]	Child sponge 4 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF										
6534	[pc_tsrcs4stat]	Child sponge 4 status	radio <table><tr><td>0</td><td>Not rejected</td></tr><tr><td>1</td><td>Failed at Mayo</td></tr><tr><td>2</td><td>Failed at Rutgers</td></tr><tr><td>3</td><td>Tested</td></tr><tr><td>4</td><td>Tested, results inconclusive</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Not rejected	1	Failed at Mayo	2	Failed at Rutgers	3	Tested	4	Tested, results inconclusive
0	Not rejected												
1	Failed at Mayo												
2	Failed at Rutgers												
3	Tested												
4	Tested, results inconclusive												
6535	[pc_tsrcs4attr]	Child sponge 4 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF										
6536	[pc_tsrcs4rutgersyn]	Child sponge 4 sent to Rutgers	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	1	Yes	0	No						
1	Yes												
0	No												
6537	[pc_tsrcs4rutgersrecdtm]	Child sponge 4 received at Rutgers date/time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF										
6538	[pc_tsrcs4res]	Child sponge 4 antibody result status	radio <table><tr><td>0</td><td>Fail</td></tr><tr><td>1</td><td>Pass</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	0	Fail	1	Pass						
0	Fail												
1	Pass												
6539	[pc_tsrmaxyn]	Maximum number of redraws has been met:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	1	Yes	0	No						
1	Yes												
0	No												
6540	[pc_tstriggerdt]	Redraw Trigger Date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF										
6541	[pc_salivatrackdisplay]	Section Header: <i>Saliva Tracking</i>  PBC receive date[pc_salpbcrecdt]Saliva sample status[pc_salstatus]<>""	descriptive										
6542	[pc_salpbcrecdt]	Date PBC received saliva sample:	text (date_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF										
6543	[pc_salstatus]	Status of saliva sample:	radio <table><tr><td>0</td><td>Not received</td></tr><tr><td>1</td><td>Received</td></tr></table>	0	Not received	1	Received						
0	Not received												
1	Received												

				<table><tr><td>2</td><td>Received, failed QC</td></tr><tr><td>3</td><td>Lost in transit</td></tr></table> Field Annotation: @HIDDEN @HIDDEN-PDF	2	Received, failed QC	3	Lost in transit		
2	Received, failed QC									
3	Lost in transit									
	6544	[pc_paxproc]	Hard coded for processed paxgene "Centrally"	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_fversion]>=3 and [pc_paxcoll]="1", "Centrally", ""))						
	6545	[biospecimens_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Antibody Test Results</b> (antibody_test_results)										
Active languages: None										
	6546	[atr_kitid]	Kit ID:	text Field Annotation: @READONLY						
	6547	[atr_updatedt]	Date last updated:	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON						
	6548	[atr_sampleid]	Sample alias ID:	text Field Annotation: @HIDDEN						
	6549	[atr_spotsent]	Blood spots sent to Rutgers:	text (integer, Min: 1, Max: 4), Required Field Annotation: @HIDDEN						
	6550	[atr_colltdt]	Collection date:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON						
	6551	[atr_extractdt]	Extraction date:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON						
	6552	[atr_elizasdt]	ELIZA date start:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON						
	6553	[atr_elizaedt]	ELIZA date end:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON						
	6554	[atr_qcmetric]	QC metric:	radio, Required <table><tr><td>1</td><td>Pass</td></tr><tr><td>0</td><td>Fail</td></tr></table> Field Annotation: @HIDDEN	1	Pass	0	Fail		
1	Pass									
0	Fail									
	6555	[atr_rbdval]	Antigen test IgG RBD value: <i>absorbance at OD405</i>	text (number, Min: 0, Max: 4), Required Field Annotation: @HIDDEN						
	6556	[atr_rbdres]	Antigen test IgG RBD result ("S-type" antibody):	radio, Required <table><tr><td>1</td><td>Positive</td></tr><tr><td>0</td><td>Negative</td></tr></table> Field Annotation: @READONLY	1	Positive	0	Negative		
1	Positive									
0	Negative									
	6557	[atr_nval]	Antigen test IgG N p9655 value <i>absorbance at OD405</i>	text (number, Min: 0, Max: 4), Required Field Annotation: @HIDDEN						
	6558	[atr_nres]	Antigen test IgG N p9655 result ("N-type" antibody):	radio, Required <table><tr><td>1</td><td>Positive</td></tr><tr><td>0</td><td>Negative</td></tr></table> Field Annotation: @READONLY	1	Positive	0	Negative		
1	Positive									
0	Negative									
	6559	[atr_asympinf_warning]	Note: the participant has indicated that they were not infected with COVID, but their antibody test shows a positive result.  Show the field ONLY if: [visit_infected]="0" and [ps_infect ed]="0" and [atr_nres]="1"	descriptive						
	6560	[atr_rbdpos]	Antigen IgG RBD positive: <i>absorbance at OD405</i>	text (number), Required Field Annotation: @HIDDEN						
	6561	[atr_rbdneg]	Antigen IgG RBD negative: <i>absorbance at OD405</i>	text (number), Required Field Annotation: @HIDDEN						
	6562	[atr_npos]	Antigen IgG N p9655 positive: <i>absorbance at OD405</i>	text (number), Required Field Annotation: @HIDDEN						
	6563	[atr_nneg]	Antigen IgG N p9655 negative: <i>absorbance at OD405</i>	text (number), Required Field Annotation: @HIDDEN						
	6564	[atr_succeeded]	Sample run succeeded:	radio, Required <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes				
1	Yes									

				<div><div>0</div>No</div>
				Field Annotation: @READONLY
	6565	[ atr_src ]	Source - Blood spot is Tasso, others are non-Tasso	radio, Required <div><div>1</div>Serum</div> <div><div>2</div>Plasma</div> <div><div>3</div>Blood Spot</div>
				Field Annotation: @READONLY
	6566	[ antibody_test_results_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <div><div>0</div>Incomplete</div> <div><div>1</div>Unverified</div> <div><div>2</div>Complete</div>

Instrument: **Arup Test Results** (arup\_test\_results)

Active languages: None

	6567	[ arup_fversion ]	ARUP Test Results form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	6568	[ arup_noresults ]  Show the field ONLY if: [arup_anahep2r]="" and [arup_anahep2f]="" and [arup_anahep2dt]="" and [arup_anatiterr]="" and [arup_anatiterf]="" and [arup_anatiterdt]="" and [arup_anapattr]="" and [arup_anapattf]="" and [arup_anapattdt]="" and [arup_anaintcommtxt]="" and [arup_rheumr]="" and [arup_rheumf]="" and [arup_rheumdt]="" and [arup_ccpeptider]="" and [arup_ccpeptidef]="" and [arup_ccpeptidedt]="" and [arup_ebvyearlyr]="" and [arup_ebvyearlyf]="" and [arup_ebvyearlydt]="" and [arup_ebvcapsidiggr]="" and [arup_ebvcapsidiggrf]="" and [arup_ebvcapsidiggrdt]="" and [arup_ebv capsidigmr]="" and [arup_ebv capsidigmf]="" and [arup_ebv capsidigm dt]="" and [arup_ebv nuclearr]="" and [arup_ebv nuclearf]="" and [arup_ebv nucleardt]="" and [arup_dsdnar]="" and [arup_dsdnaf]="" and [arup_dsdnadt]=""	There haven't been any ARUP results reported back.	descriptive
	6569	[ arup_anahep2r ]	ANA HEp-2 IgG results	text Field Annotation: @HIDDEN @HIDDEN-PDF
	6570	[ arup_anahep2f ]	ANA HEp-2 IgG flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
	6571	[ arup_anahep2dt ]	ANA HEp-2 IgG date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
	6572	[ arup_anatiterr ]	ANA titer results	text Field Annotation: @HIDDEN @HIDDEN-PDF
	6573	[ arup_anatiterf ]	ANA titer flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
	6574	[ arup_anatiterdt ]	ANA titer date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
	6575	[ arup_anapattr ]	ANA pattern results	text Field Annotation: @HIDDEN @HIDDEN-PDF
	6576	[ arup_anapattf ]	ANA pattern flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
	6577	[ arup_anapattdt ]	ANA pattern date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
	6578	[ arup_anaintcommtxt ]	ANA panel interpretive comments	notes Field Annotation: @HIDDEN @HIDDEN-PDF
	6579	[ arup_anadis ]  Show the field ONLY if: [arup_anahep2r]<>"" or [arup_anahep2f]<>"" or [arup_anatiterr]<	Antinuclear Antibody (ANA) with HEp-2 substrate IgG by IFA resultsTestResultReference rangeFlagsDateANA HEp-2 IgG[arup_anahep2r]< 1:80[arup_anahep2f][arup_anahep2dt]ANA Titer[arup_anatiterr][arup_anatiterf][arup_anatiterdt]ANA	descriptive

		>"" or [arup_anatiterf]<>"" or [arup_anapattr]<>"" or [arup_anapattf]<>"" or [arup_anaintcommtxt]<>""	Pattern[arup_anapattr][arup_anapattf] [arup_anapattf]Interpretive comments: [arup_anaintcommtxt]**; Test performed on a sub-optimal sample per client request. Specimen is PAST STABILITY. The reference interval does not apply.	
6580	[arup_rheumr]		Rheumatoid factor results	text Field Annotation: @HIDDEN @HIDDEN-PDF
6581	[arup_rheumf]		Rheumatoid factor flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
6582	[arup_rheumdt]		Rheumatoid factor date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
6583	[arup_rheumcom]		Rheumatoid factor comment	notes Field Annotation: @HIDDEN @HIDDEN-PDF
6584	[arup_rheumdisp]	Show the field ONLY if: [arup_rheumr]<>"" or [arup_rheumf]<>""	Rheumatoid factor resultsResultReference rangeFlagsDate[arup_rheumr] IU/mL0-14 IU/mL[arup_rheumf] [arup_rheumdt]Special interpretive comments: [arup_rheumcom]	descriptive
6585	[arup_ccpeptider]		Cyclic citrullinated peptide Ab IgG results	text Field Annotation: @HIDDEN @HIDDEN-PDF
6586	[arup_ccpeptidef]		Cyclic citrullinated peptide Ab IgG flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
6587	[arup_ccpeptidedt]		Cyclic citrullinated peptide Ab IgG date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
6588	[arup_ccpeptidecom]		Cyclic citrullinated peptide Ab IgG comment	notes Field Annotation: @HIDDEN @HIDDEN-PDF
6589	[arup_ccpeptidedisp]	Show the field ONLY if: [arup_ccpeptider]<>"" or [arup_ccpeptidef]<>""	Cyclic citrullinated peptide Ab IgG resultsResultReference rangeFlagsDate[arup_ccpeptider] Units0-19 Units[arup_ccpeptidef] [arup_ccpeptidedt]Special interpretive comments: [arup_ccpeptidecom]Standard interpretive comments: Cyclic Citrullinated Peptide Antibody, IgG: 19 Units or less = Negative; 20- 39 Units = Weak Positive; 40-59 Units = Moderate Positive; 60 Units or greater = Strong Positive. Anti-cyclic citrullinated peptide (anti- CCP), IgG antibodies are present in about 69-83 percent of patients with rheumatoid arthritis (RA) and have specificities of 93-95 percent. These autoantibodies may be present in the preclinical phase of disease, are associated with future RA development, and may predict radiographic joint destruction. Patients with weak positive results should be monitored and testing repeated.**; Test performed on a sub-optimal sample per client request. Specimen is PAST STABILITY. The reference interval does not apply.	descriptive
6590	[arup_ebvyearlyr]		EBV Ab to Early(D) antigen IgG results	text Field Annotation: @HIDDEN @HIDDEN-PDF
6591	[arup_ebvyearlyf]		EBV Ab to Early(D) antigen IgG flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
6592	[arup_ebvyearlydt]		EBV Ab to Early(D) antigen IgG date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
6593	[arup_ebvyearlycom]		EBV Ab to Early(D) antigen IgG comment	notes Field Annotation: @HIDDEN @HIDDEN-PDF
6594	[arup_ebvcapsidiggr]		EBV Ab to viral capsid antigen IgG results	text Field Annotation: @HIDDEN @HIDDEN-PDF
6595	[arup_ebvcapsidiggf]		EBV Ab to viral capsid antigen IgG flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
6596	[arup_ebvcapsidiggdtdt]		EBV Ab to viral capsid antigen IgG date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
6597	[arup_ebvcapsidiggcom]		EBV Ab to viral capsid antigen IgG comment	notes Field Annotation: @HIDDEN @HIDDEN-PDF
6598	[arup_ebvcapsidigmr]		EBV Ab to viral capsid antigen IgM results	text Field Annotation: @HIDDEN @HIDDEN-PDF
6599	[arup_ebvcapsidigmf]		EBV Ab to viral capsid antigen IgM flags	text Field Annotation: @HIDDEN @HIDDEN-PDF
6600	[arup_ebvcapsidigmtdt]		EBV Ab to viral capsid antigen IgM date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
6601	[arup_ebvcapsidigmcom]		EBV Ab to viral capsid antigen IgM comment	notes Field Annotation: @HIDDEN @HIDDEN-PDF
6602	[arup_ebvvnuclearr]		EBV Ab to nuclear antigen IgG results	text Field Annotation: @HIDDEN @HIDDEN-PDF
6603	[arup_ebvvnuclearf]		EBV Ab to nuclear antigen IgG flags	text Field Annotation: @HIDDEN @HIDDEN-PDF

	6604	[arup_ebvvnucleardt]	EBV Ab to nuclear antigen IgG date	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
	6605	[arup_ebvvnuclearcom]	EBV Ab to nuclear antigen IgG comment	notes Field Annotation: @HIDDEN @HIDDEN-PDF
	6606	[arup_ebvdisp]  Show the field ONLY if: [arup_ebvyearlyr]<>"" or [arup_ebvyearlyf]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom]<>"" or [arup_ebvyearlydt]<>"" or [arup_ebvyearlycom		

6614	[ptf_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY
6615	[ptf_variabledisplay]	For testing purposes, the variables that feed into this form have the following values:DescriptionVariableValueRandom numberptf_rand[enrollment_arm_1][ptf_rand]Visit infection statusps_infected[ps_infected]Enrollment acute calculationenrl_acuteyn[enrollment_arm_1][enrl_acuteyn]Visit arm typevisit_armtype[visit_armtype]Related conditions form versionmiscpots_fversion[miscpots_fversion]Long COVIDmiscpots_pascyn / miscpots_pascynya[miscpots_pascyn] / [miscpots_pascynya]PROMIS 01/03/04 poor responsespromis_ptfpoor[promis_ptfpoor]PROMIS 01/03/04 fair responsespromis_ptffair[promis_ptffair]PROMIS 01/03/04 good responsespromis_ptfgood[promis_ptfgood]PROMIS 01/03/04 very good responsespromis_ptfverygood[promis_ptfverygood]Count of major symptomsps_sympmajor_pilt[ps_sympmajor_pilt]Count of minor symptomsps_sympminor_pilt[ps_sympminor_pilt]Enrollment PASC diagnosisenrl_pascdiag[enrollment_arm_1][enrl_pascdiag]Enrollment PASC evaluationenrl_pasceval[enrollment_arm_1][enrl_pasceval]Enrollment referral sourceenrl_reftype[enrollment_arm_1][enrl_reftype]MIS-Cmiscpots_miscyn / miscpots_miscynya[miscpots_miscyn] / [miscpots_miscynya]COVID Symptoms form completecovid_symptoms_complete[covid_symptoms_complete]Visit datevisit_dt[visit_dt]Visit agevisit_age[visit_age]	descriptive Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6616	[ptf_randcopy]	Random number from enrollment form	calc Calculation: [enrollment_arm_1][ptf_rand] Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6617	[ptf_norandwarning] Show the field ONLY if: [ptf_randcopy]=""	ERROR! There is no "random number" (ptf_rand) generated for this participant. The calculation of promotion status below may not be correct. To correct this, contact the DRC.	descriptive
6618	[ptf_acute]	Is participant acute?	calc Calculation: if([enrollment_arm_1][enrl_acuteyn]="1" or [visit_armtype]="acute", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6619	[ptf_tassoresult]	Result of Antigen test IgG N p9655 ("N-type" antibody)	calc Calculation: [event-name][atr_nres][last-instance] Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6620	[ptf_missingtassonote] Show the field ONLY if: [ptf_tassoresult]=""	There are no antibody test results for this participant.	descriptive
6621	[ptf_infected]	Is participant infected	calc Calculation: if([visit_infected]="1" or [ps_infected]="1" or [ptf_tassoresult]="1", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6622	[ptf_ninf]	If non-acute and non-infected, is rand number < 400. Note that for non-infected, we need confirmation from TASSO kits, and determination is in abeyance until that result is received.	calc Calculation: if([ptf_tassoresult]<>"", if([ptf_infected]="0" and [ptf_acute]="0" and [ptf_tassoresult]="0" and [ptf_randcopy] < 400, 1, 0), "") Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6623	[ptf_ninfv2]	If non-acute and non-infected, is rand number < 400. Note that for non-infected older than age 2, we need confirmation from TASSO kits, and determination is in abeyance until that result is received.	calc Calculation: if([visit_age]<2 and [covid_symptoms_complete]="2", if([ptf_infected]="0" and [ptf_acute]="0" and [ptf_randcopy]<400, 1, 0), if([ptf_tassoresult]<>"" and [visit_age]>=2 and [covid_symptoms_complete]="2", if([ptf_infected]="0" and [ptf_acute]="0" and [ptf_tassoresult]="0" and [ptf_randcopy]

				< 400, 1, 0), "")) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6624	[ptf_ninfv3]	If non-acute and non-infected and completed symptoms form. Note that for non-infected older than age 2, we need confirmation from TASSO kits, and determination is in abeyance until that result is received.	calc Calculation: if([visit_age]<2 and [covid_symptoms_complete]="2", if([ptf_infected]="0" and [ptf_acute]="0", 1, 0), if([ptf_tassoresult]<>"" and [visit_age]>=2 and [covid_symptoms_complete]="2", if([ptf_infected]="0" and [ptf_acute]="0" and [ptf_tassoresult]="0", 1, 0), "")) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6625	[ptf_100a]	Participant has been told they have Long COVID	calc Calculation: if([miscpots_fversion]>=2, if([miscpots_pascyn]="1" or [miscpots_pascynya]="1", 1, 0), "") Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6626	[ptf_100b]	100% promotion category b: PROMIS variables have fair or poor, and any symptom (major or minor)	calc Calculation: if([promis_ptfpoor]>=1 or [promis_ptffair]>=1) and ([ps_sympmajor_pilt]>=1 or [ps_sympminor_pilt]>=1), 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6627	[ptf_100c]	100% promotion category c: PROMIS variables have good and any major symptom	calc Calculation: if([promis_ptfgood]>=1 and [ps_sympmajor_pilt]>=1, 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6628	[ptf_100d]	100% promotion category d: PROMIS variables have good and two minor symptom	calc Calculation: if([promis_ptfgood]>=1 and [ps_sympminor_pilt]>=2, 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6629	[ptf_100v2_pascdiageval]	100% promotion: diagnosed on being evaluated for Long COVID at enrollment	calc Calculation: if([enrollment_arm_1][enrl_pascdiag]="1" or [enrollment_arm_1][enrl_pasceval]="1", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6630	[ptf_100v2_reftype]	100% promotion: referred from a long covid clinic	calc Calculation: if([enrollment_arm_1][enrl_reftype]="7", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6631	[ptf_100v2_misc]	100% promotion: MIS-C	calc Calculation: if([miscpots_miscyn]="1" or [miscpots_miscynya]="1", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	
6632	[ptf_100cat]	100% promotion any category true	calc Calculation: if([ptf_100a]="1" or [ptf_100b]="1" or [ptf_100c]="1" or [ptf_100d]="1" or [ptf_100v2_pascdiageval]="1" or [ptf_100v2_reftype]="1" or [ptf_100v2_misc]="1", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)	



6633	[ptf_50a]	50% promotion category a: PROMIS variables have good and one minor symptom	calc Calculation: if([promis_ptfgood]>=1 and [ps_sympminor_pilt]="1", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6634	[ptf_50b]	50% promotion category b: PROMIS variables have very good and one major symptom	calc Calculation: if([promis_ptfverygood]>=1 and [ps_sympmajor_pilt]>=1, 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6635	[ptf_50c]	50% promotion category c: PROMIS variables have very good and at least two minor symptom	calc Calculation: if([promis_ptfverygood]>=1 and [ps_sympminor_pilt]>=2, 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6636	[ptf_50cat]	50% promotion category: one of the earlier symptom categories is true and random number < 500	calc Calculation: if([ptf_50a]="1" or [ptf_50b]="1" or [ptf_50c]="1" and [ptf_randcopy]< 500, 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6637	[ptf_50catv2]	50% promotion category: one of the earlier symptom categories is true. Update for version 2 of the algorithm, this is a 100% pass rate.	calc Calculation: if([ptf_50a]="1" or [ptf_50b]="1" or [ptf_50c]="1", 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6638	[ptf_20a]	20% promotion category a: random number < 200	calc Calculation: if([covid_symptoms_complete]="2" and [ptf_randcopy]< 200, 1, 0) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6639	[ptf_infalgov1]	Does the algorithm v1 (2022-09-01) for infected participants say the participant should be promoted?	calc Calculation: if([ptf_100cat]="1" or [ptf_50cat]="1" or [ptf_20a]="1", 1, if([covid_symptoms_complete]="2", 0, "")) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6640	[ptf_infalgov2]	Does the algorithm v2 (2023-05-31) for infected participants say the participant should be promoted?	calc Calculation: if([ptf_100cat]="1" or [ptf_50catv2]="1" or [ptf_20a]="1", 1, if([covid_symptoms_complete]="2", 0, "")) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6641	[ptf_infalgov3]	Does the algorithm v3 (2024-01-23) for infected participants say the participant should be promoted? (this will be basically everyone)	calc Calculation: if([covid_symptoms_complete]="2", 1, "") Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6642	[ptf_algov2cutoff]	Cutoff date for the start of using algorithm v2. (Needs to be a separate field to make the automated calculations happy with the date format issues.)	text (date_mdyy) Field Annotation: @CALCDATE("2023-01-01", 0, "d") @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)
6643	[ptf_algov3cutoff]	Cutoff date for the start of using algorithm v2. (Needs to be a separate field to make the automated calculations happy with the date format issues.)	text (date_mdyy) Field Annotation: @CALCDATE("2023-05-01", 0, "d") @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)



6644	[ptf_algovnum]	Which version of the algorithm should be used?	calc Calculation: if([visit_dt]="", "", if(datediff([visit_dt], [ptf_algov2cutoff], "d", true)>0, 1, if(datediff([visit_dt], [ptf_algov2cutoff], "d", true)<=0 and datediff([visit_dt], [ptf_algov3cutoff], "d", true)>0, 2, if(datediff([visit_dt], [ptf_algov3cutoff], "d", true)<=3, 3, "")))) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)						
6645	[ptf_algo]	Do the calculations suggest the participant should get promoted? (if acute, promote, if infected, algorithm; if noninfected, rand< 400)	calc Calculation: if([covid_symptoms_complete]="", "", if([ptf_acute]="1", 1, if([ptf_infected]="1" and [ptf_algovnum]="1", [ptf_infgov1], if([ptf_infected]="1" and [ptf_algovnum]="2", [ptf_infgov2], if([ptf_infected]="1" and [ptf_algovnum]="3", [ptf_infgov3], if([ptf_infected]="0" and [ptf_algovnum]="1", [ptf_ninf], if([ptf_infected]="0" and [ptf_algovnum]="2", [ptf_ninfv2], if([ptf_infected]="0" and [ptf_algovnum]="3", [ptf_ninfv3], "")))))) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF) Note that there may be participants no longer eligible due to adding a requirement that the covid symptoms form be complete who had already agreed to be promoted						
6646	[ptf_manoverride]	Manual override: Promote this participant to tier 2 followup (leave blank or select "use the algorithm decision" to use the algorithm's decision)?	radio <table><tr><td>1</td><td>Promote to tier 2 followup</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Use the algorithm decision</td></tr></table> Custom alignment: LV Field Annotation: @IF([user-role-label]="Admin", "", @IF([user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF))	1	Promote to tier 2 followup	0	No	-1	Use the algorithm decision
1	Promote to tier 2 followup								
0	No								
-1	Use the algorithm decision								
6647	[ptf_promote]	Should the participant be promoted	calc Calculation: if([ptf_randcopy]="", "", if([ptf_manoverride]="1", 1, if([ptf_manoverride]="0", 0, if([ptf_algo]="1", 1, if([ptf_algo]="0", 0, "")))) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)						
6648	[ptf_yesnote] Show the field ONLY if: [ptf_promote]="1"	Promote to Tier 2 followup: this participant has been selected to continue on to Tier 2 follow-up.	descriptive						
6649	[ptf_unknote] Show the field ONLY if: [ptf_promote]=""	Unknown: it is not possible to say whether the participant is eligible for promotion to Tier 2 follow-up. The two major reasons for this are that the COVID Symptoms form has not been completed, or because they are a non-infected post-acute participant and no antibody test result data has been received.	descriptive						
6650	[ptf_nonote] Show the field ONLY if: [ptf_promote]="0"	Not promoted: the participant has not been selected for Tier 2 follow-up	descriptive						
6651	[ptf_agreed] Show the field ONLY if: [ptf_promote]="1" or [ptf_agreed] <>""	Did the participant agree to be a part of Tier 2 follow-up?This field will be locked once the form is complete. To make a change, submit a help ticket to the DRC in Ivanti.	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: @IF([promote_to_followup_complete]="2" and ([user-role-label] <> "Admin" and [user-role-label] <> "DRC - CRC"), @READONLY, "")	1	Yes	0	No		
1	Yes								
0	No								
6652	[ptf_calcarms]	Calculated arms:	text Field Annotation: @CALCTEXT(if([ptf_agreed]="1", "5", "")) @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF)						
6653	[ptf_promotedynote] Show the field ONLY if:	The participant has been promoted to Tier 2 Follow-up. You should now have access to the follow-up forms in arm 5.	descriptive						

		[ptf_calcarms]="5"								
	6654	[promote_to_followup_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Select For Tier 3</b> (select_for_tier_3) Active languages: None										
	6655	[st3_fversion]	Form version for select for tier 3 form	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
	6656	[st3_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
	6657	[st3_select]	Has the participant been selected by the DRC for Tier 3 testing?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: RH Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager" or [user-role-label]="Testing", @READONLY, @HIDDEN @HIDDEN-PDF)	1	Yes	0	No		
1	Yes									
0	No									
	6658	[st3_manoverride]	Manual override: select this participant for Tier 3 testing (leave blank or select "use the uploaded value" to use the DRC's decision)?	radio <table><tr><td>1</td><td>Select for Tier 3 testing</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Use the uploaded value</td></tr></table> Custom alignment: LV Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Testing", "", @IF([user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager", @READONLY, @HIDDEN @HIDDEN-PDF))	1	Select for Tier 3 testing	0	No	-1	Use the uploaded value
1	Select for Tier 3 testing									
0	No									
-1	Use the uploaded value									
	6659	[st3_promote]	Has the participant been selected	calc Calculation: if([st3_manoverride]="1", 1, if([st3_manoverride]="0", 0, if([st3_select]="1", 1, if([st3_select]="0", 0, "")))) Field Annotation: @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager" or [user-role-label]="Testing", @READONLY, @HIDDEN @HIDDEN-PDF)						
	6660	[st3_yesnote] Show the field ONLY if: [st3_promote]="1"	Selected for Tier 3 testing: this participant has been selected for Tier 3 testing.	descriptive						
	6661	[st3_unknote] Show the field ONLY if: [st3_promote]=""	Unknown: it is not yet determined if this participant is selected for Tier 3 testing.	descriptive						
	6662	[st3_nonote] Show the field ONLY if: [st3_promote]="0"	Not selected: the participant has not been selected for Tier 3 testing.	descriptive						
	6663	[st3_agreed] Show the field ONLY if: [st3_promote]="1" or [st3_agreed]<>""	Did the participant agree to be a part of Tier 3 testing?This field will be locked once the form is marked complete. To make a change, submit a help ticket to the DRC in Ivanti.	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV Field Annotation: @IF([select_for_tier_3_complete]="2" and ([user-role-label]<>"Admin" and [user-role-label]<>"DRC - CRC"), @READONLY, "")	1	Yes	0	No		
1	Yes									
0	No									
	6664	[st3_agreeddt] Show the field ONLY if: [st3_agreed]="1"	Date participant agreed to participate in Tier 3 testing (and signed the necessary consent):	text (date_mdy) Field Annotation: @HIDDEN						
	6665	[st3_consdtd]	Date participant signed Tier 3 consent form (determined from Tier 3 Consent Tracking form):	text (date_mdy) Field Annotation: @HIDDEN @CALCDATE([enrollment_arm_1][cons3_dt][first-instance],0,'d')						

	6666	[ st3_consodate ]  Show the field ONLY if: [st3_consdtd]=""	Not consented: there is no Consent Tracking Tier 3 form for this participant. Please make sure the participant has signed their consent and you have entered this information into REDCap.	descriptive																								
	6667	[ st3_calcarms ]	Calculated arms:	text Field Annotation: @CALCTEXT(if([st3_agreed]="1" and [st3_consdtd]<>"", "6", "")) @IF([user-role-label]="Admin" or [user-role-label]="Dev" or [user-role-label]="DRC - CRC" or [user-role-label]="CSC" or [user-role-label]="DRC - Data Manager" or [user-role-label]="Testing", @READONLY, @HIDDEN @HIDDEN-PDF)																								
	6668	[ st3_promotedynote ]  Show the field ONLY if: [st3_calcarms]="6"	The participant has been selected for Tier 3 testing. You should now have access to the Tier 3 visits in arm 6.	descriptive																								
	6669	[ st3_agecategory ]	Age category <i>Data to be uploaded via API</i>	text Field Annotation: @HIDDEN @HIDDEN-PDF																								
	6670	[ st3_rural ]	Rural status <i>Data to be uploaded via API</i>	text Field Annotation: @HIDDEN @HIDDEN-PDF																								
	6671	[ st3_racemin ]	Racial minority status <i>Data to be uploaded via API</i>	text Field Annotation: @HIDDEN @HIDDEN-PDF																								
	6672	[ st3_pascstat ]	PASC status <i>Data to be uploaded via API</i>	text Field Annotation: @HIDDEN @HIDDEN-PDF																								
	6673	[ st3_pascscore ]	PASC score as per JAMA paper definition <i>Data to be uploaded via API</i>	text Field Annotation: @HIDDEN @HIDDEN-PDF																								
	6674	[ select_for_tier_3_complete ]	Section Header: <i>Form Status</i>  Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																											
1	Unverified																											
2	Complete																											
Instrument: <b>Echocardiogram</b> (echocardiogram)																												
Active languages: None																												
	6675	[ echo_fversion ]	Echocardiogram with strain imaging form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2 Change BSA calc from Haycock to Dubois																								
	6676	[ echo_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
	6677	[ echo_agemwarning ]	Reminder: this test is for all participants 6 and older.	descriptive																								
	6678	[ echo_yn ]	Was the Echocardiogram imaging performed?	radio, Required <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																											
0	No																											
	6679	[ echo_nreas ]  Show the field ONLY if: [echo_yn]="0"	Why was the Echocardiogram imaging not performed?	radio, Required <table border="1"><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																											
2	Staff Not Available																											
3	Resources Not Available																											
5	SOP Not Yet Created																											
6	Site Can Never Perform This Test																											
7	DRC Removed																											
8	Participant Could Not Be Reached/Did Not Show																											
10	Clinical Contraindication																											
13	Infected Within the Last 30 Days																											
14	Participant Uncooperative																											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																											
9	Other																											
	6680	[ echo_nreasspec ]  Show the field ONLY if: [echo_nreas]="9"	Please specify:	text, Required																								
	6681	[ echo_dt ]	Date Echocardiogram imaging performed:	text (date_mdy), Required																								

		Show the field ONLY if: [echo_yn]="1"								
	6682	[ echo_dtagewarning ]  Show the field ONLY if: rounddown(datediff([enrollment_arm_1][enrl_dob], [echo_dt], "y"))<6	Warning! This test should only have been performed on participants 6 and older. Please submit a protocol deviation.	descriptive						
	6683	[ echo_dicom ]  Show the field ONLY if: [echo_yn]="1"	DICOM Study UID	text, Required, Identifier						
	6684	[ echo_cr ]  Show the field ONLY if: [echo_yn]="1"	Was the Echocardiogram imaging performed for clinical purposes or at the request of the RECOVER study?	radio, Required <table border="1"><tr><td>1</td><td>Clinical order</td></tr><tr><td>2</td><td>RECOVER research order</td></tr><tr><td>3</td><td>MUSIC research order</td></tr></table> Custom alignment: LV	1	Clinical order	2	RECOVER research order	3	MUSIC research order
1	Clinical order									
2	RECOVER research order									
3	MUSIC research order									
	6685	[ echo_protocol ]  Show the field ONLY if: [echo_cr]="2"	Was this test performed per protocol?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No, and I am filing a PD report to explain</td></tr></table> Custom alignment: LV	1	Yes	0	No, and I am filing a PD report to explain		
1	Yes									
0	No, and I am filing a PD report to explain									
	6686	[ echo_age ]  Show the field ONLY if: [echo_yn]="1"	Section Header: <i>Patient Details</i>  Age <i>years old</i>	calc, Required Calculation: if([echo_yn]<>"0" and [echo_dt]<>"", rounddown(datediff([enrollment_arm_1][enrl_dob], [echo_dt], 'y')), "")						
	6687	[ echo_bpsys ]  Show the field ONLY if: [echo_yn]="1"	Blood Pressure - Systolic: <i>mmHg</i>	text, Required						
	6688	[ echo_bpdia ]  Show the field ONLY if: [echo_yn]="1"	Blood Pressure - Diastolic: <i>mmHg</i>	text, Required						
	6689	[ echo_httext ]  Show the field ONLY if: [echo_yn]="1"	Height <i>cm</i>	text (number), Required						
	6690	[ echo_wttext ]  Show the field ONLY if: [echo_yn]="1"	Weight <i>kg</i>	text (number), Required						
	6691	[ echo_bsadubois ]  Show the field ONLY if: [echo_yn]="1"	BSA <i>m2, Dubois</i>	calc Calculation: if([echo_httext]<>"" and [echo_wttext]<>"", (0.007184 * (([echo_httext]) ^ (0.725)) * ((([echo_wttext]) ^ (0.425) )), "")) Field Annotation: @READONLY						
	6692	[ echo_crit ]  Show the field ONLY if: [echo_yn]="1"	Section Header: <i>Critical result</i>  Has a critical result been reported to the site provider/patient:	radio, Required <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>2</td><td>Unsure</td></tr></table> Custom alignment: LV	1	Yes	0	No	2	Unsure
1	Yes									
0	No									
2	Unsure									
	6693	[ echo_critspec ]  Show the field ONLY if: [echo_yn]="1" and [echo_crit] = "1"	Please describe what was reported:	notes, Required Custom alignment: LV						
	6694	[ echo_report ]  Show the field ONLY if: [echo_yn]="1"	Section Header: <i>De-identified result report</i>  Please copy and paste de-identified result report here.Please ensure that you have removed any identifiers (participant name, date of birth, etc.)	notes, Required Custom alignment: LV						
	6695	[ echo_caspec ]  Show the field ONLY if: [echorc_ca]= '2'	Section Header: <i>Feedback from Reading Center</i>  Unreported clinically actionable findings: [echorc_caspec]	descriptive						
	6696	[ echo_qaqcspec ]  Show the field ONLY if: [echorc_qaqc]= '1'	QA/QC issues: [echorc_qaqcspec]	descriptive						

	6697	[echocardiogram_complete]	Section Header: Form Status Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: Echocardiogram Reading Center (echocardiogram_reading_center) Active languages: None										
	6698	[echorc_fversion]	Echocardiogram with strain imaging form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2 Swapped to DuBois method for BSA						
	6699	[echorc_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
	6700	[echorc_dt]	Date Echocardiogram imaging performed: [echo_dt]	descriptive						
	6701	[echorc_dicom]	DICOM Study UID: [echo_dicom]	descriptive, Identifier						
	6702	[echorc_cr]	Was the Echocardiogram imaging performed for clinical purposes or at the request of the RECOVER study? [echo_cr]	descriptive						
	6703	[echorc_protocol]	Was this test performed per protocol? [echo_protocol]	descriptive						
	6704	[echorc_age]	Section Header: Patient Details Age: [echo_age] years	descriptive						
	6705	[echorc_ht]	Height: [echo_ht] cm	descriptive						
	6706	[echorc_wt]	Weight: [echo_wt] kg	descriptive						
	6707	[echorc_bpsys]	Blood Pressure - Systolic: [echo_bpsys] mmHg	descriptive						
	6708	[echorc_bpdia]	Blood Pressure - Diastolic: [echo_bpdia] mmHg	descriptive						
	6709	[echorc_bsa] Show the field ONLY if: [echorc_fversion] = "1"	BSA: [echo_bsa] m2, Haycock	descriptive						
	6710	[echorc_bsadubois] Show the field ONLY if: [echorc_fversion] >= 2	BSA: [echo_bsadubois] m2, Haycock	descriptive						
	6711	[echorc_crit]	Section Header: Critical result Has a critical result been reported to the site provider/patient: [echo_crit]	descriptive						
	6712	[echorc_critspec]	Description of what was reported: [echo_critspec]	descriptive						
	6713	[echorc_ca]	Section Header: Critical Result Any clinically actionable findings?	radio <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes, concordant with site review</td></tr><tr><td>2</td><td>Yes, finding present but not reported by site review</td></tr></table> Custom alignment: LV	0	No	1	Yes, concordant with site review	2	Yes, finding present but not reported by site review
0	No									
1	Yes, concordant with site review									
2	Yes, finding present but not reported by site review									
	6714	[echorc_caspec] Show the field ONLY if: [echorc_ca] = '2'	Please describe unreported clinically actionable findings:	notes Custom alignment: LV						
	6715	[echorc_qaqc]	Section Header: QA/QC Any QA/QC issues that need to be discussed with the site?	radio <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table> Custom alignment: LV	0	No	1	Yes		
0	No									
1	Yes									
	6716	[echorc_qaqcspec] Show the field ONLY if: [echorc_qaqc] = '1'	Please describe QA/QC issues:	notes Custom alignment: LV						
	6717	[echocardiogram_reading_center_complete]	Section Header: Form Status Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: Cardiac Mri (cardiac_mri) Active languages: None										

6718	[cmri_fversion]	Cardiac MRI site form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)																								
6719	[cmri_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
6720	[cmri_agewarning]	Reminder: this test is only for participants 12 and older.	descriptive																								
6721	[cmri_yn]	Was the Cardiac MRI performed?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
6722	[cmri_nreas]  Show the field ONLY if: [cmri_yn]="0"	Why was the Cardiac MRI not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																										
2	Staff Not Available																										
3	Resources Not Available																										
5	SOP Not Yet Created																										
6	Site Can Never Perform This Test																										
7	DRC Removed																										
8	Participant Could Not Be Reached/Did Not Show																										
10	Clinical Contraindication																										
13	Infected Within the Last 30 Days																										
14	Participant Uncooperative																										
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																										
9	Other																										
6723	[cmri_nreasspec]  Show the field ONLY if: [cmri_nreas]="9"	Please specify:	text, Required																								
6724	[cmri_dt]  Show the field ONLY if: [cmri_yn]="1"	Date cardiac MRI performed:	text (date_mdy), Required																								
6725	[cmri_dtagewarning]  Show the field ONLY if: rounddown(datediff([enrollment_arm_1][enrl_dob], [cmri_dt], "y"))< 12	Warning! This test should only have been performed on participants 12 and older. Please submit a protocol deviation.	descriptive																								
6726	[cmri_dicom]  Show the field ONLY if: [cmri_yn]="1"	DICOM Study ID	text, Required, Identifier																								
6727	[cmri_cr]  Show the field ONLY if: [cmri_yn]="1"	Was the cardiac MRI performed for clinical purposes or at the request of the RECOVER study?	radio, Required <table><tr><td>1</td><td>Clinical order</td></tr><tr><td>2</td><td>RECOVER research order</td></tr><tr><td>3</td><td>MUSIC research order</td></tr></table> Custom alignment: LV	1	Clinical order	2	RECOVER research order	3	MUSIC research order																		
1	Clinical order																										
2	RECOVER research order																										
3	MUSIC research order																										
6728	[cmri_protocol]  Show the field ONLY if: [cmri_cr]="2"	Was this test performed per protocol?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No, and I am filing a PD report to explain</td></tr></table> Custom alignment: LV	1	Yes	0	No, and I am filing a PD report to explain																				
1	Yes																										
0	No, and I am filing a PD report to explain																										
6729	[cmri_manufacturer]  Show the field ONLY if: [cmri_yn]="1"	Section Header: <i>MRI results</i>  MRI manufacturer:	radio, Required <table><tr><td>1</td><td>GE</td></tr><tr><td>2</td><td>Phillips</td></tr><tr><td>3</td><td>Siemens</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	GE	2	Phillips	3	Siemens	9	Other																
1	GE																										
2	Phillips																										
3	Siemens																										
9	Other																										
6730	[cmri_manufacturerspec]	Please specify:	text, Required																								

		Show the field ONLY if: [cmri_manufacturer]="9"								
6731	[ cmri_fstr ]	Show the field ONLY if: [cmri_yn]="1"	Field strength of MRI machine:	radio, Required <table><tr><td>1.5</td><td>1.5T</td></tr><tr><td>3.0</td><td>3.0T</td></tr></table> Custom alignment: LV	1.5	1.5T	3.0	3.0T		
1.5	1.5T									
3.0	3.0T									
6732	[ cmri_mriwt ]	Show the field ONLY if: [cmri_yn]="1"	Weight reported at time of MRI (kg): <i>kg</i>	text (number), Required						
6733	[ cmri_mriht ]	Show the field ONLY if: [cmri_yn]="1"	Height reported at time of MRI (cm): <i>cm</i>	text (number), Required						
6734	[ cmri_repin ]	Show the field ONLY if: [cmri_yn]="1"	Has a critical result been reported to the site provider/patient?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unsure</td></tr></table> Custom alignment: LV	1	Yes	0	No	-1	Unsure
1	Yes									
0	No									
-1	Unsure									
6735	[ cmri_repspec ]	Show the field ONLY if: [cmri_repin]="1"	What was reported (please de-identify)? <i>Do not include any identifying information</i>	notes, Required Custom alignment: LV						
6736	[ cmri_report ]	Show the field ONLY if: [cmri_yn]="1"	De-identified MRI result report:Copy and paste de-identified MRI result report here. <i>Ensure you have removed any identifiers (e.g. participant name, date of birth, etc.)</i>	notes Custom alignment: LV						
6737	[ cardiac_mri_complete ]		Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Cardiac Mri Reading Center</b> (cardiac_mri_reading_center)										
Active languages: None										
6738	[ cmrirc_fversion ]		Cardiac MRI form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
6739	[ cmrirc_fqueries ]		Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
6740	[ cmrirc_dttim ]		Date and time of Cardiac MRI review:	text (datetime_mdy), Required						
6741	[ cmrirc_wallmotion ]		Section Header: <i>Research read</i> Regional wall motion abnormality score:	text (number), Required						
6742	[ cmrirc_pericardeffusion ]		Pericardial effusion:	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
6743	[ cmrirc_effusionsize ]	Show the field ONLY if: [cmrirc_pericardeffusion] = "1"	Pericardial effusion maximum size: <i>mm</i>	text (number), Required						
6744	[ cmrirc_ca ]		Any clinically actionable findings?	radio, Required <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes, concordant with site review</td></tr><tr><td>2</td><td>Yes, finding present but not reported by site review</td></tr></table> Custom alignment: LV	0	No	1	Yes, concordant with site review	2	Yes, finding present but not reported by site review
0	No									
1	Yes, concordant with site review									
2	Yes, finding present but not reported by site review									
6745	[ cmrirc_caspec ]	Show the field ONLY if: [cmrirc_ca] = "2"	Please describe unreported clinically actionable findings:	notes, Required Custom alignment: LV						

	6746	[ cmrirc_qaqc ]	Any QA/QC issues that need to be discussed with the site?	radio, Required <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table> Custom alignment: LV	0	No	1	Yes						
0	No													
1	Yes													
	6747	[ cmrirc_qaqcspec ]  Show the field ONLY if: [cmrirc_qaqc] = "1"	Please describe QA/QC issues:	notes, Required Custom alignment: LV										
	6748	[ cardiac_mri_reading_center_complete ]	Section Header: <i>Form Status</i>  Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete				
0	Incomplete													
1	Unverified													
2	Complete													
Instrument: <b>Cpet Screening</b> (cpet_screening) Active languages: None														
	6749	[ cpetscr_fversion ]	CPET Screening form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)										
	6750	[ cpetscr_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY										
	6751	[ cpetscr_dt ]  Show the field ONLY if: [cpet_yn]="1"	Date CPET screening performed:	text (date_mdy), Required										
	6752	[ cpetscr_depaul1freq ]	Throughout the past 6 months, how often have you had a dead, heavy feeling after starting to exercise?	radio <table><tr><td>0</td><td>None of the time</td></tr><tr><td>1</td><td>A little of the time</td></tr><tr><td>2</td><td>About half the time</td></tr><tr><td>3</td><td>Most of the time</td></tr><tr><td>4</td><td>All the time</td></tr></table> Custom alignment: LV	0	None of the time	1	A little of the time	2	About half the time	3	Most of the time	4	All the time
0	None of the time													
1	A little of the time													
2	About half the time													
3	Most of the time													
4	All the time													
	6753	[ cpetscr_depaul1sev ]  Show the field ONLY if: [cpetscr_depaul1freq]<>"" and [cpetscr_depaul1freq]>0	Throughout the past 6 months, how much has this dead, heavy feeling bothered you?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr><tr><td>4</td><td>Very severe</td></tr></table> Custom alignment: LV	1	Mild	2	Moderate	3	Severe	4	Very severe		
1	Mild													
2	Moderate													
3	Severe													
4	Very severe													
	6754	[ cpetscr_depaul2freq ]	Throughout the past 6 months, how often have you had next-day soreness or fatigue after non-strenuous, everyday activities?	radio <table><tr><td>0</td><td>None of the time</td></tr><tr><td>1</td><td>A little of the time</td></tr><tr><td>2</td><td>About half the time</td></tr><tr><td>3</td><td>Most of the time</td></tr><tr><td>4</td><td>All the time</td></tr></table> Custom alignment: LV	0	None of the time	1	A little of the time	2	About half the time	3	Most of the time	4	All the time
0	None of the time													
1	A little of the time													
2	About half the time													
3	Most of the time													
4	All the time													
	6755	[ cpetscr_depaul2sev ]  Show the field ONLY if: [cpetscr_depaul2freq]<>"" and [cpetscr_depaul2freq]>0	Throughout the past 6 months, how much has this next-day soreness or fatigue bothered you?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr><tr><td>4</td><td>Very severe</td></tr></table> Custom alignment: LV	1	Mild	2	Moderate	3	Severe	4	Very severe		
1	Mild													
2	Moderate													
3	Severe													
4	Very severe													
	6756	[ cpetscr_depaul3freq ]	Throughout the past 6 months, how often have you have been mentally tired after the slightest effort?	radio <table><tr><td>0</td><td>None of the time</td></tr><tr><td>1</td><td>A little of the time</td></tr><tr><td>2</td><td>About half the time</td></tr><tr><td>3</td><td>Most of the time</td></tr><tr><td>4</td><td>All the time</td></tr></table>	0	None of the time	1	A little of the time	2	About half the time	3	Most of the time	4	All the time
0	None of the time													
1	A little of the time													
2	About half the time													
3	Most of the time													
4	All the time													



				Custom alignment: LV										
6757	[cpetscr_depaul3sev]  Show the field ONLY if: [cpetscr_depaul3freq]<>"" and [cpetscr_depaul3freq]>0	Throughout the past 6 months, how much has this mental tiredness bothered you?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr><tr><td>4</td><td>Very severe</td></tr></table>	1	Mild	2	Moderate	3	Severe	4	Very severe	Custom alignment: LV		
1	Mild													
2	Moderate													
3	Severe													
4	Very severe													
6758	[cpetscr_depaul4freq]	Throughout the past 6 months, how often has minimum exercise made you physically tired?	radio <table><tr><td>0</td><td>None of the time</td></tr><tr><td>1</td><td>A little of the time</td></tr><tr><td>2</td><td>About half the time</td></tr><tr><td>3</td><td>Most of the time</td></tr><tr><td>4</td><td>All the time</td></tr></table>	0	None of the time	1	A little of the time	2	About half the time	3	Most of the time	4	All the time	Custom alignment: LV
0	None of the time													
1	A little of the time													
2	About half the time													
3	Most of the time													
4	All the time													
6759	[cpetscr_depaul4sev]  Show the field ONLY if: [cpetscr_depaul4freq]<>"" and [cpetscr_depaul4freq]>0	Throughout the past 6 months, how much has this physical tiredness bothered you?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr><tr><td>4</td><td>Very severe</td></tr></table>	1	Mild	2	Moderate	3	Severe	4	Very severe	Custom alignment: LV		
1	Mild													
2	Moderate													
3	Severe													
4	Very severe													
6760	[cpetscr_depaul5freq]	Throughout the past 6 months, how often have you felt physically drained or sick after mild activity?	radio <table><tr><td>0</td><td>None of the time</td></tr><tr><td>1</td><td>A little of the time</td></tr><tr><td>2</td><td>About half the time</td></tr><tr><td>3</td><td>Most of the time</td></tr><tr><td>4</td><td>All the time</td></tr></table>	0	None of the time	1	A little of the time	2	About half the time	3	Most of the time	4	All the time	Custom alignment: LV
0	None of the time													
1	A little of the time													
2	About half the time													
3	Most of the time													
4	All the time													
6761	[cpetscr_depaul5sev]  Show the field ONLY if: [cpetscr_depaul5freq]<>"" and [cpetscr_depaul5freq]>0	Throughout the past 6 months, how much has this drained or sick feeling bothered you?	radio <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr><tr><td>4</td><td>Very severe</td></tr></table>	1	Mild	2	Moderate	3	Severe	4	Very severe	Custom alignment: LV		
1	Mild													
2	Moderate													
3	Severe													
4	Very severe													
6762	[cpetscr_dsqr6]	If you were to become exhausted after actively participating in extracurricular activities, sports, or outings with friends, would you recover within an hour or two after the activity ended?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV						
1	Yes													
0	No													
6763	[cpetscr_dsqr7]	Do you experience a worsening of your fatigue/energy related illness after engaging in minimal physical effort?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV						
1	Yes													
0	No													
6764	[cpetscr_dsqr8]	Do you experience a worsening of your fatigue/energy related illness after engaging in mental effort?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	Custom alignment: LV						
1	Yes													
0	No													
6765	[cpetscr_dsqr9]	If you feel worse after activities, how long does this last?	radio <table><tr><td>1</td><td>&lt; 1 hour</td></tr><tr><td>3</td><td>2-3 hours</td></tr><tr><td>10</td><td>4-10 hours</td></tr><tr><td>13</td><td>11-13 hours</td></tr><tr><td>23</td><td>14-23 hours</td></tr></table>	1	< 1 hour	3	2-3 hours	10	4-10 hours	13	11-13 hours	23	14-23 hours	
1	< 1 hour													
3	2-3 hours													
10	4-10 hours													
13	11-13 hours													
23	14-23 hours													

				<div>24</div> <div>24 hours or more</div>
				Custom alignment: LV
6766	[cpetscr_dsq10]	If you do not exercise, is it because exercise makes your symptoms worse?	radio <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>	Custom alignment: LV
6767	[cpetscr_pem]	Does the participant screen positive for PEM	calc Calculation: if([cpetscr_fversion]="", "", if((((([cpetscr_depaul1freq]>=2 and [cpetscr_depaul1sev]>=2) or ([cpetscr_depaul2freq]>=2 and [cpetscr_depaul2sev]>=2) or ([cpetscr_depaul3freq]>=2 and [cpetscr_depaul3sev]>=2) or ([cpetscr_depaul4freq]>=2 and [cpetscr_depaul4sev]>=2) or ([cpetscr_depaul5freq]>=2 and [cpetscr_depaul5sev]>=2)) and ([cpetscr_dsq7]="1" or [cpetscr_dsq8]="1") and ([cpetscr_dsq9]>14)), 1, 0)) Field Annotation: @HIDDEN @HIDDEN-PDF	
6768	[cpetscr_preg]	Is it possible that you are currently pregnant?	radio <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>	Custom alignment: LV
6769	[cpetscr_birth]	Have you given birth in the past 6 weeks?	radio <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>	Custom alignment: LV
6770	[cpetscr_pemneg] Show the field ONLY if: [cpetscr_pem]="0"	This participant has not screened positive for post-exertional malaise.	descriptive	
6771	[cpetscr_pemproceed] Show the field ONLY if: [cpetscr_pem]="1"	This participant has screened positive for post-exertional malaise.Does the participant still want to perform the CPET testing?	radio <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>	Custom alignment: LV
6772	[cpet_screening_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <div> <div>0</div> <div>Incomplete</div> </div> <div> <div>1</div> <div>Unverified</div> </div> <div> <div>2</div> <div>Complete</div> </div>	
Instrument: <b>Cpet</b> (cpet)				
Active languages: None				
6773	[cpet_fversion]	CPET Site form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)	
6774	[cpet_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY	
6775	[cpet_agewarning]	Reminder: this test is only for participants 12 and older.	descriptive	
6776	[cpet_yn]	Was the CPET testing performed?	radio, Required <div> <div>1</div> <div>Yes</div> </div> <div> <div>0</div> <div>No</div> </div>	Custom alignment: LV
6777	[cpet_nreas] Show the field ONLY if: [cpet_yn]="0"	Why was the CPET testing not performed?	radio, Required <div> <div>1</div> <div>Participant Declined</div> </div> <div> <div>2</div> <div>Staff Not Available</div> </div> <div> <div>3</div> <div>Resources Not Available</div> </div> <div> <div>5</div> <div>SOP Not Yet Created</div> </div> <div> <div>6</div> <div>Site Can Never Perform This Test</div> </div> <div> <div>7</div> <div>DRC Removed</div> </div> <div> <div>8</div> <div>Participant Could Not Be Reached/Did Not Show</div> </div> <div> <div>10</div> <div>Clinical Contraindication</div> </div>	

				<table><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> <div>Custom alignment: LV</div> <div>Field Annotation: @HIDECHOICE="5,7,13"</div>	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
13	Infected Within the Last 30 Days											
14	Participant Uncooperative											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion											
9	Other											
6778	<div>[cpet_nreasspec]</div> <div>Show the field ONLY if: [cpet_nreas]="9"</div>	Please specify:	text, Required									
6779	<div>[cpet_dt]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Date CPET testing performed:	text (date_mdy), Required									
6780	<div>[cpet_dtagewarning]</div> <div>Show the field ONLY if: rounddown(datediff([enrollment_arm_1][enrl_dob], [cpet_dt], "y"))&lt; 12</div>	Warning! This test should only have been performed on participants 12 and older. Please submit a protocol deviation.	descriptive									
6781	<div>[cpet_cr]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Was the CPET testing performed for clinical purposes or at the request of the RECOVER study?	radio, Required <table><tr><td>1</td><td>Clinical order</td></tr><tr><td>2</td><td>RECOVER research order</td></tr></table> <div>Custom alignment: LV</div>	1	Clinical order	2	RECOVER research order					
1	Clinical order											
2	RECOVER research order											
6782	<div>[cpet_protocol]</div> <div>Show the field ONLY if: [cpet_cr]="2"</div>	Was this test performed per protocol?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No, and I am filing a PD report to explain</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No, and I am filing a PD report to explain					
1	Yes											
0	No, and I am filing a PD report to explain											
6783	<div>[cpet_mds]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Section Header: <i>File Upload</i> Metabolic data spreadsheet:	file, Required									
6784	<div>[cpet_ecgpdf]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	ECG PDF:	file, Required Field Annotation: @INLINE									
6785	<div>[cpet_age]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Section Header: <i>Participant Information</i> Age:	calc Calculation: if([cpet_yn]="1", rounddown(datediff([enrollment_arm_1][enrl_dob], [cpet_dt], 'y')), "")									
6786	<div>[cpet_ht]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Height (cm): <i>cm</i>	text (integer), Required									
6787	<div>[cpet_wt]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Weight (kg): <i>kg</i>	text (integer), Required									
6788	<div>[cpet_bmi]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	BMI (kg/m²): <i>kg/m²</i>	calc Calculation: if([cpet_ht]<>"" and [cpet_ht]<>"0", if([cpet_yn]="1", ([cpet_wt]/([cpet_ht]/100)*([cpet_ht]/100)), "", ""))									
6789	<div>[cpet_sex]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Biological sex (raw)	calc Calculation: if([cpet_yn]<>"1", "", if([baseline_arm_2][biosex] <>"" , [baseline_arm_2][biosex], if([baseline_arm_4][biosex] <>"" , [baseline_arm_4][biosex], if([6_month_arm_5][visit_biosex] <>"" , [6_month_arm_5][visit_biosex], ""))))									
6790	<div>[cpet_sexmap]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Birth sex:	text Field Annotation: @CALCTEXT( if([cpet_sex]="1", "Female", if([cpet_sex]="0", "Male", if([cpet_sex]="3", "Intersex", ""))))									
6791	<div>[cpet_trans]</div> <div>Show the field ONLY if: [cpet_yn]="1"</div>	Has the participant gone through any gender transitional process?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No					
1	Yes											
0	No											
6792	<div>[cpet_active]</div> <div>Show the field ONLY if:</div>	Does the participant self-report as physically active?	radio <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes							
1	Yes											

		[cpet_yn]="1"		<table><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	0	No													
0	No																		
6793	[cpet_physcomp]	Show the field ONLY if: [cpet_yn]="1"	Does the participant play competitive sports?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No											
1	Yes																		
0	No																		
6794	[cpet_physrec]	Show the field ONLY if: [cpet_physcomp]="0"	Does the participant participate in recreational physical activity?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No											
1	Yes																		
0	No																		
6795	[cpet_physrecspec]	Show the field ONLY if: [cpet_physrec]="1"	What type of recreational physical activity?	text, Required															
6796	[cpet_physhours]	Show the field ONLY if: [cpet_yn]="1"	Hours per week of physical activity regardless of type: <i>hours</i>	text (number), Required															
6797	[cpet_smokevape]	Show the field ONLY if: [cpet_yn]="1"	Does the participant actively smoke or vape?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No											
1	Yes																		
0	No																		
6798	[cpet_smokevapespec]	Show the field ONLY if: [cpet_smokevape]="1"	Please specify:	checkbox, Required <table><tr><td>1</td><td>cpet_smokevapespec__1</td><td>Smoking</td></tr><tr><td>2</td><td>cpet_smokevapespec__2</td><td>Vaping</td></tr></table> Custom alignment: LV	1	cpet_smokevapespec__1	Smoking	2	cpet_smokevapespec__2	Vaping									
1	cpet_smokevapespec__1	Smoking																	
2	cpet_smokevapespec__2	Vaping																	
6799	[cpet_smokekw]	Show the field ONLY if: [cpet_smokevapespec(1)] = '1'	Has the participant smoked in the last week?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No											
1	Yes																		
0	No																		
6800	[cpet_vapewk]	Show the field ONLY if: [cpet_smokevapespec(2)] = '1'	Has the participant vaped in the last week?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No											
1	Yes																		
0	No																		
6801	[cpet_meds]	Show the field ONLY if: [cpet_yn]="1"	Did the participant take their usual medications prior to exercise?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No											
1	Yes																		
0	No																		
6802	[cpet_medsspec]	Show the field ONLY if: [cpet_meds]="1"	Please specify medications taken on the day of the exercise test:	notes, Required Custom alignment: LV															
6803	[cpet_symp]	Show the field ONLY if: [cpet_yn]="1"	Does the participant ever feel any of the following symptoms with exercise? Select all that apply:	checkbox, Required <table><tr><td>1</td><td>cpet_symp__1</td><td>Chest pain</td></tr><tr><td>2</td><td>cpet_symp__2</td><td>Excessive shortness of breath</td></tr><tr><td>3</td><td>cpet_symp__3</td><td>Dizziness</td></tr><tr><td>4</td><td>cpet_symp__4</td><td>Syncope</td></tr><tr><td>0</td><td>cpet_symp__0</td><td>No symptoms with exercise</td></tr></table> Custom alignment: LV Field Annotation: @NONEOFHEABOVE='0'	1	cpet_symp__1	Chest pain	2	cpet_symp__2	Excessive shortness of breath	3	cpet_symp__3	Dizziness	4	cpet_symp__4	Syncope	0	cpet_symp__0	No symptoms with exercise
1	cpet_symp__1	Chest pain																	
2	cpet_symp__2	Excessive shortness of breath																	
3	cpet_symp__3	Dizziness																	
4	cpet_symp__4	Syncope																	
0	cpet_symp__0	No symptoms with exercise																	
6804	[cpet_pespirotnote]	Show the field ONLY if: [cpet_yn]="1"	Section Header: <i>Exercise Test</i> Pre-exercise spirometry	descriptive															
6805	[cpet_pefev1]	Show the field ONLY if:	FEV1 (L): <i>L</i>	text (number), Required															

		[cpet_yn]="1"																				
6806	[cpet_etrnote]	Exercise test results	descriptive																			
		Show the field ONLY if: [cpet_yn]="1"																				
6807	[cpet_techdiff]	Were there any technical difficulties during the test?	radio, Required																			
		Show the field ONLY if: [cpet_yn]="1"	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No															
1	Yes																					
0	No																					
			Custom alignment: LV																			
6808	[cpet_techdifftype]	What technical difficulties occurred? Select all that apply.	checkbox, Required																			
		Show the field ONLY if: [cpet_techdiff]="1"	<table><tr><td>1</td><td>cpet_techdifftype__1</td><td>Air leak</td></tr><tr><td>2</td><td>cpet_techdifftype__2</td><td>Saliva impeding flow sensor function</td></tr><tr><td>3</td><td>cpet_techdifftype__3</td><td>Electrodes fell off</td></tr><tr><td>4</td><td>cpet_techdifftype__4</td><td>Patient stopped exercising and then resumed</td></tr><tr><td>5</td><td>cpet_techdifftype__5</td><td>Equipment software crashed</td></tr><tr><td>9</td><td>cpet_techdifftype__9</td><td>Other</td></tr></table>	1	cpet_techdifftype__1	Air leak	2	cpet_techdifftype__2	Saliva impeding flow sensor function	3	cpet_techdifftype__3	Electrodes fell off	4	cpet_techdifftype__4	Patient stopped exercising and then resumed	5	cpet_techdifftype__5	Equipment software crashed	9	cpet_techdifftype__9	Other	
1	cpet_techdifftype__1	Air leak																				
2	cpet_techdifftype__2	Saliva impeding flow sensor function																				
3	cpet_techdifftype__3	Electrodes fell off																				
4	cpet_techdifftype__4	Patient stopped exercising and then resumed																				
5	cpet_techdifftype__5	Equipment software crashed																				
9	cpet_techdifftype__9	Other																				
			Custom alignment: LV																			
6809	[cpet_techdiffspec]	Please specify other technical difficulties:	text, Required																			
		Show the field ONLY if: [cpet_techdifftype(9)]="1"																				
6810	[cpet_techdiffm]	Please note the time(s) the difficulties occurred:	text, Required																			
		Show the field ONLY if: [cpet_techdiff]="1"																				
6811	[cpet_term]	Was the test terminated early?	radio, Required																			
		Show the field ONLY if: [cpet_yn]="1"	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No															
1	Yes																					
0	No																					
			Custom alignment: LV																			
6812	[cpet_termreas]	What is the reason the test terminated early?	radio, Required																			
		Show the field ONLY if: [cpet_term]="1"	<table><tr><td>1</td><td>Staff issue</td></tr><tr><td>2</td><td>Participant leg fatigue</td></tr><tr><td>3</td><td>Participant dyspnea</td></tr><tr><td>9</td><td>Participant other</td></tr></table>	1	Staff issue	2	Participant leg fatigue	3	Participant dyspnea	9	Participant other											
1	Staff issue																					
2	Participant leg fatigue																					
3	Participant dyspnea																					
9	Participant other																					
			Custom alignment: LV																			
6813	[cpet_termreassspec]	Please specify staff reason for termination:	text, Required																			
		Show the field ONLY if: [cpet_termreas]="1"																				
6814	[cpet_termreasspspec]	Please specify participant reason for termination:	text, Required																			
		Show the field ONLY if: [cpet_termreas]="9"																				
6815	[cpet_ae]	Were there any adverse events (AEs) during exercise (see MOP for a list of AEs)?	radio, Required																			
		Show the field ONLY if: [cpet_yn]="1"	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No															
1	Yes																					
0	No																					
			Custom alignment: LV																			
6816	[cpet_aetype]	What type of adverse event occurred?	text, Required																			
		Show the field ONLY if: [cpet_ae]="1"																				
6817	[cpet_aenotify]	Was the referring physician notified?	radio, Required																			
		Show the field ONLY if: [cpet_ae]="1"	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Not applicable</td></tr></table>	1	Yes	0	No	-1	Not applicable													
1	Yes																					
0	No																					
-1	Not applicable																					
			Custom alignment: LV																			
6818	[cpet_rer]	Did the participant achieve an RER of at least 1.1?	radio, Required																			
		Show the field ONLY if:	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No															
1	Yes																					
0	No																					

		[cpet_yn]="1" and ([cpet_age]<>"" and [cpet_age]>=12)		Custom alignment: LV																																				
6819	[cpet_rerspec]	Show the field ONLY if: [cpet_rer]="0"	Why not?	text, Required																																				
6820	[cpet_hr]	Show the field ONLY if: [cpet_yn]="1"	Did the participant achieve a heart rate of at least 90%?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																																
1	Yes																																							
0	No																																							
6821	[cpet_hrspec]	Show the field ONLY if: [cpet_hr]="0"	Why not?	text, Required																																				
6822	[cpet_vevco2]	Show the field ONLY if: [cpet_yn]="1"	Ve/VCO2 slope: <i>From start of exercise to peak exercise</i>	text (number), Required																																				
6823	[cpet_oues]	Show the field ONLY if: [cpet_yn]="1"	Oxygen uptake efficiency slope (OUES): <i>From start of exercise to peak exercise</i>	text (number), Required																																				
6824	[cpet_vo2work]	Show the field ONLY if: [cpet_yn]="1"	VO2/Work rate slope: <i>From start of exercise to peak exercise</i>	text (number), Required																																				
6825	[cpet_hrvo2]	Show the field ONLY if: [cpet_yn]="1"	HR/VO2 slope: <i>From start of exercise to peak exercise</i>	text (number), Required																																				
6826	[cpet_ecgintro]	Show the field ONLY if: [cpet_yn]="1"	Section Header: <i>ECG</i> Report the results from one resting ECG, the peak exercise ECG, and the ECG at 2 minutes of recovery.	descriptive																																				
6827	[cpet_recgintro]	Show the field ONLY if: [cpet_yn]="1"	Resting ECG	descriptive																																				
6828	[cpet_recgnormal]	Show the field ONLY if: [cpet_yn]="1"	Was the resting ECG normal?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																																
1	Yes																																							
0	No																																							
6829	[cpet_recgabnormal]	Show the field ONLY if: [cpet_recgnormal] = '0'	Were any of the below seen? Please select all that apply	checkbox <table><tr><td>1</td><td>cpet_recgabnormal__1</td><td>Pre-excitation</td></tr><tr><td>2</td><td>cpet_recgabnormal__2</td><td>Long QTc</td></tr><tr><td>3</td><td>cpet_recgabnormal__3</td><td>Abnormal rhythm</td></tr><tr><td>4</td><td>cpet_recgabnormal__4</td><td>Premature ventricular contractions</td></tr><tr><td>5</td><td>cpet_recgabnormal__5</td><td>Runs of premature ventricular contractions</td></tr><tr><td>6</td><td>cpet_recgabnormal__6</td><td>Heart block</td></tr><tr><td>7</td><td>cpet_recgabnormal__7</td><td>Conduction delay (LBBB, RBBB)</td></tr><tr><td>8</td><td>cpet_recgabnormal__8</td><td>ST-T wave inversion</td></tr><tr><td>9</td><td>cpet_recgabnormal__9</td><td>ST-T wave depression</td></tr><tr><td>10</td><td>cpet_recgabnormal__10</td><td>ST-T wave elevation</td></tr><tr><td>11</td><td>cpet_recgabnormal__11</td><td>Abnormal Q waves</td></tr><tr><td>99</td><td>cpet_recgabnormal__99</td><td>Other</td></tr></table> Custom alignment: LV	1	cpet_recgabnormal__1	Pre-excitation	2	cpet_recgabnormal__2	Long QTc	3	cpet_recgabnormal__3	Abnormal rhythm	4	cpet_recgabnormal__4	Premature ventricular contractions	5	cpet_recgabnormal__5	Runs of premature ventricular contractions	6	cpet_recgabnormal__6	Heart block	7	cpet_recgabnormal__7	Conduction delay (LBBB, RBBB)	8	cpet_recgabnormal__8	ST-T wave inversion	9	cpet_recgabnormal__9	ST-T wave depression	10	cpet_recgabnormal__10	ST-T wave elevation	11	cpet_recgabnormal__11	Abnormal Q waves	99	cpet_recgabnormal__99	Other
1	cpet_recgabnormal__1	Pre-excitation																																						
2	cpet_recgabnormal__2	Long QTc																																						
3	cpet_recgabnormal__3	Abnormal rhythm																																						
4	cpet_recgabnormal__4	Premature ventricular contractions																																						
5	cpet_recgabnormal__5	Runs of premature ventricular contractions																																						
6	cpet_recgabnormal__6	Heart block																																						
7	cpet_recgabnormal__7	Conduction delay (LBBB, RBBB)																																						
8	cpet_recgabnormal__8	ST-T wave inversion																																						
9	cpet_recgabnormal__9	ST-T wave depression																																						
10	cpet_recgabnormal__10	ST-T wave elevation																																						
11	cpet_recgabnormal__11	Abnormal Q waves																																						
99	cpet_recgabnormal__99	Other																																						
6830	[cpet_recgabnormalspec]	Show the field ONLY if: [cpet_recgabnormal(99)] = '1'	Please specify:	text																																				
6831	[cpet_pecgintro]	Show the field ONLY if: [cpet_yn]="1"	Peak Exercise ECG	descriptive																																				

6832	[ cpet_pecgnormal ]  Show the field ONLY if: [cpet_yn]="1"	Was the peak exercise ECG normal?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																																
1	Yes																																						
0	No																																						
6833	[ cpet_pecgabnormal ]  Show the field ONLY if: [cpet_pecgnormal] = '0'	Were any of the below seen? Please select all that apply	checkbox <table><tr><td>1</td><td>cpet_pecgabnormal__1</td><td>Pre-excitation</td></tr><tr><td>2</td><td>cpet_pecgabnormal__2</td><td>Long QTc</td></tr><tr><td>3</td><td>cpet_pecgabnormal__3</td><td>Abnormal rhythm</td></tr><tr><td>4</td><td>cpet_pecgabnormal__4</td><td>Premature ventricular contractions</td></tr><tr><td>5</td><td>cpet_pecgabnormal__5</td><td>Runs of premature ventricular contractions</td></tr><tr><td>6</td><td>cpet_pecgabnormal__6</td><td>Heart block</td></tr><tr><td>7</td><td>cpet_pecgabnormal__7</td><td>Conduction delay (LBBB, RBBB)</td></tr><tr><td>8</td><td>cpet_pecgabnormal__8</td><td>ST-T wave inversion</td></tr><tr><td>9</td><td>cpet_pecgabnormal__9</td><td>ST-T wave depression</td></tr><tr><td>10</td><td>cpet_pecgabnormal__10</td><td>ST-T wave elevation</td></tr><tr><td>11</td><td>cpet_pecgabnormal__11</td><td>Abnormal Q waves</td></tr><tr><td>99</td><td>cpet_pecgabnormal__99</td><td>Other</td></tr></table> Custom alignment: LV	1	cpet_pecgabnormal__1	Pre-excitation	2	cpet_pecgabnormal__2	Long QTc	3	cpet_pecgabnormal__3	Abnormal rhythm	4	cpet_pecgabnormal__4	Premature ventricular contractions	5	cpet_pecgabnormal__5	Runs of premature ventricular contractions	6	cpet_pecgabnormal__6	Heart block	7	cpet_pecgabnormal__7	Conduction delay (LBBB, RBBB)	8	cpet_pecgabnormal__8	ST-T wave inversion	9	cpet_pecgabnormal__9	ST-T wave depression	10	cpet_pecgabnormal__10	ST-T wave elevation	11	cpet_pecgabnormal__11	Abnormal Q waves	99	cpet_pecgabnormal__99	Other
1	cpet_pecgabnormal__1	Pre-excitation																																					
2	cpet_pecgabnormal__2	Long QTc																																					
3	cpet_pecgabnormal__3	Abnormal rhythm																																					
4	cpet_pecgabnormal__4	Premature ventricular contractions																																					
5	cpet_pecgabnormal__5	Runs of premature ventricular contractions																																					
6	cpet_pecgabnormal__6	Heart block																																					
7	cpet_pecgabnormal__7	Conduction delay (LBBB, RBBB)																																					
8	cpet_pecgabnormal__8	ST-T wave inversion																																					
9	cpet_pecgabnormal__9	ST-T wave depression																																					
10	cpet_pecgabnormal__10	ST-T wave elevation																																					
11	cpet_pecgabnormal__11	Abnormal Q waves																																					
99	cpet_pecgabnormal__99	Other																																					
6834	[ cpet_pecgabnormalspec ]  Show the field ONLY if: [cpet_pecgabnormal(99)] = '1'	Please specify:	text																																				
6835	[ cpet_aecgintro ]  Show the field ONLY if: [cpet_yn]="1"	2 Minute Recovery ECG	descriptive																																				
6836	[ cpet_aecgnormal ]  Show the field ONLY if: [cpet_yn]="1"	Was the 2 minute recovery ECG normal?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																																
1	Yes																																						
0	No																																						
6837	[ cpet_aecgabnormal ]  Show the field ONLY if: [cpet_aecgnormal] = '0'	Were any of the below seen? Please select all that apply	checkbox <table><tr><td>1</td><td>cpet_aecgabnormal__1</td><td>Pre-excitation</td></tr><tr><td>2</td><td>cpet_aecgabnormal__2</td><td>Long QTc</td></tr><tr><td>3</td><td>cpet_aecgabnormal__3</td><td>Abnormal rhythm</td></tr><tr><td>4</td><td>cpet_aecgabnormal__4</td><td>Premature ventricular contractions</td></tr><tr><td>5</td><td>cpet_aecgabnormal__5</td><td>Runs of premature ventricular contractions</td></tr><tr><td>6</td><td>cpet_aecgabnormal__6</td><td>Heart block</td></tr><tr><td>7</td><td>cpet_aecgabnormal__7</td><td>Conduction delay (LBBB, RBBB)</td></tr><tr><td>8</td><td>cpet_aecgabnormal__8</td><td>ST-T wave inversion</td></tr><tr><td>9</td><td>cpet_aecgabnormal__9</td><td>ST-T wave depression</td></tr><tr><td>10</td><td>cpet_aecgabnormal__10</td><td>ST-T wave elevation</td></tr><tr><td>11</td><td>cpet_aecgabnormal__11</td><td>Abnormal Q waves</td></tr><tr><td>99</td><td>cpet_aecgabnormal__99</td><td>Other</td></tr></table> Custom alignment: LV	1	cpet_aecgabnormal__1	Pre-excitation	2	cpet_aecgabnormal__2	Long QTc	3	cpet_aecgabnormal__3	Abnormal rhythm	4	cpet_aecgabnormal__4	Premature ventricular contractions	5	cpet_aecgabnormal__5	Runs of premature ventricular contractions	6	cpet_aecgabnormal__6	Heart block	7	cpet_aecgabnormal__7	Conduction delay (LBBB, RBBB)	8	cpet_aecgabnormal__8	ST-T wave inversion	9	cpet_aecgabnormal__9	ST-T wave depression	10	cpet_aecgabnormal__10	ST-T wave elevation	11	cpet_aecgabnormal__11	Abnormal Q waves	99	cpet_aecgabnormal__99	Other
1	cpet_aecgabnormal__1	Pre-excitation																																					
2	cpet_aecgabnormal__2	Long QTc																																					
3	cpet_aecgabnormal__3	Abnormal rhythm																																					
4	cpet_aecgabnormal__4	Premature ventricular contractions																																					
5	cpet_aecgabnormal__5	Runs of premature ventricular contractions																																					
6	cpet_aecgabnormal__6	Heart block																																					
7	cpet_aecgabnormal__7	Conduction delay (LBBB, RBBB)																																					
8	cpet_aecgabnormal__8	ST-T wave inversion																																					
9	cpet_aecgabnormal__9	ST-T wave depression																																					
10	cpet_aecgabnormal__10	ST-T wave elevation																																					
11	cpet_aecgabnormal__11	Abnormal Q waves																																					
99	cpet_aecgabnormal__99	Other																																					
6838	[ cpet_aecgabnormalspec ]  Show the field ONLY if: [cpet_aecgabnormal(99)] = '1'	Please specify:	text																																				
6839	[ cpet_pipefs ]  Show the field ONLY if: [cpetrc_ds]<>"	Section Header: <i>Reading Center quality review</i> Data set completeness: [cpetrc_ds]Comments: [cpetrc_dscomm]	descriptive																																				
6840	[ cpet_pipeqr ]  Show the field ONLY if:	Quality review: [cpetrc_qr]Comments: [cpetrc_qrcomm]	descriptive																																				

		[cpetrc_qr]<>""								
6841	[cpet_pipepr]	Done according to the MOP protocol: [cpetrc_qr]Comments: [cpetrc_qrcomm]  Show the field ONLY if: [cpetrc_pr]<>""		descriptive						
6842	[cpet_pipeeq]	Equipment malfunction: [cpetrc_eq]Comments: [cpetrc_eqcomm]  Show the field ONLY if: [cpetrc_eq]<>""		descriptive						
6843	[cpet_complete]	Section Header: <i>Form Status</i> Complete?		dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

**Instrument: Cpet Reading Center (cpet\_reading\_center)**

Active languages: None

6844	[cpetrc_fversion]	CPET reading center form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
6845	[cpetrc_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
6846	[cpetrc_colltdt]	Date of CPET reading center form completion:	text (date_mdy, Max: today), Required Field Annotation: @TODAY						
6847	[cpetrc_ds]	Data set completeness:	radio <table><tr><td>1</td><td>Complete</td></tr><tr><td>0</td><td>Incomplete</td></tr></table> Custom alignment: LV	1	Complete	0	Incomplete		
1	Complete								
0	Incomplete								
6848	[cpetrc_dscomm]  Show the field ONLY if: [cpetrc_ds]="0"	Data set comments:	notes Custom alignment: LV						
6849	[cpetrc_qr]	Quality review:	radio <table><tr><td>1</td><td>Acceptable</td></tr><tr><td>0</td><td>Not acceptable</td></tr></table> Custom alignment: LV	1	Acceptable	0	Not acceptable		
1	Acceptable								
0	Not acceptable								
6850	[cpetrc_qrcomm]  Show the field ONLY if: [cpetrc_qr]="0"	Quality comments:	notes Custom alignment: LV						
6851	[cpetrc_pr]	Was the CPET done per the MOP protocol:	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
6852	[cpetrc_prcomm]  Show the field ONLY if: [cpetrc_pr]="0"	Protocol comments:	notes Custom alignment: LV						
6853	[cpetrc_eq]	Was an equipment malfunction reported?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes								
0	No								
6854	[cpetrc_eqcomm]  Show the field ONLY if: [cpetrc_eq]="1"	Equipment comments:	notes Custom alignment: LV						
6855	[cpet_reading_center_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

**Instrument: Neurocognitive And Wellbeing Assessments (neurocognitive\_and\_wellbeing\_assessments)**

Active languages: None

6856	[ncwb_fversion]	Neurocognitive and Wellbeing assessments form version		text Field Annotation: @DEFAULT='1' @IF([user-role-
------	-----------------	---	--	--



			label]="Admin", "", @HIDDEN @HIDDEN-PDF)																								
6857	[ncwb_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
6858	[ncwb_agemwarning]	Reminder: this test is for all participants 6 and older.	descriptive																								
6859	[ncwb_yn]	Were the neurocognitive and wellbeing assessments performed?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
6860	[ncwb_nreas]  Show the field ONLY if: [ncwb_yn]="0"	Why were the neurocognitive and wellbeing assessments not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																										
2	Staff Not Available																										
3	Resources Not Available																										
5	SOP Not Yet Created																										
6	Site Can Never Perform This Test																										
7	DRC Removed																										
8	Participant Could Not Be Reached/Did Not Show																										
10	Clinical Contraindication																										
13	Infected Within the Last 30 Days																										
14	Participant Uncooperative																										
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																										
9	Other																										
6861	[ncwb_nreasspec]  Show the field ONLY if: [ncwb_nreas]="9"	Please specify:	text, Required																								
6862	[ncwb_ovyn]  Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Woodcock-Johnson - Oral Vocabulary</i> Was the Woodcock-Johnson "Oral Vocabulary" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
6863	[ncwb_ovdt]  Show the field ONLY if: [ncwb_ovyn]="1"	Date Oral Vocabulary test administered:	text (date_mdy), Required																								
6864	[ncwb_ovvihead]  Show the field ONLY if: [ncwb_ovyn]="1"	Verbal Intelligence	descriptive																								
6865	[ncwb_ovvisynf]  Show the field ONLY if: [ncwb_ovyn]="1"	First synonym administered: <i>1-31</i>	text (integer, Min: 1, Max: 31)																								
6866	[ncwb_ovvisynl]  Show the field ONLY if: [ncwb_ovyn]="1"	Last synonym administered: <i>1-31</i>	text (integer, Min: 1, Max: 31)																								
6867	[ncwb_ovviantf]  Show the field ONLY if: [ncwb_ovyn]="1"	First antonym administered: <i>1-32</i>	text (integer, Min: 1, Max: 32)																								
6868	[ncwb_ovviantl]  Show the field ONLY if: [ncwb_ovyn]="1"	Last antonym administered: <i>1-32</i>	text (integer, Min: 1, Max: 32)																								
6869	[ncwb_ovviraw]  Show the field ONLY if: [ncwb_ovyn]="1"	Raw score: <i>0-62</i>	text (integer, Min: 0, Max: 62)																								
6870	[ncwb_ovvistd]  Show the field ONLY if: [ncwb_ovyn]="1"	Standard score: <i>50-150</i>	text (integer, Min: 50, Max: 150)																								
6871	[ncwb_ovvipct]  Show the field ONLY if:	Percentile rank: <i>0-99</i>	text (integer, Min: 0, Max: 99)																								

		[ncwb_ovyn]="1"						
6872	[ncwb_sryn]	Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Woodcock-Johnson - Story Recall</i> Was the Woodcock-Johnson "Story Recall" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6873	[ncwb_srdt]	Show the field ONLY if: [ncwb_sryn]="1"	Date Story Recall test administered:	text (date_mdy), Required				
6874	[ncwb_sr1cvmhead]	Show the field ONLY if: [ncwb_sryn]="1"	Listening comprehension and verbal memory	descriptive				
6875	[ncwb_sr1cvmstf]	Show the field ONLY if: [ncwb_sryn]="1"	First story administered: <i>1-7</i>	text (integer, Min: 1, Max: 7)				
6876	[ncwb_sr1cvmstl]	Show the field ONLY if: [ncwb_sryn]="1"	Last story administered: <i>1-10</i>	text (integer, Min: 1, Max: 10)				
6877	[ncwb_sr1cvmraw]	Show the field ONLY if: [ncwb_sryn]="1"	Raw score from story set used: <i>0-36</i>	text (integer, Min: 0, Max: 36)				
6878	[ncwb_sr1cvmstd]	Show the field ONLY if: [ncwb_sryn]="1"	Standard score: <i>50-150</i>	text (integer, Min: 50, Max: 150)				
6879	[ncwb_sr1cvmpct]	Show the field ONLY if: [ncwb_sryn]="1"	Percentile rank: <i>0-99</i>	text (integer, Min: 0, Max: 99)				
6880	[ncwb_visyn]	Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Woodcock-Johnson - Visualizations</i> Was the Woodcock-Johnson "Visualizations" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6881	[ncwb_visdt]	Show the field ONLY if: [ncwb_visyn]="1"	Date Visualization test administered:	text (date_mdy), Required				
6882	[ncwb_visnispshead]	Show the field ONLY if: [ncwb_visyn]="1"	Nonverbal intelligence and spatial reasoning	descriptive				
6883	[ncwb_visnispsrf]	Show the field ONLY if: [ncwb_visyn]="1"	First spatial relations item administered: <i>1-24</i>	text (integer, Min: 1, Max: 24)				
6884	[ncwb_visnispsr1]	Show the field ONLY if: [ncwb_visyn]="1"	Last spatial relations item administered: <i>1-24</i>	text (integer, Min: 1, Max: 24)				
6885	[ncwb_visnispsbrf]	Show the field ONLY if: [ncwb_visyn]="1"	First block rotation item administered: <i>1-24</i>	text (integer, Min: 1, Max: 24)				
6886	[ncwb_visnispsbr1]	Show the field ONLY if: [ncwb_visyn]="1"	Last block rotation item administered: <i>1-24</i>	text (integer, Min: 1, Max: 24)				
6887	[ncwb_visnispraw]	Show the field ONLY if: [ncwb_visyn]="1"	Raw score: <i>0-48</i>	text (integer, Min: 0, Max: 48)				
6888	[ncwb_visnispsstd]	Show the field ONLY if: [ncwb_visyn]="1"	Standard score: <i>50-150</i>	text (integer, Min: 50, Max: 150)				
6889	[ncwb_visnisppct]	Show the field ONLY if: [ncwb_visyn]="1"	Percentile rank: <i>0-99</i>	text (integer, Min: 0, Max: 99)				
6890	[ncwb_nryn]		Section Header: <i>Woodcock-Johnson - Numbers Reversed</i>	radio, Required				

		Show the field ONLY if: [ncwb_yn]="1"	Was the Woodcock-Johnson "Numbers Reversed" test administered?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6891	[ncwb_nrdt]	Show the field ONLY if: [ncwb_nryn]="1"	Date Numbers Reversed test administered:	text (date_mdy), Required				
6892	[ncwb_nramahead]	Show the field ONLY if: [ncwb_nryn]="1"	Auditory memory and attention	descriptive				
6893	[ncwb_nramailf]	Show the field ONLY if: [ncwb_nryn]="1"	First item administered: 1-11	text (integer, Min: 1, Max: 11)				
6894	[ncwb_nramail]	Show the field ONLY if: [ncwb_nryn]="1"	Last item administered: 1-34	text (integer, Min: 1, Max: 34)				
6895	[ncwb_nramaraw]	Show the field ONLY if: [ncwb_nryn]="1"	Raw score: 0-34	text (integer, Min: 0, Max: 34)				
6896	[ncwb_nramastd]	Show the field ONLY if: [ncwb_nryn]="1"	Standard score: 50-150	text (integer, Min: 50, Max: 150)				
6897	[ncwb_nramapct]	Show the field ONLY if: [ncwb_nryn]="1"	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)				
6898	[ncwb_pcyn]	Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Woodcock-Johnson - Pair Cancellation</i> Was the Woodcock-Johnson "Pair Cancellation" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6899	[ncwb_pcdt]	Show the field ONLY if: [ncwb_pcyn]="1"	Date Pair Cancellation test administered:	text (date_mdy), Required				
6900	[ncwb_pcpshead]	Show the field ONLY if: [ncwb_pcyn]="1"	Processing speed	descriptive				
6901	[ncwb_pcpsraw]	Show the field ONLY if: [ncwb_pcyn]="1"	Raw score: 0-99	text (integer, Min: 0, Max: 99)				
6902	[ncwb_pcpsstd]	Show the field ONLY if: [ncwb_pcyn]="1"	Standard score: 50-150	text (integer, Min: 50, Max: 150)				
6903	[ncwb_pcpspct]	Show the field ONLY if: [ncwb_pcyn]="1"	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)				
6904	[ncwb_pvyn]	Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Woodcock-Johnson - Picture Vocabulary</i> Was the Woodcock-Johnson "Picture Vocabulary" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6905	[ncwb_pvdt]	Show the field ONLY if: [ncwb_pvyn]="1"	Date Picture Vocabulary test administered:	text (date_mdy), Required				
6906	[ncwb_pvelhead]	Show the field ONLY if: [ncwb_pvyn]="1"	Expressive language	descriptive				
6907	[ncwb_pvelif]	Show the field ONLY if: [ncwb_pvyn]="1"	First item administered: 1-54	text (integer, Min: 1, Max: 54)				
6908	[ncwb_pvelil]		Last item administered: 1-54	text (integer, Min: 1, Max: 54)				

		Show the field ONLY if: [ncwb_pvyn]="1"						
6909	[ncwb_pvelraw]	Show the field ONLY if: [ncwb_pvyn]="1"	Raw score: 0-54	text (integer, Min: 0, Max: 54)				
6910	[ncwb_pvelstd]	Show the field ONLY if: [ncwb_pvyn]="1"	Standard score: 50-150	text (integer, Min: 50, Max: 150)				
6911	[ncwb_pvelpct]	Show the field ONLY if: [ncwb_pvyn]="1"	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)				
6912	[ncwb_rpnyn]	Show the field ONLY if: [ncwb_yn]="1"	Section Header: Woodcock-Johnson - Rapid Picture Naming Was the Woodcock-Johnson "Rapid Picture Naming" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6913	[ncwb_rpnndt]	Show the field ONLY if: [ncwb_rpnyn]="1"	Date Rapid Picture Naming test administered:	text (date_mdy), Required				
6914	[ncwb_rpnelhead]	Show the field ONLY if: [ncwb_rpnyn]="1"	Expressive language	descriptive				
6915	[ncwb_rpnelil]	Show the field ONLY if: [ncwb_rpnyn]="1"	Last item administered: 1-120	text (integer, Min: 1, Max: 120)				
6916	[ncwb_rpnelraw]	Show the field ONLY if: [ncwb_rpnyn]="1"	Raw score: 0-31	text (integer, Min: 0, Max: 31)				
6917	[ncwb_rpnelstd]	Show the field ONLY if: [ncwb_rpnyn]="1"	Standard score: 50-150	text (integer, Min: 50, Max: 150)				
6918	[ncwb_rpnelpct]	Show the field ONLY if: [ncwb_rpnyn]="1"	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)				
6919	[ncwb_udyn]	Show the field ONLY if: [ncwb_yn]="1"	Section Header: Woodcock-Johnson - Understanding Directions Was the Woodcock-Johnson "Understanding Directions" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes							
0	No							
6920	[ncwb_uddt]	Show the field ONLY if: [ncwb_udyn]="1"	Date Understanding Directions test administered:	text (date_mdy), Required				
6921	[ncwb_udrlhead]	Show the field ONLY if: [ncwb_udyn]="1"	Receptive language	descriptive				
6922	[ncwb_udrlpf]	Show the field ONLY if: [ncwb_udyn]="1"	First picture administered: 1-6	text (integer, Min: 1, Max: 6)				
6923	[ncwb_udrlp1]	Show the field ONLY if: [ncwb_udyn]="1"	Last picture administered: 1-6	text (integer, Min: 1, Max: 6)				
6924	[ncwb_udrlraw]	Show the field ONLY if: [ncwb_udyn]="1"	Raw score: 0-24	text (integer, Min: 0, Max: 24)				
6925	[ncwb_udrlstd]	Show the field ONLY if: [ncwb_udyn]="1"	Standard score: 50-150	text (integer, Min: 50, Max: 150)				
6926	[ncwb_udrlpct]	Show the field ONLY if: [ncwb_udyn]="1"	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)				

6927	<div>[ ncwb_pmyn ]</div> Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Wide Range Assessment of Memory and Learning 3 - Picture Memory</i> Was the Wide Range Assessment of Memory and Learning 3 "Picture Memory" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
6928	<div>[ ncwb_pmdt ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Date Picture Memory test administered:	text (date_mdy), Required				
6929	<div>[ ncwb_pmihead ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Immediate	descriptive				
6930	<div>[ ncwb_pmiips ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Picture set administered: <i>1-6</i>	text (integer, Min: 1, Max: 6)				
6931	<div>[ ncwb_pmiraw ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Raw score: <i>0-45</i>	text (integer, Min: 0, Max: 45)				
6932	<div>[ ncwb_pmiscl ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Scaled score: <i>1-19</i>	text (integer, Min: 1, Max: 19)				
6933	<div>[ ncwb_pmdrhead ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Delayed Recall	descriptive				
6934	<div>[ ncwb_pmdryn ]</div> Show the field ONLY if: [ncwb_pmyn]="1"	Was the "Picture Memory Delayed Recall" test administered?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No
1	Yes						
0	No						
6935	<div>[ ncwb_pmdrraw ]</div> Show the field ONLY if: [ncwb_pmdryn]="1"	Raw score: <i>0-45</i>	text (integer, Min: 0, Max: 45)				
6936	<div>[ ncwb_pmdrsc1 ]</div> Show the field ONLY if: [ncwb_pmdryn]="1"	Scaled score: <i>1-19</i>	text (integer, Min: 1, Max: 19)				
6937	<div>[ ncwb_vmiyn ]</div> Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Beery-Buktenica Test of Visual Motor Integration - Visual Motor Integration</i> Was the Beery-Buktenica Test of Visual Motor Integration "Visual Motor Integration" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
6938	<div>[ ncwb_vmidt ]</div> Show the field ONLY if: [ncwb_vmiyn]="1"	Date Visual Motor Integration test administered:	text (date_mdy), Required				
6939	<div>[ ncwb_vmivmhead ]</div> Show the field ONLY if: [ncwb_vmiyn]="1"	Visual motor coordinator	descriptive				
6940	<div>[ ncwb_vmivmcraw ]</div> Show the field ONLY if: [ncwb_vmiyn]="1"	Raw score: <i>0-30</i>	text (integer, Min: 0, Max: 30)				
6941	<div>[ ncwb_vmivmstd ]</div> Show the field ONLY if: [ncwb_vmiyn]="1"	Standard score: <i>44-156</i>	text (integer, Min: 44, Max: 156)				
6942	<div>[ ncwb_vmivmpct ]</div> Show the field ONLY if: [ncwb_vmiyn]="1"	Percentile rank: <i>0-99</i>	text (integer, Min: 0, Max: 99)				
6943	<div>[ ncwb_ppryn ]</div> Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Purdue Pegboard - Right Hand Performance</i> Was the Purdue Pegboard "Right Hand Performance" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
6944	<div>[ ncwb_pprdt ]</div> Show the field ONLY if: [ncwb_ppryn]="1"	Date Right Hand Performance test administered:	text (date_mdy), Required				

6945	<div>[ ncwb_pprpref ]</div> <div>Show the field ONLY if: [ncwb_ppryn]="1"</div>	Does the participant prefer to use their right hand?	radio <div><div>1</div> Yes (right hand preferred)</div> <div><div>0</div> No (left hand preferred)</div>
6946	<div>[ ncwb_pprmshead ]</div> <div>Show the field ONLY if: [ncwb_ppryn]="1"</div>	Motor speed	descriptive
6947	<div>[ ncwb_pprmsraw ]</div> <div>Show the field ONLY if: [ncwb_ppryn]="1"</div>	Raw score: 0-25	text (integer, Min: 0, Max: 25)
6948	<div>[ ncwb_pprmspct ]</div> <div>Show the field ONLY if: [ncwb_ppryn]="1"</div>	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)
6949	<div>[ ncwb_pplyn ]</div> <div>Show the field ONLY if: [ncwb_yn]="1"</div>	Section Header: <i>Purdue Pegboard - Left Hand Performance</i> Was the Purdue Pegboard "Left Hand Performance" test administered?	radio, Required <div><div>1</div> Yes</div> <div><div>0</div> No</div> <div>Custom alignment: LV</div>
6950	<div>[ ncwb_ppldt ]</div> <div>Show the field ONLY if: [ncwb_pplyn]="1"</div>	Date Left Hand Performance test administered:	text (date_mdy), Required
6951	<div>[ ncwb_pplpref ]</div> <div>Show the field ONLY if: [ncwb_pplyn]="1"</div>	Does the participant prefer to use their left hand?	radio <div><div>1</div> Yes (left hand preferred)</div> <div><div>0</div> No (right hand preferred)</div>
6952	<div>[ ncwb_pplmshead ]</div> <div>Show the field ONLY if: [ncwb_pplyn]="1"</div>	Motor speed	descriptive
6953	<div>[ ncwb_pplmsraw ]</div> <div>Show the field ONLY if: [ncwb_pplyn]="1"</div>	Raw score: 0-25	text (integer, Min: 0, Max: 25)
6954	<div>[ ncwb_pplmspct ]</div> <div>Show the field ONLY if: [ncwb_pplyn]="1"</div>	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)
6955	<div>[ ncwb_ppbyn ]</div> <div>Show the field ONLY if: [ncwb_yn]="1"</div>	Section Header: <i>Purdue Pegboard - Both Hand Performance</i> Was the Purdue Pegboard "Both Hand Performance" test administered?	radio, Required <div><div>1</div> Yes</div> <div><div>0</div> No</div> <div>Custom alignment: LV</div>
6956	<div>[ ncwb_ppbdt ]</div> <div>Show the field ONLY if: [ncwb_ppbyn]="1"</div>	Date Both Hand Performance test administered:	text (date_mdy), Required
6957	<div>[ ncwb_ppbmshead ]</div> <div>Show the field ONLY if: [ncwb_ppbyn]="1"</div>	Motor speed	descriptive
6958	<div>[ ncwb_ppbmsraw ]</div> <div>Show the field ONLY if: [ncwb_ppbyn]="1"</div>	Raw score: 0-25	text (integer, Min: 0, Max: 25)
6959	<div>[ ncwb_ppbmspct ]</div> <div>Show the field ONLY if: [ncwb_ppbyn]="1"</div>	Percentile rank: 0-99	text (integer, Min: 0, Max: 99)
6960	<div>[ ncwb_lwiyn ]</div> <div>Show the field ONLY if: [ncwb_yn]="1"</div>	Section Header: <i>Woodcock-Johnson - Letter-word Identification</i> Was the Woodcock-Johnson "Letter-word Identification" test administered?	radio, Required <div><div>1</div> Yes</div> <div><div>0</div> No</div> <div>Custom alignment: LV</div>
6961	<div>[ ncwb_lwidt ]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	Date Letter-word Identification test administered:	text (date_mdy), Required
6962	<div>[ ncwb_lwirahead ]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	Reading achievement	descriptive

6963	<div>[ncwb_lwiraif]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	First item administered: <div>1-78</div>	text (integer, Min: 1, Max: 78)
6964	<div>[ncwb_lwirail]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	Last item administered: <div>1-78</div>	text (integer, Min: 1, Max: 78)
6965	<div>[ncwb_lwiraraw]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	Raw score: <div>0-78</div>	text (integer, Min: 0, Max: 78)
6966	<div>[ncwb_lwirastd]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	Standard score: <div>50-150</div>	text (integer, Min: 50, Max: 150)
6967	<div>[ncwb_lwirapct]</div> <div>Show the field ONLY if: [ncwb_lwiyn]="1"</div>	Percentile rank: <div>0-99</div>	text (integer, Min: 0, Max: 99)
6968	<div>[ncwb_spyn]</div> <div>Show the field ONLY if: [ncwb_yn]="1"</div>	Section Header: <i>Woodcock-Johnson - Spelling</i> Was the Woodcock-Johnson "Spelling" test administered?	<div>radio, Required</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>
6969	<div>[ncwb_spdt]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	Date Spelling test administered:	text (date_mdy), Required
6970	<div>[ncwb_spsahead]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	Spelling achievement	descriptive
6971	<div>[ncwb_spsaif]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	First item administered: <div>1-60</div>	text (integer, Min: 1, Max: 60)
6972	<div>[ncwb_spsail]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	Last item administered: <div>1-60</div>	text (integer, Min: 1, Max: 60)
6973	<div>[ncwb_spsaraw]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	Raw score: <div>0-60</div>	text (integer, Min: 0, Max: 60)
6974	<div>[ncwb_spsastd]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	Standard score: <div>50-150</div>	text (integer, Min: 50, Max: 150)
6975	<div>[ncwb_spsapct]</div> <div>Show the field ONLY if: [ncwb_spyn]="1"</div>	Percentile rank: <div>0-99</div>	text (integer, Min: 0, Max: 99)
6976	<div>[ncwb_calcyn]</div> <div>Show the field ONLY if: [ncwb_yn]="1"</div>	Section Header: <i>Woodcock-Johnson - Calculation</i> Was the Woodcock-Johnson "Calculation" test administered?	<div>radio, Required</div> <div><div><div>1</div><div>Yes</div></div><div><div>0</div><div>No</div></div></div> <div>Custom alignment: LV</div>
6977	<div>[ncwb_calcdt]</div> <div>Show the field ONLY if: [ncwb_calcyn]="1"</div>	Date Calculation test administered:	text (date_mdy), Required
6978	<div>[ncwb_calcmahead]</div> <div>Show the field ONLY if: [ncwb_calcyn]="1"</div>	Mathematics achievement	descriptive
6979	<div>[ncwb_calcmaif]</div> <div>Show the field ONLY if: [ncwb_calcyn]="1"</div>	First item administered: <div>1-57</div>	text (integer, Min: 1, Max: 57)
6980	<div>[ncwb_calcmail]</div> <div>Show the field ONLY if: [ncwb_calcyn]="1"</div>	Last item administered: <div>1-57</div>	text (integer, Min: 1, Max: 57)
6981	<div>[ncwb_calcmaraw]</div> <div>Show the field ONLY if:</div>	Raw score: <div>0-57</div>	text (integer, Min: 0, Max: 57)

		[ncwb_calcyn]="1"								
6982	[ncwb_calcmastd]	Standard score: 50-150 Show the field ONLY if: [ncwb_calcyn]="1"		text (integer, Min: 50, Max: 150)						
6983	[ncwb_calcmact]	Percentile rank: 0-99 Show the field ONLY if: [ncwb_calcyn]="1"		text (integer, Min: 0, Max: 99)						
6984	[ncwb_psgcyn]	Section Header: Woodcock-Johnson - Passage Comprehension Was the Woodcock-Johnson "Passage Comprehension" test administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No			
1	Yes									
0	No									
6985	[ncwb_psgcdt]	Date Passage Comprehension test administered:		text (date_mdy), Required						
6986	[ncwb_psgcrahead]	Reading achievement Show the field ONLY if: [ncwb_psgcyn]="1"		descriptive						
6987	[ncwb_psgcraif]	First item administered: 1-52 Show the field ONLY if: [ncwb_psgcyn]="1"		text (integer, Min: 1, Max: 52)						
6988	[ncwb_psgcra11]	Last item administered: 1-52 Show the field ONLY if: [ncwb_psgcyn]="1"		text (integer, Min: 1, Max: 52)						
6989	[ncwb_psgcra1aw]	Raw score: 0-52 Show the field ONLY if: [ncwb_psgcyn]="1"		text (integer, Min: 0, Max: 52)						
6990	[ncwb_psgcrastd]	Standard score: 50-150 Show the field ONLY if: [ncwb_psgcyn]="1"		text (integer, Min: 50, Max: 150)						
6991	[ncwb_psgcra1act]	Percentile rank: 0-99 Show the field ONLY if: [ncwb_psgcyn]="1"		text (integer, Min: 0, Max: 99)						
6992	[ncwb_kscyn]	Section Header: KIDDIE SADS Comp (Caregiver report) Was the KIDDIE SADS Comp administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Not applicable due to participant age</td></tr></table> Custom alignment: LV	1	Yes	0	No	-1	Not applicable due to participant age	
1	Yes									
0	No									
-1	Not applicable due to participant age									
6993	[ncwb_kscdt]	Date KIDDIE SADS Comp test administered:		text (date_mdy), Required						
6994	[ncwb_kschead]	KIDDIE SADS Comp Show the field ONLY if: [ncwb_kscyn]="1"		descriptive						
6995	[ncwb_kscpd]	Number of psychiatric diagnoses determined: 0-25 Show the field ONLY if: [ncwb_kscyn]="1"		text (integer, Min: 0, Max: 25)						
6996	[ncwb_kscadh1ip]	Number of positive symptoms of ADHD (primarily inattentive presentation): 0-9 Show the field ONLY if: [ncwb_kscyn]="1"		text (integer, Min: 0, Max: 9)						
6997	[ncwb_kscadh2hip]	Number of positive symptoms of ADHD (hyperactive/impulsive presentation): 0-9 Show the field ONLY if: [ncwb_kscyn]="1"		text (integer, Min: 0, Max: 9)						
6998	[ncwb_kscdep]	Number of positive symptoms of depression: 0-25 Show the field ONLY if: [ncwb_kscyn]="1"		text (integer, Min: 0, Max: 25)						
6999	[ncwb_kscanx]	Number of positive symptoms of anxiety: 0-25 Show the field ONLY if: [ncwb_kscyn]="1"		text (integer, Min: 0, Max: 25)						



	7000	[ ncwb_kscsa ] Show the field ONLY if: [ncwb_kscyn]="1"	Number of positive symptoms of substance abuse: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7001	[ ncwb_kscpsych ] Show the field ONLY if: [ncwb_kscyn]="1"	Number of positive symptoms of psychosis: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7002	[ ncwb_kscayn ] Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>KIDDIE SADS Comp (Adolescent report, ages 12-17)</i> Was the KIDDIE SADS Comp (Adolescent report) administered?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Not applicable due to participant age</td></tr></table> Custom alignment: LV	1	Yes	0	No	-1	Not applicable due to participant age
1	Yes									
0	No									
-1	Not applicable due to participant age									
	7003	[ ncwb_kscadt ] Show the field ONLY if: [ncwb_kscayn]="1"	Date KIDDIE SADS Comp (Adolescent report) test administered:	text (date_mdy), Required						
	7004	[ ncwb_kscahead ] Show the field ONLY if: [ncwb_kscayn]="1"	KIDDIE SADS Comp (Adolescent report)	descriptive						
	7005	[ ncwb_kscapd ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of psychiatric diagnoses determined: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7006	[ ncwb_kscadhdip ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of positive symptoms of ADHD (primarily inattentive presentation): <i>0-9</i>	text (integer, Min: 0, Max: 9)						
	7007	[ ncwb_kscadhdhip ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of positive symptoms of ADHD (hyperactive/impulsive presentation): <i>0-9</i>	text (integer, Min: 0, Max: 9)						
	7008	[ ncwb_kscadep ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of positive symptoms of depression: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7009	[ ncwb_kscaanx ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of positive symptoms of anxiety: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7010	[ ncwb_kscasa ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of positive symptoms of substance abuse: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7011	[ ncwb_kscapsych ] Show the field ONLY if: [ncwb_kscayn]="1"	Number of positive symptoms of psychosis: <i>0-25</i>	text (integer, Min: 0, Max: 25)						
	7012	[ ncwb_overnotes ] Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Overall administrations note</i> Enter any notes relevant to the administration of these tests:	notes Custom alignment: LV						
	7013	[ ncwb_overfair ] Show the field ONLY if: [ncwb_yn]="1"	Do you believe that this testing session was a fair representation of the examinee's abilities?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	7014	[ ncwb_overfairspec ] Show the field ONLY if: [ncwb_overfair]="0"	Please explain why this testing session was not a fair representation of the examinee's abilities:	notes Custom alignment: LV						
	7015	[ ncwb_overid ] Show the field ONLY if: [ncwb_yn]="1"	ID number of the examiner that administered this assessment:	text (integer, Min: 0, Max: 999)						
	7016	[ neurocognitive_and_wellbeing_assessments_complete ] Show the field ONLY if: [ncwb_yn]="1"	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

Instrument: Tier 3 Cssrs (tier\_3\_cssrs)

Active languages: None

7017	[ t3cssrs_fversion ]	Tier 3 CSSRS form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)																								
7018	[ t3cssrs_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
7019	[ t3cssrs_yn ]	Was the Tier 3 CSSRS administered?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
7020	[ t3cssrs_nreas ]  Show the field ONLY if: [t3cssrs_yn]="0"	Why was the Tier 3 CSSRS not administered?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																										
2	Staff Not Available																										
3	Resources Not Available																										
5	SOP Not Yet Created																										
6	Site Can Never Perform This Test																										
7	DRC Removed																										
8	Participant Could Not Be Reached/Did Not Show																										
10	Clinical Contraindication																										
13	Infected Within the Last 30 Days																										
14	Participant Uncooperative																										
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																										
9	Other																										
7021	[ t3cssrs_nreasspec ]  Show the field ONLY if: [t3cssrs_nreas]="9"	Please specify:	text, Required																								
7022	[ t3cssrsado_1 ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]<18	Section Header: Have you wished that you could go to sleep and never wake up or that you were dead?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
7023	[ t3cssrsado_2 ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]<18	Have you thought about killing yourself?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
7024	[ t3cssrsado_3 ]  Show the field ONLY if: [t3cssrsado_2]="1"	Did you think about ways you could kill yourself?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
7025	[ t3cssrsado_4 ]  Show the field ONLY if: [t3cssrsado_2]="1"	Some people think about killing themselves but know they would NEVER do it. Others think about killing themselves and think that they might do something.Was there a time when you thought about killing yourself and it was something you MIGHT do, even if you weren't completely sure?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
7026	[ t3cssrsado_5 ]  Show the field ONLY if: [t3cssrsado_2]="1"	Did you make a plan for how you would kill yourself (things like when, how, and where) and, even if you weren't completely sure when you made this plan, was it something that you thought you MIGHT do?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										
7027	[ t3cssrsado_6 ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]<18	Have you EVER tried to kill yourself, started to something to kill yourself, or done anything to get ready to kill yourself?Examples: took pills, tried to shoot yourself, cut yourself or hang yourself, took out pills but didn't swallow any, held a gun by changed your mind or it was grabbed from your hand, went to the roof but didn't jump, wrote or sent a goodbye message, did research on the internet about killing yourself, or got what you needed to kill yourself, etc.	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																										
0	No																										

7028	[ t3cssrsado_6y ]  Show the field ONLY if: [t3cssrsado_6y]="1"	Was this in the past 3 months?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7029	[ t3cssrsado_risk ]  	CSSRS (ado) risk calculation	calc Calculation: if([t3cssrsado_4]="1" or [t3cssrsado_5]="1" or [t3cssrsado_6y]="1", 3, if([t3cssrsado_3]="1" or [t3cssrsado_6]="1", 2, if([t3cssrsado_1]="1" or [t3cssrsado_2]="1") and [t3cssrsado_3]<>"1" and [t3cssrsado_4]<>"1" and [t3cssrsado_5]<>"1" and [t3cssrsado_6]="0", 1, if([t3cssrsado_1]="0" and [t3cssrsado_2]="0" and [t3cssrsado_6]="0", 0, "")))) Field Annotation: @HIDDEN @HIDDEN-PDF				
7030	[ t3cssrsya_timemonth ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]>= 18	In the past month:	descriptive				
7031	[ t3cssrsya_1 ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]>= 18	Have you wished you were dead or wished you could go to sleep and not wake up?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7032	[ t3cssrsya_2 ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]>= 18	Have you actually had any thoughts of killing yourself?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7033	[ t3cssrsya_3 ]  Show the field ONLY if: [t3cssrsya_2]="1"	Have you been thinking about how you might do this?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7034	[ t3cssrsya_4 ]  Show the field ONLY if: [t3cssrsya_2]="1"	Have you had these thoughts and had some intention of acting on them?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7035	[ t3cssrsya_5 ]  Show the field ONLY if: [t3cssrsya_2]="1"	Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7036	[ t3cssrsya_timeever ]	In your life:	descriptive				
7037	[ t3cssrsya_6 ]  Show the field ONLY if: [t3cssrs_yn]="1" and [visit_age]>= 18	Have you ever done anything, started to do anything, or prepared to do anything to end your life?Examples: collected pills, obtained a gun, gave away valuables, wrote a will or suicide note, took out pills but didn't swallow any, held a gun but changed your mind or it was grabbed from your hand, went to the roof but didn't jump; or actually took pills, tried to shoot yourself, cut yourself, tried to hang yourself, etc.	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7038	[ t3cssrsya_6y ]  Show the field ONLY if: [t3cssrsya_6y]="1"	Was this in the past 3 months?	<table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7039	[ t3cssrsya_risk ]	CSSRS (ya) risk calculation	calc Calculation: if([t3cssrsya_4]="1" or [t3cssrsya_5]="1" or [t3cssrsya_6y]="1", 3, if([t3cssrsya_3]="1" or [t3cssrsya_6]="1", 2, if([t3cssrsya_1]="1" or [t3cssrsya_2]="1") and [t3cssrsya_3]<>"1" and [t3cssrsya_4]<>"1" and [t3cssrsya_5]<>"1" and [t3cssrsya_6]="0", 1, if([t3cssrsya_1]="0" and [t3cssrsya_2]="0" and [t3cssrsya_6]="0", 0, "")))) Field Annotation: @HIDDEN @HIDDEN-PDF				
7040	[ t3cssrs_riskdisпно ]	The participant has no risk of suicidality.	descriptive Field Annotation: @HIDDEN-SURVEY				

		Show the field ONLY if: [t3cssrsado_risk]="0" or [t3cssrsy_a_risk]="0"																										
	7041	[ t3cssrs_riskdisplow ]  Show the field ONLY if: [t3cssrsado_risk]="1" or [t3cssrsy_a_risk]="1"	The participant has a low risk of suicidality.	descriptive Field Annotation: @HIDDEN-SURVEY																								
	7042	[ t3cssrs_riskdispmed ]  Show the field ONLY if: [t3cssrsado_risk]="2" or [t3cssrsy_a_risk]="2"	The participant has a medium risk of suicidality.	descriptive Field Annotation: @HIDDEN-SURVEY																								
	7043	[ t3cssrs_riskdisphigh ]  Show the field ONLY if: [t3cssrsado_risk]="3" or [t3cssrsy_a_risk]="3"	The participant has a high risk of suicidality.	descriptive Field Annotation: @HIDDEN-SURVEY																								
	7044	[ tier_3_cssrs_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																											
1	Unverified																											
2	Complete																											
Instrument: <b>Brain Mri Local Site</b> (brain_mri_local_site)																												
Active languages: None																												
	7045	[ bmri_fversion ]	Brain MRI form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)																								
	7046	[ bmri_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY																								
	7047	[ bmri_agewarning ]	Reminder: this test is only for participants 12 and older.	descriptive																								
	7048	[ bmri_yn ]	Was the Brain MRI performed?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																				
1	Yes																											
0	No																											
	7049	[ bmri_nreas ]  Show the field ONLY if: [bmri_yn]="0"	Why was the Brain MRI not performed?	radio, Required <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other
1	Participant Declined																											
2	Staff Not Available																											
3	Resources Not Available																											
5	SOP Not Yet Created																											
6	Site Can Never Perform This Test																											
7	DRC Removed																											
8	Participant Could Not Be Reached/Did Not Show																											
10	Clinical Contraindication																											
13	Infected Within the Last 30 Days																											
14	Participant Uncooperative																											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																											
9	Other																											
	7050	[ bmri_nreasspec ]  Show the field ONLY if: [bmri_nreas]="9"	Please specify:	text, Required																								
	7051	[ bmri_dttim ]  Show the field ONLY if: [bmri_yn]="1"	Date and time of Brain MRI:	text (datetime_mdy)																								
	7052	[ bmri_dtagewarning ]  Show the field ONLY if: rounddown(datediff([enrollment_arm_1][enrl_dob], [bmri_dttim], "y"))<6	Warning! This test should only have been performed on participants 12 and older. Please submit a protocol deviation.	descriptive																								
	7053	[ bmri_age ]	Age at time of Brain MRI:	calc Calculation: if([bmri_dttim]<>"",																								

				rounddown(datediff([enrollment_arm_1][enrl_dob], [bmri_dttim], 'y')), '') Field Annotation: @HIDDEN @HIDDEN-PDF								
	7054	[bmri_sex]	Biological sex	calc Calculation: if([baseline_arm_2][biosex]<>"" , [baseline_arm_2][biosex], if([baseline_arm_4][biosex]<>"" , [baseline_arm_4][biosex], if([6_month_arm_5][visit_biosex] <>"" , [6_month_arm_5][visit_biosex], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF								
	7055	[bmri_sexmap]	Biological sex mapped	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([bmri_sex]="1", "Female", if([bmri_sex]="0", "Male", if([bmri_sex]="3", "Intersex", ""))))								
	7056	[bmri_dicom]  Show the field ONLY if: [bmri_yn]="1"	DICOM Study UID	text, Required								
	7057	[bmri_cr]  Show the field ONLY if: [bmri_yn]="1"	Was the Brain MRI obtained as part of research or clinical care?	radio, Required <table><tr><td>1</td><td>Research</td></tr><tr><td>2</td><td>Clinical Care</td></tr></table> Custom alignment: LV	1	Research	2	Clinical Care				
1	Research											
2	Clinical Care											
	7058	[bmri_manufacturer]  Show the field ONLY if: [bmri_yn]="1"	MRI manufacturer:	radio, Required <table><tr><td>1</td><td>GE</td></tr><tr><td>2</td><td>Phillips</td></tr><tr><td>3</td><td>Siemens</td></tr><tr><td>9</td><td>Other</td></tr></table> Custom alignment: LV	1	GE	2	Phillips	3	Siemens	9	Other
1	GE											
2	Phillips											
3	Siemens											
9	Other											
	7059	[bmri_manufacturerspec]  Show the field ONLY if: [bmri_manufacturer]="9"	Please specify:	text, Required								
	7060	[bmri_fstr]  Show the field ONLY if: [bmri_yn]="1"	Field strength of MRI machine:	radio, Required <table><tr><td>1.5</td><td>1.5T</td></tr><tr><td>3.0</td><td>3.0T</td></tr></table> Custom alignment: LV	1.5	1.5T	3.0	3.0T				
1.5	1.5T											
3.0	3.0T											
	7061	[bmri_agedisp]  Show the field ONLY if: [bmri_yn]="1"	Section Header: <i>BRAIN MRI</i> Age: [bmri_age] years old	descriptive								
	7062	[bmri_sexdisp]  Show the field ONLY if: [bmri_yn]="1"	Sex: [bmri_sexmap]	descriptive								
	7063	[bmri_stop]  Show the field ONLY if: [bmri_yn]="1"	Was the exam stopped before completion, or did it have any other irregularities?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes											
0	No											
	7064	[bmri_stopspec]  Show the field ONLY if: [bmri_stop]="1"	Please describe:	notes Custom alignment: LV								
	7065	[bmri_report]  Show the field ONLY if: [bmri_yn]="1"	Section Header: <i>CLINICAL READ</i>  Clinical read report: Please copy and paste the de-identified content from the report into this field. <i>Please ensure that you have removed any identifiers (participant name, date of birth, MRN etc.)</i>	notes Custom alignment: LV								
	7066	[bmri_critresult]  Show the field ONLY if: [bmri_yn]="1"	Section Header: <i>CRITICAL RESULT</i>  Is there a critical result to report?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes											
0	No											
	7067	[bmri_critresultreport]  Show the field ONLY if: [bmri_critresult]="1"	Has the critical result been reported at time of data entry?	radio <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No				
1	Yes											
0	No											

				Custom alignment: LV												
	7068	[bmri_critresultspec]  Show the field ONLY if: [bmri_critresult]="1"	Please describe critical result:	notes Custom alignment: LV												
	7069	[bmri_rcqaqc]  Show the field ONLY if: [brain_mri_reading_center_compl ete] <> "" and [bmri_yn]="1"	Section Header: <i>READING CENTER NOTES</i> QA / QC Issues present: [bmrirc_qaac]	descriptive												
	7070	[bmri_rcqaqcspec]  Show the field ONLY if: [bmrirc_qaac] = "1" and [bmri_yn] ="1"	QA / QC Issues description: [bmrirc_qaqcspec]	descriptive												
	7071	[bmri_clinicaction]  Show the field ONLY if: [brain_mri_reading_center_compl ete] <> "" and [bmri_yn]="1"	Any clinically actionable findings: [bmrirc_clinicaction]	descriptive												
	7072	[bmri_clinicactionspec]  Show the field ONLY if: [bmrirc_clinicaction] = "2" and [b mri_yn]="1"	Clinically actionable findings description: [bmrirc_clinicactionspec]	descriptive												
	7073	[brain_mri_local_site_complet e]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete															
1	Unverified															
2	Complete															
Instrument: <b>Brain Mri Reading Center</b> (brain_mri_reading_center)																
Active languages: None																
	7074	[bmrirc_fversion]	Brain MRI form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)												
	7075	[bmrirc_fqueries]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY												
	7076	[bmrirc_staffid]	Pediatric Brain MRI core staff ID	text												
	7077	[bmrirc_dttim]	Date and time of Brain MRI review:	text (datetime_mdy)												
	7078	[bmrirc_infarctyn]	Section Header: <i>INFARCTS</i> Infarct present (also called stroke)?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes															
0	No															
	7079	[bmrirc_infarcttype]  Show the field ONLY if: [bmrirc_infarctyn]="1"	Infarct type	checkbox, Required <table><tr><td>1</td><td>bmrirc_infarcttype__1</td><td>Acute</td></tr><tr><td>2</td><td>bmrirc_infarcttype__2</td><td>Subacute</td></tr><tr><td>3</td><td>bmrirc_infarcttype__3</td><td>Chronic</td></tr></table> Custom alignment: LV	1	bmrirc_infarcttype__1	Acute	2	bmrirc_infarcttype__2	Subacute	3	bmrirc_infarcttype__3	Chronic			
1	bmrirc_infarcttype__1	Acute														
2	bmrirc_infarcttype__2	Subacute														
3	bmrirc_infarcttype__3	Chronic														
	7080	[bmrirc_infarctnum]  Show the field ONLY if: [bmrirc_infarctyn]="1"	Number of infarcts?	radio, Required <table><tr><td>1</td><td>1 - 4</td></tr><tr><td>2</td><td>5 - 9</td></tr><tr><td>3</td><td>10+</td></tr></table> Custom alignment: LV	1	1 - 4	2	5 - 9	3	10+						
1	1 - 4															
2	5 - 9															
3	10+															
	7081	[bmrirc_infarctdesc]  Show the field ONLY if: [bmrirc_infarctyn]="1"	Are any infarct location descriptors present? (Select any that apply)	descriptive												
	7082	[bmrirc_infarctcortlob]  Show the field ONLY if: [bmrirc_infarctyn]="1"	Cortical/Lobar (Select any that apply)	checkbox, Required <table><tr><td>1</td><td>bmrirc_infarctcortlob__1</td><td>Frontal</td></tr><tr><td>2</td><td>bmrirc_infarctcortlob__2</td><td>Parietal</td></tr><tr><td>3</td><td>bmrirc_infarctcortlob__3</td><td>Temporal</td></tr><tr><td>4</td><td>bmrirc_infarctcortlob__4</td><td>Occipital</td></tr></table> Custom alignment: LV	1	bmrirc_infarctcortlob__1	Frontal	2	bmrirc_infarctcortlob__2	Parietal	3	bmrirc_infarctcortlob__3	Temporal	4	bmrirc_infarctcortlob__4	Occipital
1	bmrirc_infarctcortlob__1	Frontal														
2	bmrirc_infarctcortlob__2	Parietal														
3	bmrirc_infarctcortlob__3	Temporal														
4	bmrirc_infarctcortlob__4	Occipital														

7083	<div>[ bmrirc_infarctsubcort ]</div> <div>Show the field ONLY if: [bmrirc_infarctyn]="1"</div>	Subcortical / Lacunar / White Matter (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_infarctsubcort__1</td><td>Frontal</td></tr><tr><td>2</td><td>bmrirc_infarctsubcort__2</td><td>Parietal</td></tr><tr><td>3</td><td>bmrirc_infarctsubcort__3</td><td>Temporal</td></tr><tr><td>4</td><td>bmrirc_infarctsubcort__4</td><td>Occipital</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_infarctsubcort__1	Frontal	2	bmrirc_infarctsubcort__2	Parietal	3	bmrirc_infarctsubcort__3	Temporal	4	bmrirc_infarctsubcort__4	Occipital			
1	bmrirc_infarctsubcort__1	Frontal																
2	bmrirc_infarctsubcort__2	Parietal																
3	bmrirc_infarctsubcort__3	Temporal																
4	bmrirc_infarctsubcort__4	Occipital																
7084	<div>[ bmrirc_infarctbasgang ]</div> <div>Show the field ONLY if: [bmrirc_infarctyn]="1"</div>	Basal Ganglia (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_infarctbasgang__1</td><td>Striatum</td></tr><tr><td>2</td><td>bmrirc_infarctbasgang__2</td><td>Caudate</td></tr><tr><td>3</td><td>bmrirc_infarctbasgang__3</td><td>Putamen</td></tr><tr><td>4</td><td>bmrirc_infarctbasgang__4</td><td>Globus Pallidus</td></tr><tr><td>5</td><td>bmrirc_infarctbasgang__5</td><td>Thalamus</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_infarctbasgang__1	Striatum	2	bmrirc_infarctbasgang__2	Caudate	3	bmrirc_infarctbasgang__3	Putamen	4	bmrirc_infarctbasgang__4	Globus Pallidus	5	bmrirc_infarctbasgang__5	Thalamus
1	bmrirc_infarctbasgang__1	Striatum																
2	bmrirc_infarctbasgang__2	Caudate																
3	bmrirc_infarctbasgang__3	Putamen																
4	bmrirc_infarctbasgang__4	Globus Pallidus																
5	bmrirc_infarctbasgang__5	Thalamus																
7085	<div>[ bmrirc_infarctpostfos ]</div> <div>Show the field ONLY if: [bmrirc_infarctyn]="1"</div>	Posterior fossa / Infratentorial (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_infarctpostfos__1</td><td>Brainstem</td></tr><tr><td>2</td><td>bmrirc_infarctpostfos__2</td><td>Cerebellum</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_infarctpostfos__1	Brainstem	2	bmrirc_infarctpostfos__2	Cerebellum									
1	bmrirc_infarctpostfos__1	Brainstem																
2	bmrirc_infarctpostfos__2	Cerebellum																
7086	<div>[ bmrirc_infarctbrainstem ]</div> <div>Show the field ONLY if: [bmrirc_infarctpostfos(1)]="1"</div>	Brainstem (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_infarctbrainstem__1</td><td>Midbrain</td></tr><tr><td>2</td><td>bmrirc_infarctbrainstem__2</td><td>Pons</td></tr><tr><td>3</td><td>bmrirc_infarctbrainstem__3</td><td>Medulla</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_infarctbrainstem__1	Midbrain	2	bmrirc_infarctbrainstem__2	Pons	3	bmrirc_infarctbrainstem__3	Medulla						
1	bmrirc_infarctbrainstem__1	Midbrain																
2	bmrirc_infarctbrainstem__2	Pons																
3	bmrirc_infarctbrainstem__3	Medulla																
7087	<div>[ bmrirc_infarctdspec ]</div> <div>Show the field ONLY if: [bmrirc_infarctyn]="1"</div>	Additional description	<div>text, Required</div>															
7088	<div>[ bmrirc_dwiadc ]</div>	<div>Section Header: DWI/ADC</div> <div>DWI/ADC abnormality description</div>	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7089	<div>[ bmrirc_dwiadccortlob1 ]</div> <div>Show the field ONLY if: [bmrirc_infarctcortlob(1)] = "1" and [bmrirc_dwiadc] = "1"</div>	DWI/ADC for Cortical/Lobar - Frontal	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7090	<div>[ bmrirc_dwiadccortlob2 ]</div> <div>Show the field ONLY if: [bmrirc_infarctcortlob(2)] = "1" and [bmrirc_dwiadc] = "1"</div>	DWI/ADC for Cortical/Lobar - Parietal	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7091	<div>[ bmrirc_dwiadccortlob3 ]</div> <div>Show the field ONLY if: [bmrirc_infarctcortlob(3)] = "1" and [bmrirc_dwiadc] = "1"</div>	DWI/ADC for Cortical/Lobar - Temporal	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7092	<div>[ bmrirc_dwiadccortlob4 ]</div> <div>Show the field ONLY if: [bmrirc_infarctcortlob(4)] = "1" and [bmrirc_dwiadc] = "1"</div>	DWI/ADC for Cortical/Lobar - Occipital	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7093	<div>[ bmrirc_dwiadcsubcort1 ]</div> <div>Show the field ONLY if: [bmrirc_infarctsubcort(1)] = "1" and [bmrirc_dwiadc] = "1"</div>	DWI/ADC for Subcortical/Lacunar/White Matter - Frontal	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7094	<div>[ bmrirc_dwiadcsubcort2 ]</div> <div>Show the field ONLY if:</div>	DWI/ADC for Subcortical/Lacunar/White Matter - Parietal	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr></table>	1	Yes													
1	Yes																	

		[bmrirc_infarctsubcort(2)] = "1" and [bmrirc_dwiadc] = "1"		<div>0 No</div> <div>Custom alignment: LV</div>
7095		<b>[bmrirc_dwiadcsubcort3]</b> Show the field ONLY if: [bmrirc_infarctsubcort(3)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Subcortical/Lacunar/White Matter - Temporal	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7096		<b>[bmrirc_dwiadcsubcort4]</b> Show the field ONLY if: [bmrirc_infarctsubcort(4)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Subcortical/Lacunar/White Matter - Occipital	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7097		<b>[bmrirc_dwiadcbsgang1]</b> Show the field ONLY if: [bmrirc_infarctbsgang(1)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Basal Ganglia - Striatum	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7098		<b>[bmrirc_dwiadcbsgang2]</b> Show the field ONLY if: [bmrirc_infarctbsgang(2)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Basal Ganglia - Caudate	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7099		<b>[bmrirc_dwiadcbsgang3]</b> Show the field ONLY if: [bmrirc_infarctbsgang(3)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Basal Ganglia - Putamen	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7100		<b>[bmrirc_dwiadcbsgang4]</b> Show the field ONLY if: [bmrirc_infarctbsgang(4)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Basal Ganglia - Globus Pallidus	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7101		<b>[bmrirc_dwiadcbsgang5]</b> Show the field ONLY if: [bmrirc_infarctbsgang(5)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Basal Ganglia - Thalamus	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7102		<b>[bmrirc_dwiadcpostfos1]</b> Show the field ONLY if: [bmrirc_infarctpostfos(1)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Posterior Fossa / Infratentorial - Brainstem	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7103		<b>[bmrirc_dwiadcbrainstem1]</b> Show the field ONLY if: [bmrirc_infarctbrainstem(1)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Posterior Fossa / Infratentorial - Brainstem - Midbrain	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7104		<b>[bmrirc_dwiadcbrainstem2]</b> Show the field ONLY if: [bmrirc_infarctbrainstem(2)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Posterior Fossa / Infratentorial - Brainstem - Pons	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7105		<b>[bmrirc_dwiadcbrainstem3]</b> Show the field ONLY if: [bmrirc_infarctbrainstem(3)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Posterior Fossa / Infratentorial - Brainstem - Medulla	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div> <div>Custom alignment: LV</div>
7106		<b>[bmrirc_dwiadcpostfos2]</b> Show the field ONLY if: [bmrirc_infarctpostfos(2)] = "1" and [bmrirc_dwiadc] = "1"	DWI/ADC for Posterior Fossa / Infratentorial - Cerebellum	<div>radio, Required</div> <div>1 Yes</div> <div>0 No</div>



				Custom alignment: LV																					
7107	<div>[ bmrirc_dwiadcspec ]</div> <div>Show the field ONLY if: [bmrirc_dwiadc]="1"</div>	Additional description		text, Required																					
7108	<div>[ bmrirc_t2yn ]</div>	Section Header: T2 or FLAIR Non-Infarct T2 or FLAIR White Matter Hyperintensities Present?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No	<div>Custom alignment: LV</div>																	
1	Yes																								
0	No																								
7109	<div>[ bmrirc_t2type ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Non-Infarct T2 or FLAIR White Matter Hyperintensities type	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_t2type__1</td><td>Suspected demyelination</td></tr><tr><td>2</td><td>bmrirc_t2type__2</td><td>Periventricular Leukomalacia</td></tr><tr><td>3</td><td>bmrirc_t2type__3</td><td>Other perinatal event</td></tr><tr><td>4</td><td>bmrirc_t2type__4</td><td>Suspected vasculitis</td></tr><tr><td>5</td><td>bmrirc_t2type__5</td><td>Limbic encephalitis</td></tr><tr><td>6</td><td>bmrirc_t2type__6</td><td>Nonspecific and punctate</td></tr><tr><td>7</td><td>bmrirc_t2type__7</td><td>Safety concern</td></tr></table>	1	bmrirc_t2type__1	Suspected demyelination	2	bmrirc_t2type__2	Periventricular Leukomalacia	3	bmrirc_t2type__3	Other perinatal event	4	bmrirc_t2type__4	Suspected vasculitis	5	bmrirc_t2type__5	Limbic encephalitis	6	bmrirc_t2type__6	Nonspecific and punctate	7	bmrirc_t2type__7	Safety concern	<div>Custom alignment: LV</div>
1	bmrirc_t2type__1	Suspected demyelination																							
2	bmrirc_t2type__2	Periventricular Leukomalacia																							
3	bmrirc_t2type__3	Other perinatal event																							
4	bmrirc_t2type__4	Suspected vasculitis																							
5	bmrirc_t2type__5	Limbic encephalitis																							
6	bmrirc_t2type__6	Nonspecific and punctate																							
7	bmrirc_t2type__7	Safety concern																							
7110	<div>[ bmrirc_t2num ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Number of T2-hyperintensities?	<div>radio, Required</div> <table><tr><td>1</td><td>1-4</td></tr><tr><td>2</td><td>5-9</td></tr><tr><td>3</td><td>10+</td></tr></table>	1	1-4	2	5-9	3	10+	<div>Custom alignment: LV</div>															
1	1-4																								
2	5-9																								
3	10+																								
7111	<div>[ bmrirc_t2desc ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Are any T2/FLAIR white matter location descriptors present? (Select any that apply)	descriptive																						
7112	<div>[ bmrirc_t2cortlob ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Cortical/Lobar (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_t2cortlob__1</td><td>Frontal</td></tr><tr><td>2</td><td>bmrirc_t2cortlob__2</td><td>Parietal</td></tr><tr><td>3</td><td>bmrirc_t2cortlob__3</td><td>Temporal</td></tr><tr><td>4</td><td>bmrirc_t2cortlob__4</td><td>Occipital</td></tr></table>	1	bmrirc_t2cortlob__1	Frontal	2	bmrirc_t2cortlob__2	Parietal	3	bmrirc_t2cortlob__3	Temporal	4	bmrirc_t2cortlob__4	Occipital	<div>Custom alignment: LV</div>									
1	bmrirc_t2cortlob__1	Frontal																							
2	bmrirc_t2cortlob__2	Parietal																							
3	bmrirc_t2cortlob__3	Temporal																							
4	bmrirc_t2cortlob__4	Occipital																							
7113	<div>[ bmrirc_t2subcort ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Subcortical / Lacunar / White Matter (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_t2subcort__1</td><td>Frontal</td></tr><tr><td>2</td><td>bmrirc_t2subcort__2</td><td>Parietal</td></tr><tr><td>3</td><td>bmrirc_t2subcort__3</td><td>Temporal</td></tr><tr><td>4</td><td>bmrirc_t2subcort__4</td><td>Occipital</td></tr></table>	1	bmrirc_t2subcort__1	Frontal	2	bmrirc_t2subcort__2	Parietal	3	bmrirc_t2subcort__3	Temporal	4	bmrirc_t2subcort__4	Occipital	<div>Custom alignment: LV</div>									
1	bmrirc_t2subcort__1	Frontal																							
2	bmrirc_t2subcort__2	Parietal																							
3	bmrirc_t2subcort__3	Temporal																							
4	bmrirc_t2subcort__4	Occipital																							
7114	<div>[ bmrirc_t2basgang ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Basal Ganglia (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_t2basgang__1</td><td>Striatum</td></tr><tr><td>2</td><td>bmrirc_t2basgang__2</td><td>Caudate</td></tr><tr><td>3</td><td>bmrirc_t2basgang__3</td><td>Putamen</td></tr><tr><td>4</td><td>bmrirc_t2basgang__4</td><td>Globus Pallidus</td></tr><tr><td>5</td><td>bmrirc_t2basgang__5</td><td>Thalamus</td></tr></table>	1	bmrirc_t2basgang__1	Striatum	2	bmrirc_t2basgang__2	Caudate	3	bmrirc_t2basgang__3	Putamen	4	bmrirc_t2basgang__4	Globus Pallidus	5	bmrirc_t2basgang__5	Thalamus	<div>Custom alignment: LV</div>						
1	bmrirc_t2basgang__1	Striatum																							
2	bmrirc_t2basgang__2	Caudate																							
3	bmrirc_t2basgang__3	Putamen																							
4	bmrirc_t2basgang__4	Globus Pallidus																							
5	bmrirc_t2basgang__5	Thalamus																							
7115	<div>[ bmrirc_t2postfos ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Posterior fossa / Infratentorial (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_t2postfos__1</td><td>Brainstem</td></tr><tr><td>2</td><td>bmrirc_t2postfos__2</td><td>Cerebellum</td></tr></table>	1	bmrirc_t2postfos__1	Brainstem	2	bmrirc_t2postfos__2	Cerebellum	<div>Custom alignment: LV</div>															
1	bmrirc_t2postfos__1	Brainstem																							
2	bmrirc_t2postfos__2	Cerebellum																							
7116	<div>[ bmrirc_t2brainstem ]</div> <div>Show the field ONLY if: [bmrirc_t2postfos(1)]= "1"</div>	Brainstem (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_t2brainstem__1</td><td>Midbrain</td></tr><tr><td>2</td><td>bmrirc_t2brainstem__2</td><td>Pons</td></tr><tr><td>3</td><td>bmrirc_t2brainstem__3</td><td>Medulla</td></tr></table>	1	bmrirc_t2brainstem__1	Midbrain	2	bmrirc_t2brainstem__2	Pons	3	bmrirc_t2brainstem__3	Medulla													
1	bmrirc_t2brainstem__1	Midbrain																							
2	bmrirc_t2brainstem__2	Pons																							
3	bmrirc_t2brainstem__3	Medulla																							

				Custom alignment: LV
7117	<div>[ bmrirc_t2spec ]</div> <div>Show the field ONLY if: [bmrirc_t2yn]="1"</div>	Additional description		text, Required
7118	<div>[ bmrirc_myelinationyn ]</div> <div>Show the field ONLY if: [bmrirc_myelinationyn]="1"</div>	Section Header: <i>WHITE MATTER MYELINATION ABNORMAL</i> White Matter Myelination Abnormal?	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div>	Custom alignment: LV
7119	<div>[ bmrirc_myelinationabqual ]</div> <div>Show the field ONLY if: [bmrirc_myelinationyn]="1"</div>	Qualitative Assessment of Delayed Myelination:	<div>radio, Required</div> <div><div>1 Moderate</div><div>2 Severe</div></div>	Custom alignment: LV
7120	<div>[ bmrirc_bleedyn ]</div> <div>Show the field ONLY if: [bmrirc_bleedyn] = "1"</div>	Section Header: <i>HEMORRHAGE / BLEEDS</i> Hemorrhage / Bleeds?	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div>	Custom alignment: LV
7121	<div>[ bmrirc_bleedmicro ]</div> <div>Show the field ONLY if: [bmrirc_bleedyn] = "1"</div>	Microhemorrhage or Microbleeds?	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div>	Custom alignment: LV
7122	<div>[ bmrirc_bleedmicronum ]</div> <div>Show the field ONLY if: [bmrirc_bleedmicro]="1"</div>	Number of microbleeds?	<div>radio, Required</div> <div><div>1 1 - 4</div><div>2 5 - 9</div><div>3 10+</div></div>	Custom alignment: LV
7123	<div>[ bmrirc_bleedmicrodesc ]</div> <div>Show the field ONLY if: [bmrirc_bleedmicro] = "1"</div>	Are any location descriptors present? (Select all that apply)	descriptive	
7124	<div>[ bmrirc_bleedmicrocortlob ]</div> <div>Show the field ONLY if: [bmrirc_bleedmicro] = "1"</div>	Cortical/Lobar (Select any that apply)	<div>checkbox, Required</div> <div><div>1 bmrirc_bleedmicrocortlob__1 Frontal</div><div>2 bmrirc_bleedmicrocortlob__2 Parietal</div><div>3 bmrirc_bleedmicrocortlob__3 Temporal</div><div>4 bmrirc_bleedmicrocortlob__4 Occipital</div></div>	Custom alignment: LV
7125	<div>[ bmrirc_bleedmicrosubcort ]</div> <div>Show the field ONLY if: [bmrirc_bleedmicro] = "1"</div>	Subcortical / Lacunar / White Matter (Select any that apply)	<div>checkbox, Required</div> <div><div>1 bmrirc_bleedmicrosubcort__1 Frontal</div><div>2 bmrirc_bleedmicrosubcort__2 Parietal</div><div>3 bmrirc_bleedmicrosubcort__3 Temporal</div><div>4 bmrirc_bleedmicrosubcort__4 Occipital</div></div>	Custom alignment: LV
7126	<div>[ bmrirc_bleedmicrobasgang ]</div> <div>Show the field ONLY if: [bmrirc_bleedmicro] = "1"</div>	Basal Ganglia (Select any that apply)	<div>checkbox, Required</div> <div><div>1 bmrirc_bleedmicrobasgang__1 Striatum</div><div>2 bmrirc_bleedmicrobasgang__2 Caudate</div><div>3 bmrirc_bleedmicrobasgang__3 Putamen</div><div>4 bmrirc_bleedmicrobasgang__4 Globus Pallidus</div><div>5 bmrirc_bleedmicrobasgang__5 Thalamus</div></div>	Custom alignment: LV
7127	<div>[ bmrirc_bleedmicropostfos ]</div> <div>Show the field ONLY if: [bmrirc_bleedmicro] = "1"</div>	Posterior fossa / Infratentorial (Select any that apply)	<div>checkbox, Required</div> <div><div>1 bmrirc_bleedmicropostfos__1 Brainstem</div><div>2 bmrirc_bleedmicropostfos__2 Cerebellum</div></div>	Custom alignment: LV

7128	<div>[bmrirc_bleedmicrobrainstem]</div> <div>Show the field ONLY if: [bmrirc_bleedmicropostfos(1)] ="1"</div>	Brainstem (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedmicrobrainstem__1</td><td>Midbrain</td></tr><tr><td>2</td><td>bmrirc_bleedmicrobrainstem__2</td><td>Pons</td></tr><tr><td>3</td><td>bmrirc_bleedmicrobrainstem__3</td><td>Medulla</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_bleedmicrobrainstem__1	Midbrain	2	bmrirc_bleedmicrobrainstem__2	Pons	3	bmrirc_bleedmicrobrainstem__3	Medulla						
1	bmrirc_bleedmicrobrainstem__1	Midbrain																
2	bmrirc_bleedmicrobrainstem__2	Pons																
3	bmrirc_bleedmicrobrainstem__3	Medulla																
7129	<div>[bmrirc_bleedlobar]</div> <div>Show the field ONLY if: [bmrirc_bleedyn] = "1"</div>	Parenchymal or lobar hemorrhage / bleed / hematoma (not counting microbleeds)?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7130	<div>[bmrirc_bleedlobarnum]</div> <div>Show the field ONLY if: [bmrirc_bleedlobar]="1"</div>	Number of parenchymal or lobar hemorrhages (not counting microbleeds)?	<div>radio, Required</div> <table><tr><td>1</td><td>1-4</td></tr><tr><td>2</td><td>5-9</td></tr><tr><td>3</td><td>10+</td></tr></table> <div>Custom alignment: LV</div>	1	1-4	2	5-9	3	10+									
1	1-4																	
2	5-9																	
3	10+																	
7131	<div>[bmrirc_bleedlobardesc]</div> <div>Show the field ONLY if: [bmrirc_bleedlobar] = "1"</div>	Are any location descriptors present? (Select all that apply)	<div>descriptive</div>															
7132	<div>[bmrirc_bleedlobarcortlob]</div> <div>Show the field ONLY if: [bmrirc_bleedlobar] = "1"</div>	Cortical/Lobar (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedlobarcortlob__1</td><td>Frontal</td></tr><tr><td>2</td><td>bmrirc_bleedlobarcortlob__2</td><td>Parietal</td></tr><tr><td>3</td><td>bmrirc_bleedlobarcortlob__3</td><td>Temporal</td></tr><tr><td>4</td><td>bmrirc_bleedlobarcortlob__4</td><td>Occipital</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_bleedlobarcortlob__1	Frontal	2	bmrirc_bleedlobarcortlob__2	Parietal	3	bmrirc_bleedlobarcortlob__3	Temporal	4	bmrirc_bleedlobarcortlob__4	Occipital			
1	bmrirc_bleedlobarcortlob__1	Frontal																
2	bmrirc_bleedlobarcortlob__2	Parietal																
3	bmrirc_bleedlobarcortlob__3	Temporal																
4	bmrirc_bleedlobarcortlob__4	Occipital																
7133	<div>[bmrirc_bleedlobarsubcort]</div> <div>Show the field ONLY if: [bmrirc_bleedlobar] = "1"</div>	Subcortical / Lacunar / White Matter (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedlobarsubcort__1</td><td>Frontal</td></tr><tr><td>2</td><td>bmrirc_bleedlobarsubcort__2</td><td>Parietal</td></tr><tr><td>3</td><td>bmrirc_bleedlobarsubcort__3</td><td>Temporal</td></tr><tr><td>4</td><td>bmrirc_bleedlobarsubcort__4</td><td>Occipital</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_bleedlobarsubcort__1	Frontal	2	bmrirc_bleedlobarsubcort__2	Parietal	3	bmrirc_bleedlobarsubcort__3	Temporal	4	bmrirc_bleedlobarsubcort__4	Occipital			
1	bmrirc_bleedlobarsubcort__1	Frontal																
2	bmrirc_bleedlobarsubcort__2	Parietal																
3	bmrirc_bleedlobarsubcort__3	Temporal																
4	bmrirc_bleedlobarsubcort__4	Occipital																
7134	<div>[bmrirc_bleedlobarbasgang]</div> <div>Show the field ONLY if: [bmrirc_bleedlobar] = "1"</div>	Basal Ganglia (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedlobarbasgang__1</td><td>Striatum</td></tr><tr><td>2</td><td>bmrirc_bleedlobarbasgang__2</td><td>Caudate</td></tr><tr><td>3</td><td>bmrirc_bleedlobarbasgang__3</td><td>Putamen</td></tr><tr><td>4</td><td>bmrirc_bleedlobarbasgang__4</td><td>Globus Pallidus</td></tr><tr><td>5</td><td>bmrirc_bleedlobarbasgang__5</td><td>Thalamus</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_bleedlobarbasgang__1	Striatum	2	bmrirc_bleedlobarbasgang__2	Caudate	3	bmrirc_bleedlobarbasgang__3	Putamen	4	bmrirc_bleedlobarbasgang__4	Globus Pallidus	5	bmrirc_bleedlobarbasgang__5	Thalamus
1	bmrirc_bleedlobarbasgang__1	Striatum																
2	bmrirc_bleedlobarbasgang__2	Caudate																
3	bmrirc_bleedlobarbasgang__3	Putamen																
4	bmrirc_bleedlobarbasgang__4	Globus Pallidus																
5	bmrirc_bleedlobarbasgang__5	Thalamus																
7135	<div>[bmrirc_bleedlobarpostfos]</div> <div>Show the field ONLY if: [bmrirc_bleedlobar] = "1"</div>	Posterior fossa / Infratentorial (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedlobarpostfos__1</td><td>Brainstem</td></tr><tr><td>2</td><td>bmrirc_bleedlobarpostfos__2</td><td>Cerebellum</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_bleedlobarpostfos__1	Brainstem	2	bmrirc_bleedlobarpostfos__2	Cerebellum									
1	bmrirc_bleedlobarpostfos__1	Brainstem																
2	bmrirc_bleedlobarpostfos__2	Cerebellum																
7136	<div>[bmrirc_bleedlobarbrainstem]</div> <div>Show the field ONLY if: [bmrirc_bleedlobarpostfos(1)] ="1"</div>	Brainstem (Select any that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedlobarbrainstem__1</td><td>Midbrain</td></tr><tr><td>2</td><td>bmrirc_bleedlobarbrainstem__2</td><td>Pons</td></tr><tr><td>3</td><td>bmrirc_bleedlobarbrainstem__3</td><td>Medulla</td></tr></table> <div>Custom alignment: LV</div>	1	bmrirc_bleedlobarbrainstem__1	Midbrain	2	bmrirc_bleedlobarbrainstem__2	Pons	3	bmrirc_bleedlobarbrainstem__3	Medulla						
1	bmrirc_bleedlobarbrainstem__1	Midbrain																
2	bmrirc_bleedlobarbrainstem__2	Pons																
3	bmrirc_bleedlobarbrainstem__3	Medulla																
7137	<div>[bmrirc_bleedsubara]</div> <div>Show the field ONLY if: [bmrirc_bleedyn] = "1"</div>	Subarachnoid hemorrhage?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No											
1	Yes																	
0	No																	
7138	<div>[bmrirc_bleedsubaraloc]</div> <div>Show the field ONLY if:</div>	Are any location descriptors present? (Select all that apply)	<div>checkbox, Required</div> <table><tr><td>1</td><td>bmrirc_bleedsubaraloc__1</td><td>Cortical/Lobar</td></tr></table>	1	bmrirc_bleedsubaraloc__1	Cortical/Lobar												
1	bmrirc_bleedsubaraloc__1	Cortical/Lobar																

		[bmrirc_bleedsubaraloc] = "1"		<table border="1"> <tr> <td>2</td><td>bmrirc_bleedsubaraloc__2</td><td>Basal Cisterns</td></tr> <tr> <td>3</td><td>bmrirc_bleedsubaraloc__3</td><td>Posterior fossa / Infratentorial</td></tr> </table>	2	bmrirc_bleedsubaraloc__2	Basal Cisterns	3	bmrirc_bleedsubaraloc__3	Posterior fossa / Infratentorial						
2	bmrirc_bleedsubaraloc__2	Basal Cisterns														
3	bmrirc_bleedsubaraloc__3	Posterior fossa / Infratentorial														
				Custom alignment: LV												
7139	[bmrirc_bleedsubaralocctlob]	Cortical/Lobar (Select any that apply)  Show the field ONLY if: [bmrirc_bleedsubaraloc(1)] = "1"		checkbox, Required <table border="1"> <tr> <td>1</td><td>bmrirc_bleedsubaralocctlob__1</td><td>Frontal</td></tr> <tr> <td>2</td><td>bmrirc_bleedsubaralocctlob__2</td><td>Parietal</td></tr> <tr> <td>3</td><td>bmrirc_bleedsubaralocctlob__3</td><td>Temporal</td></tr> <tr> <td>4</td><td>bmrirc_bleedsubaralocctlob__4</td><td>Occipital</td></tr> </table>	1	bmrirc_bleedsubaralocctlob__1	Frontal	2	bmrirc_bleedsubaralocctlob__2	Parietal	3	bmrirc_bleedsubaralocctlob__3	Temporal	4	bmrirc_bleedsubaralocctlob__4	Occipital
1	bmrirc_bleedsubaralocctlob__1	Frontal														
2	bmrirc_bleedsubaralocctlob__2	Parietal														
3	bmrirc_bleedsubaralocctlob__3	Temporal														
4	bmrirc_bleedsubaralocctlob__4	Occipital														
				Custom alignment: LV												
7140	[bmrirc_subdur]	Subdural hemorrhage / hematoma?  Show the field ONLY if: [bmrirc_bleedyn] = "1"		radio, Required <table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>0</td><td>No</td></tr> </table>	1	Yes	0	No								
1	Yes															
0	No															
				Custom alignment: LV												
7141	[bmrirc_subdurdesc]	Are any location descriptors present? (Select all that apply)  Show the field ONLY if: [bmrirc_subdur] = "1"		checkbox, Required <table border="1"> <tr> <td>1</td><td>bmrirc_subdurdesc__1</td><td>Cortical/Lobar</td></tr> <tr> <td>2</td><td>bmrirc_subdurdesc__2</td><td>Posterior Fossa / Infratentorial</td></tr> </table>	1	bmrirc_subdurdesc__1	Cortical/Lobar	2	bmrirc_subdurdesc__2	Posterior Fossa / Infratentorial						
1	bmrirc_subdurdesc__1	Cortical/Lobar														
2	bmrirc_subdurdesc__2	Posterior Fossa / Infratentorial														
				Custom alignment: LV												
7142	[bmrirc_subdurhemcortlob]	Cortical/Lobar (Select any that apply)  Show the field ONLY if: [bmrirc_subdurdesc(1)]="1"		checkbox, Required <table border="1"> <tr> <td>1</td><td>bmrirc_subdurhemcortlob__1</td><td>Frontal</td></tr> <tr> <td>2</td><td>bmrirc_subdurhemcortlob__2</td><td>Parietal</td></tr> <tr> <td>3</td><td>bmrirc_subdurhemcortlob__3</td><td>Temporal</td></tr> <tr> <td>4</td><td>bmrirc_subdurhemcortlob__4</td><td>Occipital</td></tr> </table>	1	bmrirc_subdurhemcortlob__1	Frontal	2	bmrirc_subdurhemcortlob__2	Parietal	3	bmrirc_subdurhemcortlob__3	Temporal	4	bmrirc_subdurhemcortlob__4	Occipital
1	bmrirc_subdurhemcortlob__1	Frontal														
2	bmrirc_subdurhemcortlob__2	Parietal														
3	bmrirc_subdurhemcortlob__3	Temporal														
4	bmrirc_subdurhemcortlob__4	Occipital														
				Custom alignment: LV												
7143	[bmrirc_hemoth]	Other (including Epidural hemorrhage):  Show the field ONLY if: [bmrirc_bleedyn] = "1"		radio, Required <table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>0</td><td>No</td></tr> </table>	1	Yes	0	No								
1	Yes															
0	No															
				Custom alignment: LV												
7144	[bmrirc_hemothdesc]	Are any location descriptors present? (Select all that apply)  Show the field ONLY if: [bmrirc_hemoth] = "1"		checkbox, Required <table border="1"> <tr> <td>1</td><td>bmrirc_hemothdesc__1</td><td>Cortical/Lobar</td></tr> <tr> <td>2</td><td>bmrirc_hemothdesc__2</td><td>Posterior Fossa / Infratentorial</td></tr> </table>	1	bmrirc_hemothdesc__1	Cortical/Lobar	2	bmrirc_hemothdesc__2	Posterior Fossa / Infratentorial						
1	bmrirc_hemothdesc__1	Cortical/Lobar														
2	bmrirc_hemothdesc__2	Posterior Fossa / Infratentorial														
				Custom alignment: LV												
7145	[bmrirc_hemothcortlob]	Cortical/Lobar (Select any that apply)  Show the field ONLY if: [bmrirc_hemothdesc(1)]="1"		checkbox, Required <table border="1"> <tr> <td>1</td><td>bmrirc_hemothcortlob__1</td><td>Frontal</td></tr> <tr> <td>2</td><td>bmrirc_hemothcortlob__2</td><td>Parietal</td></tr> <tr> <td>3</td><td>bmrirc_hemothcortlob__3</td><td>Temporal</td></tr> <tr> <td>4</td><td>bmrirc_hemothcortlob__4</td><td>Occipital</td></tr> </table>	1	bmrirc_hemothcortlob__1	Frontal	2	bmrirc_hemothcortlob__2	Parietal	3	bmrirc_hemothcortlob__3	Temporal	4	bmrirc_hemothcortlob__4	Occipital
1	bmrirc_hemothcortlob__1	Frontal														
2	bmrirc_hemothcortlob__2	Parietal														
3	bmrirc_hemothcortlob__3	Temporal														
4	bmrirc_hemothcortlob__4	Occipital														
				Custom alignment: LV												
7146	[bmrirc_hemothspecc]	Please describe  Show the field ONLY if: [bmrirc_hemoth] = "1"		notes, Required Custom alignment: LV												
7147	[bmrirc_masseffectyn]	Section Header: <i>MASS EFFECT</i> Mass Effect?		radio, Required <table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>0</td><td>No</td></tr> </table>	1	Yes	0	No								
1	Yes															
0	No															
				Custom alignment: LV												
7148	[bmrirc_masseffectdesc]	Select all that apply:  Show the field ONLY if: [bmrirc_masseffectyn] = "1"		checkbox, Required <table border="1"> <tr> <td>1</td><td>bmrirc_masseffectdesc__1</td><td>Tumor / Neoplasm</td></tr> <tr> <td>2</td><td>bmrirc_masseffectdesc__2</td><td>Mass Effect from Inflammatory Lesion</td></tr> <tr> <td>3</td><td>bmrirc_masseffectdesc__3</td><td>Fluid Collection or Cyst</td></tr> </table>	1	bmrirc_masseffectdesc__1	Tumor / Neoplasm	2	bmrirc_masseffectdesc__2	Mass Effect from Inflammatory Lesion	3	bmrirc_masseffectdesc__3	Fluid Collection or Cyst			
1	bmrirc_masseffectdesc__1	Tumor / Neoplasm														
2	bmrirc_masseffectdesc__2	Mass Effect from Inflammatory Lesion														
3	bmrirc_masseffectdesc__3	Fluid Collection or Cyst														

4	bmrirc_masseffectdesc__4	Midline shift
5	bmrirc_masseffectdesc__5	Herniation
9	bmrirc_masseffectdesc__9	Other

Custom alignment: LV

7149	[bmrirc_masseffectspect] Show the field ONLY if: [bmrirc_masseffectdesc(9)] = "1"	Describe findings	notes, Required Custom alignment: LV								
7150	[bmrirc_brainvolyn]  Show the field ONLY if: [bmrirc_brainvolyn] = "1"	Section Header: <i>BRAIN VOLUME ABNORMAL FOR AGE</i> Brain Volume Abnormal For Age (Radiologist Qualitative Assessment)?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes										
0	No										
7151	[bmrirc_brainvolwmv]  Show the field ONLY if: [bmrirc_brainvolyn] = "1"	White Matter Volume	radio, Required <table><tr><td>1</td><td>Normal</td></tr><tr><td>2</td><td>Decreased</td></tr><tr><td>3</td><td>Increased</td></tr></table> Custom alignment: LV	1	Normal	2	Decreased	3	Increased		
1	Normal										
2	Decreased										
3	Increased										
7152	[bmrirc_brainvolcgm]  Show the field ONLY if: [bmrirc_brainvolyn] = "1"	Cortical Gray Matter	radio, Required <table><tr><td>1</td><td>Normal</td></tr><tr><td>2</td><td>Decreased</td></tr><tr><td>3</td><td>Increased</td></tr></table> Custom alignment: LV	1	Normal	2	Decreased	3	Increased		
1	Normal										
2	Decreased										
3	Increased										
7153	[bmrirc_brainvoldgn]  Show the field ONLY if: [bmrirc_brainvolyn] = "1"	Deep Gray Nuclei (includes Basal Ganglia / Striatum / Caudate / Putamen / Globus Pallidus / Thalamus)	radio, Required <table><tr><td>1</td><td>Normal</td></tr><tr><td>2</td><td>Decreased</td></tr><tr><td>3</td><td>Increased</td></tr></table> Custom alignment: LV	1	Normal	2	Decreased	3	Increased		
1	Normal										
2	Decreased										
3	Increased										
7154	[bmrirc_ventabyn]  Show the field ONLY if: [bmrirc_ventabyn] = "1"	Section Header: <i>VENTRICLES ABNORMAL FOR AGE</i> Ventricles Abnormal For Age (Radiologist Qualitative Assessment)?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes										
0	No										
7155	[bmrirc_ventabqual]  Show the field ONLY if: [bmrirc_ventabyn] = "1"	Select all that apply:	radio, Required <table><tr><td>1</td><td>Small, compressed</td></tr><tr><td>2</td><td>Enlarged: Mild</td></tr><tr><td>3</td><td>Enlarged: Moderate</td></tr><tr><td>4</td><td>Enlarged: Severe</td></tr></table> Custom alignment: LV	1	Small, compressed	2	Enlarged: Mild	3	Enlarged: Moderate	4	Enlarged: Severe
1	Small, compressed										
2	Enlarged: Mild										
3	Enlarged: Moderate										
4	Enlarged: Severe										
7156	[bmrirc_ventabdilation]  Show the field ONLY if: [bmrirc_ventabqual] = "2" or [bmrirc_ventabqual] = "3" or [bmrirc_ventabqual] = "4"	Ex Vacuo Dilation?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No				
1	Yes										
0	No										
7157	[bmrirc_ventabhydrocephalus]  Show the field ONLY if: [bmrirc_ventabdilation] = "0"	Hydrocephalus:	radio, Required <table><tr><td>1</td><td>Communicating</td></tr><tr><td>2</td><td>Non-communicating</td></tr><tr><td>-88</td><td>Unclear</td></tr></table> Custom alignment: LV	1	Communicating	2	Non-communicating	-88	Unclear		
1	Communicating										
2	Non-communicating										
-88	Unclear										
7158	[bmrirc_majart]  Show the field ONLY if: [bmrirc_majart] = "1"	Section Header: <i>GROSS ASSESSMENT OF MAJOR VESSELS</i> Major arteries:	radio, Required <table><tr><td>0</td><td>Not well assessed</td></tr><tr><td>1</td><td>Grossly patent</td></tr><tr><td>2</td><td>Possible/suspected stenosis or occlusion</td></tr></table> Custom alignment: LV Field Annotation: @DEFAULT='0'	0	Not well assessed	1	Grossly patent	2	Possible/suspected stenosis or occlusion		
0	Not well assessed										
1	Grossly patent										
2	Possible/suspected stenosis or occlusion										

	7159	[ bmrirc_majartspec ] Show the field ONLY if: [bmrirc_majart] = "2"	Description:	notes, Required Custom alignment: LV						
	7160	[ bmrirc_majsinus ]	Major dural venous sinuses:	radio, Required <table><tr><td>0</td><td>Not well assessed</td></tr><tr><td>1</td><td>Grossly patent</td></tr><tr><td>2</td><td>Possible/suspected stenosis or occlusion</td></tr></table> Custom alignment: LV Field Annotation: @DEFAULT='0'	0	Not well assessed	1	Grossly patent	2	Possible/suspected stenosis or occlusion
0	Not well assessed									
1	Grossly patent									
2	Possible/suspected stenosis or occlusion									
	7161	[ bmrirc_majsinusspec ] Show the field ONLY if: [bmrirc_majsinus] = "2"	Description:	notes, Required Custom alignment: LV						
	7162	[ bmrirc_otherbenignyn ]	Section Header: <i>OTHER BENIGN OR CONGENITAL ABNORMALITIES</i> Other Benign or Congenital Abnormalities seen?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	7163	[ bmrirc_otherbegnignspec ] Show the field ONLY if: [bmrirc_otherbenignyn] = "1"	Description:	notes, Required Custom alignment: LV						
	7164	[ bmrirc_othercovidyn ]	Section Header: <i>OTHER POSSIBLE COVID-19 RELATED FINDINGS</i> Other Possible COVID-19 Related Findings?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No		
1	Yes									
0	No									
	7165	[ bmrirc_othercovidspec ] Show the field ONLY if: [bmrirc_othercovidyn] = "1"	Description:	notes, Required Custom alignment: LV						
	7166	[ bmrirc_clinicaction ]	Section Header: <i>CLINICALLY ACTIONABLE FINDINGS</i> Any clinically actionable findings?	radio, Required <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes, concordant with site review</td></tr><tr><td>2</td><td>Yes, finding present but not reported by site review</td></tr></table> Custom alignment: LV	0	No	1	Yes, concordant with site review	2	Yes, finding present but not reported by site review
0	No									
1	Yes, concordant with site review									
2	Yes, finding present but not reported by site review									
	7167	[ bmrirc_clinicactionspec ] Show the field ONLY if: [bmrirc_clinicaction] = "2"	Any clinically actionable findings?	notes, Required Custom alignment: LV						
	7168	[ bmrirc_qaqc ]	Section Header: <i>QA / QC</i> Any QA / QC issues that need to be discussed with the site?	radio, Required <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table> Custom alignment: LV	0	No	1	Yes		
0	No									
1	Yes									
	7169	[ bmrirc_qaqcspec ] Show the field ONLY if: [bmrirc_qaqc] = "1"	Please describe:	notes, Required Custom alignment: LV						
	7170	[ brain_mri_reading_center_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									
Instrument: <b>Eeg (eeg)</b> Active languages: None										
	7171	[ eeg_fversion ]	EEG site form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
	7172	[ eeg_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
	7173	[ eeg_yn ]	Was the EEG performed?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No		
1	Yes									
0	No									

				Custom alignment: LV																								
7174	<div>[eeg_nreas]</div> <div>Show the field ONLY if: [eeg_yn]="0"</div>	Why was the EEG not performed?	<div>radio, Required</div> <table><tr><td>1</td><td>Participant Declined</td></tr><tr><td>2</td><td>Staff Not Available</td></tr><tr><td>3</td><td>Resources Not Available</td></tr><tr><td>5</td><td>SOP Not Yet Created</td></tr><tr><td>6</td><td>Site Can Never Perform This Test</td></tr><tr><td>7</td><td>DRC Removed</td></tr><tr><td>8</td><td>Participant Could Not Be Reached/Did Not Show</td></tr><tr><td>10</td><td>Clinical Contraindication</td></tr><tr><td>13</td><td>Infected Within the Last 30 Days</td></tr><tr><td>14</td><td>Participant Uncooperative</td></tr><tr><td>15</td><td>Previously Normal/Not Collected Per Protocol/Investigator Discretion</td></tr><tr><td>9</td><td>Other</td></tr></table> <div>Custom alignment: LV Field Annotation: @HIDECHOICE="7,13"</div>	1	Participant Declined	2	Staff Not Available	3	Resources Not Available	5	SOP Not Yet Created	6	Site Can Never Perform This Test	7	DRC Removed	8	Participant Could Not Be Reached/Did Not Show	10	Clinical Contraindication	13	Infected Within the Last 30 Days	14	Participant Uncooperative	15	Previously Normal/Not Collected Per Protocol/Investigator Discretion	9	Other	
1	Participant Declined																											
2	Staff Not Available																											
3	Resources Not Available																											
5	SOP Not Yet Created																											
6	Site Can Never Perform This Test																											
7	DRC Removed																											
8	Participant Could Not Be Reached/Did Not Show																											
10	Clinical Contraindication																											
13	Infected Within the Last 30 Days																											
14	Participant Uncooperative																											
15	Previously Normal/Not Collected Per Protocol/Investigator Discretion																											
9	Other																											
7175	<div>[eeg_nreasspec]</div> <div>Show the field ONLY if: [eeg_nreas]="9"</div>	Please specify:	text, Required																									
7176	<div>[eeg_dt]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	Date EEG performed:	text (date_mdy), Required																									
7177	<div>[eeg_age]</div>	Age at time of EEG:	calc Calculation: if([eeg_dt]<>"" rounddown(datediff([enrollment_arm_1][enrl_dob], [eeg_dt], 'y')), "")																									
7178	<div>[eeg_dicom]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	DICOM Study ID <i>This unique AMBRA Study UID will be generated by AMBRA upon upload for each study. This will be automatically entered in a custom field as you complete the upload. To find that study UID, look for the newly uploaded study in your worklist.</i>	text, Required, Identifier																									
7179	<div>[eeg_cr]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	Was the EEG performed for clinical purposes or at the request of the RECOVER study?	<div>radio, Required</div> <table><tr><td>1</td><td>Clinical order</td></tr><tr><td>2</td><td>RECOVER research order</td></tr><tr><td>3</td><td>MUSIC research order</td></tr></table> <div>Custom alignment: LV</div>	1	Clinical order	2	RECOVER research order	3	MUSIC research order																			
1	Clinical order																											
2	RECOVER research order																											
3	MUSIC research order																											
7180	<div>[eeg_protocol]</div> <div>Show the field ONLY if: [eeg_cr]="2"</div>	Was this test performed per protocol?	<div>radio</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No, and I am filing a PD report to explain</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No, and I am filing a PD report to explain																					
1	Yes																											
0	No, and I am filing a PD report to explain																											
7181	<div>[eeg_timesleep]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	Section Header: EEG results Time the participant went to sleep the night prior to the EEG:	text (time), Required Field Annotation: @HIDEBUTTON																									
7182	<div>[eeg_timewake]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	Time the participant woke up the morning of the EEG:	text (time), Required Field Annotation: @HIDEBUTTON																									
7183	<div>[eeg_condition]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	Does the participant have a condition that will prevent them from doing the hyperventilation testing? (Examples include children or young adults with conditions that increase the risk of stroke like Moya Moya or sickle cell disease, or those with acute respiratory illness or chronic respiratory failure)	<div>radio, Required</div> <table><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table> <div>Custom alignment: LV</div>	0	No	1	Yes																					
0	No																											
1	Yes																											
7184	<div>[eeg_conditionwarn]</div> <div>Show the field ONLY if: [eeg_condition]="1"</div>	Please follow local guidelines and strongly consider omitting this maneuver.	descriptive																									
7185	<div>[eeg_medyn]</div> <div>Show the field ONLY if: [eeg_yn]="1"</div>	Is the participant taking any current anti-seizure or sedating medications?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>	1	Yes	0	No																					
1	Yes																											
0	No																											

				Custom alignment: LV												
	7186	<div>[ eeg_mednum ]</div> <div>Show the field ONLY if: [eeg_medyn]="1"</div>	How many anti-seizure or sedating medications are they taking?	<div>radio, Required</div> <table><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>4</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>6</td></tr></table> <div>Custom alignment: LV</div>	1	1	2	2	3	3	4	4	5	5	6	6
1	1															
2	2															
3	3															
4	4															
5	5															
6	6															
	7187	<div>[ eeg_medwt ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 1</div>	Patient's body weight: <i>kg</i>	text (number), Required												
	7188	<div>[ eeg_med1 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 1</div>	Current Anti-Seizure or Sedating Medication 1:	text, Required												
	7189	<div>[ eeg_meddose1 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 1</div>	Dose 1: <i>mg/kg/day</i>	text (number), Required												
	7190	<div>[ eeg_medfreq1 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 1</div>	Frequency 1:	text, Required												
	7191	<div>[ eeg_med2 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 2</div>	Current Anti-Seizure or Sedating Medication 2:	text, Required												
	7192	<div>[ eeg_meddose2 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 2</div>	Dose 2: <i>mg/kg/day</i>	text (number), Required												
	7193	<div>[ eeg_medfreq2 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 2</div>	Frequency 2:	text, Required												
	7194	<div>[ eeg_med3 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 3</div>	Current Anti-Seizure or Sedating Medication 3:	text, Required												
	7195	<div>[ eeg_meddose3 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 3</div>	Dose 3: <i>mg/kg/day</i>	text, Required												
	7196	<div>[ eeg_medfreq3 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 3</div>	Frequency 3:	text, Required												
	7197	<div>[ eeg_med4 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 4</div>	Current Anti-Seizure or Sedating Medication 4:	text, Required												
	7198	<div>[ eeg_meddose4 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 4</div>	Dose 4: <i>mg/kg/day</i>	text (number), Required												
	7199	<div>[ eeg_medfreq4 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 4</div>	Frequency 4:	text, Required												
	7200	<div>[ eeg_med5 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 5</div>	Current Anti-Seizure or Sedating Medication 5:	text, Required												
	7201	<div>[ eeg_meddose5 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 5</div>	Dose 5: <i>mg/kg/day</i>	text (number), Required												
	7202	<div>[ eeg_medfreq5 ]</div> <div>Show the field ONLY if: [eeg_mednum] &gt;= 5</div>	Frequency 5:	text, Required												
	7203	<div>[ eeg_med6 ]</div>	Current Anti-Seizure or Sedating Medication 6:	text, Required												



		Show the field ONLY if: [eeg_mednum] >= 6																										
7204	[ eeg_meddose6 ]  Show the field ONLY if: [eeg_mednum] >= 6	Dose 6: <i>mg/kg/day</i>	text (number), Required																									
7205	[ eeg_medfreq6 ]  Show the field ONLY if: [eeg_mednum] >= 6	Frequency 6:	text, Required																									
7206	[ eeg_mentalstatus ]  Show the field ONLY if: [eeg_yn]="1"	Mental Status at time of EEG recording:	radio, Required <table><tr><td>1</td><td>Awake</td></tr><tr><td>2</td><td>Lethargic</td></tr><tr><td>3</td><td>Stuporous</td></tr><tr><td>4</td><td>Comatose</td></tr></table> Custom alignment: LV		1	Awake	2	Lethargic	3	Stuporous	4	Comatose																
1	Awake																											
2	Lethargic																											
3	Stuporous																											
4	Comatose																											
7207	[ eeg_completed ]  Show the field ONLY if: [eeg_yn]="1"	Was the EEG sufficiently completed? (Incompletion is if the participant does not tolerate leads being placed. Even a few minutes of recording is considered complete.)	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV		1	Yes	0	No																				
1	Yes																											
0	No																											
7208	[ eeg_dur ]  Show the field ONLY if: [eeg_completed]="1"	What was the duration of EEG? <i>minutes</i>	text, Required																									
7209	[ eeg_components ]  Show the field ONLY if: [eeg_completed]="1"	Components of recording: (select all that apply)	checkbox, Required <table><tr><td>1</td><td>eeg_components__1</td><td>Awake</td></tr><tr><td>2</td><td>eeg_components__2</td><td>Drowsiness</td></tr><tr><td>3</td><td>eeg_components__3</td><td>Sleep</td></tr><tr><td>4</td><td>eeg_components__4</td><td>Hyperventilation</td></tr><tr><td>5</td><td>eeg_components__5</td><td>Photic</td></tr></table> Custom alignment: LV		1	eeg_components__1	Awake	2	eeg_components__2	Drowsiness	3	eeg_components__3	Sleep	4	eeg_components__4	Hyperventilation	5	eeg_components__5	Photic									
1	eeg_components__1	Awake																										
2	eeg_components__2	Drowsiness																										
3	eeg_components__3	Sleep																										
4	eeg_components__4	Hyperventilation																										
5	eeg_components__5	Photic																										
7210	[ eeg_eventyn ]  Show the field ONLY if: [eeg_completed]="1"	Any clinical events observed? (This could be any movements noted to be abnormal by family member, EEG tech, etc).	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV		1	Yes	0	No																				
1	Yes																											
0	No																											
7211	[ eeg_eventnum ]  Show the field ONLY if: [eeg_eventyn]="1"	How many events occurred?	radio, Required <table><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>4</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>6</td></tr><tr><td>7</td><td>7</td></tr><tr><td>8</td><td>8</td></tr><tr><td>9</td><td>9</td></tr><tr><td>10</td><td>10</td></tr><tr><td>11</td><td>11</td></tr><tr><td>12</td><td>12</td></tr></table> Custom alignment: LV		1	1	2	2	3	3	4	4	5	5	6	6	7	7	8	8	9	9	10	10	11	11	12	12
1	1																											
2	2																											
3	3																											
4	4																											
5	5																											
6	6																											
7	7																											
8	8																											
9	9																											
10	10																											
11	11																											
12	12																											
7212	[ eeg_eventstart1 ]  Show the field ONLY if: [eeg_eventnum] >= 1	Start Time 1:	text (time), Required Field Annotation: @HIDEBUTTON																									
7213	[ eeg_eventend1 ]  Show the field ONLY if: [eeg_eventnum] >= 1	End Time 1:	text (time), Required Field Annotation: @HIDEBUTTON																									

7214	[eeg_eventspec1] Show the field ONLY if: [eeg_eventnum] >= 1	Describe event 1:	text, Required Field Annotation: @HIDEBUTTON
7215	[eeg_eventstart2] Show the field ONLY if: [eeg_eventnum] >= 2	Start Time 2:	text (time), Required Field Annotation: @HIDEBUTTON
7216	[eeg_eventend2] Show the field ONLY if: [eeg_eventnum] >= 2	End Time 2:	text (time), Required Field Annotation: @HIDEBUTTON
7217	[eeg_eventspec2] Show the field ONLY if: [eeg_eventnum] >= 2	Describe event 2:	text, Required Field Annotation: @HIDEBUTTON
7218	[eeg_eventstart3] Show the field ONLY if: [eeg_eventnum] >= 3	Start Time 3:	text (time), Required Field Annotation: @HIDEBUTTON
7219	[eeg_eventend3] Show the field ONLY if: [eeg_eventnum] >= 3	End Time 3:	text (time), Required Field Annotation: @HIDEBUTTON
7220	[eeg_eventspec3] Show the field ONLY if: [eeg_eventnum] >= 3	Describe event 3:	text, Required Field Annotation: @HIDEBUTTON
7221	[eeg_eventstart4] Show the field ONLY if: [eeg_eventnum] >= 4	Start Time 4:	text (time), Required Field Annotation: @HIDEBUTTON
7222	[eeg_eventend4] Show the field ONLY if: [eeg_eventnum] >= 4	End Time 4:	text (time), Required Field Annotation: @HIDEBUTTON
7223	[eeg_eventspec4] Show the field ONLY if: [eeg_eventnum] >= 4	Describe event 4:	text, Required Field Annotation: @HIDEBUTTON
7224	[eeg_eventstart5] Show the field ONLY if: [eeg_eventnum] >= 5	Start Time 5:	text (time), Required Field Annotation: @HIDEBUTTON
7225	[eeg_eventend5] Show the field ONLY if: [eeg_eventnum] >= 5	End Time 5:	text (time), Required Field Annotation: @HIDEBUTTON
7226	[eeg_eventspec5] Show the field ONLY if: [eeg_eventnum] >= 5	Describe event 5:	text, Required Field Annotation: @HIDEBUTTON
7227	[eeg_eventstart6] Show the field ONLY if: [eeg_eventnum] >= 6	Start Time 6:	text (time), Required Field Annotation: @HIDEBUTTON
7228	[eeg_eventend6] Show the field ONLY if: [eeg_eventnum] >= 6	End Time 6:	text (time), Required Field Annotation: @HIDEBUTTON
7229	[eeg_eventspec6] Show the field ONLY if: [eeg_eventnum] >= 6	Describe event 6:	text, Required Field Annotation: @HIDEBUTTON
7230	[eeg_eventstart7] Show the field ONLY if: [eeg_eventnum] >= 7	Start Time 7:	text (time), Required Field Annotation: @HIDEBUTTON
7231	[eeg_eventend7] Show the field ONLY if: [eeg_eventnum] >= 7	End Time 7:	text (time), Required Field Annotation: @HIDEBUTTON
7232	[eeg_eventspec7] Show the field ONLY if: [eeg_eventnum] >= 7	Describe event 7:	text, Required Field Annotation: @HIDEBUTTON
7233	[eeg_eventstart8] Show the field ONLY if: [eeg_eventnum] >= 8	Start Time 8:	text (time), Required Field Annotation: @HIDEBUTTON

7234	[eeg_eventend8] Show the field ONLY if: [eeg_eventnum] >= 8	End Time 8:	text (time), Required Field Annotation: @HIDEBUTTON				
7235	[eeg_eventspec8] Show the field ONLY if: [eeg_eventnum] >= 8	Describe event 8:	text, Required Field Annotation: @HIDEBUTTON				
7236	[eeg_eventstart9] Show the field ONLY if: [eeg_eventnum] >= 9	Start Time 9:	text (time), Required Field Annotation: @HIDEBUTTON				
7237	[eeg_eventend9] Show the field ONLY if: [eeg_eventnum] >= 9	End Time 9:	text (time), Required Field Annotation: @HIDEBUTTON				
7238	[eeg_eventspec9] Show the field ONLY if: [eeg_eventnum] >= 9	Describe event 9:	text, Required Field Annotation: @HIDEBUTTON				
7239	[eeg_eventstart10] Show the field ONLY if: [eeg_eventnum] >= 10	Start Time 10:	text (time), Required Field Annotation: @HIDEBUTTON				
7240	[eeg_eventend10] Show the field ONLY if: [eeg_eventnum] >= 10	End Time 10:	text (time), Required Field Annotation: @HIDEBUTTON				
7241	[eeg_eventspec10] Show the field ONLY if: [eeg_eventnum] >= 10	Describe event 10:	text, Required Field Annotation: @HIDEBUTTON				
7242	[eeg_eventstart11] Show the field ONLY if: [eeg_eventnum] >= 11	Start Time 11:	text (time), Required Field Annotation: @HIDEBUTTON				
7243	[eeg_eventend11] Show the field ONLY if: [eeg_eventnum] >= 11	End Time 11:	text (time), Required Field Annotation: @HIDEBUTTON				
7244	[eeg_eventspec11] Show the field ONLY if: [eeg_eventnum] >= 11	Describe event 11:	text, Required Field Annotation: @HIDEBUTTON				
7245	[eeg_eventstart12] Show the field ONLY if: [eeg_eventnum] >= 12	Start Time 12:	text (time), Required Field Annotation: @HIDEBUTTON				
7246	[eeg_eventend12] Show the field ONLY if: [eeg_eventnum] >= 12	End Time 12:	text (time), Required Field Annotation: @HIDEBUTTON				
7247	[eeg_eventspec12] Show the field ONLY if: [eeg_eventnum] >= 12	Describe event 12:	text, Required Field Annotation: @HIDEBUTTON				
7248	[eeg_critical] Show the field ONLY if: [eeg_completed]="1"	Has a critical finding been reported to the site provider/participant?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No
1	Yes						
0	No						
7249	[eeg_criticalspec] Show the field ONLY if: [eeg_critical] = '1'	Please describe what was reported:	notes, Required Custom alignment: LV				
7250	[eeg_clinread] Show the field ONLY if: [eeg_completed]="1"	Local Clinical Read: (Please copy and paste de-identified content from the report into this field)	notes, Required Custom alignment: LV				
7251	[eeg_clinicaction] Show the field ONLY if: [eeg_reading_center_complete] < > "" and [eeg_yn]="1"	Section Header: <i>READING CENTER NOTES</i> Any clinically actionable findings: [eegrc_clinicaction]	descriptive				
7252	[eeg_clinicactionspec] Show the field ONLY if: [eegrc_clinicaction] = "2" and [eeg_yn]="1"	Clinically actionable findings description: [eegrc_clinicactionspec]	descriptive				

7253	<div>[ eeg_rcqaqc ]</div> <div>Show the field ONLY if: [eeg_reading_center_complete] &lt; &gt; "" and [eeg_yn]="1"</div>	QA / QC Issues present: [eegrc_qaqc]	descriptive						
7254	<div>[ eeg_rcqaqcspec ]</div> <div>Show the field ONLY if: [eegrc_qaqc] = "1" and [eeg_yn] ="1"</div>	QA / QC Issues description: [eegrc_qaqcspec]	descriptive						
7255	<div>[ eeg_complete ]</div>	Section Header: <i>Form Status</i> Complete?	<div>dropdown</div> <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

**Instrument: Eeg Reading Center (eeg\_reading\_center)**

Active languages: None

7256	[ eegrc_fversion ]	EEGreading center form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)						
7257	[ eegrc_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY						
7258	[ eegrc_colltdt ]	Date of EEG reading center form completion:	text (date_mdy, Max: today), Required Field Annotation: @TODAY						
7259	[ eegrc_clinicaction ]	Any clinically actionable findings?	radio, Required <table border="1"><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes, concordant with site review</td></tr><tr><td>2</td><td>Yes, finding present but not reported by site</td></tr></table> Custom alignment: LV	0	No	1	Yes, concordant with site review	2	Yes, finding present but not reported by site
0	No								
1	Yes, concordant with site review								
2	Yes, finding present but not reported by site								
7260	[ eegrc_clinicactionspec ]  Show the field ONLY if: [eegrc_clinicaction] = '2'	Please describe unreported clinically actionable findings:	notes, Required Custom alignment: LV						
7261	[ eegrc_qaqc ]	Any QA/QC issues that need to be discussed with the site?	radio, Required <table border="1"><tr><td>0</td><td>No</td></tr><tr><td>1</td><td>Yes</td></tr></table> Custom alignment: LV	0	No	1	Yes		
0	No								
1	Yes								
7262	[ eegrc_qaqcspec ]  Show the field ONLY if: [eegrc_qaqc] = '1'	Please describe QA/QC issues:	notes, Required Custom alignment: LV						
7263	[ eeg_reading_center_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

**Instrument: AE/PD Report (aepd\_report)**

Active languages: None

	7264	[ aepd_fversion ]	AE/PD form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)												
	7265	[ aepd_fqueries ]	Placeholder to attach form-level queries <i>This field cannot be edited and should be blank</i>	text Field Annotation: @HIDDEN-SURVEY @READONLY												
	7266	[ aepd_dt ]	Date of event onset:	text (date_mdy, Max: today), Required												
	7267	[ aepd_tm ]	Time of event onset (if known):	text (time)												
	7268	[ aepd_awaredt ]	Date site became aware of event:	text (date_mdy, Max: today), Required												
	7269	[ aepd_awaretm ]	Time site became aware of event (if known):	text (time)												
	7270	[ aepd_type ]	What type of event is being reported? (Select all that apply)An Adverse Event (AE) is any symptom, sign, illness, or experience that develops or worsens in severity during the course of the study, excluding endpoints determined to be due to SARS-CoV-2 infection. Inter-current injuries should be regarded as AEs. Abnormal results of research procedures are considered to be AEs if the abnormality results in study withdrawalis associated with a serious adverse eventis associated with clinical signs or symptomsleads to additional treatment or to further diagnostic	checkbox, Required <table><tr><td>1</td><td>aepd_type__1</td><td>Adverse Event (AE)</td></tr><tr><td>2</td><td>aepd_type__2</td><td>Serious Adverse Event (SAE)</td></tr><tr><td>3</td><td>aepd_type__3</td><td>Protocol Deviation (PD)</td></tr><tr><td>4</td><td>aepd_type__4</td><td>Reportable New Information or Incident (RNI)</td></tr></table>	1	aepd_type__1	Adverse Event (AE)	2	aepd_type__2	Serious Adverse Event (SAE)	3	aepd_type__3	Protocol Deviation (PD)	4	aepd_type__4	Reportable New Information or Incident (RNI)
1	aepd_type__1	Adverse Event (AE)														
2	aepd_type__2	Serious Adverse Event (SAE)														
3	aepd_type__3	Protocol Deviation (PD)														
4	aepd_type__4	Reportable New Information or Incident (RNI)														

		tests and is considered by the investigator to be of clinical significance.A Serious Adverse Event (SAE) is any AE that is fatalis life-threateningrequires or prolongs hospital stayresults in persistent or significant disability or incapacityresults in a congenital anomaly or birth defectis an important medical event Please refer to the MOP for more information.A Protocol Deviation (PD) is any change, divergence, or departure from the approved study design or procedures of a research protocol that is under the PI's control and has not been approved by the IRB.Reportable new information (RNI) is defined as events that are unanticipated, related to the research, and may cause risk of harm to the participant or others. RNI should be submitted within 5 days of the knowledge of the incident.	Custom alignment: LV												
7271	[ aepd_desc ]	Description of event: Please provide a detailed description of the observed incident. As a reminder, please do not include any personally identifiable information (PII).	notes, Required Custom alignment: LV												
7272	[ aepd_aesumm ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	Section Header: <i>Adverse Event</i>  Please briefly summarize the AE: <i>1-5 words</i>	text, Required												
7273	[ aepd_aesev ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	Severity of AE:Mild: events that require minimal or no treatment and do not interfere with the participant's daily activities.Moderate: events that result in a low-level of inconvenience or concern with the therapeutic measures. Moderate events may cause some interference with functioning.Severe: events that interrupt a participant's usual daily activity and may require systemic drug therapy or other treatment.	radio, Required <table><tr><td>1</td><td>Mild</td></tr><tr><td>2</td><td>Moderate</td></tr><tr><td>3</td><td>Severe</td></tr></table> Custom alignment: LV	1	Mild	2	Moderate	3	Severe						
1	Mild														
2	Moderate														
3	Severe														
7274	[ aepd_aesevspec ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	Explain severity determination:	text, Required												
7275	[ aepd_aere1 ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	AE relationship to study:	radio, Required <table><tr><td>0</td><td>Not related</td></tr><tr><td>1</td><td>Unlikely</td></tr><tr><td>2</td><td>Possible</td></tr><tr><td>3</td><td>Probable</td></tr><tr><td>4</td><td>Definitely related</td></tr><tr><td>-1</td><td>Unknown</td></tr></table> Custom alignment: LV	0	Not related	1	Unlikely	2	Possible	3	Probable	4	Definitely related	-1	Unknown
0	Not related														
1	Unlikely														
2	Possible														
3	Probable														
4	Definitely related														
-1	Unknown														
7276	[ aepd_aere1spec ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	Explain relatedness determination:	text, Required												
7277	[ aepd_aeunexpected ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	Was the AE unexpected?	radio, Required <table><tr><td>1</td><td>Yes, unexpected</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unsure</td></tr></table> Custom alignment: LV	1	Yes, unexpected	0	No	-1	Unsure						
1	Yes, unexpected														
0	No														
-1	Unsure														
7278	[ aepd_aeunexpectedspec ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	Explain unexpectedness determination:	text, Required												
7279	[ aepd_aeoutcome ]  Show the field ONLY if: [aepd_type(1)]="1" or [aepd_type (2)]="1"	AE outcome:	radio, Required <table><tr><td>1</td><td>Resolved with no consequences</td></tr><tr><td>2</td><td>Recovered with sequela</td></tr><tr><td>3</td><td>Ongoing</td></tr><tr><td>4</td><td>Worsening</td></tr><tr><td>5</td><td>Death</td></tr><tr><td>-1</td><td>Unknown</td></tr></table> Custom alignment: LV	1	Resolved with no consequences	2	Recovered with sequela	3	Ongoing	4	Worsening	5	Death	-1	Unknown
1	Resolved with no consequences														
2	Recovered with sequela														
3	Ongoing														
4	Worsening														
5	Death														
-1	Unknown														
7280	[ aepd_aerecdt ]  Show the field ONLY if:	Date AE resolved:	text (date_mdy, Max: today), Required												

		<div>([aepd_type(1)]="1" or [aepd_type(2)]="1") and ([aepd_aeoutcome]="1" or [aepd_aeoutcome]="2")</div>																			
7281	<div>[aepd_aedeathdt]</div> <div>Show the field ONLY if: ([aepd_type(1)]="1" or [aepd_type(2)]="1") and ([aepd_aeoutcome]="5")</div>	Date of death:	text (date_mdy, Max: today), Required																		
7282	<div>[aepd_aeoutcomespec]</div> <div>Show the field ONLY if: ([aepd_type(1)]="1" or [aepd_type(2)]="1") and ([aepd_aeoutcome]="2" or [aepd_aeoutcome]="3" or [aepd_aeoutcome]="4" or [aepd_aeoutcome]="5")</div>	If AE is recovered with sequelae, ongoing, worsening, or death, please provide details:	notes, Required Custom alignment: LV																		
7283	<div>[aepd_aedeath_reminder]</div> <div>Show the field ONLY if: ([aepd_type(1)]="1" or [aepd_type(2)]="1") and ([aepd_aeoutcome]="5")</div>	Reminder: please fill out the study termination form to record information about the participant death.	descriptive																		
7284	<div>[aepd_aesaecat]</div> <div>Show the field ONLY if: [aepd_type(2)]="1"</div>	Please specify the SAE category:	<div>checkbox, Required</div> <table><tr><td>1</td><td>aepd_aesaecat__1</td><td>Results in death</td></tr><tr><td>2</td><td>aepd_aesaecat__2</td><td>Life threatening</td></tr><tr><td>3</td><td>aepd_aesaecat__3</td><td>Requires hospitalization or prolongation of existing hospitalization</td></tr><tr><td>4</td><td>aepd_aesaecat__4</td><td>Results in persistent or significant disability/incapacity</td></tr><tr><td>5</td><td>aepd_aesaecat__5</td><td>Is a congenital anomaly or birth defect</td></tr><tr><td>9</td><td>aepd_aesaecat__9</td><td>Other reportable event</td></tr></table> <div>Custom alignment: LV</div>	1	aepd_aesaecat__1	Results in death	2	aepd_aesaecat__2	Life threatening	3	aepd_aesaecat__3	Requires hospitalization or prolongation of existing hospitalization	4	aepd_aesaecat__4	Results in persistent or significant disability/incapacity	5	aepd_aesaecat__5	Is a congenital anomaly or birth defect	9	aepd_aesaecat__9	Other reportable event
1	aepd_aesaecat__1	Results in death																			
2	aepd_aesaecat__2	Life threatening																			
3	aepd_aesaecat__3	Requires hospitalization or prolongation of existing hospitalization																			
4	aepd_aesaecat__4	Results in persistent or significant disability/incapacity																			
5	aepd_aesaecat__5	Is a congenital anomaly or birth defect																			
9	aepd_aesaecat__9	Other reportable event																			
7285	<div>[aepd_aesaecatspec]</div> <div>Show the field ONLY if: [aepd_aesaecat(9)]="1"</div>	Please specify reportable event:	text, Required																		
7286	<div>[aepd_aegenres]</div> <div>Show the field ONLY if: ([aepd_type(1)]="1" or [aepd_type(2)]="1")</div>	Does the incident relate in any way to the return of genetic results?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No														
1	Yes																				
0	No																				
7287	<div>[aepd_pdcatspec]</div> <div>Show the field ONLY if: [aepd_type(3)]="1"</div>	<div>Section Header: <i>Protocol Deviation</i></div> <div>What category does the protocol deviation fall into?</div>	<div>radio, Required</div> <table><tr><td>1</td><td>Informed consent deviation</td></tr><tr><td>2</td><td>Enrollment deviation</td></tr><tr><td>3</td><td>Study procedure deviation</td></tr><tr><td>4</td><td>Loss of confidentiality</td></tr><tr><td>5</td><td>Out-of-window visit</td></tr><tr><td>9</td><td>Other</td></tr></table> <div>Custom alignment: LV</div>	1	Informed consent deviation	2	Enrollment deviation	3	Study procedure deviation	4	Loss of confidentiality	5	Out-of-window visit	9	Other						
1	Informed consent deviation																				
2	Enrollment deviation																				
3	Study procedure deviation																				
4	Loss of confidentiality																				
5	Out-of-window visit																				
9	Other																				
7288	<div>[aepd_pdcatspec]</div> <div>Show the field ONLY if: [aepd_type(3)]="1" and [aepd_pdcatspec(9)]="9"</div>	Please specify deviation category:	text																		
7289	<div>[aepd_pdinteg]</div> <div>Show the field ONLY if: [aepd_type(3)]="1"</div>	Does the deviation have the potential to affect data integrity?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No														
1	Yes																				
0	No																				
7290	<div>[aepd_pdcont]</div> <div>Show the field ONLY if: [aepd_type(3)]="1"</div>	Is the participant willing to continue in the study?	<div>radio, Required</div> <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> <div>Custom alignment: LV</div>	1	Yes	0	No														
1	Yes																				
0	No																				

7291	[ aepd_pdhazard ]  Show the field ONLY if: [aepd_type(3)]="1"	Was the protocol deviation undertaken in order to eliminate an apparent immediate hazard to study participants or others?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
7292	[ aepd_pdharm ]  Show the field ONLY if: [aepd_type(3)]="1"	Does the deviation or non-compliance suggest an increase in harm?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unsure</td></tr></table> Custom alignment: LV	1	Yes	0	No	-1	Unsure						
1	Yes														
0	No														
-1	Unsure														
7293	[ aepd_pdharmspec ]  Show the field ONLY if: [aepd_type(3)]="1" and [aepd_pd harm]="1"	Please explain increase in harm:	notes, Required Custom alignment: LV												
7294	[ aepd_pdsafety ]  Show the field ONLY if: [aepd_type(3)]="1"	Does the deviation or non-compliance suggest an impact to the participant's rights, welfare, or safety?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr><tr><td>-1</td><td>Unsure</td></tr></table> Custom alignment: LV	1	Yes	0	No	-1	Unsure						
1	Yes														
0	No														
-1	Unsure														
7295	[ aepd_pdsafetyspec ]  Show the field ONLY if: [aepd_type(3)]="1" and [aepd_pds afety]="1"	Please explain any impact to rights, welfare, or safety:	notes, Required Custom alignment: LV												
7296	[ aepd_pdsecurity ]  Show the field ONLY if: [aepd_type(3)]="1"	A privacy or security incident is the attempted or successful loss of control, compromise, unauthorized disclosure, unauthorized acquisition, unauthorized access, or any similar term referring to situations where persons other than authorized users and for an other-than-authorized purpose have access or potential access to PII, PHI, or SI, whether physical or electronic.Was this incident a participant data privacy or security incident?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
7297	[ aepd_pdsecurityspec ]  Show the field ONLY if: [aepd_type(3)]="1"	Corrective or preventative action: Please outline what, if any, steps have been taken remedy the situation and to avoid future occurrences of this problem. As a reminder, please do not include any personally identifiable information (PII).	notes, Required Custom alignment: LV												
7298	[ aepd_rni_reminder ]  Show the field ONLY if: ([aepd_type(2)]="1" or [aepd_type (3)]="1" or [aepd_type(4)]="1")	Section Header: <i>IRB Reporting</i>  Reminder: sites that are not using the NYULH sIRB should follow their IRB's reporting policies.	descriptive												
7299	[ aepd_irbyn ]  Show the field ONLY if: ([aepd_type(2)]="1" or [aepd_type (3)]="1" or [aepd_type(4)]="1")	Does this SAE, protocol deviation, or incident (unanticipated event) qualify for immediate reporting (RNI) to your reviewing IRB (e.g. NYU sIRB or different IRB)?	radio, Required <table><tr><td>1</td><td colspan="2">Yes, this event qualifies for immediate reporting to my reviewing IRB</td></tr><tr><td>0</td><td colspan="2">No</td></tr></table> Custom alignment: LV	1	Yes, this event qualifies for immediate reporting to my reviewing IRB		0	No							
1	Yes, this event qualifies for immediate reporting to my reviewing IRB														
0	No														
7300	[ aepd_nyuirb ]  Show the field ONLY if: ([aepd_type(2)]="1" or [aepd_type (3)]="1" or [aepd_type(4)]="1")	Does your site use the NYULH sIRB?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No								
1	Yes														
0	No														
7301	[ aepd_rnitype ]  Show the field ONLY if: ([aepd_type(2)]="1" or [aepd_type (3)]="1" or [aepd_type(4)]="1") and [aepd_nyuirb]="1"	Does the incident (AE, SAE, or PD) meet any of the following (select all applicable criteria)?	checkbox, Required <table><tr><td>1</td><td>aepd_rnitype__1</td><td>Related to study procedure</td></tr><tr><td>2</td><td>aepd_rnitype__2</td><td>Unanticipated</td></tr><tr><td>3</td><td>aepd_rnitype__3</td><td>Harmful or potentially harmful</td></tr><tr><td>0</td><td>aepd_rnitype__0</td><td>No, does not meet any of these requirements</td></tr></table> Custom alignment: LV Field Annotation: @NONEOFTHEABOVE=0	1	aepd_rnitype__1	Related to study procedure	2	aepd_rnitype__2	Unanticipated	3	aepd_rnitype__3	Harmful or potentially harmful	0	aepd_rnitype__0	No, does not meet any of these requirements
1	aepd_rnitype__1	Related to study procedure													
2	aepd_rnitype__2	Unanticipated													
3	aepd_rnitype__3	Harmful or potentially harmful													
0	aepd_rnitype__0	No, does not meet any of these requirements													
7302	[ aepd_rnitypereport ]  Show the field ONLY if: [aepd_rnitype(1)] = '1' and [aepd_rnitype(2)] = '1' and [aepd_rnitype (3)] = '1'	This event met immediate reportable criteria (related to study procedure, unanticipated, harmful or potentially harmful) and must be reported to the IRB of record following RECOVER protocol reporting timeline.	descriptive												

	7303	<div>[ aepd_pdreport_note ]</div> <div>Show the field ONLY if: ([aepd_type(2)]= "1" or [aepd_type(3)]= "1" or [aepd_type(4)]= "1") and [aepd_irbyn]= "1" and [aepd_nyuirb]= "0"</div>	Reminder: Please send a copy of any correspondence between your site and your IRB concerning this incident to CRRMT_RECOVER@nyulangone.org. This includes a copy of the submission and any IRB acknowledgement received.	descriptive																						
	7304	<div>[ aepd_pdirbsubdt ]</div> <div>Show the field ONLY if: ([aepd_type(2)]= "1" or [aepd_type(3)]= "1" or [aepd_type(4)]= "1") and [aepd_irbyn]= "1"</div>	Date submitted to IRB:	text (date_mdy, Max: today), Required																						
	7305	<div>[ aepd_pdcscsubdt ]</div> <div>Show the field ONLY if: ([aepd_type(2)]= "1" or [aepd_type(3)]= "1" or [aepd_type(4)]= "1") and [aepd_irbyn]= "1" and [aepd_nyuirb]= "0"</div>	Date submitted to CSC:	text (date_mdy, Max: today), Required																						
	7306	<div>[ aepd_piname ]</div>	Section Header: <i>PI Review</i> Name of PI who reviewed this event:	text, Required																						
	7307	<div>[ aepd_pisig ]</div>	Signature of PI:	file (signature), Required																						
	7308	<div>[ aepd_pidt ]</div>	Date of PI review:	text (date_mdy, Max: today), Required																						
	7309	<div>[ aepd_report_complete ]</div>	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																
0	Incomplete																									
1	Unverified																									
2	Complete																									
Instrument: <b>End Of Participation</b> (end_of_participation)																										
Active languages: None																										
	7310	<div>[ eop_fversion ]</div>	End of Participation form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: change meaning of eop_inactive																						
	7311	<div>[ eop_fqueries ]</div>	Form queries	text																						
	7312	<div>[ eop_intro ]</div>	This form should be completed when a participant stops participating in the study.	descriptive																						
	7313	<div>[ eop_dt ]</div>	Date of last visit or contact:	text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today)																						
	7314	<div>[ eop_reason ]</div>	Why is the participant no longer a part of the RECOVER study?	radio, Required <table><tr><td>1</td><td>Completed all study visitsNote that a participant may have missed visits.</td></tr><tr><td>2</td><td>Lost to follow-up</td></tr><tr><td>3</td><td>Moved out of range of study</td></tr><tr><td>4</td><td>Participant declines to participate further (with or without data retention)</td></tr><tr><td>5</td><td>Investigator withdrew participant</td></tr><tr><td>6</td><td>No longer eligible (e.g. incarcerated, cognitively impaired, etc.)</td></tr><tr><td>7</td><td>Deceased</td></tr><tr><td>8</td><td>Inactive (completed minimal or no study measures after consent)</td></tr><tr><td>10</td><td>Declined promotion</td></tr><tr><td>11</td><td>Study has been stopped</td></tr><tr><td>99</td><td>Other</td></tr></table> Custom alignment: LV	1	Completed all study visitsNote that a participant may have missed visits.	2	Lost to follow-up	3	Moved out of range of study	4	Participant declines to participate further (with or without data retention)	5	Investigator withdrew participant	6	No longer eligible (e.g. incarcerated, cognitively impaired, etc.)	7	Deceased	8	Inactive (completed minimal or no study measures after consent)	10	Declined promotion	11	Study has been stopped	99	Other
1	Completed all study visitsNote that a participant may have missed visits.																									
2	Lost to follow-up																									
3	Moved out of range of study																									
4	Participant declines to participate further (with or without data retention)																									
5	Investigator withdrew participant																									
6	No longer eligible (e.g. incarcerated, cognitively impaired, etc.)																									
7	Deceased																									
8	Inactive (completed minimal or no study measures after consent)																									
10	Declined promotion																									
11	Study has been stopped																									
99	Other																									
	7315	<div>[ eop_reasonspec ]</div> <div>Show the field ONLY if: [eop_reason]= "99"</div>	Please specify:	text, Required																						



7316	[ eop_contact10x ]  Show the field ONLY if: [eop_reason]="2"	Section Header: <i>Lost to follow-up</i>  Has the site attempted to reach the participant at least 5 times over a two month period for each of the three consecutively scheduled follow-up visits (e.g., 6, 12, and 24 months), using at least three different methods of outreach (e.g., phone, letter, email, or text), and trying at different times (e.g., mornings vs. evenings; weekdays vs. weekends)?	radio, Required <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes	0	No																																																					
1	Yes																																																											
0	No																																																											
7317	[ eop_contact10xwarning ]  Show the field ONLY if: [eop_contact10x]="0"	Stop! You must try contacting the participant at least 5 times for each of three consecutively scheduled follow-up visits (e.g. 6, 12, and 24 months) using different methods of outreach and trying at different times in order to consider them lost to follow-up. Please continue trying to contact the participant.	descriptive																																																									
7318	[ eop_transfer ]  Show the field ONLY if: [eop_reason]="3"	Section Header: <i>Moved out of range of study</i>  Has the site offered to transfer the participant to another RECOVER site near to the new location?	radio, Required <table><tr><td>1</td><td>Yes, declined</td></tr><tr><td>2</td><td>Yes, no response</td></tr><tr><td>3</td><td>Yes, but there is no such site</td></tr><tr><td>0</td><td>No</td></tr></table> Custom alignment: LV	1	Yes, declined	2	Yes, no response	3	Yes, but there is no such site	0	No																																																	
1	Yes, declined																																																											
2	Yes, no response																																																											
3	Yes, but there is no such site																																																											
0	No																																																											
7319	[ eop_movedwarning ]  Show the field ONLY if: [eop_transfer]="0"	Stop! You must offer the above accommodation to the participant before they can be considered to have stopped their participation in the study.	descriptive																																																									
7320	[ eop_ptreason ]  Show the field ONLY if: [eop_reason]="4"	Section Header: <i>Participant declines to participate further</i>  If the participant offered a reason they choose to decline further participation, please match it to the closest category here. Please do not read this list to the participant. Select all that apply, in case of multiple reasons. Reminder: you should not require the participant to offer a reason for declining further participation	checkbox, Required <table><tr><td>1</td><td>eop_ptreason__1</td><td>Not interested in participating in research (general)</td></tr><tr><td>2</td><td>eop_ptreason__2</td><td>Not interested in participating in COVID research (specifically)</td></tr><tr><td>3</td><td>eop_ptreason__3</td><td>Does not want to give samples or take tests</td></tr><tr><td>4</td><td>eop_ptreason__4</td><td>Does not want to share personal health information / privacy concerns</td></tr><tr><td>5</td><td>eop_ptreason__5</td><td>The study takes too much time / study visits are too long</td></tr><tr><td>6</td><td>eop_ptreason__6</td><td>Surveys are too long / surveys ask too many questions</td></tr><tr><td>7</td><td>eop_ptreason__7</td><td>Does not want to travel to the site where tests need to be done</td></tr><tr><td>8</td><td>eop_ptreason__8</td><td>Reimbursement too low</td></tr><tr><td>9</td><td>eop_ptreason__9</td><td>Inconvenient location of visits / no transportation</td></tr><tr><td>10</td><td>eop_ptreason__10</td><td>Inconvenient study visit times</td></tr><tr><td>11</td><td>eop_ptreason__11</td><td>Too ill</td></tr><tr><td>12</td><td>eop_ptreason__12</td><td>Competing demands (caring for others, long work hours, travel) / too busy / no time</td></tr><tr><td>13</td><td>eop_ptreason__13</td><td>Religious / ethical reasons</td></tr><tr><td>14</td><td>eop_ptreason__14</td><td>Does not trust the study / research</td></tr><tr><td>15</td><td>eop_ptreason__15</td><td>Dissatisfaction / discomfort with Spanish translation / interpretation</td></tr><tr><td>17</td><td>eop_ptreason__17</td><td>Does not feel like their participation makes a difference</td></tr><tr><td>18</td><td>eop_ptreason__18</td><td>Did not like their experience in the study</td></tr><tr><td>88</td><td>eop_ptreason__88</td><td>Other (please specify below)</td></tr><tr><td>99</td><td>eop_ptreason__99</td><td>Refused to answer / no reason provided</td></tr></table> Custom alignment: LV Field Annotation: @NONEOFTHEABOVE="99"	1	eop_ptreason__1	Not interested in participating in research (general)	2	eop_ptreason__2	Not interested in participating in COVID research (specifically)	3	eop_ptreason__3	Does not want to give samples or take tests	4	eop_ptreason__4	Does not want to share personal health information / privacy concerns	5	eop_ptreason__5	The study takes too much time / study visits are too long	6	eop_ptreason__6	Surveys are too long / surveys ask too many questions	7	eop_ptreason__7	Does not want to travel to the site where tests need to be done	8	eop_ptreason__8	Reimbursement too low	9	eop_ptreason__9	Inconvenient location of visits / no transportation	10	eop_ptreason__10	Inconvenient study visit times	11	eop_ptreason__11	Too ill	12	eop_ptreason__12	Competing demands (caring for others, long work hours, travel) / too busy / no time	13	eop_ptreason__13	Religious / ethical reasons	14	eop_ptreason__14	Does not trust the study / research	15	eop_ptreason__15	Dissatisfaction / discomfort with Spanish translation / interpretation	17	eop_ptreason__17	Does not feel like their participation makes a difference	18	eop_ptreason__18	Did not like their experience in the study	88	eop_ptreason__88	Other (please specify below)	99	eop_ptreason__99	Refused to answer / no reason provided
1	eop_ptreason__1	Not interested in participating in research (general)																																																										
2	eop_ptreason__2	Not interested in participating in COVID research (specifically)																																																										
3	eop_ptreason__3	Does not want to give samples or take tests																																																										
4	eop_ptreason__4	Does not want to share personal health information / privacy concerns																																																										
5	eop_ptreason__5	The study takes too much time / study visits are too long																																																										
6	eop_ptreason__6	Surveys are too long / surveys ask too many questions																																																										
7	eop_ptreason__7	Does not want to travel to the site where tests need to be done																																																										
8	eop_ptreason__8	Reimbursement too low																																																										
9	eop_ptreason__9	Inconvenient location of visits / no transportation																																																										
10	eop_ptreason__10	Inconvenient study visit times																																																										
11	eop_ptreason__11	Too ill																																																										
12	eop_ptreason__12	Competing demands (caring for others, long work hours, travel) / too busy / no time																																																										
13	eop_ptreason__13	Religious / ethical reasons																																																										
14	eop_ptreason__14	Does not trust the study / research																																																										
15	eop_ptreason__15	Dissatisfaction / discomfort with Spanish translation / interpretation																																																										
17	eop_ptreason__17	Does not feel like their participation makes a difference																																																										
18	eop_ptreason__18	Did not like their experience in the study																																																										
88	eop_ptreason__88	Other (please specify below)																																																										
99	eop_ptreason__99	Refused to answer / no reason provided																																																										
7321	[ eop_ptreasonspec ]  Show the field ONLY if: [eop_ptreason(88)]= "1"	Please specify other reason(s):	text, Required																																																									

7322	<div>[eop_withdrawconsent]</div> <div>Show the field ONLY if: [eop_reason]="4"</div>	Does the participant want to withdraw consent and have all their data excluded from future analyses? (Except certain administrative data retained for safety and auditing.)	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div> <div>Custom alignment: LV</div>
7323	<div>[eop_withdrawsamples]</div> <div>Show the field ONLY if: [eop_reason]="4"</div>	Does the participant want to withdraw consent and have all their data deleted and biospecimens discarded? (Except certain administrative data retained for safety and auditing.)	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div> <div>Custom alignment: LV</div>
7324	<div>[eop_withdrawconsentwarning]</div> <div>Show the field ONLY if: [eop_withdrawconsent]="1" or [eop_withdrawsamples]="1"</div>	Warning: This type of end of participation should only be selected if the participant asks to withdraw their consent for participation in the study and wishes all existing data and biospecimens to be destroyed. This request requires written documentation to the site investigator.If the participant only wishes to cease future visits, return to the previous question and choose "no".By marking this form as complete, the DRC will delete most of this participant's data (excepting data retained for safety purposes or data that has already been released to investigators) from the central database and have all unused biospecimens destroyed. The site will need to retain records of their consent, but should also delete local contact and enrollment data as detailed in the Manual of Operations. Once a participant has terminated their consent from the study, they may not re-enroll.This form will not notify the DRC about the study withdrawal until it is marked complete.	<div>descriptive</div>
7325	<div>[eop_letter]</div> <div>Show the field ONLY if: [eop_withdrawconsent]="1" or [eop_withdrawsamples]="1"</div>	Has the participant provided a written letter requesting data be deleted?	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div> <div>Custom alignment: LV</div>
7326	<div>[eop_letterwarning]</div> <div>Show the field ONLY if: [eop_letter]="0"</div>	Stop! The participant must provide a written letter revoking their consent and requesting that their data be deleted.	<div>descriptive</div>
7327	<div>[eop_letterdt]</div> <div>Show the field ONLY if: [eop_letter]="1"</div>	Date site received written notice of withdrawal of consent from the participant:	<div>text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today), Required</div>
7328	<div>[eop_removedata]</div> <div>Show the field ONLY if: [eop_letterdt]&lt;&gt;""</div>	Confirm that all data (excluding certain safety and regulatory data) will be deleted for this participant. This cannot be undone; only select "yes" if you are certain that this should proceed.	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div> <div>Custom alignment: LV</div>
7329	<div>[eop_destroysamples]</div> <div>Show the field ONLY if: [eop_letterdt]&lt;&gt;""</div>	Confirm that all local RECOVER samples have been sent to the PBC for destruction. Note that this variable will be locked once the form is marked complete. Please contact the DRC if you need to change this later.	<div>radio, Required</div> <div><div>1 Yes</div><div>0 No</div></div> <div>Custom alignment: LV</div> <div>Field Annotation: @IF([end_of_participation_complete]="2" and ([user-role-label]&lt;&gt;"Admin" and [user-role-label]&lt;&gt;"DRC - CRC - Edit"), @READONLY, "")</div>
7330	<div>[eop_removedatanote]</div> <div>Show the field ONLY if: [eop_removedata]="1"</div>	Note: in order to notify the CSC and DRC to start the data deletion process, you must now mark this form as "Complete" and save it.	<div>descriptive</div>
7331	<div>[eop_investigatordt]</div> <div>Show the field ONLY if: [eop_reason]="5"</div>	Section Header: <i>Investigator withdrew participant</i> Date investigator withdrew participant:	<div>text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today), Required</div>
7332	<div>[eop_investigatorspec]</div> <div>Show the field ONLY if: [eop_reason]="5"</div>	Provide the reason the investigator withdrew the participant. Reminder: if the investigator believes the participant should not have been part of the study from the onset, but was enrolled anyway, you must also submit a protocol deviation.	<div>notes, Required</div> <div>Custom alignment: LV</div>
7333	<div>[eop_ineligible]</div> <div>Show the field ONLY if: [eop_reason]="6"</div>	Section Header: <i>No longer eligible for participation</i> Reason participant is no longer eligible:	<div>radio, Required</div> <div><div>1 Too cognitively impaired to participate</div><div>2 Incarcerated</div><div>3 Terminally ill, in hospice, or otherwise too ill to participate</div><div>4 Removed from the care of the caregiver (e.g. placed in foster care)</div></div>

				<div>9 Other</div> <div>Custom alignment: LV</div>
	7334	[eop_incarcerateddt] Show the field ONLY if: [eop_ineligible]="2"	Date of incarceration:	text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today), Required
	7335	[eop_ineligiblespec] Show the field ONLY if: [eop_ineligible]="9"	Please specify other reason participant is no longer eligible:	text, Required
	7336	[eop_deceasednote] Show the field ONLY if: [eop_reason]="7"	Section Header: <i>Participant died</i> Reminder: you must complete an AE/PD Report for this participant.	descriptive
	7337	[eop_deadaepdyn] Show the field ONLY if: [eop_reason]="7"	Have you completed an AE/PD Report form for this participant's death?	<div>radio, Required</div> <div> <div>1 Yes</div> <div>0 No</div> </div> <div>Custom alignment: LV</div>
	7338	[eop_aepdwarning] Show the field ONLY if: [eop_deadaepdyn]="0"	Stop! You must complete an AE/PD Report form (in the Enrollment arm) for this participant before you mark this form complete.	descriptive
	7339	[eop_inactive] Show the field ONLY if: [eop_reason]="8" and [eop_fversion]="1"	Section Header: <i>Participant inactive</i> Has the participant completed any study measures beyond the consent form?	<div>radio</div> <div> <div>1 Yes</div> <div>0 No</div> </div> <div>Custom alignment: LV</div>
	7340	[eop_inactivewarning] Show the field ONLY if: [eop_inactive]="1"	Stop! In order to consider the participant inactive, no study measures can be completed. Please select a different end of participation reason.	descriptive
	7341	[eop_inactive2] Show the field ONLY if: [eop_reason]="8" and [eop_fversion]>=2	Has the definition of "inactive" been confirmed with the Pediatrics MOP?	<div>radio</div> <div> <div>1 Yes</div> <div>0 No</div> </div> <div>Custom alignment: LV</div>
	7342	[eop_inactivewarning2] Show the field ONLY if: [eop_inactive2]="0"	Stop! Please review the Pediatrics MOP for the definition of an "inactive" state. If the participant does not meet these criteria, please select a different end of participation reason.	descriptive
	7343	[end_of_participation_complete]	Section Header: <i>Form Status</i> Complete?	<div>dropdown</div> <div> <div>0 Incomplete</div> <div>1 Unverified</div> <div>2 Complete</div> </div>
<b>Instrument: Mhp Data (mhp_data)</b> Active languages: None				
	7344	[mhp_fversion]	MHP Data form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	7345	[mhp_elig]	Is the participant eligible for MHP?	<div>radio</div> <div> <div>1 Yes</div> <div>0 No</div> </div> <div>Custom alignment: RH</div> <div>Field Annotation: @READONLY</div>
	7346	[mhp_invitedt]	Date participant was invited to MHP: <i>UTC</i>	text (datetime_mdy) Field Annotation: @READONLY @HIDEBUTTON
	7347	[mhp_enrolldt]	Date participant completed enrollment ("activated") in MHP:	text (datetime_mdy) Field Annotation: @READONLY @HIDEBUTTON
	7348	[mhp_appdltd]	When did the participant first log in to a native iOS or Android app (as opposed to accessing via the web portal)?	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON
	7349	[mhp_symplogdt]	When did the participant first use the symptom logger provided by MHP / the RECOVER app?	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON
	7350	[mhp_devconndt]	When did the participant first connect a "device" to MHP / the RECOVER app?	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON

	7351	[ mhp_ehrdt ]	When did the participant first share EHR data with MHP / the RECOVER app?	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON						
	7352	[ mhp_repdt ]	When did the participant first report a new COVID infection via MHP / the RECOVER app?	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON						
	7353	[ mhp_repinf ]	How many times has the participant reported a new COVID infection via the app?	text (integer) Field Annotation: @READONLY						
	7354	[ mhp_devorderdt ]	Date the participant ordered a device through MHP/RECOVER:	text (datetime_mdy) Field Annotation: @READONLY @HIDEBUTTON						
	7355	[ mhp_data_complete ]	Section Header: <i>Form Status</i> Complete?	dropdown <table><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									