

Dictionary Dataset Specification (M-Q)

Dictionary MEG Malignancy

[Dictionary MEG Malignancy](#)

[Dictionary MEG Provider Type Crosswalk](#)

[Dictionary Marital Status](#)

[Dictionary Medecision Service Code](#)

[Dictionary Medical Policy Category](#)

[Dictionary_Medispan_Drug_Interaction](#)

[Dictionary Member Alternate ID Type](#)

[Dictionary Member Contact Association](#)

[Dictionary Member Engagement Status](#)

[Dictionary Member Engagement Type](#)

[Dictionary Monitor Rule](#)

[Dictionary MNSOT Responses](#)

[Dictionary Not Enrolled Reason](#)

[Dictionary Note Type](#)

[Dictionary Note Void Reason](#)

[Dictionary Notification Source Type](#)

[Dictionary Notification Target Type](#)

[Dictionary Opportunity Score Health Status Category](#)

[Dictionary Opportunity Score Health Status Category Crosswalk](#)

[Dictionary Opportunity Score Lab Ranges Crosswalk](#)

[Dictionary Opportunity Score Populations Crosswalk](#)

[Dictionary Opportunity Score Rule](#)

[Dictionary Opportunity Score Weighting Values](#)

[Dictionary Outcome Reason](#)

[Dictionary Outcome Reason Request Classification Mapping](#)

Dictionary Outcome Status
Dictionary Outcome Status Outcome Reason Mapping
Dictionary Overall Request Status
Dictionary Participating Network Status
Dictionary Penalty
Dictionary Permissions Criteria Operator
Dictionary Permissions Element
Dictionary Permissions Element Class
Dictionary Pft Dx Icd10
Dictionary Pft Snomed
Dictionary Phone Type
Dictionary Place Of Service
Dictionary Place Of Service CMS
Dictionary Plan
Dictionary Point Service Vendor
Dictionary Population
Dictionary Population Type
Dictionary Predefined Groups Account
Dictionary Predefined Groups Carrier Code
Dictionary Predefined Groups Client Code
Dictionary Predefined Groups Condition
Dictionary Predefined Groups Coverage Descriptor
Dictionary Predefined Groups Diagnosis
Dictionary Predefined Groups Discharge Code
Dictionary Predefined Groups Drug
Dictionary Predefined Groups Encounter Class
Dictionary Predefined Groups Encounter Condition
Dictionary Predefined Groups Encounter Priority

Dictionary Predefined Groups Encounter Service Type
Dictionary Predefined Groups Group
Dictionary_Predefined_Groups_Drug_NDC
Dictionary Predefined Groups LOINC
Dictionary Predefined Groups Line Of Business
Dictionary Predefined Groups Place Of Service
Dictionary Predefined Groups Plan
Dictionary Predefined Groups Program
Dictionary Predefined Groups Provider Specialty
Dictionary Predefined Groups Provider Specialty Taxonomy
Dictionary Predefined Groups Revenue Code
Dictionary Predefined Groups Service
Dictionary Predefined Groups Service Modifier
Dictionary Predefined Groups Subclient
Dictionary Preferred Contact Method
Dictionary Preferred Contact Time
Dictionary Prescription Origin
Dictionary_Preferred_Providers_List
Dictionary Primary Service Vendor Contacts
Dictionary Priority
Dictionary Problem
Dictionary Problem Outcome
Dictionary Problem Outcome Category
Dictionary Problem Status
Dictionary Product
Dictionary Product Program Mapping
Dictionary Program
Dictionary Program Close Reason

Dictionary Program Provider Role
Dictionary Program Reopen Reason
Dictionary Program Screening Status
Dictionary Program Severity
Dictionary Program Source
Dictionary Provider Alternate ID Type
Dictionary_Provider_BDC_Designation
Dictionary Provider Contact Association
Dictionary Provider Designation
Dictionary Provider Network
Dictionary Provider Network Status
Dictionary Provider Set Code
Dictionary Provider Specialty
Dictionary Provider Specialty Crosswalk
Dictionary Provider Specialty Taxonomy
Dictionary Provider Specialty Type
Dictionary Provider Type
Dictionary Provider Type
Dictionary Provider Type Crosswalk
Dictionary Questionnaire Access Point
Dictionary Questionnaire Class
Dictionary Questionnaire Review Edit Reason
Dictionary Quicklist MIP Diagnosis
Dictionary Quicklist Request Diagnosis
Dictionary Quicklist Request Service

Column Name	Is Nullable	Data Type	Description
Group_Code	YES	STRING	A code assigned to represent a specific malignancy group.
Group_Name	YES	STRING	The name of the malignancy group.
Disease_Stage	YES	STRING	The stage of the disease within the malignancy group.
Disease_Stage_Description	YES	STRING	A detailed description of the disease stage.
Health_Status	YES	STRING	An indicator of the overall health status associated with this malignancy group and stage.
Episode_Group_Assignment	YES	STRING	The assignment of this malignancy to a specific episode group for treatment or tracking purposes.
Clean_Period	YES	STRING	The period of time required after treatment during which no symptoms are present to consider the condition resolved.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this malignancy entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this malignancy entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this malignancy entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this malignancy entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this malignancy entry was last modified.
Active	YES	STRING	Indicates whether this malignancy entry is currently active or in use.

Dictionary MEG Provider Type Crosswalk

Column Name	Is Nullable	Data Type	Description
Meg_Provider_Type_Code	YES	STRING	A code representing a specific provider type in the Medical Episode Grouper (MEG) system.
Med_Specialty_Code	YES	STRING	A code representing a corresponding medical specialty.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this crosswalk entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this crosswalk entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this crosswalk entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this crosswalk entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this crosswalk entry was last modified.

Dictionary Marital Status

Column Name	Is Nullable	Data Type	Description
Marital_Status	YES	STRING	Legal or social status related to marriage (e.g., single, married, divorced).
Marital_Status_Description	YES	STRING	Explanation of the marital status.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Medecision Service Code

Column Name	Is Nullable	Data Type	Description
Medecision_Service_Code	YES	STRING	A unique code representing a specific service in the Medecision system.
Medecision_Service_Description	YES	STRING	A detailed description of the service associated with the Medecision service code.
Active	YES	STRING	Indicates whether this service code is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this Medecision service code entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this Medecision service code entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this Medecision service code entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this Medecision service code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this Medecision service code entry was last modified.

Dictionary Medical Policy Category

Column Name	Is Nullable	Data Type	Description
Medical_Policy_Category_Code	YES	STRING	The code identifying the medical policy.
Medical_Policy_Category_Name	YES	STRING	The name of the medical policy.

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates whether the medical policy is active.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the medical policy is effective.
Created_User_ID	YES	STRING	The ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the record was last modified.

Dictionary_Medispan_Drug_Interaction

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the Medispan drug interaction record is active.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the Medispan drug interaction record was created.
Created_User_ID	YES	STRING	The ID of the user who created the Medispan drug interaction record.
Drug1_Code	YES	STRING	The code of the first drug in the interaction.
Drug2_Code	YES	STRING	The code of the second drug in the interaction.
Drug_Interaction_Level_ID	YES	STRING	The unique identifier of the drug interaction level.
Drug_Interaction_List_ID	YES	STRING	The unique identifier of the drug interaction list.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the Medispan drug interaction record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the Medispan drug interaction record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the Medispan drug interaction record.
Scheme1_Code	YES	STRING	The code of the first drug scheme in the interaction.
Scheme2_Code	YES	STRING	The code of the second drug scheme in the interaction.

Dictionary Member Alternate ID Type

Column Name	Is Nullable	Data Type	Description
Alternate_ID_Type	YES	STRING	Type of alternate identifier (e.g., social security number, driver's license).

Column Name	Is Nullable	Data Type	Description
Alternate_ID_Type_Description	YES	STRING	Detailed description of the alternate identifier type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Member Contact Association

Column Name	Is Nullable	Data Type	Description
Contact_Association	YES	STRING	Relationship or association between contacts (e.g., emergency contact, primary contact).
Contact_Association_Description	YES	STRING	Explanation of the contact association.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Member Engagement Status

Column Name	Is Nullable	Data Type	Description
Member_Engagement_Status	YES	STRING	Current engagement status of a member (e.g., active, inactive, engaged).
Member_Engagement_Status_Description	YES	STRING	Detailed description of the member engagement status.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Member Engagement Type

Column Name	Is Nullable	Data Type	Description
Member_Engagement_Type	YES	STRING	Type or category of member engagement (e.g., proactive, reactive).
Member_Engagement_Type_Description	YES	STRING	Explanation of the member engagement type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Monitor Rule

Column Name	Is Nullable	Data Type	Description
Monitor_Rule_Key	YES	INT64	Unique key or identifier for a monitoring rule.
Monitor_Rule_Name	YES	STRING	Name or label for the monitoring rule.
Active	YES	BOOL	Indicator whether the rule is currently active or inactive.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary MNSOT Responses

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicator of whether this MNSOT response is currently active in the system.
Created_Timestamp	YES	TIMESTAMP	Timestamp when this MNSOT response record was created.
Created_User_ID	YES	STRING	Identifier of the user who created this MNSOT response entry.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this MNSOT response definition becomes effective.
Flow_Type	YES	STRING	Type of workflow or process flow associated with this MNSOT response.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this MNSOT response record.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this MNSOT response entry.
MNSOT_Response_Code	YES	STRING	Code or identifier representing a specific MNSOT (likely Minnesota State Operated Treatment) response.
MNSOT_Response_Description	YES	STRING	Detailed description or explanation of the MNSOT response.
Notification_Type	YES	STRING	Type of notification associated with this MNSOT response.
Request_Type	YES	STRING	Type of request associated with this MNSOT response.

Dictionary Not Enrolled Reason

Column Name	Is Nullable	Data Type	Description
Not_Enrolled_Reason	YES	STRING	Reason for a member not being enrolled in a specific program or service.
Not_Enrolled_Reason_Description	YES	STRING	Detailed description of the reason for non-enrollment.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Note Type

Column Name	Is Nullable	Data Type	Description
Note_Type	YES	STRING	Type or category of note (e.g., clinical, administrative).
Note_Type_Description	YES	STRING	Explanation of the note type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.
Note_Type_Domain	YES	STRING	Domain the note type belongs to.

Dictionary Note Void Reason

Column Name	Is Nullable	Data Type	Description
Note_Void_Reason	YES	STRING	Reason for voiding or canceling a note.
Note_Void_Reason_Description	YES	STRING	Detailed description of the note void reason.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Notification Source Type

Column Name	Is Nullable	Data Type	Description
Source_Type_Code	YES	STRING	A unique code representing a specific type of notification source.
Source_Type_Description	YES	STRING	A detailed description of the notification source type.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this notification source type entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this notification source type entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this notification source type entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this notification source type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this notification source type entry was last modified.

Dictionary Notification Target Type

Column Name	Is Nullable	Data Type	Description
Target_Type_Code	YES	STRING	A unique code representing a specific type of entity that can be the target of a notification.
Target_Type_Description	YES	STRING	A detailed description of the target entity type for notifications.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this notification target type entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this notification target type entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this notification target type entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this notification target type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this notification target type entry was last modified.

Dictionary Opportunity Score Health Status Category

Column Name	Is Nullable	Data Type	Description
Episode_Group	YES	STRING	The group or category of the medical episode.
Disease_Stage	YES	STRING	The stage of the disease within the episode group.
Health_Status	YES	STRING	An indicator of the overall health status associated with this category.

Column Name	Is Nullable	Data Type	Description
Start_Days	YES	STRING	The starting day of the time range for this health status category.
End_Days	YES	STRING	The ending day of the time range for this health status category.
Category_Desc	YES	STRING	A detailed description of the health status category.
Category_Code	YES	STRING	A code assigned to represent the health status category.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this health status category entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this health status category entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this health status category entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this health status category entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this health status category entry was last modified.

Dictionary Opportunity Score Health Status Category Crosswalk

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	A code representing a specific health status category in the opportunity score system.
Description	YES	STRING	A detailed description of the health status category.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this crosswalk entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this crosswalk entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this crosswalk entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this crosswalk entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this crosswalk entry was last modified.

Dictionary Opportunity Score Lab Ranges Crosswalk

Column Name	Is Nullable	Data Type	Description
ID	YES	STRING	A unique identifier for this lab range entry in the opportunity score system.
Lab_ID	YES	STRING	An identifier for the specific lab test associated with this range.
Comment	YES	STRING	Additional notes or comments about this lab range.

Column Name	Is Nullable	Data Type	Description
Lower_Range	YES	STRING	The lower boundary of the lab value range.
Upper_Range	YES	STRING	The upper boundary of the lab value range.
Units	YES	STRING	The units of measurement for the lab values.
Score	YES	STRING	The opportunity score associated with this lab range.
Overriding_Lab_Rules	YES	STRING	Any special rules that override standard scoring for this lab range.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this lab range entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this lab range entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this lab range entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this lab range entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this lab range entry was last modified.

Dictionary Opportunity Score Populations Crosswalk

Column Name	Is Nullable	Data Type	Description
Category	YES	STRING	The category or group of the population being scored.
Rule_ID	YES	STRING	An identifier for the specific rule applied to this population category.
Score	YES	STRING	The opportunity score associated with this population category and rule.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this population crosswalk entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this population crosswalk entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this population crosswalk entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this population crosswalk entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this population crosswalk entry was last modified.

Dictionary Opportunity Score Rule

Column Name	Is Nullable	Data Type	Description
Rule_ID	YES	STRING	A unique identifier for the opportunity score rule.

Column Name	Is Nullable	Data Type	Description
Description	YES	STRING	A detailed description of the rule.
Health_Status_Category	YES	STRING	The health status category to which this rule applies.
Low_Range	YES	STRING	The lower boundary of the range for which this rule is applicable.
High_Range	YES	STRING	The upper boundary of the range for which this rule is applicable.
Product	YES	STRING	The product or service associated with this rule.
Program_Code	YES	STRING	The code of the program to which this rule belongs.
Rule_Type	YES	STRING	The type or category of the rule.
Score_Indicator	YES	STRING	An indicator of how this rule affects the overall score.
Flag	YES	STRING	A flag or marker associated with this rule.
Severity	YES	STRING	The severity level assigned to this rule.
Rule_Category	YES	STRING	The category or group to which this rule belongs.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this rule became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this rule.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this rule was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this rule.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this rule was last modified.

Dictionary Opportunity Score Weighting Values

Column Name	Is Nullable	Data Type	Description
Name	YES	STRING	The name or identifier of the weighting factor.
Weight	YES	STRING	The numerical weight assigned to this factor in the opportunity score calculation.
Minimum_Value	YES	STRING	The minimum allowed value for this weighting factor.
Maximum_Value	YES	STRING	The maximum allowed value for this weighting factor.
Default_Value	YES	STRING	The default value used for this weighting factor if no specific value is provided.
Round_On_Point_Five	YES	STRING	Indicates whether the value should be rounded to the nearest 0.5.

Column Name	Is Nullable	Data Type	Description
ID	YES	STRING	A unique identifier for this weighting value entry.
Base_Value	YES	STRING	The base value used in calculations involving this weighting factor.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this weighting value entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this weighting value entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this weighting value entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this weighting value entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this weighting value entry was last modified.

Dictionary Outcome Reason

Column Name	Is Nullable	Data Type	Description
Outcome_Reason	YES	STRING	Reason for a specific outcome (e.g., claim denial, treatment success).
Outcome_Reason_Description	YES	STRING	Additional information explaining the outcome reason.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Outcome Reason Request Classification Mapping

Column Name	Is Nullable	Data Type	Description
Outcome_Reason	YES	STRING	Code or identifier representing a specific outcome reason in a healthcare process.
Request_Classification	YES	STRING	Classification or category of the request associated with this outcome reason.
Active	YES	STRING	Indicator of whether this mapping between outcome reason and request classification is currently active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this mapping becomes effective.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	Identifier of the user who created this mapping entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this mapping entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this mapping entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this mapping entry.

Dictionary Outcome Status

Column Name	Is Nullable	Data Type	Description
Outcome_Status	YES	STRING	Current status of a specific outcome (e.g., achieved, pending).
Outcome_Status_Description	YES	STRING	Detailed description of the outcome status.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Outcome Status Outcome Reason Mapping

Column Name	Is Nullable	Data Type	Description
Outcome_Status	YES	STRING	The status of the outcome of the appeal process.
Outcome_Reason	YES	STRING	The reason for the outcome status.
Active	YES	STRING	Indicates whether the outcome record is active.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the outcome record is effective.
Created_User_ID	YES	STRING	The ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the record.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the record was last modified.

Dictionary Overall Request Status

Column Name	Is Nullable	Data Type	Description
Overall_Request_Status	YES	STRING	Overall status of a request or process (e.g., approved, denied, pending).
Overall_Request_Status_Description	YES	STRING	Explanation of the overall request status.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Participating Network Status

Column Name	Is Nullable	Data Type	Description
Participating_Network_Status	YES	STRING	Status related to network participation (e.g., in-network, out-of-network).
Participating_Network_Status_Description	YES	STRING	Detailed description of the participating network status.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Penalty

Column Name	Is Nullable	Data Type	Description
Penalty	YES	STRING	Consequence or fine imposed due to non-compliance or violation (e.g., late payment penalty).
Penalty_Description	YES	STRING	Explanation of the penalty.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Permissions Criteria Operator

Column Name	Is Nullable	Data Type	Description
Permissions_Criteria_Operator	YES	STRING	Operator used in permissions criteria (e.g., AND, OR).
Permissions_Criteria_Operator_Value	YES	STRING	Detailed description of the permissions criteria operator.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Permissions Element

Column Name	Is Nullable	Data Type	Description
Permissions_Element	YES	STRING	Represents an element or component for which permissions are defined.
Permissions_Element_Description	YES	STRING	Detailed description of the permissions element.

Column Name	Is Nullable	Data Type	Description
Permissions_Element_Class	YES	STRING	Classification or category of the permissions element.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Permissions Element Class

Column Name	Is Nullable	Data Type	Description
Permissions_Element_Class	YES	STRING	Classification or category of the permissions element.
Permissions_Element_Class_Description	YES	STRING	Explanation of the permissions element class.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Pft Dx Icd10

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	Unique Dx Icd10 code for the concept.
Display_Term_Text	YES	STRING	Text to display for the term.
Term_Text	YES	STRING	Actual term text.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the term became effective.
Created_User_ID	YES	STRING	Identifier for the user who created the record.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.

Dictionary Pft Snomed

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	Unique SNOMED CT code for the concept.
Text	YES	STRING	Human-readable text description of the SNOMED CT concept.
Active	YES	STRING	Boolean flag indicating if the SNOMED CT code is currently active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the SNOMED CT code entry becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created the SNOMED CT code entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when the SNOMED CT code entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the SNOMED CT code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to the SNOMED CT code entry.

Dictionary Phone Type

Column Name	Is Nullable	Data Type	Description
Phone_Type	YES	STRING	Type or category of phone number (e.g., mobile, home, work).
Phone_Type_Description	YES	STRING	Detailed description of the phone type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Place Of Service

Column Name	Is Nullable	Data Type	Description
Place_Of_Service	YES	STRING	Specific location or setting where a service is provided (e.g., hospital, clinic, home).
Place_Of_Service_Category	YES	STRING	Code or identifier representing a category of place where healthcare services are provided.
Place_Of_Service_Category_Description	YES	STRING	Detailed description or explanation of the place of service category.
Place_Of_Service_Description	YES	STRING	Explanation of the place of service.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Place Of Service CMS

Column Name	Is Nullable	Data Type	Description
Service_Place_Code	YES	STRING	The code assigned by CMS to represent a specific place of service.
Service_Place_Desc	YES	STRING	A detailed description of the place of service.
Service_Setting_Code	YES	STRING	A code representing the broader service setting category.
Service_Setting_Description	YES	STRING	A description of the service setting category.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this place of service entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this place of service entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this place of service entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this place of service entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this place of service entry was last modified.

Dictionary Plan

Column Name	Is Nullable	Data Type	Description
Plan_ID	YES	STRING	Identifier for a specific health insurance plan.
Plan_Description	YES	STRING	Description of the health insurance plan.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.
Active	YES	STRING	Indicates whether the item is active.

Dictionary Point Service Vendor

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Timestamp when this point of service vendor record was created.
Created_User_ID	YES	STRING	Identifier of the user who created this point of service vendor entry.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this point of service vendor definition becomes effective.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this point of service vendor record.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this point of service vendor entry.
Vendor_Code	YES	STRING	Code or identifier representing a specific point of service vendor.
Vendor_Code_Description	YES	STRING	Detailed description or explanation of the point of service vendor code.
Vendor_Link	YES	STRING	URL or reference link associated with the point of service vendor.

Dictionary Population

Column Name	Is Nullable	Data Type	Description
Population_ID	YES	STRING	Unique identifier for a specific population group or category.

Column Name	Is Nullable	Data Type	Description
Population_Name	YES	STRING	Descriptive name or label for the population group.
Status_Code	YES	STRING	Code indicating the current status of the population.
Parent_Type	YES	STRING	Type of parent entity associated with this population (e.g., organization, region, etc.).
Parent_ID	YES	STRING	Identifier of the parent entity (e.g., organization ID, region ID).
Visibility_Level_Code	YES	STRING	Code representing the visibility level of the population.
Classification_Code	YES	STRING	Code for the classification of the population.
Added_Filters	YES	STRING	Additional filters applied to define the population.
Description	YES	STRING	Detailed description of the population.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Population Type

Column Name	Is Nullable	Data Type	Description
Rep_Rule_Code	YES	STRING	A code representing a specific population type or representation rule.
Rep_Rule_Description	YES	STRING	A detailed description of the population type or representation rule.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this population type entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this population type entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this population type entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this population type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this population type entry was last modified.

Dictionary Predefined Groups Account

Column Name	Is Nullable	Data Type	Description
Predefined_Account_Group_Code	YES	STRING	A code representing a predefined group of accounts.
Predefined_Account_Group_Name	YES	STRING	The name of the predefined account group.
Predefined_Account_Group_Description	YES	STRING	A detailed description of the predefined account group.
Account_Code	YES	STRING	The specific account code associated with this group.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this predefined account group entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this predefined account group entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this predefined account group entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this predefined account group entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this predefined account group entry was last modified.

Dictionary Predefined Groups Carrier Code

Column Name	Is Nullable	Data Type	Description
Predefined_Carrier_Code_Group_Code	YES	STRING	Code for the predefined carrier code group.
Predefined_Carrier_Code_Group_Name	YES	STRING	Name of the predefined carrier code group.
Predefined_Carrier_Code_Group_Description	YES	STRING	Description of the predefined carrier code group.
Carrier_Code	YES	STRING	Code for the carrier.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the predefined carrier code group became effective.
Created_User_ID	YES	STRING	Identifier for the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.

Dictionary Predefined Groups Client Code

Column Name	Is Nullable	Data Type	Description
Predefined_Client_Code_Group_Code	YES	STRING	Code for the predefined client code group.
Predefined_Client_Code_Group_Name	YES	STRING	Name of the predefined client code group.
Predefined_Client_Code_Group_Description	YES	STRING	Description of the predefined client code group.
Client_Code	YES	STRING	Code for the client.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the predefined client code group became effective.
Created_User_ID	YES	STRING	Identifier for the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.

Dictionary Predefined Groups Condition

Column Name	Is Nullable	Data Type	Description
Predefined_Condition_Group_Code	YES	STRING	A code representing a predefined group of medical conditions.
Predefined_Condition_Group_Name	YES	STRING	The name of the predefined condition group.
Predefined_Condition_Group_Description	YES	STRING	A detailed description of the predefined condition group.
Condition_Code	YES	STRING	The specific condition code associated with this group.
Subcondition_Code	YES	STRING	A subcategory or more specific code within the condition code.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this predefined condition group entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this predefined condition group entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this predefined condition group entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this predefined condition group entry.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this predefined condition group entry was last modified.

Dictionary Predefined Groups Coverage Descriptor

Column Name	Is Nullable	Data Type	Description
Predefined_Coverage_Descriptor_Group_Code	YES	STRING	Unique code identifying a predefined group of coverage descriptors.
Predefined_Coverage_Descriptor_Group_Name	YES	STRING	Name or label assigned to the predefined coverage descriptor group.
Predefined_Coverage_Descriptor_Group_Description	YES	STRING	Detailed explanation of the predefined coverage descriptor group's purpose or contents.
Coverage_Descriptor	YES	STRING	Specific coverage descriptor included in this predefined group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this group definition becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created this predefined coverage descriptor group entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this predefined coverage descriptor group entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this predefined coverage descriptor group entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this predefined coverage descriptor group entry.

Dictionary Predefined Groups Diagnosis

Column Name	Is Nullable	Data Type	Description
Predefined_Diagnosis_Group_Code	YES	STRING	A code representing a predefined group of diagnoses.
Predefined_Diagnosis_Group_Name	YES	STRING	The name of the predefined diagnosis group.
Predefined_Diagnosis_Group_Description	YES	STRING	A detailed description of the predefined diagnosis group.
Diagnosis_Code	YES	STRING	The specific diagnosis code associated with this group.
Tags	YES	STRING	Additional labels or categories associated with this diagnosis group.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this predefined diagnosis group entry became or will become effective.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	The user ID of the person who created this predefined diagnosis group entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this predefined diagnosis group entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this predefined diagnosis group entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this predefined diagnosis group entry was last modified.

Dictionary Predefined Groups Discharge Code

Column Name	Is Nullable	Data Type	Description
Predefined_Discharge_Code_Group_Code	YES	STRING	Unique code representing a predefined group of discharge codes.
Predefined_Discharge_Code_Group_Name	YES	STRING	Name of the predefined group of discharge codes.
Predefined_Discharge_Code_Group_Description	YES	STRING	Description of the predefined group of discharge codes and its purpose.
Condition_Scheme_Code	YES	STRING	Code representing the condition or scheme associated with the discharge group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined discharge group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined discharge code group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined discharge code group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined discharge code group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined discharge code group was last updated.

Dictionary Predefined Groups Drug

Column Name	Is Nullable	Data Type	Description
Predefined_Drug_Group_Code	YES	STRING	Unique code representing a predefined group of drugs.
Predefined_Drug_Group_Name	YES	STRING	Name of the predefined group of drugs.
Predefined_Drug_Group_Description	YES	STRING	Description of the predefined drug group and its purpose or characteristics.

Column Name	Is Nullable	Data Type	Description
GPI2_Code	YES	STRING	Two-character GPI (Generic Product Identifier) code representing a high-level drug group.
GPI4_Code	YES	STRING	Four-character GPI code providing a more specific classification of drugs within a group.
GPI6_Code	YES	STRING	Six-character GPI code providing a detailed classification of drugs.
GPI10_Code	YES	STRING	Ten-character GPI code offering the most specific classification of a drug.
GPI14_Code	YES	STRING	Represents the 14-digit Generic Product Identifier code used to classify drugs at a detailed level.
GPI8_Code	YES	STRING	Represents the 8-digit Generic Product Identifier code used to classify drugs at a broader level.
NDC	YES	STRING	Denotes the National Drug Code, a unique identifier for medications approved by the FDA.
Tags	YES	STRING	Additional labels or categories associated with this drug group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined drug group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined drug group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined drug group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined drug group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined drug group was last updated.

Dictionary Predefined Groups Encounter Class

Column Name	Is Nullable	Data Type	Description
Predefined_Encounter_Class_Group_Code	YES	STRING	Unique code representing a predefined group of encounter classes.
Predefined_Encounter_Class_Group_Name	YES	STRING	Name of the predefined group of encounter classes.
Predefined_Encounter_Class_Group_Description	YES	STRING	Description of the predefined encounter class group and its purpose or characteristics.
Encounter_Class_Code	YES	STRING	Code representing a specific encounter class within the group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter class group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined encounter class group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter class group was created.

Column Name	Is Nullable	Data Type	Description
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined encounter class group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter class group was last updated.

Dictionary Predefined Groups Encounter Condition

Column Name	Is Nullable	Data Type	Description
Predefined_Encounter_Condition_Group_Code	YES	STRING	Unique code representing a predefined group of encounter conditions.
Predefined_Encounter_Condition_Group_Name	YES	STRING	Name of the predefined group of encounter conditions.
Predefined_Encounter_Condition_Group_Description	YES	STRING	Description of the predefined group of encounter conditions and its purpose.
Encounter_Condition_Code	YES	STRING	Code representing a specific encounter condition within the group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter condition group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined encounter condition group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter condition group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined encounter condition group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter condition group was last updated.

Dictionary Predefined Groups Encounter Priority

Column Name	Is Nullable	Data Type	Description
Predefined_Encounter_Priority_Group_Code	YES	STRING	Unique code representing a predefined group of encounter priorities.
Predefined_Encounter_Priority_Group_Name	YES	STRING	Name of the predefined group of encounter priorities.
Predefined_Encounter_Priority_Group_Description	YES	STRING	Description of the predefined group of encounter priorities and its purpose.
Encounter_Priority_Code	YES	STRING	Code representing a specific encounter priority within the group.

Column Name	Is Nullable	Data Type	Description
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter priority group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined encounter priority group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter priority group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined encounter priority group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter priority group was last updated.

Dictionary Predefined Groups Encounter Service Type

Column Name	Is Nullable	Data Type	Description
Predefined_Encounter_Service_Type_Group_Code	YES	STRING	Unique code representing a predefined group of encounter service types.
Predefined_Encounter_Service_Type_Group_Name	YES	STRING	Name of the predefined group of encounter service types.
Predefined_Encounter_Service_Type_Group_Description	YES	STRING	Description of the predefined group of encounter service types and its purpose.
Encounter_Service_Type_Code	YES	STRING	Code representing a specific encounter service type within the group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter service type group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined encounter service type group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter service type group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined encounter service type group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined encounter service type group was last updated.

Dictionary Predefined Groups Group

Column Name	Is Nullable	Data Type	Description
Predefined_Group_Group_Code	YES	STRING	Unique code representing a predefined group of groups.
Predefined_Group_Group_Name	YES	STRING	Name of the predefined group of groups.

Column Name	Is Nullable	Data Type	Description
Predefined_Group_Group_Description	YES	STRING	Description of the predefined group of groups and its purpose.
Group_ID	YES	STRING	Unique identifier for a specific group within the predefined group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined group of groups becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined group of groups.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined group of groups was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined group of groups.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined group of groups was last updated.

Dictionary_Predefined_Groups_Drug_NDC

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	The timestamp when the predefined drug group NDC record was created.
Created_User_ID	YES	STRING	The ID of the user who created the predefined drug group NDC record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the predefined drug group NDC record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the predefined drug group NDC record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the predefined drug group NDC record.
NDC	YES	STRING	The National Drug Code (NDC) of the drug.
Predefined_Drug_Group_Code	YES	STRING	The code of the predefined drug group.
Predefined_Drug_Group_Description	YES	STRING	The description of the predefined drug group.
Predefined_Drug_Group_Name	YES	STRING	The name of the predefined drug group.

Dictionary_Predefined_Groups_LOINC

Column Name	Is Nullable	Data Type	Description
Predefined_Test_Group_Code	YES	STRING	Unique code representing a predefined group of tests.
Predefined_Test_Group_Name	YES	STRING	Name of the predefined group of tests.

Column Name	Is Nullable	Data Type	Description
Predefined_Test_Group_Descriptio n	YES	STRING	Description of the predefined group of tests and its intended purpose.
Test_Code	YES	STRING	Unique code representing a specific test within the predefined group, typically based on LOINC.
Tags	YES	STRING	Additional labels or categories associated with this group of tests.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined group of tests becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined group of tests.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined group of tests was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined group of tests.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined group of tests was last updated.

Dictionary Predefined Groups Line Of Business

Column Name	Is Nullable	Data Type	Description
Predefined_LOB_Group_Code	YES	STRING	Unique code representing a predefined group for a Line of Business (LOB).
Predefined_LOB_Group_Name	YES	STRING	Name of the predefined Line of Business (LOB) group.
Predefined_LOB_Group_Descriptio n	YES	STRING	Description of the predefined group related to the Line of Business, outlining its purpose and scope.
LOB_Code	YES	STRING	Unique code for the specific Line of Business (LOB) within the predefined group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined LOB group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined LOB group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined LOB group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined LOB group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined LOB group was last modified.

Dictionary Predefined Groups Place Of Service

Column Name	Is Nullable	Data Type	Description
Predefined_Service_Place_Code	YES	STRING	Unique code representing a predefined place of service group.

Column Name	Is Nullable	Data Type	Description
Predefined_Service_Place_Name	YES	STRING	Name of the predefined place of service group.
Predefined_Service_Place_Description	YES	STRING	Description of the predefined place of service, outlining its function or classification.
Service_Setting_Code	YES	STRING	Unique code representing the service setting within the predefined service place.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined place of service group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined service place group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined service place group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined service place group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined service place group was last modified.

Dictionary Predefined Groups Plan

Column Name	Is Nullable	Data Type	Description
Predefined_Plan_Group_Code	YES	STRING	Unique code representing a predefined plan group.
Predefined_Plan_Group_Name	YES	STRING	Name of the predefined plan group.
Predefined_Plan_Group_Description	YES	STRING	Description of the predefined plan group, outlining its purpose or classification.
Plan_Code	YES	STRING	Unique code representing the specific plan associated with the predefined plan group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined plan group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined plan group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined plan group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined plan group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined plan group was last modified.

Dictionary Predefined Groups Program

Column Name	Is Nullable	Data Type	Description
Predefined_Program_Group_Code	YES	STRING	Unique code representing a predefined program group.

Column Name	Is Nullable	Data Type	Description
Predefined_Program_Group_Name	YES	STRING	Name of the predefined program group.
Predefined_Program_Group_Description	YES	STRING	Description of the predefined program group, outlining its purpose or classification.
Program_Code	YES	STRING	Unique code representing the specific program associated with the predefined program group.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined program group becomes effective.
Created_User_ID	YES	STRING	ID of the user who created the predefined program group.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined program group was created.
Last_Modified_User_ID	YES	STRING	ID of the user who last modified the predefined program group.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the predefined program group was last modified.

Dictionary Predefined Groups Provider Specialty

Column Name	Is Nullable	Data Type	Description
Provider_Specialty_Group_Code	YES	STRING	A unique code representing a group of specialties provided by a healthcare provider.
Provider_Specialty_Group_Name	YES	STRING	The name associated with the group of specialties that the provider offers.
Provider_Specialty_Description	YES	STRING	A detailed description of the provider's specialty group, explaining the type of services or care that fall under the specialty.
Provider_Specialty_Code	YES	STRING	A unique code assigned to a specific medical specialty or service provided by the healthcare provider.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating the date and time when the provider specialty information becomes effective.
Created_User_ID	YES	STRING	The unique identifier of the user who created the record for the provider specialty group in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the record for the provider specialty group was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the record for the provider specialty group.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the record for the provider specialty group was last modified.

Dictionary Predefined Groups Provider Specialty Taxonomy

Column Name	Is Nullable	Data Type	Description
Provider_Specialty_Group_Code	YES	STRING	A code representing a predefined group of provider specialties.

Column Name	Is Nullable	Data Type	Description
Provider_Specialty_Group_Name	YES	STRING	The name of the predefined provider specialty group.
Provider_Specialty_Description	YES	STRING	A detailed description of the provider specialty group.
Provider_Specialty_Code	YES	STRING	The specific provider specialty code associated with this group.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this predefined provider specialty group entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this predefined provider specialty group entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this predefined provider specialty group entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this predefined provider specialty group entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this predefined provider specialty group entry was last modified.

Dictionary Predefined Groups Revenue Code

Column Name	Is Nullable	Data Type	Description
Predefined_Revenue_Code_Group_Code	YES	STRING	A unique code representing a group of related revenue codes in the healthcare billing system.
Predefined_Revenue_Code_Group_Name	YES	STRING	The name associated with the group of revenue codes.
Predefined_Revenue_Code_Group_Description	YES	STRING	A detailed description explaining the specific group of revenue codes, which are used to classify and track healthcare services for billing purposes.
Revenue_Code	YES	STRING	A unique code used to represent a specific medical service or procedure for billing and insurance purposes.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating the date and time when the revenue code group becomes effective in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the revenue code group record in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the revenue code group record was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the revenue code group record in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the revenue code group record was last modified in the system.

Dictionary Predefined Groups Service

Column Name	Is Nullable	Data Type	Description
Predefined_Service_Group_Code	YES	STRING	A unique identifier for a predefined group of related healthcare services or procedures.
Predefined_Service_Group_Name	YES	STRING	The name associated with the group of services, used to categorize a set of related medical procedures or services within the system.
Predefined_Service_Group_Description	YES	STRING	A description providing further detail on the services included in the predefined group, explaining the purpose or scope of the services within the group.
Service_Code	YES	STRING	A unique code that identifies a specific medical service or procedure within the healthcare system.
Tags	YES	STRING	Additional labels or categories associated with this service group.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating the date and time when the predefined service group became active or effective in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the predefined service group record in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the predefined service group record was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the predefined service group record in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the predefined service group record was last modified in the system.

Dictionary Predefined Groups Service Modifier

Column Name	Is Nullable	Data Type	Description
Predefined_Service_Modifier_Group_Code	YES	STRING	A unique identifier for a predefined group of service modifiers, which are codes that modify or further specify the nature of a service or procedure in the healthcare system.
Predefined_Service_Modifier_Group_Name	YES	STRING	The name assigned to the predefined group of service modifiers, used for categorizing and grouping related service modifications within the system.
Predefined_Service_Modifier_Group_Description	YES	STRING	A description that provides details on the group of service modifiers, explaining the context or purpose of the modifiers within the predefined group.
Service_Modifier_Code	YES	STRING	A code that uniquely identifies a specific service modifier within the healthcare system, which adjusts or specifies a procedure's details or conditions.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating the exact date and time when the predefined service modifier group became active or effective in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the predefined service modifier group record in the system.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	The date and time when the predefined service modifier group record was created within the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the predefined service modifier group record in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp of the most recent modification made to the predefined service modifier group record in the system.

Dictionary Predefined Groups Subclient

Column Name	Is Nullable	Data Type	Description
Predefined_Subclient_Group_Code	YES	STRING	A unique identifier for a predefined group of subclients, which are typically smaller subdivisions or entities under a main client or program in the system.
Predefined_Subclient_Group_Name	YES	STRING	The name assigned to the predefined group of subclients, used to categorize or label different subclients within the system.
Predefined_Subclient_Group_Description	YES	STRING	A description that provides details about the predefined group of subclients, explaining the context or purpose of the group within the organization or system.
Subclient_Code	YES	STRING	A unique code that identifies a specific subclient within the broader program or client group, enabling specific tracking or management of subclient activities or services.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp that marks the date and time when the predefined subclient group became active or effective within the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the predefined subclient group record in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the predefined subclient group record was created within the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the predefined subclient group record in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp indicating when the predefined subclient group record was last modified in the system.

Dictionary Preferred Contact Method

Column Name	Is Nullable	Data Type	Description
Method	YES	STRING	Approach or technique used to accomplish a task or process (e.g., payment method, communication method).
Method_Description	YES	STRING	Detailed description of the method.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Preferred Contact Time

Column Name	Is Nullable	Data Type	Description
Time	YES	STRING	Represents a specific point in time for making a contact.
Time_Description	YES	STRING	Explanation of the time parameter.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Prescription Origin

Column Name	Is Nullable	Data Type	Description
Origin_Code	YES	STRING	A unique identifier or code representing the origin of a prescription, such as electronic, written, or verbal.
Origin_Description	YES	STRING	A detailed description of the prescription origin, providing context or additional information about the origin type.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time when the prescription origin entry became valid and active within the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the prescription origin entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the prescription origin entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the prescription origin entry in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the prescription origin entry was last updated or modified in the system.

Dictionary_PREFERRED_Providers_List

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the preferred providers list record is active.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the preferred providers list record was created.
Created_User_ID	YES	STRING	The ID of the user who created the preferred providers list record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the preferred providers list record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the preferred providers list record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the preferred providers list record.
Preferred_Providers_List_ID	YES	STRING	The unique identifier of the preferred providers list.
Provider_Code	YES	STRING	The code of the provider.
Scheme_Code	YES	STRING	The code of the scheme.

Dictionary Primary Service Vendor Contacts

Column Name	Is Nullable	Data Type	Description
Vendor_Code	YES	STRING	Unique identifier assigned to the primary service vendor.
Vendor_Code_Description	YES	STRING	Description or name associated with the primary service vendor code.
Vendor_Phone	YES	STRING	Contact phone number for the primary service vendor.
Vendor_Email	YES	STRING	Contact email address for the primary service vendor.
Vendor_Link	YES	STRING	Link for the primary service vendor.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which this vendor contact information is effective.
Created_User_ID	YES	STRING	Identifier of the user who initially created the vendor contact record.
Created_Timestamp	YES	TIMESTAMP	The date and time when the vendor contact record was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the vendor contact record.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the vendor contact record was last modified.

Dictionary Priority

Column Name	Is Nullable	Data Type	Description
Priority	YES	STRING	Level of importance or urgency (e.g., high, medium, low).
Priority_Description	YES	STRING	Additional information explaining the priority.
Priority_Rank	YES	STRING	Numeric ranking of the priority level.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Problem

Column Name	Is Nullable	Data Type	Description
Problem	YES	STRING	Specific issue, challenge, or concern.
Problem_Description	YES	STRING	Detailed description of the problem.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Problem Outcome

Column Name	Is Nullable	Data Type	Description
Problem_Outcome	YES	STRING	Result or resolution related to addressing a problem (e.g., issue resolved, workaround applied).
Problem_Outcome_Description	YES	STRING	Explanation of the problem outcome.
Problem_Outcome_Category	YES	STRING	Category or group to which the problem outcome belongs.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Problem Outcome Category

Column Name	Is Nullable	Data Type	Description
Problem_Outcome_Category	YES	STRING	Category or group to which the problem outcome belongs.
Problem_Outcome_Category_Description	YES	STRING	Detailed description of the problem outcome category.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Problem Status

Column Name	Is Nullable	Data Type	Description
Problem_Status	YES	STRING	Current status or condition related to a specific problem (e.g., open, resolved, pending).

Column Name	Is Nullable	Data Type	Description
Problem_Status_Description	YES	STRING	Detailed description of the problem status.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Product

Column Name	Is Nullable	Data Type	Description
Product	YES	STRING	Specific item, service, or offering (e.g., insurance plan, medication).
Product_Description	YES	STRING	Detailed description of the product.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Product Program Mapping

Column Name	Is Nullable	Data Type	Description
Product	YES	STRING	The product associated with the program, typically referring to a healthcare service, plan, or item.
Program	YES	STRING	The program linked to the product, often representing an initiative or medical service offered under the product.
Active	YES	STRING	A flag indicating whether the product-to-program mapping is currently active and in use.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the product-to-program mapping becomes valid or effective.
Created_User_ID	YES	STRING	The identifier of the user who created the product-to-program mapping entry in the system.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	The date and time when the product-to-program mapping entry was first created.
Last_Modified_User_ID	YES	STRING	The identifier of the user who last modified the product-to-program mapping entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the product-to-program mapping entry was last updated or modified.

Dictionary Program

Column Name	Is Nullable	Data Type	Description
Program	YES	STRING	The identifier or code for a specific program.
Program_Description	YES	STRING	A detailed description of the program.
Program_Alias	YES	STRING	An alternative name or shorthand for the program.
Status_Code	YES	STRING	A code representing the current status of the program.
Status_Name	YES	STRING	The name or description of the program's status.
Visibility_Level	YES	STRING	A code indicating the visibility level of the program.
Visibility_Level_Name	YES	STRING	The name or description of the program's visibility level.
Designation_Code	YES	STRING	A code representing any special designation for the program.
Designation_Name	YES	STRING	The name or description of the program's designation.
Program_Type_Code	YES	STRING	A code representing the type of program.
Program_Type_Name	YES	STRING	The name or description of the program type.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this program entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this program entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this program entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this program entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this program entry was last modified.

Dictionary Program Close Reason

Column Name	Is Nullable	Data Type	Description
Program_Close_Reason	YES	STRING	Reason for closing or terminating a program (e.g., completion, inactivity).
Program_Close_Reason_Description	YES	STRING	Detailed description of the program close reason.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Program Provider Role

Column Name	Is Nullable	Data Type	Description
Program_Provider_Role	YES	STRING	Role or function of a provider within a program (e.g., primary care, specialist).
Program_Provider_Role_Description	YES	STRING	Explanation of the program provider role.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Program Reopen Reason

Column Name	Is Nullable	Data Type	Description
Program_Reopen_Reason	YES	STRING	Reason for reopening a previously closed program (e.g., new information, member request).
Program_Reopen_Reason_Description	YES	STRING	Detailed description of the program reopen reason.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Program Screening Status

Column Name	Is Nullable	Data Type	Description
Program_Screening_Status	YES	STRING	Status related to program screening or eligibility assessment (e.g., screened, pending).
Program_Screening_Status_Description	YES	STRING	Explanation of the program screening status.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Program Severity

Column Name	Is Nullable	Data Type	Description
Program_Severity	YES	STRING	Level of severity or impact associated with a program (e.g., low, moderate, high).

Column Name	Is Nullable	Data Type	Description
Program_Severity_Description	YES	STRING	Detailed description of the program severity.
Program_Export_Severity_Code	YES	STRING	A code used for exporting or identifying the program severity in external systems or reporting processes.
Minimum_Stage_Value	YES	STRING	The minimum stage or value of the program associated with this severity level, possibly reflecting an early phase.
Maximum_Stage_Value	YES	STRING	The maximum stage or value of the program within this severity level, representing the most advanced phase covered.
Active	YES	STRING	Indicates whether the program severity is currently active and in use (active/inactive status).
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Program Source

Column Name	Is Nullable	Data Type	Description
Source	YES	STRING	Origin or source of specific data or information (e.g., member portal, claims data).
Source_Description	YES	STRING	Explanation of the data source.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Provider Alternate ID Type

Column Name	Is Nullable	Data Type	Description
Alternate_ID_Type	YES	STRING	Type of alternate identifier (e.g., social security number, driver's license).

Column Name	Is Nullable	Data Type	Description
Alternate_ID_Type_Description	YES	STRING	Detailed description of the alternate identifier type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary_Provider_BDC_Designation

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicator of whether the provider designation record is currently active.
Code	YES	STRING	Unique code identifying the provider's designation.
Created_Timestamp	YES	TIMESTAMP	Date and time when the provider designation record was created.
Created_User_ID	YES	STRING	Identifier of the user who created the provider designation record.
Description	YES	STRING	Descriptive text explaining the meaning of the provider designation.
Effective_From_Timestamp	YES	TIMESTAMP	Date and time from which the provider designation became effective.
Last_Modified_Timestamp	YES	TIMESTAMP	Date and time when the provider designation record was last modified.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the provider designation record.

Dictionary Provider Contact Association

Column Name	Is Nullable	Data Type	Description
Contact_Association	YES	STRING	Relationship or association between contacts (e.g., emergency contact, primary contact).
Contact_Association_Description	YES	STRING	Explanation of the contact association.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Provider Designation

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the provider designation record is active.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the provider designation record was created.
Created_User_ID	YES	STRING	The ID of the user who created the provider designation record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the provider designation record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the provider designation record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the provider designation record.
Provider_Designation_Code	YES	STRING	The code of the provider designation.
Provider_Designation_Description	YES	STRING	The description of the provider designation.

Dictionary Provider Network

Column Name	Is Nullable	Data Type	Description
Network_Code	YES	STRING	Code representing a specific network or provider group.
Network_Name	YES	STRING	Name or label for the network.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Provider Network Status

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	The date and time when the record was created.
Created_User_ID	YES	STRING	The ID of the user who created the record.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the record becomes effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the record.
Status_Code	YES	STRING	The code that indicates the status of the provider in the network.
Status_Code_Description	YES	STRING	A textual description of the status code.

Dictionary Provider Set Code

Column Name	Is Nullable	Data Type	Description
Set_Code	YES	STRING	Identifier or code for a specific set or group (e.g., benefit set, service set).
Set_Code_Description	YES	STRING	Detailed description of the set code.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Provider Specialty

Column Name	Is Nullable	Data Type	Description
Specialty_Code	YES	STRING	A unique code used to identify the provider's specialty, such as cardiology, pediatrics, or surgery.
Specialty_Type	YES	STRING	A classification of the type of specialty, indicating the category or field within healthcare to which the specialty belongs.

Column Name	Is Nullable	Data Type	Description
Specialty_Description	YES	STRING	A detailed description of the provider's specialty, providing additional information about the specific focus area.
Patient_Centered_Medical_Home_Flag	YES	STRING	A flag indicating whether the specialty is part of a Patient-Centered Medical Home (PCMH) model, which emphasizes coordinated care.
Visibility_Level	YES	STRING	Defines the level of visibility or access permissions for the specialty information, potentially limiting who can view it.
ACTIVE	YES	STRING	Indicates whether this provider specialty is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the provider's specialty designation becomes valid or effective.
Created_User_ID	YES	STRING	The identifier of the user who created the entry for the provider's specialty in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the provider's specialty entry was first created.
Last_Modified_User_ID	YES	STRING	The identifier of the user who last modified the provider's specialty entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the provider's specialty entry was last updated or modified.

Dictionary Provider Specialty Crosswalk

Column Name	Is Nullable	Data Type	Description
Taxonomy_Code	YES	STRING	A unique code representing the provider's taxonomy, typically based on healthcare specialty classification standards.
Taxonomy_Description	YES	STRING	A detailed description of the taxonomy code, explaining the healthcare specialty or classification it represents.
Insights_Specialty_Code	YES	STRING	A unique code used within the system to represent a provider specialty as per internal insights or classifications.
Insights_Specialty_Description	YES	STRING	A detailed description of the internal insights specialty code, explaining the provider's specialty or area of expertise.
Crosswalk_Priority	YES	STRING	A priority level indicating the relevance or precedence of this crosswalk mapping when multiple mappings exist for a provider specialty.
CMS_Specialty_Code	YES	STRING	A code representing the provider's specialty as defined by the Centers for Medicare and Medicaid Services (CMS).
CMS_Specialty_Description	YES	STRING	A detailed description of the CMS specialty code, explaining the corresponding provider's specialty or classification.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time when the crosswalk entry became valid and active in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the crosswalk entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the crosswalk entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the crosswalk entry in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the crosswalk entry was last updated or modified in the system.

Dictionary Provider Specialty Taxonomy

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	A unique code representing a specific taxonomy entry for a provider specialty.
Undefined	YES	STRING	A flag or status indicator to identify if the taxonomy code is undefined or not assigned to a specific specialty.
Description	YES	STRING	A detailed explanation or description of the taxonomy code and its relevance to a provider's specialty.
Patient_Centered_Medical_Home_Flag	YES	STRING	A flag indicating whether the specialty is associated with a patient-centered medical home (PCMH) model of care.
Grouping	YES	STRING	The broader category or grouping under which the provider specialty falls.
Classification	YES	STRING	A specific classification within the grouping that provides further granularity of the provider specialty.
Specialization	YES	STRING	A more detailed or focused description of the provider's area of specialization within the classification.
Definition	YES	STRING	A formal definition of the provider specialty or taxonomy entry, detailing its scope and purpose.
Notes	YES	STRING	Additional comments or notes related to the taxonomy entry, often used for clarifications or special considerations.
Active	YES	STRING	Indicates whether this item is currently active or in use.
Visibility_Level	YES	STRING	Specifies the visibility or accessibility of the taxonomy entry within the system, such as internal or external visibility.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time when the taxonomy entry became active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the taxonomy entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the taxonomy entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the taxonomy entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the taxonomy entry was last updated or modified in the system.

Dictionary Provider Specialty Type

Column Name	Is Nullable	Data Type	Description
Specialty_Type	YES	STRING	A unique identifier or code representing a specific type of provider specialty.
Specialty_Type_Description	YES	STRING	A detailed description of the provider specialty type, explaining its scope and relevance.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time when the specialty type became active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the specialty type entry.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	The date and time when the specialty type entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the specialty type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the specialty type entry was last updated or modified in the system.

Dictionary Provider Type

Column Name	Is Nullable	Data Type	Description
Provider_Tier	YES	STRING	A code or identifier representing a specific tier level for providers.
Provider_Tier_Description	YES	STRING	A detailed description of the provider tier.
Active	YES	STRING	Indicates whether this provider tier is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this provider tier entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this provider tier entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this provider tier entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this provider tier entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this provider tier entry was last modified.

Dictionary Provider Type

Column Name	Is Nullable	Data Type	Description
Provider_Type	YES	STRING	A code or identifier representing a specific type of healthcare provider.
Provider_Type_Description	YES	STRING	A detailed description of the provider type.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this provider type entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this provider type entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this provider type entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this provider type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this provider type entry was last modified.

Dictionary Provider Type Crosswalk

Column Name	Is Nullable	Data Type	Description
Source	YES	STRING	The originating system or reference source for the provider type data.
Type	YES	STRING	A unique identifier or code representing the provider type.
Type_Description	YES	STRING	A detailed description of the provider type, explaining its classification or category.
Member_Type	YES	STRING	A code or identifier linking the provider type to a specific member type category.
Member_Type_Description	YES	STRING	A detailed description of the member type associated with the provider type.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time when the provider type crosswalk entry became active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the provider type crosswalk entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the provider type crosswalk entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the provider type crosswalk entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the provider type crosswalk entry was last updated or modified in the system.

Dictionary Questionnaire Access Point

Column Name	Is Nullable	Data Type	Description
Access_Point	YES	STRING	Describes the location or method for accessing healthcare services (e.g., in-person, telemedicine).
Access_Point_Description	YES	STRING	Further explains the characteristics or features of the specified access point.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Questionnaire Class

Column Name	Is Nullable	Data Type	Description
Questionnaire_Class	YES	STRING	Indicates the classification or category of a questionnaire used for assessments or patient history.
Questionnaire_Class_Description	YES	STRING	Elaborates on the purpose or scope of the specified questionnaire class.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Questionnaire Review Edit Reason

Column Name	Is Nullable	Data Type	Description
Review_Edit_Reason	YES	STRING	Specifies reasons for reviewing and editing information (e.g., quality assurance, compliance).
Review_Edit_Reason_Description	YES	STRING	Provides additional context or details related to the review and edit process.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Quicklist MIP Diagnosis

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the quicklist MIP diagnosis record is active.
Code	YES	STRING	The code of the MIP diagnosis.

Column Name	Is Nullable	Data Type	Description
Code_Set_Type	YES	STRING	The type of code set the MIP diagnosis code belongs to.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the quicklist MIP diagnosis record was created.
Created_User_ID	YES	STRING	The ID of the user who created the quicklist MIP diagnosis record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the quicklist MIP diagnosis record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the quicklist MIP diagnosis record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the quicklist MIP diagnosis record.

Dictionary Quicklist Request Diagnosis

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the quicklist request diagnosis record is active.
Code	YES	STRING	The code of the diagnosis.
Code_Set_Type	YES	STRING	The type of code set the diagnosis code belongs to.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the quicklist request diagnosis record was created.
Created_User_ID	YES	STRING	The ID of the user who created the quicklist request diagnosis record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the quicklist request diagnosis record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the quicklist request diagnosis record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the quicklist request diagnosis record.

Dictionary Quicklist Request Service

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the quicklist request service record is active.
Code	YES	STRING	The code of the service.
Code_Set_Type	YES	STRING	The type of code set the service code belongs to.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the quicklist request service record was created.
Created_User_ID	YES	STRING	The ID of the user who created the quicklist request service record.

Column Name	Is Nullable	Data Type	Description
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the quicklist request service record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the quicklist request service record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the quicklist request service record.