

Dictionary Dataset Specification (R-Z)

Dictionary RX Patient Relation

Dictionary RX Patient Relation
Dictionary Race
Dictionary Rating
Dictionary Relationship
Dictionary Reporting System Identifiers
Dictionary Request Classification
Dictionary_Request_Follow_Up_Reason
Dictionary Request Intake Source
Dictionary Request Item Details Type
Dictionary Request Item Type
Dictionary Request Penalty Type
Dictionary Request Provider Role
Dictionary Request Responder Relation
Dictionary Request Type
Dictionary Request Urgency
Dictionary Request Waiver Type
Dictionary Requester Type
Dictionary Response Type
Dictionary Response Value Type
Dictionary Revenue Code
Dictionary Review Type
Dictionary Risk Score Type
Dictionary Route
Dictionary Route Type
Dictionary Security Resource Class

Dictionary Service CPT4
Dictionary Service Code Modifier
Dictionary Service HCPCS
Dictionary_Service_High_Treatment_Frequency
Dictionary Service ICD10
Dictionary Service ICD9
Dictionary Service Introducer
Dictionary Service Modifier CPT4
Dictionary Service Modifier HCPCS
Dictionary Service Other
Dictionary Service Setting Code
Dictionary Service Status
Dictionary Source Of Payment Typology
Dictionary Source System
Dictionary Specialty
Dictionary Specialty CMS
Dictionary State
Dictionary State
Dictionary State Province
Dictionary Subclient
Dictionary Subscriber Relationship
Dictionary System Source
Dictionary Task Class
Dictionary Task Outcome
Dictionary Task Outcomes
Dictionary Task Priorities
Dictionary Task Reason
Dictionary_Task_Reason_Task_Type_Mappings

Dictionary Task Reasons
Dictionary Task Type
Dictionary Task Types
Dictionary Task Void Reason
Dictionary TAT Reset Reason
Dictionary Time Unit Of Measure
Dictionary Timezone
Dictionary Transaction Source
Dictionary Transaction Type
Dictionary Treatment Setting
Dictionary Treatment Setting Code
Dictionary Treatment Setting To Request Type Mapping
Dictionary Treatment Type
Dictionary Treatment Type Setting To Treatment Type Mapping
Dictionary Treatment Unit Of Measure
Dictionary Type Of Bill
Dictionary Type Of Bill Place Of Service Crosswalk
Dictionary Urgency
Dictionary US Extension Snomed
Dictionary US Extension Snomed
Dictionary User Role
Dictionary User Skills
Dictionary Visibility Level
Dictionary Visibility Level Mapping
Dictionary Visibility Scope
Dictionary Waiver

Column Name	Is Nullable	Data Type	Description
Patient_Relationship_Type_Code	YES	STRING	A unique code representing the type of relationship the patient has with the associated entity.
Patient_Relationship_Type_Description	YES	STRING	A detailed description of the patient's relationship type, explaining the nature of the relationship.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the relationship type entry is considered active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the relationship type entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the relationship type entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the relationship type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the relationship type entry was last updated or modified in the system.

Dictionary Race

Column Name	Is Nullable	Data Type	Description
Race_Code	YES	STRING	A unique code that represents a specific racial category.
Race_Description	YES	STRING	A detailed description of the racial category represented by the code.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the race entry is considered active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the race entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the race entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the race entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the race entry was last updated or modified.

Dictionary Rating

Column Name	Is Nullable	Data Type	Description
Rating	YES	STRING	Represents a numerical or qualitative assessment.
Rating_Description	YES	STRING	Describes the meaning or interpretation of the specified rating value.
Active	YES	STRING	Indicates whether the item is active.

Column Name	Is Nullable	Data Type	Description
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Relationship

Column Name	Is Nullable	Data Type	Description
Relationship	YES	STRING	Refers to connections or associations between entities (e.g., patient-provider relationship).
Active	YES	STRING	Indicates whether the item is active.
Relationship_Description	YES	STRING	Expands on the nature or significance of the specified relationship.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Reporting System Identifiers

Column Name	Is Nullable	Data Type	Description
System_User_Id	YES	STRING	A unique identifier for a system user in the reporting system.
System_User_Name	YES	STRING	The name associated with the system user in the reporting system.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this system user entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this system user entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this system user entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this system user entry.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this system user entry was last modified.

Dictionary Request Classification

Column Name	Is Nullable	Data Type	Description
Request_Classification	YES	STRING	Classification of the request.
Request_Classification_Description	YES	STRING	Description of the request classification.
Active	YES	STRING	Indicates if the request classification is active.
Request_Group_Code	YES	STRING	The code representing a specific group or category of requests.
Request_Group_Description	YES	STRING	A textual description of the request group code.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the request classification became effective.
Created_User_ID	YES	STRING	Identifier for the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.

Dictionary Request Follow Up Reason

Column Name	Is Nullable	Data Type	Description
Request_Follow_Up_Reason	YES	STRING	Code or identifier representing a specific reason for following up on a request.
Request_Follow_Up_Reason_Description	YES	STRING	Detailed explanation or description of the follow-up reason.
Active	YES	STRING	Indicator of whether this follow-up reason is currently active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this follow-up reason definition becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created this follow-up reason entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this follow-up reason entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this follow-up reason entry.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this follow-up reason entry.

Dictionary Request Intake Source

Column Name	Is Nullable	Data Type	Description
Request_Intake_Source	YES	STRING	Source of the request intake.
Request_Intake_Source_Description	YES	STRING	Description of the request intake source.
Active	YES	STRING	Indicates if the request intake source is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the request intake source became effective.
Created_User_ID	YES	STRING	Identifier for the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.

Dictionary Request Item Details Type

Column Name	Is Nullable	Data Type	Description
Request_Item_Details_Type	YES	STRING	Identifies the type of details associated with a specific request item.
Request_Item_Details_Type_Description	YES	STRING	Describes the purpose or content of the specified request item details.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Request Item Type

Column Name	Is Nullable	Data Type	Description
Request_Item_Type	YES	STRING	Specifies the type or category of a request item (e.g., lab test, medication refill).
Request_Item_Type_Description	YES	STRING	Provides additional context or information about the specified request item type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Request Penalty Type

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicator of whether this penalty type is currently active in the system.
Created_Timestamp	YES	TIMESTAMP	Timestamp when this penalty type record was created.
Created_User_ID	YES	STRING	Identifier of the user who created this penalty type entry.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this penalty type definition becomes effective.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this penalty type record.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this penalty type entry.
Request_Penalty_Type_Code	YES	STRING	Code or identifier representing a specific type of penalty associated with requests.
Request_Penalty_Type_Description	YES	STRING	Detailed description or explanation of the request penalty type.

Dictionary Request Provider Role

Column Name	Is Nullable	Data Type	Description
Request_Provider_Role	YES	STRING	Defines the role or function of a provider within a specific request context.
Request_Provider_Role_Description	YES	STRING	Expounds on the responsibilities or duties associated with the specified provider role.

Column Name	Is Nullable	Data Type	Description
System_Role	YES	BOOL	Refers to roles or permissions within a system.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Request Responder Relation

Column Name	Is Nullable	Data Type	Description
Request_Responder_Relation	YES	STRING	Describes the relationship between a requester and a responder in a specific context.
Request_Responder_Relation_Description	YES	STRING	Provides context or details about the specified responder relationship.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Request Type

Column Name	Is Nullable	Data Type	Description
Request_Type	YES	STRING	Indicates the type of request made (e.g., appointment, prescription).
Request_Type_Description	YES	STRING	Offers additional information about the specified request type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.
Active	YES	STRING	A flag indicating whether the request type is currently active (True/False).
Available_For_Provider_Portal	YES	BOOL	This parameter indicates whether the request type is available for the provider portal or not.

Dictionary Request Urgency

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	A flag indicating whether the urgency level is currently active (True/False).
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the urgency level entry is considered active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the urgency level entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the urgency level entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the urgency level entry.
Request_Urgency	YES	STRING	Level of urgency for the request.
Request_Urgency_Description	YES	STRING	Description of the request urgency level.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the urgency level entry was last updated or modified.
Available_For_Provider_Portal	YES	BOOL	This parameter indicates whether the request type is available for the provider portal or not.

Dictionary Request Waiver Type

Column Name	Is Nullable	Data Type	Description
Request_Waiver_Type_Code	YES	STRING	Code or identifier representing a specific type of waiver for a request.
Request_Waiver_Type_Description	YES	STRING	Detailed explanation or description of the request waiver type.
Active	YES	STRING	Indicator of whether this request waiver type is currently active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this request waiver type definition becomes effective.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	Identifier of the user who created this request waiver type entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this request waiver type entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this request waiver type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this request waiver type entry.

Dictionary Requester Type

Column Name	Is Nullable	Data Type	Description
Requester_Type	YES	STRING	Code or identifier representing a specific category of individual or entity making a request.
Requester_Type_Description	YES	STRING	Detailed explanation or definition of the requester type.
Active	YES	STRING	Indicator of whether this requester type is currently active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this requester type definition becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created this requester type entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this requester type entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this requester type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this requester type entry.

Dictionary Response Type

Column Name	Is Nullable	Data Type	Description
Response_Type	YES	STRING	Specifies the type of response provided (e.g., confirmation, denial).
Response_Type_Description	YES	STRING	Elaborates on the meaning or purpose of the specified response type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Response Value Type

Column Name	Is Nullable	Data Type	Description
Response_Value_Type	YES	STRING	Identifies the data type or format of a response value (e.g., text, numeric).
Response_Value_Type_Description	YES	STRING	Provides context regarding the interpretation or handling of response values.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Revenue Code

Column Name	Is Nullable	Data Type	Description
Revenue_Code	YES	STRING	A unique identifier representing a specific revenue code used for billing and categorization.
Revenue_Code_Description	YES	STRING	A detailed explanation or label describing the purpose of the revenue code.
Code_Start	YES	STRING	The starting range of revenue codes for categorization purposes.
Code_End	YES	STRING	The ending range of revenue codes for categorization purposes.
Code_Set	YES	STRING	The specific set or category to which the revenue code belongs.
Code_Version	YES	STRING	The version number of the code set, indicating updates or revisions.
Active	YES	STRING	A flag indicating whether the revenue code is currently active (True/False).
Room_Board_Flag	YES	STRING	A flag indicating whether the revenue code is associated with room and board services.
RSS_Source_Number	YES	STRING	A reference number indicating the source system for the revenue code data.
Include_Episodes_Flag	YES	STRING	A flag indicating whether episodes of care should be included under this revenue code.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the revenue code entry is considered active or valid in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the revenue code entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the revenue code entry was created in the system.

Column Name	Is Nullable	Data Type	Description
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the revenue code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the revenue code entry was last updated or modified.

Dictionary Review Type

Column Name	Is Nullable	Data Type	Description
Review_Type	YES	STRING	Refers to the type of review conducted (e.g., clinical review, audit).
Review_Type_Description	YES	STRING	Describes the focus or purpose of the specified review type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.
Available_For_Provider_Portal	YES	BOOL	This parameter indicates whether the request type is available for the provider portal or not.

Dictionary Risk Score Type

Column Name	Is Nullable	Data Type	Description
Score_Type_Code	YES	STRING	A unique identifier representing a specific risk score type.
Score_Type_Description	YES	STRING	A detailed description of the risk score type, explaining its purpose and application.
Model_ID	YES	STRING	The identifier of the risk model associated with this score type.
Model_Type	YES	STRING	Specifies the type of model (e.g., predictive, analytical) used to calculate the risk score.
Population_Type	YES	STRING	Indicates the population group (e.g., pediatric, adult) for which the risk score applies.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the risk score type entry is considered active or valid.
Created_User_ID	YES	STRING	The unique identifier of the user who created the risk score type entry.
Created_Timestamp	YES	TIMESTAMP	The date and time when the risk score type entry was created in the system.

Column Name	Is Nullable	Data Type	Description
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the risk score type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the risk score type entry was last updated or modified.

Dictionary Route

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the route is active or not.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the route was created.
Created_User_ID	YES	STRING	The ID of the user who created the route.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the route is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the route was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the route.
Route_Code	YES	STRING	The code of the route.
Route_Description	YES	STRING	The description of the route.

Dictionary Route Type

Column Name	Is Nullable	Data Type	Description
Route_Type	YES	STRING	Indicates the method or pathway for handling requests or information flow.
Route_Type_Description	YES	STRING	Expands on the characteristics or options related to the specified route type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Security Resource Class

Column Name	Is Nullable	Data Type	Description
Security_Resource_Class	YES	STRING	Classifies security resources (e.g., user accounts, permissions).
Security_Resource_Class_Description	YES	STRING	Provides context or details about the specified security resource class.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Service CPT4

Column Name	Is Nullable	Data Type	Description
Service_Code	YES	STRING	A unique identifier or code assigned to a specific medical service or procedure, typically in accordance with a standardized coding system (e.g., CPT).
Service_Code_Set_Type	YES	STRING	Specifies the classification or type of service code set, indicating whether the code belongs to a particular system (e.g., CPT, ICD) or custom grouping.
Service_Description	YES	STRING	A detailed description of the medical service or procedure corresponding to the service code, explaining its purpose or nature.
Service_Short_Term	YES	STRING	A brief, abbreviated name or description of the medical service, often used for quick reference or within space-limited contexts.
Service_Long_Term	YES	STRING	A more detailed and comprehensive name or description of the service, providing full context about the service provided.
Include_Episodes_Flag	YES	STRING	A flag indicating whether the service should be included in the episodes of care or whether it is treated independently.
Visibility_Level	YES	STRING	Specifies the level of access or visibility the service code has within the system (e.g., private, public, restricted).
Code_Start	YES	STRING	The start date or time period during which the service code becomes valid or applicable.
Code_End	YES	STRING	The end date or time period during which the service code remains valid or applicable.
Billable	YES	STRING	A flag indicating whether the service is billable, meaning that it can be charged to a payer for reimbursement.

Column Name	Is Nullable	Data Type	Description
Billable_Start	YES	STRING	The start date or period during which the service is eligible for billing.
Billable_End	YES	STRING	The end date or period during which the service is no longer eligible for billing.
Code_Set	YES	STRING	The specific set of codes (e.g., CPT, HCPCS, ICD) that the service code belongs to, indicating the coding system it adheres to.
Code_Version	YES	STRING	The version number of the service code set, which may change over time as coding standards are updated.
RSS_Source_Number	YES	STRING	An identifier or reference number for the RSS feed source from which the service code and associated information are sourced or derived.
Active	YES	STRING	A flag indicating whether the service code is currently active or in use, as opposed to being retired or inactive.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service code becomes effective and is applicable to any relevant transactions or records.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service code entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service code entry was created.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service code entry was last modified.

Dictionary Service Code Modifier

Column Name	Is Nullable	Data Type	Description
Service_Code_Modifier	YES	STRING	Describes modifiers applied to service codes (e.g., billing modifiers).
Service_Code_Modifier_Description	YES	STRING	Explains the impact or purpose of the specified service code modifier.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Service HCPCS

Column Name	Is Nullable	Data Type	Description
Service_Code	YES	STRING	A unique identifier or code assigned to a specific medical service or procedure, usually based on the HCPCS (Healthcare Common Procedure Coding System) code set.
Service_Code_Set_Type	YES	STRING	Specifies the classification or type of the code set that the service code belongs to, such as HCPCS or other coding systems.
Service_Description	YES	STRING	A detailed description of the medical service or procedure that corresponds to the service code, providing full context of the service provided.
Service_Short_Term	YES	STRING	A concise or abbreviated name for the medical service, typically used in contexts requiring a shortened description.
Service_Long_Term	YES	STRING	A more comprehensive and detailed name or description of the service, providing full context about the medical service.
Include_Episodes_Flag	YES	STRING	A flag indicating whether the service code is included in the episodes of care or treated separately.
Visibility_Level	YES	STRING	Specifies the level of access or visibility for the service code, such as whether it is publicly visible, restricted, or private within the system.
Code_Start	YES	STRING	The date or time when the service code becomes effective and valid.
Code_End	YES	STRING	The date or time when the service code is no longer valid or applicable.
Billable	YES	STRING	A flag indicating whether the service is billable, meaning that it can be used for reimbursement claims.
Billable_Start	YES	STRING	The date or time when the service becomes eligible for billing.
Billable_End	YES	STRING	The date or time when the service is no longer eligible for billing.
Code_Set	YES	STRING	The specific code set (e.g., HCPCS, CPT, ICD) to which the service code belongs, representing the classification system used.
Code_Version	YES	STRING	The version of the code set to which the service code belongs, which may be updated periodically as standards evolve.
RSS_Source_Number	YES	STRING	An identifier for the RSS feed source from which the service code and its associated data are sourced.
Active	YES	STRING	A flag indicating whether the service code is currently active, meaning it can be used in transactions or is still in effect.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service code first becomes effective, marking the start of its applicability.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service code entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service code entry was created in the database.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last updated or modified the service code entry.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service code entry was last modified.

Dictionary_Service_High_Treatment_Frequency

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the high treatment frequency record is active.
Allowed_Gap	YES	STRING	The allowed gap in days between treatments.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the high treatment frequency record was created.
Created_User_ID	YES	STRING	The ID of the user who created the high treatment frequency record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the high treatment frequency record is effective.
Frequency_Threshold_Days	YES	STRING	The threshold value for the treatment frequency in days.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the high treatment frequency record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the high treatment frequency record.
Scheme_Code	YES	STRING	The code of the scheme.
Service_Code	YES	STRING	The code of the service.
Service_Frequency_Threshold_List_ID	YES	STRING	The unique identifier of the service frequency threshold list.

Dictionary Service ICD10

Column Name	Is Nullable	Data Type	Description
Service_Code	YES	STRING	A unique identifier or code assigned to a specific medical service or diagnosis, typically based on the ICD-10 (International Classification of Diseases, 10th Revision) coding system.
Service_Code_Set_Type	YES	STRING	Specifies the classification or type of code set, indicating whether the code belongs to a particular system (e.g., ICD-10, ICD-9, or other medical coding systems).
Service_Description	YES	STRING	A detailed description of the medical diagnosis, service, or procedure corresponding to the ICD-10 service code, explaining its nature and purpose.
Service_Short_Term	YES	STRING	A concise or abbreviated version of the service description, typically used for quick reference or in situations requiring a shortened name.

Column Name	Is Nullable	Data Type	Description
Service_Long_Term	YES	STRING	A more detailed and comprehensive name or description of the service or diagnosis, providing full context of the medical condition or treatment.
Include_Episodes_Flag	YES	STRING	A flag indicating whether the service or diagnosis is included in the episodes of care, or whether it is considered separately in medical records.
Visibility_Level	YES	STRING	Specifies the level of access or visibility the service code has within the system (e.g., public, restricted, private).
Code_Start	YES	STRING	The start date or period during which the service or diagnosis code becomes valid and applicable.
Code_End	YES	STRING	The end date or period during which the service or diagnosis code remains valid and applicable.
Billable	YES	STRING	A flag indicating whether the service or diagnosis code is billable, meaning it can be used for reimbursement purposes.
Billable_Start	YES	STRING	The start date or period during which the service or diagnosis code is eligible for billing.
Billable_End	YES	STRING	The end date or period during which the service or diagnosis code is no longer eligible for billing.
Code_Set	YES	STRING	The specific code set (e.g., ICD-10, ICD-9) that the service code belongs to, indicating which classification system is used for coding.
Code_Version	YES	STRING	The version number of the ICD-10 code set that the service or diagnosis code is a part of, which may change over time with updates to the coding system.
RSS_Source_Number	YES	STRING	An identifier for the RSS feed source from which the service code and associated data are derived or sourced.
Active	YES	STRING	A flag indicating whether the service code is currently active and in use, or whether it has been retired or is inactive.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service or diagnosis code first becomes effective and applicable to relevant medical records or transactions.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service or diagnosis code entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service or diagnosis code entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service or diagnosis code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service or diagnosis code entry was last modified.

Dictionary Service ICD9

Column Name	Is Nullable	Data Type	Description
Service_Code	YES	STRING	A unique identifier or code assigned to a specific medical diagnosis or service, typically based on the ICD-9 (International Classification of Diseases, 9th Revision) coding system.

Column Name	Is Nullable	Data Type	Description
Service_Code_Set_Type	YES	STRING	Specifies the classification or type of code set, indicating whether the code belongs to the ICD-9 system or another medical coding standard (e.g., ICD-10, CPT).
Service_Description	YES	STRING	A detailed description of the medical diagnosis or service corresponding to the ICD-9 service code, explaining the nature and details of the condition or procedure.
Service_Short_Term	YES	STRING	A concise or abbreviated version of the service description, typically used for quick reference or in situations requiring a shortened name.
Service_Long_Term	YES	STRING	A more detailed and comprehensive description of the diagnosis or service, providing full context about the medical condition or procedure.
Include_Episodes_Flag	YES	STRING	A flag indicating whether the service or diagnosis code is included in episodes of care, or whether it is treated independently in medical records.
Visibility_Level	YES	STRING	Specifies the level of access or visibility the service code has within the system, such as public, restricted, or private.
Code_Start	YES	STRING	The start date or time when the service or diagnosis code becomes valid and applicable.
Code_End	YES	STRING	The end date or time when the service or diagnosis code is no longer valid or applicable.
Billable	YES	STRING	A flag indicating whether the service or diagnosis code is billable, meaning it is eligible for reimbursement by payers.
Billable_Start	YES	STRING	The date or time when the service or diagnosis code becomes eligible for billing or reimbursement.
Billable_End	YES	STRING	The date or time when the service or diagnosis code is no longer eligible for billing or reimbursement.
Code_Set	YES	STRING	The specific coding system or set (e.g., ICD-9) that the service code belongs to, defining which classification system is used for the diagnosis or service.
Code_Version	YES	STRING	The version number of the ICD-9 code set that the service or diagnosis code belongs to, reflecting updates or changes in the coding system.
RSS_Source_Number	YES	STRING	An identifier for the RSS feed source from which the service code and related data are derived.
Active	YES	STRING	A flag indicating whether the service code is currently active, meaning it can be used in medical records and billing, or if it has been retired or deactivated.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service or diagnosis code first becomes valid and applicable to medical records or billing transactions.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service or diagnosis code entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service or diagnosis code entry was created in the database.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service or diagnosis code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service or diagnosis code entry was last modified in the database.

Dictionary Service Introducer

Column Name	Is Nullable	Data Type	Description
Service_Introducer_Code	YES	STRING	A unique identifier or code assigned to a service introducer, which refers to the person, organization, or system that introduces or initiates a medical service or procedure.
Service_Introducer_Description	YES	STRING	A detailed description of the service introducer, explaining the role, function, or purpose of the entity or system introducing the medical service or procedure.
Service_Introducer_Category	YES	STRING	The classification or category under which the service introducer falls, such as physician, hospital, or healthcare provider.
Service_Scheme_Code	YES	STRING	A code that identifies the scheme or plan under which the medical service or procedure is introduced, which may refer to insurance, payment models, or healthcare programs.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service introducer becomes valid or active in the system, marking the start of its applicability.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service introducer entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service introducer entry was created in the system or database.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service introducer entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service introducer entry was last modified in the database.

Dictionary Service Modifier CPT4

Column Name	Is Nullable	Data Type	Description
Service_Modifier_Code	YES	STRING	A unique code assigned to a service modifier, which provides additional information about a procedure or service, typically used in CPT (Current Procedural Terminology) coding.
Service_Modifier_Code_Set_Type	YES	STRING	Specifies the classification or type of the code set to which the service modifier belongs, such as CPT4 or other medical coding systems.
Service_Modifier_Description	YES	STRING	A detailed description of the service modifier, explaining the purpose or nature of the modifier and how it alters or clarifies the primary procedure or service code.
Service_Modifier_Long_Term	YES	STRING	A more detailed or comprehensive description of the service modifier, offering an extended explanation of its use or application in the medical context.
Code_Start	YES	STRING	The start date or period when the service modifier code becomes effective and applicable in medical billing or coding transactions.

Column Name	Is Nullable	Data Type	Description
Code_End	YES	STRING	The end date or period when the service modifier code is no longer applicable, marking the expiration of its validity in coding systems.
Code_Set	YES	STRING	The coding system or set (e.g., CPT4) that the service modifier belongs to, specifying the framework in which the modifier is used.
Code_Version	YES	STRING	The version number of the code set that the service modifier is a part of, which can change over time as the coding standards are updated.
Active	YES	STRING	A flag indicating whether the service modifier is currently active and valid for use in medical coding and billing.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service modifier code becomes effective and applicable for use in transactions or medical records.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service modifier entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service modifier entry was created in the database.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service modifier entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service modifier entry was last modified in the system.

Dictionary Service Modifier HCPCS

Column Name	Is Nullable	Data Type	Description
Service_Modifier_Code	YES	STRING	A unique code assigned to a service modifier, which provides additional information about a procedure or service, typically used in HCPCS (Healthcare Common Procedure Coding System).
Service_Modifier_Code_Set_Type	YES	STRING	Specifies the classification or type of the code set to which the service modifier belongs, such as HCPCS or other medical coding systems.
Service_Modifier_Description	YES	STRING	A detailed description of the service modifier, explaining its purpose or nature and how it alters or clarifies the primary procedure or service code.
Service_Modifier_Long_Term	YES	STRING	A more detailed or comprehensive description of the service modifier, offering an extended explanation of its use or application in medical coding and billing.
Code_Start	YES	STRING	The start date or period when the service modifier code becomes effective and applicable in medical billing or coding transactions.
Code_End	YES	STRING	The end date or period when the service modifier code is no longer applicable, marking the expiration of its validity in coding systems.

Column Name	Is Nullable	Data Type	Description
Code_Set	YES	STRING	The coding system or set (e.g., HCPCS) that the service modifier belongs to, specifying the framework in which the modifier is used.
Code_Version	YES	STRING	The version number of the code set that the service modifier is a part of, which can change over time as the coding standards are updated.
Active	YES	STRING	A flag indicating whether the service modifier is currently active and valid for use in medical coding and billing.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service modifier code becomes effective and applicable for use in transactions or medical records.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service modifier entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service modifier entry was created in the database.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service modifier entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service modifier entry was last modified in the system.

Dictionary Service Other

Column Name	Is Nullable	Data Type	Description
Service_Code	YES	STRING	A unique code representing a specific service not covered by other service code dictionaries.
Service_Short_Term	YES	STRING	A short description of the service associated with this code.
Service_Description	YES	STRING	A detailed description of the service associated with this code.
Active	YES	STRING	Indicates whether this service code is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this service code entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this service code entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this service code entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this service code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this service code entry was last modified.

Dictionary Service Setting Code

Column Name	Is Nullable	Data Type	Description
Service_Setting_Code	YES	STRING	A unique code that identifies a specific setting or environment in which a medical service or procedure is provided, such as an outpatient clinic, hospital, or home care setting.
Service_Setting_Description	YES	STRING	A detailed description of the service setting, explaining the environment or context in which the medical service or procedure is performed.
Service_Location_Code	YES	STRING	A code representing the specific physical location or facility where the medical service or procedure is provided (e.g., hospital, clinic, or physician's office).
RSS_Source_Number	YES	STRING	An identifier for the RSS feed source from which the setting code and associated data are sourced or derived.
Place_Group_Code	YES	STRING	A code that classifies or categorizes the group of places where services are delivered, which can be used for organizational or billing purposes.
Visibility_Level	YES	STRING	Specifies the level of visibility or access that the service setting code has within the system, such as public, restricted, or private access.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the service setting code becomes valid and applicable, marking the start of its usage in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the service setting code entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the service setting code entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the service setting code entry in the database.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the service setting code entry was last modified in the system.

Dictionary Service Status

Column Name	Is Nullable	Data Type	Description
Service_Status	YES	STRING	Represents the status of a service (e.g., active, inactive, pending).
Service_Status_Description	YES	STRING	Provides additional context or meaning for the specified service status.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.

Column Name	Is Nullable	Data Type	Description
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Source Of Payment Typology

Column Name	Is Nullable	Data Type	Description
Concept_Code	YES	STRING	A unique identifier or code assigned to a specific concept in the source of payment typology, representing a distinct medical or financial concept related to payment or billing.
Concept_Name	YES	STRING	The name associated with the concept code, describing the specific concept within the source of payment typology, such as a specific payment model or category.
Preferred_Concept_Name	YES	STRING	The most commonly used or recommended name for the concept, preferred for clarity or consistency in the context of payment typology.
Preferred_Alternate_Code	YES	STRING	An alternate code that can be used for the same concept, offering flexibility or compatibility with other coding systems or terminology.
Code_System_ID	YES	STRING	The unique identifier of the code system to which the concept code belongs, such as ICD, CPT, or another relevant coding system used for payment typology.
Code_System_Name	YES	STRING	The name of the coding system that the concept code belongs to, such as the ICD-10, CPT, or HCPCS coding systems.
Code_System_Code	YES	STRING	A unique code that identifies the specific version or set of codes within the coding system, potentially linking to a particular standard version or update.
Code_System_Version	YES	STRING	The version of the code system used for the concept, reflecting updates or changes in the coding standards (e.g., ICD-10 vs. ICD-11).
HL7_Table_0396_Code	YES	STRING	A code from the HL7 (Health Level 7) Table 0396, which is a standardized code system used in healthcare data exchange for payment typology and related concepts.
Value_Set_Concept_Description	YES	STRING	A detailed description of the concept within the value set, explaining the nature and context of the concept in the source of payment typology.
Value_Set_Code	YES	STRING	The unique code that identifies a specific value set, which is a collection of codes or concepts grouped together under a common categorization or purpose.
Value_Set_Version	YES	STRING	The version number of the value set, indicating when the value set was last updated or modified, ensuring that the concept codes align with the most current standard.

Column Name	Is Nullable	Data Type	Description
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the concept and associated codes or descriptions become valid and applicable for use in the payment typology system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the source of payment typology entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the source of payment typology entry was created in the system or database.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the source of payment typology entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the source of payment typology entry was last modified in the database.

Dictionary Source System

Column Name	Is Nullable	Data Type	Description
Source_System_ID	YES	STRING	Identifies the originating system or source of data (e.g., EMR, claims system).
Source_System_Description	YES	STRING	Describes the characteristics or purpose of the specified source system.
Active	YES	STRING	Indicates whether this source system is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Specialty

Column Name	Is Nullable	Data Type	Description
Specialty_Code	YES	STRING	Represents a code or identifier for a specific medical specialty (e.g., cardiology, dermatology).
Specialty_Description	YES	STRING	Provides additional context or details about the specified medical specialty.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Specialty CMS

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	Unique code identifying the CMS specialty.
Description	YES	STRING	Detailed description or explanation of the CMS specialty.
Active	YES	STRING	Boolean flag indicating if the CMS specialty code is currently active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the CMS specialty code becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created the CMS specialty code entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when the CMS specialty code entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the CMS specialty code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to the CMS specialty code entry.

Dictionary State

Column Name	Is Nullable	Data Type	Description
Stage_Type	YES	STRING	A code or identifier representing a specific stage type in a process or workflow.
Stage_Type_Description	YES	STRING	A detailed description of the stage type.
Active	YES	STRING	Indicates whether this stage type is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this stage type entry became or will become effective.
Created_User_ID	YES	STRING	The user ID of the person who created this stage type entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this stage type entry was created.
Last_Modified_User_ID	YES	STRING	The user ID of the person who last modified this stage type entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this stage type entry was last modified.

Dictionary State

Column Name	Is Nullable	Data Type	Description
State	YES	STRING	Refers to a geographical state within a country (e.g., California, New York).
State_Name	YES	STRING	Specifies the name of the state corresponding to the provided state code.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary State Province

Column Name	Is Nullable	Data Type	Description
State_Province_Code	YES	STRING	A unique identifier or code assigned to a state or province, used to represent a specific geographic region or administrative division within a country.
State_Province_Name	YES	STRING	The name of the state or province, such as "California" or "Ontario," representing a specific geographic area within a country.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the state or province code becomes valid or effective in the system, marking the start of its usage.
Created_User_ID	YES	STRING	The unique identifier of the user who created the state or province entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the state or province entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the state or province entry in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the state or province entry was last modified in the system.

Dictionary Subclient

Column Name	Is Nullable	Data Type	Description
Subclient_Code	YES	STRING	A unique identifier or code assigned to a subclient, representing a distinct business unit or subsidiary within a larger organization or client structure.

Column Name	Is Nullable	Data Type	Description
Subclient_Description	YES	STRING	A detailed description of the subclient, explaining the specific function, role, or purpose of the subclient within the overall organization or system.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the subclient code becomes valid or applicable in the system, marking the start of its usage.
Created_User_ID	YES	STRING	The unique identifier of the user who created the subclient entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the subclient entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the subclient entry in the database.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the subclient entry was last modified in the system.
Active	YES	STRING	Indicates whether the item is active.

Dictionary Subscriber Relationship

Column Name	Is Nullable	Data Type	Description
Relationship	YES	STRING	Defines the type of relationship between the subscriber and another party (e.g., spouse, dependent, etc.).
Party	YES	STRING	The entity or individual that has a relationship with the subscriber (e.g., employer, guardian, etc.).
Relationship_Description	YES	STRING	A detailed description of the relationship type, providing further context and explanation.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the subscriber relationship becomes effective or valid.
Created_User_ID	YES	STRING	The identifier of the user who created the subscriber relationship entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the subscriber relationship entry was initially created.
Last_Modified_User_ID	YES	STRING	The identifier of the user who last modified the subscriber relationship entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the subscriber relationship entry was last updated or modified.

Dictionary System Source

Column Name	Is Nullable	Data Type	Description
System_Source_Code	YES	STRING	A unique identifier or code assigned to a system source, representing the origin or provider of a system or data source within the medical SAP environment.

Column Name	Is Nullable	Data Type	Description
System_Source_Name	YES	STRING	The name of the system source, indicating the specific source or system from which data is derived, such as a particular database or external information provider.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the system source code becomes valid or applicable in the system, marking the start of its usage.
Created_User_ID	YES	STRING	The unique identifier of the user who created the system source entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the system source entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the system source entry in the database.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the system source entry was last modified in the system.

Dictionary Task Class

Column Name	Is Nullable	Data Type	Description
Task_Class	YES	STRING	Indicates the classification or category of a task (e.g., administrative, clinical).
Task_Class_Description	YES	STRING	Elaborates on the purpose or characteristics of the specified task class.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Task Outcome

Column Name	Is Nullable	Data Type	Description
Task_Outcome	YES	STRING	Describes the outcome or result of a completed task (e.g., approved, rejected).
Task_Outcome_Description	YES	STRING	Provides additional context regarding the meaning or significance of the specified task outcome.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Task Outcomes

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	The code of the task outcome.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the task outcome was created.
Created_User_ID	YES	STRING	The ID of the user who created the task outcome.
Description	YES	STRING	The description of the task outcome.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the task outcome is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the task outcome was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the task outcome.
Active	YES	STRING	Indicates if the task outcome record is active.
Catalog_ID	YES	STRING	The unique identifier of the task outcome in the catalog.

Dictionary Task Priorities

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	The code of the task priority.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the task priority was created.
Created_User_ID	YES	STRING	The ID of the user who created the task priority.
Description	YES	STRING	The description of the task priority.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the task priority is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the task priority was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the task priority.

Column Name	Is Nullable	Data Type	Description
Rank	YES	STRING	The rank or order of the task priority.
Active	YES	STRING	Indicates if the task priority record is active.
Catalog_ID	YES	STRING	The unique identifier of the task priority in the catalog.
Default_Flag	YES	STRING	Indicates if the task reason is the default reason.

Dictionary Task Reason

Column Name	Is Nullable	Data Type	Description
Task_Reason	YES	STRING	Specifies the reason or purpose behind a task (e.g., appointment scheduling, prescription renewal).
Task_Reason_Description	YES	STRING	Expands on the nature or motivation for the specified task reason.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary_Task_Reason_Task_Type_Mappings

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the task reason to task type mapping is active.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the mapping was created.
Created_User_ID	YES	STRING	The ID of the user who created the mapping.
Description	YES	STRING	The description of the mapping.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the mapping is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the mapping was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the mapping.

Column Name	Is Nullable	Data Type	Description
Reason_Code	YES	STRING	The code of the task reason.
Type_Code	YES	STRING	The code of the task type.

Dictionary Task Reasons

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	The code of the task reason.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the task reason was created.
Created_User_ID	YES	STRING	The ID of the user who created the task reason.
Description	YES	STRING	The description of the task reason.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the task reason is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the task reason was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the task reason.
Active	YES	STRING	Indicates if the task reason record is active.
Catalog_ID	YES	STRING	The unique identifier of the task reason in the catalog.

Dictionary Task Type

Column Name	Is Nullable	Data Type	Description
Task_Type	YES	STRING	Identifies the type or category of a task (e.g., lab order, referral).
Task_Type_Description	YES	STRING	Offers additional information about the specified task type.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Task Types

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	The code of the task type.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the task type was created.
Created_User_ID	YES	STRING	The ID of the user who created the task type.
Description	YES	STRING	The description of the task type.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the task type is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the task type was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the task type.
Active	YES	STRING	Indicates if the task priority record is active.
Catalog_ID	YES	STRING	The unique identifier of the task priority in the catalog.

Dictionary Task Void Reason

Column Name	Is Nullable	Data Type	Description
Task_Void_Reason	YES	STRING	Refers to the reason for voiding or canceling a task (e.g., patient cancellation, provider error).
Task_Void_Reason_Description	YES	STRING	Provides context or details about the specified task void reason.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary TAT Reset Reason

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicates if the Turnaround Time (TAT) reset reason record is active.
Created_Timestamp	YES	TIMESTAMP	The timestamp when the TAT reset reason record was created.
Created_User_ID	YES	STRING	The ID of the user who created the TAT reset reason record.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which the TAT reset reason record is effective.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when the TAT reset reason record was last modified.
Last_Modified_User_ID	YES	STRING	The ID of the user who last modified the TAT reset reason record.
Reset_Reason	YES	STRING	The code of the TAT reset reason.
Reset_Reason_Description	YES	STRING	The description of the TAT reset reason.

Dictionary Time Unit Of Measure

Column Name	Is Nullable	Data Type	Description
Time_Unit_Of_Measure	YES	STRING	Represents the unit of measurement for time (e.g., minutes, hours).
Time_Unit_Of_Measure_Description	YES	STRING	Describes the meaning or interpretation of the specified time unit of measure.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.
Active	YES	STRING	Indicates whether the item is active.

Dictionary Timezone

Column Name	Is Nullable	Data Type	Description
Time_Zone_Code	YES	STRING	Identifies a specific time zone (e.g., UTC, PST).

Column Name	Is Nullable	Data Type	Description
Time_Zone_Abbreviation	YES	STRING	Provides the abbreviated name for the specified time zone.
Time_Zone_System_Code	YES	STRING	Specifies the system or standard used for time zone representation (e.g., IANA, Olson).
Time_Zone_Name	YES	STRING	Indicates the full name or label for the specified time zone.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Transaction Source

Column Name	Is Nullable	Data Type	Description
Transaction_Source	YES	STRING	Refers to the source or origin of a transaction (e.g., electronic health record, billing system).
Transaction_Source_Description	YES	STRING	Expounds on the characteristics or purpose of the specified transaction source.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Transaction Type

Column Name	Is Nullable	Data Type	Description
Transaction_Type	YES	STRING	Identifies the type of transaction (e.g., claim submission, payment).
Transaction_Type_Description	YES	STRING	Describes the purpose or context of the specified transaction type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.
Log_Entry_Type	YES	STRING	The type of log entry associated with this transaction type.

Dictionary Treatment Setting

Column Name	Is Nullable	Data Type	Description
Treatment_Setting	YES	STRING	The specific setting or environment where the treatment is provided (e.g., inpatient, outpatient, etc.).
Treatment_Setting_Description	YES	STRING	A detailed explanation or description of the treatment setting and its context.
Bhvrl_Health_Flag	YES	INT64	A flag indicating whether the treatment setting is related to behavioral health (e.g., mental health services).
Medical_Flag	YES	INT64	A flag indicating whether the treatment setting pertains to medical health services.
Active	YES	STRING	A status indicator showing whether the treatment setting is currently active or in use.
Effective_From_Timestamp	YES	TIMESTAMP	The date and time from which the treatment setting becomes effective or is put into use.
Created_User_ID	YES	STRING	The identifier of the user who created the treatment setting entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the treatment setting entry was initially created.
Last_Modified_User_ID	YES	STRING	The identifier of the user who last modified the treatment setting entry.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the treatment setting entry was last updated or modified.

Dictionary Treatment Setting Code

Column Name	Is Nullable	Data Type	Description
Treatment_Setting	YES	STRING	Setting for the treatment.
Treatment_Setting_Description	YES	STRING	Description of the treatment setting.
Visibility_Level	YES	STRING	Level of visibility for the treatment setting.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the treatment setting became effective.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	Identifier for the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.
Behavioral_Health	YES	STRING	Indicates if the treatment setting is related to behavioral health.
Physical_Health	YES	STRING	Indicates if the treatment setting is related to physical health.
Active	YES	STRING	Indicates if the treatment setting is active.
Available_For_Provider_Portal	YES	BOOL	This parameter indicates whether the treatment setting is available for the provider portal or not.

Dictionary Treatment Setting To Request Type Mapping

Column Name	Is Nullable	Data Type	Description
Treatment_Setting_To_Request_Type_Mapping_Key	YES	STRING	A unique identifier for this specific mapping between treatment setting and request type.
Treatment_Setting	YES	STRING	Specifies the treatment setting involved in the mapping (e.g., inpatient, outpatient).
Request_Type	YES	STRING	Defines the type of request associated with the treatment setting.
Active	YES	STRING	Indicates whether the mapping is active (e.g., 'Yes' or 'No').
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this mapping becomes effective.
Created_User_ID	YES	STRING	The identifier of the user who created this mapping entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this mapping was created.
Last_Modified_User_ID	YES	STRING	The identifier of the user who last modified this mapping.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.

Dictionary Treatment Type

Column Name	Is Nullable	Data Type	Description
Treatment_Type	YES	STRING	Type of treatment.

Column Name	Is Nullable	Data Type	Description
Treatment_Type_Description	YES	STRING	Description of the treatment type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp when the treatment type became effective.
Created_User_ID	YES	STRING	Identifier for the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp when the record was created.
Last_Modified_User_ID	YES	STRING	Identifier for the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp when the record was last modified.
Active	YES	STRING	Indicates if the treatment type is active.
Behavioral_Health	YES	STRING	Indicates if the treatment type is related to behavioral health.
Physical_Health	YES	STRING	Indicates if the treatment type is related to physical health.
Available_For_Provider_Portal	YES	BOOL	This parameter indicates whether the treatment type is available for the provider portal or not.

Dictionary Treatment Type Setting To Treatment Type Mapping

Column Name	Is Nullable	Data Type	Description
Treatment_Setting_To_Treatment_Type_Mapping_Key	YES	STRING	The unique identifier for the mapping between treatment setting and treatment type.
Treatment_Setting	YES	STRING	Specifies the treatment setting involved in the mapping (e.g., inpatient, outpatient).
Treatment_Type	YES	STRING	Defines the type of treatment associated with the treatment setting.
Active	YES	STRING	Indicates whether the mapping is active (e.g., 'Yes' or 'No').
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp from which this mapping becomes effective.
Created_User_ID	YES	STRING	The identifier of the user who created this mapping entry.
Created_Timestamp	YES	TIMESTAMP	The timestamp when this mapping was created.
Last_Modified_User_ID	YES	STRING	The identifier of the user who last modified this mapping.
Last_Modified_Timestamp	YES	TIMESTAMP	The timestamp when this mapping was last modified.

Dictionary Treatment Unit Of Measure

Column Name	Is Nullable	Data Type	Description
Treatment_Unit_Of_Measure	YES	STRING	Identifies the unit of measurement for treatment quantities (e.g., milligrams, sessions).
Treatment_Unit_Of_Measure_Description	YES	STRING	Describes the interpretation or significance of the specified treatment unit of measure.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary Type Of Bill

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Date and time when the type of bill record was created.
Created_User_ID	YES	STRING	Identifier of the user who created the type of bill record.
Effective_From_Timestamp	YES	TIMESTAMP	Date and time from which the type of bill code became effective.
Last_Modified_Timestamp	YES	TIMESTAMP	Date and time when the type of bill record was last modified.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the type of bill record.
Type_Of_Bill_Code_Descriptions	YES	STRING	Descriptive text explaining the meaning of the type of bill code.
Type_Of_Bill_Codes	YES	STRING	Standard code identifying the type of bill submitted for a healthcare claim.

Dictionary Type Of Bill Place Of Service Crosswalk

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Date and time when the crosswalk record was created.
Created_User_ID	YES	STRING	Identifier of the user who created the crosswalk record.

Column Name	Is Nullable	Data Type	Description
Effective_From_Timestamp	YES	TIMESTAMP	Date and time from which the crosswalk record became effective.
Last_Modified_Timestamp	YES	TIMESTAMP	Date and time when the crosswalk record was last modified.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the crosswalk record.
Place_Of_Service	YES	STRING	Standard code identifying the place of service where care was rendered.
Place_Of_Service_Description	YES	STRING	Descriptive text explaining the meaning of the place of service code.
Type_Of_Bill_Code_Descriptions	YES	STRING	Descriptive text explaining the meaning of the type of bill code mapped in the crosswalk.
Type_Of_Bill_Codes	YES	STRING	Standard code identifying the type of bill mapped to the corresponding place of service.

Dictionary Urgency

Column Name	Is Nullable	Data Type	Description
Urgency	YES	STRING	Indicates the level of urgency or priority for a task or request (e.g., routine, urgent).
Urgency_Description	YES	STRING	Provides additional context regarding the meaning or impact of the specified urgency level.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary US Extension Snomed

Column Name	Is Nullable	Data Type	Description
License_Code	YES	STRING	Code or identifier representing a specific type of user license in the system.
License_Description	YES	STRING	Detailed explanation or description of the user license type.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this user license definition becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created this user license entry.

Column Name	Is Nullable	Data Type	Description
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this user license entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this user license entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this user license entry.

Dictionary US Extension Snomed

Column Name	Is Nullable	Data Type	Description
Code	YES	STRING	Unique code identifying the US Extension SNOMED CT concept.
Term_Type	YES	STRING	Type or category of the SNOMED CT term (e.g., preferred term, synonym).
Text	YES	STRING	Human-readable text description of the US Extension SNOMED CT concept.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when the US Extension SNOMED CT code becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created the US Extension SNOMED CT code entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when the US Extension SNOMED CT code entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the US Extension SNOMED CT code entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to the US Extension SNOMED CT code entry.

Dictionary User Role

Column Name	Is Nullable	Data Type	Description
Role_Code	YES	STRING	A unique code or identifier associated with a specific user role within the system.
Role_Description	YES	STRING	A brief description or label that explains the purpose or function of the user role.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.

Dictionary User Skills

Column Name	Is Nullable	Data Type	Description
Skill_Code	YES	STRING	Code or identifier representing a specific skill that a user can possess in the system.

Column Name	Is Nullable	Data Type	Description
Skill_Description	YES	STRING	Detailed explanation or description of the skill.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating when this skill definition becomes effective.
Created_User_ID	YES	STRING	Identifier of the user who created this skill entry.
Created_Timestamp	YES	TIMESTAMP	Timestamp of when this skill entry was created.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified this skill entry.
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp of the last modification to this skill entry.

Dictionary Visibility Level

Column Name	Is Nullable	Data Type	Description
Level	YES	STRING	The unique identifier or code representing a specific visibility level, such as "Public," "Restricted," or "Private," that defines the access control for certain data elements.
Description	YES	STRING	A detailed explanation of the visibility level, describing its purpose, scope, and restrictions, such as who can access or view the data associated with the level.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the visibility level becomes valid and applicable in the system.
Created_User_ID	YES	STRING	The unique identifier of the user who created the visibility level entry in the database.
Created_Timestamp	YES	TIMESTAMP	The date and time when the visibility level entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the visibility level entry in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the visibility level entry was last modified in the system.

Dictionary Visibility Level Mapping

Column Name	Is Nullable	Data Type	Description
Source	YES	STRING	The origin or source of the data that is being mapped to a specific visibility level, which could refer to a system, data set, or process that defines the visibility assignment.
Visibility_Level	YES	STRING	The specific visibility level (such as "Public," "Restricted," or "Private") assigned to the data source, indicating the access control and restrictions for the data.
Effective_From_Timestamp	YES	TIMESTAMP	The timestamp indicating when the visibility level mapping becomes valid and applicable for use in the system, marking the start of its usage.

Column Name	Is Nullable	Data Type	Description
Created_User_ID	YES	STRING	The unique identifier of the user who created the visibility level mapping entry in the system.
Created_Timestamp	YES	TIMESTAMP	The date and time when the visibility level mapping entry was created in the system.
Last_Modified_User_ID	YES	STRING	The unique identifier of the user who last modified the visibility level mapping entry in the system.
Last_Modified_Timestamp	YES	TIMESTAMP	The date and time when the visibility level mapping entry was last modified in the system.

Dictionary Visibility Scope

Column Name	Is Nullable	Data Type	Description
Active	YES	STRING	Indicator of whether the visibility scope record is currently active.
Code	YES	STRING	Unique code identifying the visibility scope.
Created_Timestamp	YES	TIMESTAMP	Date and time when the visibility scope record was created.
Created_User_ID	YES	STRING	Identifier of the user who created the visibility scope record.
Description	YES	STRING	Descriptive text explaining the meaning of the visibility scope.
Effective_From_Timestamp	YES	TIMESTAMP	Date and time from which the visibility scope became effective.
Last_Modified_Timestamp	YES	TIMESTAMP	Date and time when the visibility scope record was last modified.
Last_Modified_User_ID	YES	STRING	Identifier of the user who last modified the visibility scope record.

Dictionary Waiver

Column Name	Is Nullable	Data Type	Description
Waiver	YES	STRING	Refers to a waiver or exception granted under specific circumstances (e.g., copayment waiver).
Waiver_Description	YES	STRING	Expands on the conditions or reasons for granting the specified waiver.
Active	YES	STRING	Indicates whether the item is active.
Effective_From_Timestamp	YES	TIMESTAMP	Timestamp indicating the start of the effective period.
Created_User_ID	YES	STRING	User ID of the user who created the record.
Created_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was created.
Last_Modified_User_ID	YES	STRING	User ID of the user who last modified the record.

Column Name	Is Nullable	Data Type	Description
Last_Modified_Timestamp	YES	TIMESTAMP	Timestamp indicating when the record was last modified.